

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)


(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
24 December 2003 (24.12.2003)

PCT

(10) International Publication Number
WO 03/106657 A2

- (51) International Patent Classification⁷: C12N (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (21) International Application Number: PCT/US03/19260
- (22) International Filing Date: 16 June 2003 (16.06.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/388,970 14 June 2002 (14.06.2002) US
- (71) Applicant: STOWERS INSTITUTE FOR MEDICAL RESEARCH [US/US]; 1000 E. 50th Street, Kansas City, MO 64110 (US).
- (72) Inventors: KRUMLAUF, Robb; 5407 Mission Drive, Mission Hills, KS 66208 (US). ELLIES, Debra; 4407 NE 80th Terrace, Kansas City, MO 64119 (US).
- (74) Agents: WOOLLEY, Patrick et al.; Polsinelli Shalton & Welte, 700 W. 47th Street, Suite 1000, Kansas City, MO 64112 (US).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: WISE/SOST NUCLEIC ACID SEQUENCES AND AMINO ACID SEQUENCES



(57) Abstract: The present invention relates to nucleic acid sequences and amino acid sequences which influence bone deposition, the Wnt pathway, ocular development, tooth development, and may bind to LRP. The nucleic acid sequence and polypeptides include Wise and Sost as well as a family of molecules which express a cysteine knot polypeptide. Additionally, the present invention relates to various molecular tools derived from the nucleic acids and polypeptides including vectors, transfected host cells, monoclonal antibodies, Fab fragments, and methods for impacting the pathways.

WO 03/106657 A2

WISE/SOST NUCLEIC ACID SEQUENCES AND AMINO ACID SEQUENCES

This application is a non-provisional patent application based on U.S. Provisional Patent Application Serial No. 60/388,970, filed June 14, 2002, and a new U.S. non-provisional
5 application based on Serial No. 60/388,970 filed June 16, 2003.

FIELD OF INVENTION

The present invention relates to Wise and Sost nucleic acid sequences and related amino acid sequences that can be used to influence bone deposition, the Wnt pathway, tooth development, and ocular development. In particular, the present invention also relates to nucleic
10 acid sequences and amino acid sequences that optionally regulate or suppress bone deposition. The present invention relates to a family of nucleic acid molecules which expresses a family of amino acid sequences, some of which are characterized by a cysteine knot, such as the Wise and Sost proteins. The present invention also relates to resultant molecular biology tools derived from Wise or Sost, including plasmids, transfected host cells, antibodies, tranfected host
15 organisms, and knockout organisms. Finally, the present invention relates to the interaction between Wise or Sost and LRP.

BACKGROUND OF INVENTION

To activate and study the Wnt pathway, a wide range of materials and information has
20 been used. Various model organisms explained below are used because of differing developmental characteristics associated with the organisms. Because frogs and mice are exemplary of the organisms of study, they are explained in greater detail below. As will be seen,

frogs and mice were used in many of the Examples contained herein. Additionally, various genes and the Wnt pathway are explained.

Background of the Frog.

Frogs, in particular *Xenopus*, are excellent model organisms for testing embryonic development. Two species of *Xenopus* are commonly used for testing, *Xenopus laevis* and *Xenopus tropicalis*. Both *Xenopus* species are natives of Africa. *Xenopus laevis* has been used for many years to investigate the early period of embryonic development. Embryos develop rapidly after fertilization, and a tadpole with a fully functional set of organs forms within a couple of days. Thus, experiments can be conducted on the embryos directly following fertilization. The embryos can develop in a simple saline solution over a few days. The tadpoles are then examined to determine if the experimental intervention had any observable effect. The role of genes in development can be assayed by injecting a tiny amount of any messenger RNA (mRNA) encoding the gene of interest into an early embryo, then once again allowing the embryo to grow into a tadpole.

The *Xenopus* embryo has long served as a major model for the study of embryonic development because of its numerous advantages, including external development, large size, identifiable blastomeres, and its ability to withstand extensive surgical intervention and culture *in vitro*. These advantages enable extensive investigation of the earliest embryonic patterning events. In fact, much of the current understanding of early embryonic development derives from experiments performed in the *Xenopus* embryo.

More particular to the frog, the earliest events of all animal embryos are controlled by mRNAs that are deposited in the egg by the mother. These maternal mRNAs control the embryonic processes that occur prior to the transcription of the embryonic genome. These

processes can best be examined in *Xenopus* because, in these embryos, they occur during an especially long period of time, and because they occur while the embryo is developing externally. Such features have resulted in a detailed cellular and molecular understanding of early patterning events, including a comprehensive view of the role of specific extracellular growth factors, cell surface receptors, and intracellular signaling pathway components. These events include the patterning of the basic body plan, the determination of cell fate, and the early patterning of major organs, including the digestive system, circulatory system, and nervous system. In addition, many of the factors originally identified in *Xenopus* have been subsequently shown to control numerous later developmental events, as well as other critical biological processes, and oncogenesis. Finally, *Xenopus* is a major contributor to understanding cell biological and biochemical processes, including chromosome replication; chromatin, cytoskeleton, and nuclear assembly; cell cycle progression; and, intracellular signaling. Thus, *Xenopus* is ideally suited for studying early embryonic patterning and cell fate determination, later development, and organogenesis, oncogenesis, and cell biological and biochemical processes.

Background of A-P Patterning.

The mechanisms that generate regional differences along the anterior posterior (A-P) axis of the vertebrate nervous system play an important role in pattern formation during development. The classical activation/transformation model proposed by Nieuwkoop suggests that an initial signal induces neural tissue of anterior type and then a second transforming signal differentially acts on it to convert cells to a more posterior character (Nieuwkoop, 1952; Slack and Tannahill, 1992). This transformer or "posteriorizing factor(s)" thus modifies a ground state to generate the full spectrum of neural structures along the A-P axis. However, patterning of the anterior region

is clearly more complicated than a simple default state of neural induction. This is highlighted by the presence of local inductive centers, such as the anterior visceral endoderm and the isthmus, which are essential for anterior neural development. Hence, models for a coordinated mechanism of A-P patterning in the nervous system need to integrate the influence of local signals on rostral brain patterning, with the influence of posteriorizing factors that work more generally on the hindbrain and spinal cord.

Analysis of posteriorizing signals in neural patterning is complicated by the tissue interactions and dynamic morphogenetic movements which occur during gastrulation. *Xenopus* animal caps provide a simplified system for studying patterning events separately from morphogenetic movements. Animal caps alone form epidermis in culture, but when treated with antagonists of Bone Morphogenic Protein (BMP) signaling, such as Noggin, Chordin, Follistatin, or truncated BMP receptors, they adopt an anterior neural fate. Using these molecules as neural inducers, experimental studies in animal caps have provided evidence that fibroblast growth factor (FGF), retinoic acid (RA), and Wnt (Wingless and iNT-1) signaling pathways influence A-P patterning by inducing posterior characters. Wnt is also known as the canonical Wnt pathway and the Wnt planar polarity pathway. Thus, *Xenopus* embryo assays and experiments in other vertebrates provide more evidence that RA, FGF, and Wnt pathways influence A-P patterning. It is desired to better understand the relative roles of these biochemical cascades, the degree to which they are used at any particular axial level, and how they are integrated in organizing normal A-P patterning.

Mesoderm plays an important early role in A-P patterning of neural tissue. Mesoderm is the middle layer of embryonic cells between the ectoderm and endoderm in triploblastic animals, and forms muscle, connective tissue, blood, lymphoid tissue, the linings of all the body cavities,

the serosa of the viscera, the mesenteries, and the epithelia of the blood vessels, lymphatics, kidney, ureter, gonads, genital ducts, and suprarenal cortex. Experiments in *Xenopus* have shown that planar signals within the neuroectoderm and vertical signals from the underlying mesoderm work in concert to control regional identity of the nervous system. While early A-P
5 specification of the nervous system occurs during gastrulation, it is not irreversibly committed to a particular identity. Grafting experiments in several species reveal plasticity in regional character and show that mesoderm is still playing a role at later stages. For example, analysis of the Hoxb4 gene has shown that its expression pattern is established through interactive signaling between the neural tube and the surrounding mesoderm. Furthermore, somites and paraxial
10 mesoderm are sufficient to re-program Hox expression in the neural tube to a more posterior character when grafted ectopically. The ability of mesoderm to regulate regional character from early gastrula stages and to program motor neuron sub-type identities further emphasizes the importance of mesoderm and its signaling in patterning the developing nervous system.

The study of A-P patterning and focus on the mesoderm is of particular importance in the
15 present invention because such patterning impacts bone development in an embryo. Pathways which control A-P patterning often impact bone development.

As such, it is desired to better understand the process of posteriorization. The identification of new factors that can modulate existing pathways, such as Wnts, FGF, and RA, or which represent novel signaling inputs will be beneficial to understanding how A-P patterning
20 is coordinated. In particular, it is desired to understand how the Wnt pathway is activated and controlled. *Xenopus* has been used to study A-P patterning, that, in turn, is apparently impacted by the Wnt pathway. *Xenopus* can also be used to study activators or inhibitors of the Wnt pathway.

Background of Mouse Model.

Mice are also excellent model organisms for testing embryonic development. Mice and humans possess similar genes, mice show many clinical symptoms of human disease, and powerful techniques are available for genetic alterations of the mouse genome. All of these factors make mice excellent experimental models for testing new therapies. Mice share many fundamental biological processes with humans therefore, mice are considered to be one of the most significant laboratory models for human disease and genetic mutations. Research regarding human biological processes and genetic diseases can be greatly enhanced by studying the mouse model for similar biological processes and diseases.

Mice have been a preferred experimental model for a number of years due to their small size, short life span, and the female's ability to produce a litter within two months after her birth. These factors allow researchers to follow a given disease process from beginning to end within a short time frame. For these various reasons, mouse models are preferred for testing new drug therapies, designing novel therapies, and studying genetic diseases potentially also affecting humans.

Genes can be inserted into a fertilized mouse egg by several methods including physical injection. The gene is first attached to a promoter and then is injected into the fertilized egg. The fertilized egg is implanted into a female mouse and the embryo is allowed to develop to a specified given stage for study. Once embryos reach the desired stage of development, they can be harvested and tested to determine experimental results. Alternatively, embryos can be allowed to develop into full-term pups prior to being harvested to determine the results of the experiment.

Because mice are phylogenetically closely related to humans with regards to biological processes and diseases, and because of the rapidity of mouse embryological development, they are considered to be an excellent animal model for the study of human development, biological processes, and disease.

5 **Background of Wnt.**

Wnt proteins form a family of highly conserved secreted signaling molecules that regulate cell-to-cell interactions during embryogenesis. Wnt genes and Wnt signaling are also implicated in aberrant cancer cell regulation. Insights into the mechanisms of Wnt action have emerged from several systems: genetics in *Drosophila* and *Caenorhabditis elegans* (*C. elegans*);
10 and, biochemistry in cell culture and ectopic gene expression in *Xenopus* embryos. Many Wnt genes in the mouse have been mutated, leading to very specific developmental defects. As currently understood, Wnt proteins bind to receptors of the Frizzled family on the cell surface. Through several cytoplasmic relay components, the signal is transduced to β -catenin, which then enters the nucleus and forms a complex with TCF or LEF to activate transcription of Wnt target
15 genes. The extracellular Wnt ligand binds the transmembrane receptor Frizzled (Fz), which activates the cytoplasmic phosphoprotein Dishevelled (Dsh). Activated Dsh inhibits GSK3 β -mediated degradation of β -catenin. β -catenin protein, therefore, accumulates and, in association with transcription factors (TCF-3, TCF-4, LEF), regulates gene transcription in the cell nucleus.

Wnt-proteins, secreted glycoproteins, serve as important signaling molecules during
20 development of invertebrates and vertebrates. They have been shown to play crucial roles in such diverse processes as cancer, organogenesis, and pattern formation. To date, 19 Wnt genes have been isolated in higher vertebrates, 7 have been found in the genome of *Drosophila*, and 5 in the *C. elegans* genome. Wnt genes are defined by their sequence similarity to the founding

members, Wnt-1 in the mouse (originally called iNT-1) and wingless (Wg) in *Drosophila*. The genetic analysis of the Wg signaling pathway in *Drosophila* has led to the identification of many downstream components, which have been shown to be functionally conserved in other organisms. Wg/Wnt-proteins are thought to signal through seven-transmembrane receptors
5 encoded by the Frizzled (Fz) gene family to regulate the stability of an effector protein known as armadillo (Arm) in flies or β -catenin (β -cat) in vertebrates, which eventually leads to the activation of target genes through a complex of Arm/ β -cat, with DNA-binding transcription factors of the TCF/LEF family. This pathway is referred to as the canonical Wnt-pathway.

In recent years, evidence has been provided that Wnt signaling in the chick is involved in
10 a variety of processes associated with skeletogenesis, such as chondrogenesis and joint development. Previously, it has been shown that there are at least three Wnt genes, Wnt-4, Wnt-5a, and Wnt-5b, as well as components of the canonical Wnt signaling pathway, expressed in chondrogenic regions, and that there is a fourth Wnt gene, Wnt-14, which is expressed early in the joint forming region (Fig. 1D). Wnt-4 is also expressed in regions of the joint, however, its
15 expression is restricted to cells in the periphery of the joint interzone (Fig. 1C). Wnt-5a expression is restricted to cells in a region of the perichondrium which will develop into the periosteum (Fig. 1A), while the closely related Wnt-5b gene is expressed in a sub-population of prehypertrophic chondrocytes, as well as cells of the outer layer of the perichondrium (Fig. 1B).

Much of what is known about the functional role of Wnt signaling in early vertebrate
20 development comes from experiments with *Xenopus*. Maternally encoded components of the canonical Wnt signaling pathway function to establish the endogenous dorsal axis. The sperm fertilizing the egg triggers cortical rotation. Vesicles are moved towards the future dorsal side. A dorsal determinant, which is likely to be Dishevelled, is transported with these vesicles.

Dishevelled accumulates on the dorsal side and inhibits GSK3. β -catenin can therefore accumulate on the dorsal side and, together with XTcf-3, induce the expression of siamois, which regulates down-stream dorsal development.

As such, the Wnt signaling system is one of only a limited number of signaling systems used during embryonic development to pattern the ultimate resultant morphological physical body construction plan. Clearly, Wnt signaling is triggered at several discrete time points during development, both at different developmental stages and within different tissues (*see* Table below).

TABLE 1

Gene	Expression	Function
XWnt-1	anterior neural	mid-/hindbrain boundary
XWnt-2 (=XWnt-2B)	neural and heart	not known
XWnt-3-A	posterior neural	neural anteroposterior patterning
XWnt-4	neural, kidney (pronephros)	kidney morphogenesis
XWnt-5A	ectoderm	not known
XWnt-8	ventral mesoderm	mesodermal patterning
XWnt-8b	forebrain	not known
XWnt-11	dorsal marginal zone	gastrulation movements

Early *Xenopus* development provides an excellent model system for studying the general questions of tissue-specific response to Wnt signaling. Before the onset of zygotic transcription at the Mid-Blastula Transition (MBT) phase, the Wnt pathway functions to establish the dorsal body axis. Only an hour or two later, after MBT, XWnt-8 functions to promote ventral and lateral mesoderm. These strict stage-specific responses to Wnt signaling could conceivably be induced by differential use of the canonical and alternative Wnt signal transduction pathways.

It is further known to those of skill in the art that Wnt genes are active in osteoblast cells. Wnt regulates bone deposition in embryos and in mature individuals. It has been found that Wnt signals impact the dorsal-ventral pattern in early *Xenopus* embryo. In late embryos, Wnt causes

anterior-posterior patterning of the neural tissue, neural crest formation, and organogenesis. As such, it is desired to have compositions and methods for controlling Wnt signaling. Such compositions and methods would have impact on embryonic developmental processes such as anterior-posterior patterning and on bone deposition.

5 **Background of Sost.**

Sost is believed to be a Bone Morphogenic Protein (BMP) antagonist. Mutations in the human Sost gene on human chromosome 17 can result in sclerosteosis, which is an autosomal recessive sclerosing bone dysplasia characterized by progressive skeletal overgrowth. A high incidence of the bone dysplasia disorder, occurring as a result of a founder effect in affected individuals has been reported in the Afrikaner population of South Africa, where a majority of individuals are affected by the disorder. Homozygosity mapping in Afrikaner families, along with analysis of historical recombinants, localized sclerosteosis to an interval of ~ 2 cm. between the loci D17S1787 and D17S930 on chromosome 17q12-q21. Affected Afrikaners carry a nonsense mutation near the amino terminus of the encoded protein, whereas an unrelated affected person of Senegalese origin carries a splicing mutation within the single intron of the gene. The Sost gene encodes a protein that shares structural and functional similarity with a class of cysteine knot-containing factors, including dan, cerberus, gremlin, and caronte. The specific and progressive effect on bone formation observed in individuals affected with sclerosteosis suggests that the Sost gene encodes a regulator of bone homeostasis.

20 As such, evidence is provided herein that the deficiency of the Sost gene product, a novel secreted protein expressed in osteoblasts, leads to the increased bone density in sclerosteosis. The two nonsense mutations, and the splice site mutation, are loss-of-function mutations. Previously, the precise function and working of Sost was believed unknown, an inhibitory effect

on bone formation can be proposed since pathophysiological analysis indicated that sclerosteosis is primarily a disorder of increased formation of normal bone. While it is known that Sost impacts bone formation, it is desired herein to better delineate the mechanism of action and pathway of Sost's bone deposition activity. Previously, it has been hypothesized that Sost
5 affected BMP rather than the Wnt pathway. Previous to our described invention herein, it was not known that Sost reacted with Wnt pathway elements. The Sost-Wnt pathway interaction can be alternatively direct or indirect in nature.

Background of LRP6.

LRP genes encode the low-density lipoprotein (LDL)-receptor-related proteins, LRP5
10 and LRP6. Human LRP5 and LRP6 share 71% amino-acid identity, and together with Arrow, form a distinct subgroup of the LRP family. Arrow, LRP5, and LRP6 each contain an extracellular domain with epidermal growth factor (EGF) repeats and low-density lipoprotein receptor (LDLR) repeats, followed by a transmembrane region and a cytoplasmic domain lacking recognizable catalytic motifs. An LRP6 mutation in mice results in pleiotropic defects
15 recapitulating some, but not all, of the Wnt mutant phenotype. LRP5/LRP6 involvement in Wnt signaling and LRP function in Wnt-induced axis *Xenopus* embryos have been previously studied.

LRPs and Arrow in *Drosophila* are long single-pass transmembrane proteins. These proteins are of interest because they interact with and affect Wnt signaling. Arrow is genetically required for Wingless (Wg) signaling (Wehril, 2000) and mouse LRP mutations are similar in
20 phenotype to Wnt mutants (Pinson, 2000). In *Xenopus*, over-expression of LRP can activate Wnt signaling (Tamai, 2000). There is evidence that Wnts can bind directly to the extra-cellular domain of LRP and form a ternary complex with the Frizzled receptor (Tamai, 2000). Also, the

cytoplasmic domain of LRP can interact with Axin (Mao, 2001). Thus, LRP/Arrow appear to be important to understanding Wnt.

As stated, the Frizzled (Fz) family of serpentine receptors function as Wnt receptors, but how Fz proteins transduce signaling is not understood. In *Drosophila*, Arrow phenocopies the Wingless (DWnt-1) phenotype, and encodes a transmembrane protein that is homologous to two members of the mammalian low-density lipoprotein receptor (LDLR)-related protein (LRP) family, LRP5 and LRP6. It is reported that LRP6 functions as a co-receptor for Wnt signal transduction. In *Xenopus* embryos, LRP6 activated Wnt-Fz signaling, and induced Wnt responsive genes, dorsal axis duplication, and neural crest formation. An LRP6 mutant lacking the carboxyl intracellular domain blocked signaling by Wnt or Wnt-Fz, but not by Dishevelled or β -catenin, and inhibited neural crest development. The extracellular domain of LRP6 bound Wnt-1 and associated with Fz in a Wnt-dependent manner. This indicates that LRP6 is likely to be a component of the Wnt receptor complex.

Further, Wnt/ β -catenin signaling induces dorsal axis formation through activation of immediate, early responsive genes, including nodal-related 3 (Xnr3) and Siamois (Sia). It has been shown that in two developmental processes dependent on the Wnt pathway in *Xenopus* -- secondary axis and neural crest formation -- LRP6 activates, but a dominant-negative LRP6 inhibits, Wnt signaling, providing compelling evidence that LRP6 is critical in Wnt signal transduction. LRP6 functions upstream of Dsh in Wnt-responding cells, synergizes with either Wnt or Fz, and importantly, is able to bind Wnt-1 and to associate with Fz in a Wnt-dependent manner. The simplest interpretation of these findings is that LRP6 is a component of the Wnt-Fz receptor complex.

Genetic studies of Arrow in *Drosophila* and LRP6 in mice strongly support this hypothesis. Data also indicates the possibility that Wnt-induced formation of the Fz-LRP6 complex assembles LRP6, Fz and their associated proteins, thereby initiating cytoplasmic signaling. Consistent with this notion, Wnt signal transduction requires intracellular regions of both Fz and LRP6, which harbor candidate protein-protein interaction motifs. Notably, Arrow does not exhibit Fz planar polarity phenotype, implying that Arrow-LRP6 may specify Wnt-Fz signaling towards the β -catenin pathway. How Fz, LRP6, and proteoglycan molecules, such as Dally, interact to mediate Wnt recognition/specificity, and signal transduction remains to be elucidated. Thus, it is understood that LRP interacts with Wnt. The present invention is designed and characterized to control LRP binding to Wnt and Fz, and, more particularly, to control LRP upstream.

Background of LRP5.

In humans, low peak bone mass is a recognized significant risk factor for osteoporosis. It has been reported that LRP5, encoding the LDLR-related protein 5, affects bone mass accrual during growth. Mutations in LRP5 cause the autosomal recessive disorder osteoporosis-pseudoglioma syndrome (OPPG). OPPG is an autosomal recessive disease, characterized by severe osteoporosis due to decreased bone formation and pseudoglioma resulting from failed regression of primary vitreal vasculature. Y. Gong, et al. (2001). Gain of gene function leads to high bone mass (HBM) phenotype as an autosomal dominant trait, whereas loss of function leads to osteoporosis.

It has been found that OPPG carriers have reduced bone mass when compared to age- and gender-matched controls. LRP5 expression by osteoblasts *in situ* has been demonstrated and LRP-5 has been shown to reduce bone thickness in mouse calvarial explant cultures. These data

indicate that Wnt-mediated signaling via LRP5 affects bone accrual during growth and is important for the establishment of peak bone mass.

In mice, it has been found that LRP5 participates in bone formation and bone mass. Null mutation of LRP5 causes post-natal bone loss, resulting from decreased bone formation and osteoblast proliferation, independent of Runx2. M. Kato, et al. (2002). In contrast, transgenic mice expressing LRP5 with the HBM mutation G171V exhibit increased bone formation and bone mass, without skeletal developmental abnormalities. F. Bex, et al. (2002).

LRP5 appears to interact with the Wnt pathway since LRP5 with the HBM mutation prevents inhibition of Wnt signaling by Dkkopf-1. L. M. Boyden (2002); A. M. Zorn (2001). There is murine hybridization and microarray evidence that indicates Wnt signaling is involved in bone fracture repair. M. Hadjiargyrou (2002). Six additional mutations in LRP5, located in the amino-terminal domain near G171, have been identified. These mutations cause increased bone density, particularly in cortical bone. L. Van Wesenbeeck (2003).

Background of β -catenin.

β -catenin reports demonstrate its accumulation opposite the sperm entry point by the end of the first cell cycle. β -catenin continues to accumulate in dorsal (*i.e.*, opposite the sperm entry point) but not ventral cytoplasm through the early cleavage stages. By the 16- to 32-cell stages, it accumulates in dorsal but not ventral nuclei. Remarkably, the pattern of dorsal accumulation of β -catenin closely parallels the ability of transplanted dorsal cells to induce an axis when implanted into host embryos. Thus, β -catenin is the first signaling molecule to show a dorso-ventral polarity in the early embryo. Combined with the loss-of-function data from Heasman et al., it is now clear that when fertilization elicits a cortical rotation, and displacement of material

and organelles to the future dorsal side, it leads to a dorso-ventral asymmetry in β -catenin, which is required for axis formation.

Brannon et al. show that the HMG Box factor XTCF-3 directly binds the siamois promoter. In the absence of β -catenin, XTCF-3 inhibits gene expression. However, on the dorsal side of the embryo, β -catenin binds the XTCF-3, and, thus, activates the gene. This is notable because siamois is a homeobox gene likely playing a major role in specifying formation of Spemann's Organizer. Therefore, a dorso-ventral difference in β -catenin forms within an hour or two of fertilization, directly regulating a key homeobox gene in the blastula, thus contributing to formation of Spemann's Organizer on the dorsal side of the gastrula.

β -catenin not only impacts development, but it influences bone development in adults. Regulation of osteoblasts results from accumulation of β -catenin in the cell. It is desired to have methods and compositions for controlling bone deposition. It is known that the Wnt pathway controls accumulation of β -catenin, which regulates osteoblast expression. It is desired to control and inhibit osteoblast regulation by preventing Wnt pathway activation. For this reason, the present invention includes nucleic acid molecules and amino acid sequences for controlling Wnt.

SUMMARY OF INVENTION

The present invention relates to Wnt nucleic acid sequences and amino acid sequences, Sost nucleic acid sequences and amino acid sequences, and LRP nucleic acid sequences and amino acid sequences. Additionally, the present invention relates to control over the influencing of bone deposition, ocular development, tooth development, and the Wnt pathway using the above nucleic acid sequences and amino sequences. Additionally, the present invention relates to molecular tools developed from the nucleic acids and polypeptides including

vectors, transfected host cells, transfected organisms, knockout organisms, antibodies, hybridomas cells, Fab fragments, and homologous nucleic acid sequences and polypeptides. Mutants of the Wise, Sost, and LRP nucleic acid sequences and polypeptides are contemplated herein and are used to influence the pathways. The Wise and Sost nucleic acid sequences are generally about 70% homologous. Related to this are cysteine knot polypeptides which bind to LRP as well as a variety of polypeptides. There is a family of nucleic acid sequences and polypeptides expressed therefrom, which are related to the Wise and Sost sequences. The host cells that can be treated with the mutants of the present invention include insects, amphibian, and mammalian cells.

10 Nucleic acid sequences, and the resultant polypeptides, are members of a family of isolated nucleic acid molecules which influence one of the following: tooth development, Wnt pathway activation, bone deposition, or ocular development is contemplated herein. The family includes a variety of nucleic acid molecules including NDP, DAN, Caronte, PDGF, Wise, Sost, Cereberus, Gremlin, CTGF, Soggy, DKK1, Cyr61, DKK2, DKK3, DKK4, NOV, Mucin, 15 Slit, OOH, Wisp, and CCN. Related to this are the LRP family of molecules which also influence these various pathways. In particular, LRP 1, 2, 5, and 6. As such, the family that expresses a cysteine knot polypeptide binds to one of the LRPs. The various nucleic acids are specifically listed in the Sequence ID listing included herewith. Related to this are degenerate variants of the nucleic acid molecules. As mentioned, the family of nucleic acid molecules 20 typically expresses a polypeptide that includes a cysteine knot protein, with the cysteine knot protein including eight cysteine residues. However, variations of the cysteine knot protein are available for use. As such, any nucleic acid sequence which impacts the previously mentioned pathways and expresses a cysteine knot protein is believed related to the present family of

nucleic acid sequences. It is known that Exon 2 of the Wise nucleic acid sequence (SEQ. ID. NO. 128) expresses a desired cysteine knot protein. As such, oligonucleotide fragments which are 70% homologous to Wise Exon 2 are believed to be potentially related to the present family of nucleic acid molecules.

- 5 Mutant versions of the above nucleic acid molecules can result in increased bone deposition, as well as tooth development and ocular development. Additionally, the mutants will influence with Wnt pathway activation. As such, mutant versions of the nucleic acid molecules of the present invention are known to impact the mentioned pathways in a variety of ways. The present invention resultingly relates to any mutant version of the listed nucleic acid sequences.
- 10 The mutants can be generated via point, frame shift, deletion, or loss of function mutations. Loss of function mutations can be achieved by placing a stop codon near the beginning of the selected nucleic acid sequences, which would include before or after the start of the sequence. For example, a stop codon can be placed just after the start of Exon 1 of the Wise nucleic acid sequence. During translation the stop codon will prevent translation of the Wise Exons and
- 15 therefore the polypeptide will not be expressed. Other available mutants include antisense RNAs, morpholinos, antisense oligonucleotides, mRNAs translated from the selected nucleic acid sequences, and RNAi complementary to the nucleic acids sequences.

As discussed herein, nucleic acid sequences and nucleic acid molecules will be used interchangeably. The isolated nucleic acid sequences include gDNAs, cDNAs, and a

20 variety of other nucleic acid sequence fragments. It is contemplated that any of a variety of nucleic acid sequences can be used herein including genes, mRNA, cDNA, gDNA, tRNA, oligonucleotides, polynucleotides, and nucleic acid sequence fragments. As such, any nucleic acid sequence which expresses a polypeptide that influences either tooth development, Wnt

pathway activation, bone deposition, or ocular development is contemplated as part of the present invention, as well as mutant versions thereof. The nucleic acid sequences will include genes which are any hereditary unit that has an affect on the phenotype of an organism and can be transcribed into mRNAs which result in polypeptides, as well as rRNAs or tRNA molecules
5 and regulatory genes. Also, alleles and mutant alleles are part of the definition of a gene as used herein.

Probes which hybridize to either mutant nucleic acid sequences or the non-mutant nucleic acid sequences are part of the present invention. The probes will include any of a variety of labels and can be either cDNA or RNA probes. The probes can be used to form a kit or
10 similar tool for use in detecting the presence or absence of a particular Wise, Sost, or LRP nucleic acid or polypeptide.

Vectors are formed from both the isolated nucleic acid sequences and the mutant versions of the isolated nucleic acid sequences. The vectors include expression, cloning, and viral vectors. Other available vectors include fusion vectors, gene therapy vectors, two-hybrid
15 vectors, reverse two-hybrid vectors, sequencing vectors, and cloning vectors. Also, prokaryotic and eukaryotic vectors may be used. Specific prokaryotic vectors that may be used in the present invention include pET, pET28, pcDNA3.1/V5-His-TOPO, pCS2+, pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHis, pRSET, pGEMEX-1, pGEMEX-2, pTrc99A, pKK223-3, pGEX, pEZZ18, pRIT2T, pMC1871, pKK233-2, pKK38801, and pProEx-HT. Specific eukaryotic
20 vectors that may be used herein include pFastBac, pFastBac HT, pFastBac DUAL, pSFV, pTet-Splice, pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, YACneo, pSVK3, pSVL, pMSG, pCH110, pKK232-8, p3'SS, pBlueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3, pREP4, pCEP4, and pEBVHis. As mentioned, a variety of promoters may be used

with the vector, as well as any of a variety of selectable markers. Available markers include antibiotic resistance genes, a tRNA gene, auxotrophic genes, toxic genes, phenotypic markers, colorimetric markers, antisense oligonucleotides, restriction endonuclease, enzyme cleavage sites, protein binding sites, and immunoglobulin binding sites. Specific selectable markers
5 available include LacZ, neo, Fc, DIG, Myc, and FLAG.

Any of a variety of host cells, including prokaryotic and eukaryotic cells, can be transfected with the vectors previously mentioned. Prokaryotic host cells include Gram-negative and Gram-positive bacteriums may be transfected with any of the variety of the vectors previously mentioned. Available bacteriums include Escherichia, Salmonella, Proteus,
10 Clostridium, Klebsiella, Bacillus, Streptomyces, and Pseudomonas. A preferred Gram-negative bacterium is Escherichia coli. Eukaryotic vectors can be used to transfect eukaryotic host cells including yeast, plant, fish, mammalian, human, mouse, frog, or insect cells. Specific host cells that can be transfected include ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, chondrocytes, and human or mammalian bone marrow
15 stroma. As such, the present invention includes host cells transfected with any of the previously mentioned vectors.

It is specifically contemplated that mutant Wise nucleic acid sequences can be used. The mutant Wise nucleic acid sequences will be mutated versions of SEQ. ID. NO. 1-5, 126-128, 109, 96, and 97, as well as complementary mutant sequences thereof. Additionally,
20 degenerate variants of these sequences may also be used. Plasmids can be formed from these mutant Wise nucleic acid sequences, as well as transfected host cells. Additionally, mutant organisms can be formed from the mutant Wise nucleic acid sequences, including Wise mutant mice. Sost and LRP can also be mutantized and various related constructs can be formed

therefrom. Specific mutants to either Wise, Sost, or LRP can be developed related to SEQ. ID. NO. 1-44, 96-103, 108, 110-113 and 126-128 listed herein.

Amino acid sequences which influence at least one of the following, tooth development, Wnt pathway activation, bone deposition, or ocular development are part of the present invention. Available amino acid sequences include those polypeptides or proteins expressed from the previously discussed nucleic acid molecules. In particular, Wise, Sost, and LRP polypeptides and amino acid sequences can be used herewith. Specifically available amino acid sequences include those listed in the SEQ. ID. NO. 45-95, 104-107, 109, 114-125. Isolated polypeptides that have a cysteine knot formed from eight cysteine knot residues which impact the previously listed pathways are included herewith. Finally, amino acid sequences which are 70% homologous to Exon 2 polypeptides of Wise may be used herewith. When used herein amino acid sequences include any of a variety of polypeptide and protein molecules.

Antibodies which bind to at least one of the previously mentioned amino acid sequences are used herewith. The antibodies include monoclonal, polyclonal, recombinant, and antibody fragments. Any of a variety of antibodies may be used that bind to either Wise, Sost, or LRP 1, 2, 5, or 6. The antibodies are designed to either bind to the selected polypeptide and prevent it from binding to its normal antigen. Conversely, the antibodies can be designed such that they attack and destroy the chosen or selected polypeptides. For example, it is preferred to bind either Wise or Sost with Wise or Sost antibody, respectively, whereby Wise or Sost is prevented from binding to LRP 5 or 6. As such, it is desired to have antibodies that specifically bind Wise, Sost, or LRP. Related to the antibodies are Fab fragments which function the same way as the chosen antibodies. These anti-peptide antibodies will prevent binding by the selected amino acid sequence to an LRP for example. The antibodies can be directed to both mutant and

non-mutant versions of polypeptides expressed from the mutant or non-mutant versions of the nucleic acid sequences.

Hybridomas can be formed which are used to produce the desired antibodies. As such any of a variety of cells can be used to produce both the polypeptides as well as the antibodies.

It is known that both Wise and Sost polypeptides bind to LRP 5 or 6 polypeptides. As such, the present invention relates to a protein molecule formed from a Wise polypeptide bound to an LRP polypeptide. Additionally, the present invention relates to a Sost polypeptide bound to an LRP polypeptide.

Use of the isolated nucleic acid sequences or polypeptides can specifically result in increased bone deposition, both *in vivo* and *in vitro*. As such a variety of methods can be practiced which are designed to increase the bone deposition either in a selected cell or a selected host organism. One particular method includes isolating a nucleic acid sequence which can be either Wise, Sost, or LRP. The nucleic acid sequence then is used to form a cassette which includes a stop codon at the beginning of the nucleic acid sequence. Preferably, the cassette will include a marker and a promoter. The selected nucleic acid sequence can be either a mutant or a non-mutant nucleic acid sequence, with the sequence selected dependent upon the desired outcome. The cassette is then used to form a plasmid whereby any of a variety of plasmids, as previously mentioned, may be used. Once the plasmid is formed it is used to transfect a host cell. Any of a variety of methods can be used to transfect a host cell including microinjection. The available host cell will include a variety of prokaryotic and eukaryotic cells. Among the available cells are embryonic stem cells, blastomeres, and a variety of other stem cells. Once the host cell is transfected the stop codon can be activated to cause a loss of function mutation which

results in a phenotypic change. Among the phenotypic changes are increased bone deposition. The transfected host cells can also be used to transfect a host cell organism such as a mouse. The cells are injected into an embryo with the embryo then allowed to develop or mature. Host cells include insect, amphibian, and non-human mammal. Human cells can also be treated *in vitro*.

- 5 Specific delivery of the nucleic acid sequence into the host cell can be accomplished via microinjection, micro-vessel encapsulation, liposome encapsulation, and electroporation. Desired host cells include osteoblasts, osteoclasts, and chondrocytes. Besides attaching stop codons to the nucleic acid sequence in the plasmid, other mutantized versions may be used. In particular, an alternative to the stop codon are point mutations, frame shift mutations, and other
10 mutations may be used to preclude accurate translation of the polypeptide. This will resultingly achieve the same effect as a loss of function mutation. In particular, antisense RNA vectors may be used in the alternative.

- Bone deposition can also be increased as an alternative method. A nucleic acid sequence can be selected, including Wise, Sost, or LRP. A nucleic acid sequence is then used to
15 form a plasmid vector whereby the vector is used to transfect the host cell. The host cell will express the nucleic acid sequence to produce a polypeptide. Once a sufficient amount of polypeptide is produced it can be harvested for use in immunizing a host organism. Available host organisms include mice, rats, goats, rabbits, and any of a variety of other organisms used to produce polypeptides. The immunized host organism will produce antibodies to the polypeptide
20 that was used to immunize the host.. After a period of time the antibodies may be isolated and separated from the host. The antibodies can be used as is or can be further treated to produce Fab fragments or related small molecules. Regardless of the selected form of the antibody it can be combined with a carrier. Any of a variety of carriers are available for use including liposomes.

The carrier antibody combination is used to transfect a host cell. This can be done either *in vitro* or *in vivo*. The antibody will bind to the selected target polypeptide and prevent activation of a selected pathway. This process can also be used in association with the Wnt pathway, tooth development or ocular development.

- 5 Any of a variety of kits may be formed both to the polypeptides or the nucleic acid sequences of the previously mentioned constituents. The kits can be used to detect the presence of a particular nucleic acid sequence or polypeptide or the absence of such composition.

BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 shows the isolation of Wise by *Xenopus* animal cap screening;

- 10 Fig. 1A shows an illustration of the screening procedure;

Fig. 1B shows the RT-PCR gel electrophoresis results of the first round of screening;

Fig. 1C shows the RT-PCR analysis of injections using RNA from the isolated Wise clone;

Fig. 2 shows Wise as a conserved secreted protein;

- 15 Fig. 2A shows the alignment of the predicted amino acid sequence of Zebrafish, *Xenopus*, chick, mouse, and human Wise proteins. Shaded boxes represent identical amino acids between species; asterisks indicate residues conserved in *Drosophila* Slit, and dots identify residues conserved in Cef10. Circles mark conserved cysteine residues. The arrowhead delineates the site of signal peptide cleavage predicted in the chick clone;

- 20 Fig. 2B is a diagram showing alignment of conserved amino acids between Wise, Slit, and Cef10 (a CCN family member). Filled ovals and red lines indicate cysteine residues in the Slit homology domain conserved in the CT domain of CCN family members but not in Wise or

Slit. Dotted lines show other conserved amino acids. Shaded boxes in Wise indicate three blocks $\Delta 1$, $\Delta 2$, $\Delta 3$ deleted separately for functional analysis;

Fig. 2C shows Western blot detecting HA-tagged Wise protein secreted into the medium following RNA injection into oocytes and control uninjected oocytes;

5 Figs. 2D and 2E show the recombination between Noggin-expressing and Wise-expressing animal caps assayed for expression of Krox 20 (Fig. 2D) or en2 (Fig. 2E). Wise induces a ring of En2 (en) expression or patches of Krox20 staining in a non-cell autonomous manner in the Noggin cap. In Fig. 2D, the Noggin-injected cap was marked with FIDx, and in Fig. 2E, the Wise cap was marked with lacZ, as lineage tracers;

10 Fig. 3 shows the expression of Wise in chick and *Xenopus* embryos;

Figs. 3A-3D shows the *in situ* hybridization of chick embryos. Wise is expressed in the surface ectoderm from the level of presomitic mesoderm to the posterior end at stage 10 (Fig. 3A). Higher transcript levels are detected at stage 11 (Fig. 3B), which refine to a small posterior domain by stage 12 (Fig. 3C). In Fig. 3D, a section of Fig. 3A, in the vicinity of Hensen's node
15 shows Wise transcripts confined to the surface ectoderm (se);

Fig. 3E shows the RNase protection of *Xenopus* embryos with stages noted above each lane. Wise is first detected at an early gastrula stage, and the expression persists into tadpole stages. ODC is a loading control;

Figs. 3F and 3G shows the whole mount *in situ* hybridization to *Xenopus* embryos. At
20 stage 15 (Fig. 3F), Wise is expressed in the surface ectoderm at all anterior-posterior levels. The expression is strongest at the edge of the neural tube. At tadpole stages (Fig. 3G, stage 40), expression is localized in epibranchial placodes, lateral lines, and along the dorsal fin;

Fig. 4 shows changes in neuronal markers after blastomere injection of Wise RNA and Wise antisense morpholino oligos;

Figs. 4A-4L shows *in situ* hybridization with neural markers in stage 16-21 *Xenopus* embryos following single blastomere injections of Wise RNA (Figs. 4B, 4E, 4H, and 4K) at the 8-cell stage or antisense morpholino oligos (Figs. 4C, 4F, 4I, and 4L) at the 4-cell stage. The left panels (Figs 4A, 4D, 4G, and 4J) indicate control embryos. In most embryos, lacZ (blue staining) was co-injected as a lineage tracer. Injected sides are to the left. Probes were Sox3 (Figs 4A-4C), En2 (Figs. 4D-4F), Krox20 (Figs. 4G-4I), and Slug (Figs. 4J-4L). In Wise RNA injected embryos, the neural markers were generally displaced posteriorly. Ectopic induction of Krox20 and Slug can be seen in the forebrain region (Figs. 4H and 4K). In embryos injected with antisense morpholino oligos, these markers were unchanged;

Figs. 4M and 4N show the transverse sections at stage 16 after blastomere injection of either Wise RNA (Fig. 4M) or Wise antisense morpholino oligo (Fig. 4N). In Fig. 4M, the neural plate on the injected side was greatly expanded, which is revealed by Sox3 staining (dark blue, *). Conversely, in the morpholino oligo-injected embryo (Fig. 4N), the surface ectoderm is thicker on the injected side (left, *) in comparison to the right control side;

Fig. 5 shows the anterior defects after blastomere injection of Wise RNA or morpholino oligo;

Figs. 5A-5L shows *in situ* hybridization with the cement gland marker XCG at stage 16-20 (Figs. 5A-5C) and morphological phenotypes of cement gland at stage 26-40 (Figs. 5D-5F) or eye at stage 35-36 (Figs. 5G-5I), in control embryos (Figs. 5A, 5D, and 5G), Wise RNA injected embryos (5B, 5E, 5H), and morpholino oligo injected (Figs. 5C, 5F, and 5I) embryos. Blue staining shows co-injected lacZ lineage tracer. Over-expression of Wise resulted in formation of

larger cement glands (Fig. 5C). Eye formation is consistently blocked by injection of both Wise RNA (Fig. 5H) and the morpholino oligo (Fig. 5D);

Fig. 5J shows *in vitro* translation of Wise in the presence of the Wise morpholino antisense oligo. Lane 1; translation of Wise protein without morpholino oligo. Lanes 2-7; translation in the presence of the Wise morpholino oligo at concentrations of 0.1 nM, 1 nM, 10 nM, 100 nM, 1 μ M, 10 μ M, respectively. Lane 8; translation in the presence of control morpholino oligo at the concentration of 10 μ M. Wise translation is partially blocked at concentration of 1 μ M, and completely blocked at 10 μ M;

Fig. 5K shows the rescue of the eye defect resulting from injection of the morpholino oligos by co-injection of Wise RNA;

Figs. 5L-5N are the phenotypes of embryos following injection of Wise morpholino oligos throughout the whole embryo. 5L shows the range of cyclopic eye and short trunk phenotypes induced by the oligos in comparison to the control embryo (left). Section of control (Fig. 5M) and morpholino-injected (Fig. 5N) embryos at the level of eye. In the Wise morpholino-injected embryos, eyes are positioned very close to the neural tube;

Fig. 6 shows that Wise requires components of the Wnt pathway for En2 induction and stimulates translocation of β -catenin to the nucleus;

Figs. 6A-6C show the RT-PCR of Noggin treated animal caps assayed for En2 (en) induction. NCAM is used as a pan neural marker and Efla is a loading control. Fig. 6A shows the induction of En2 by Wnt8 or Wise RNA is blocked by dominant-negative (dn) Frizzled 8 Δ Fz8. Fig. 6B shows the induction of En2 is blocked by dn-Wnt8 (Wnt8), dn-Dishevelled Δ Dsh(dd1), GSK3 and dn-Lef1 (LEFAN). Fig. 6C shows the induction of En2 requires signaling components of the canonical Wnt pathway but not the planar cell polarity (PCP) pathway. Wise-

mediated En2 induction is abolished by Δ Dsh(dd1), a dominant negative form of Dishevelled for both pathways, and Δ Dsh(DIX), which blocks the canonical pathway. Δ Dsh(DEP) blocks the PCP pathway but has no effect on Wise induction of En. Δ Dsh Δ N specifically activates the PCP pathway but fails to induce En in the absence of Wise, although full length dishevelled (Dsh) is able to do so;

Figs. 6D-6G show the staining for sub-cellular localization of endogenous β -catenin detected immunocytochemically in *Xenopus* animal caps following RNA injection of: Fig. 6D, TCF3; 6E, Wnt8+TCF3; Fig. 6F, Wise+TCF3; and Fig. 6G, β -catenin+TCF3. Wnt8 (Fig. 6E) and Wise (Fig. 6F) promoted accumulation of nuclear β -catenin;

Fig. 7 shows how Wise affects Wnt signaling;

Figs. 7A-7C show the secondary axes induced by Wnt8 are blocked by Wise. Injection of Wnt8 RNA into a ventral vegetal blastomere of 4-8-cell stage embryos induces complete secondary axis formation (Fig. 7A). Co-injecting Wise blocks formation of Wnt8-induced secondary axis (Fig. 7B), similar to the effect obtained by co-injection of a dominant negative Dishevelled, Δ Dsh(DIX) (Fig. 7C);

Fig. 7D shows Wise functions extracellularly to block induction of siamois and Xnr3 by the Wnt pathway in ventral marginal zones. Wise blocks the ability of Wnt8 to induce Siamois and Xnr3, but does not interfere with the ability of Dishevelled (Dsh) or β -catenin (β -cat) to induce these markers;

Figs. 7E and 7F show that Wise acts as Wnt inhibitor and induces head development in the incomplete secondary axis. When BMP signaling is blocked at the ventral marginal zone by injection of a truncated BMP receptor (tBR), an incomplete secondary axis is formed (Fig. 7E).

Co-injection of tBR and Wise induces a complete secondary axis with eyes (arrows) and cement gland (Fig. 7F);

Figs. 7G-7I show that Wise blocks cell movements in Activin-treated animal caps.

Control animal caps (Fig. 7G) undergo gastrulation-like movements in the presence of Activin (Fig. 7H). In Wise injected animal caps, elongation is blocked (Fig. 7I), but mesoderm induction occurs;

Fig. 8 shows that Wise interacts with the extracellular domain of Frizzled 1, 3, 7, 8; and Western blotting of COS cell extracts from cells transfected with epitope tagged protein variants.

The relevant constructs transfected into COS cells that were used to prepare each extract are listed at the top of each column;

Fig. 8A shows that Frizzled binds to Wise, as well as to Wnt8;

Fig. 8B shows that Wnt8 interacts with Fz1 but not with Wise; and,

Fig. 8C shows that Wise interacts with Fz1, Fz3, Fz7, and Fz8;

Figs. 8A-8C, in the top panels are controls showing that the Myc-tagged versions of each protein are present and recognized by the anti-Myc antibody. The middle panels are controls showing the presence of proteins tagged with FLAG and recognized by the anti-FLAG antibody. The bottom panels illustrate results of immuno-precipitation using the anti-Myc antibody and Western blotting with anti-FLAG to show protein interactions. The antibodies used in each set of experiments are indicated at the left;

Fig. 9A is a schematic showing the gene structure for Wise and Sost;

Fig. 9A depicts the Neo-LacZ cassette insertion into Exon 1, which is separated from Exon 2 by an intervening intron sequence;

Fig 9B shows mouse Wise and Sost polypeptide sequences;

Fig. 9C shows Wise, Sost, and Hox A and B genes in chromosomes;

Fig. 9D illustrates the family tree map showing the relatedness of Wise and Sost to other cysteine knot family members;

Fig. 9E shows the family of cysteine knot proteins and their aligned polypeptide
5 sequences;

Fig. 10 is a model of the Wise and SOST Exons, which express the cysteine knot structure. It depicts the 200 bp of Exon 1 and the 400 bp of Exon 2;

Fig. 11 shows the effects of Sost and Wise polypeptides on *Xenopus* embryonic development;

10 Fig. 11A shows that Wise and Sost defects lead to morphological abnormalities in *Xenopus* tadpoles;

Fig 11B is a table showing Wise and Sost effects on Noggin and Wnt8 expression in embryos;

Fig. 11C depicts Sost effects for Wnt8 and β -catenin with VMZ and DMZ;

15 Fig. 11D shows electrophoretic patterns for NCAM, En2 and EF1- α ;

Fig. 11E shows electrophoretic patterns for Siamois, Xnr3, and EF1- α ;

Fig. 12 shows the effect of the absence of a functional Wise polypeptide molecule upon ophthalmic development in Wise knockout mice, wherein ophthalmic and eye abnormalities developed in these mice. Immunodetection of Wise protein production in murine retinal regions
20 was used to determine the efficacy of induced Wise mutation;

Fig. 12A shows whole eye mounts containing retinas or sections that were stained with anti-Wise antibody and FITC-conjugated second antibody;

Fig. 12B shows that in wild type mice, anti-Wise reactivity was detected as secreted Wise protein in the ganglion cell and optic fiber layers and in rods and cones. However, Wise mutant mice eyes lacked detectable anti-Wise peptide reactivity, indicating absence of Wise from tissues of these mutant mice. The Wise mutant mice appeared to have lost the majority of the optic nerve fibers and had increased rod and cone layers in the retina. Wise protein was found in the inner plexiform layer, ganglion cells and fibers, and in the rods and cone layer of a 2.5 month mouse retina;

Fig. 12C shows immunofluorescence patterns for Wise, Pax6 and 2H3 in tissue cross-sections;

Fig. 13 shows results of bone staining and bone mineral density (BMD) measurements;

Fig. 13A depicts hematoxylin and eosin (H&E) staining of cross-sections of bone tissue from 16 to 18 days post cortum (DPC) mice;

Fig. 13B illustrates the same bone regions as Fig. 13A; however, Fig. 13B left shows staining with S-35 radiolabel attached to Sost RNA probes, wherein Sost is located in osteoblasts in 16 to 18 DPC mice. Fig. 13B right also shows staining with anti-Wise peptide primary antibody and FITC-conjugated secondary antibody, and localization of Wise in hypertrophic and prehypertrophic proliferating chondrocytes;

Fig. 13C shows graphical depictions of bone density measurements and total bone weight measurements, respectively. Fig. 13C left shows that observable significant differences in BMD measurements between Wise mutant and wild type mice at certain ages. Fig. 13C right depicts total bone weight measurements. Fig. 13 generally shows both Sost and Wise genes appear to affect bone cells. Sost is expressed in osteoblasts. In contrast, Wise is expressed in periosteum, chondrocytes (proliferating, prehypertrophic and hypertrophic), but not in the growth plate;

Fig 14A shows a bilateral view of two molars with developing tooth buds on hematoxylin and eosin staining of a tooth cross-section;

Fig 14B shows a bilateral view of two molars with developing tooth buds with S-35 RNA probe-labeled Sost staining;

5 Fig 14C shows a bilateral view of two molars with developing tooth buds stained with S-35 RNA probe-labeled Wise stain for purposes of detailing the layers of the dental follicle surrounding the molar teeth;

Fig 14D shows a molar tooth bud at a higher magnification with a bilateral view of two molars on hematoxylin and eosin staining of a tooth cross-section;

10 Fig 14E shows a molar tooth bud at a higher magnification stained with S-35 RNA probe-labeled Sost stain for purposes of detailing the osteoblasts and trabecular bone adjacent to the molar tooth;

Fig 14F shows a molar tooth bud at a higher magnification stained with S-35 RNA probe-labeled Wise stain for purposes of detailing the dental follicle layers;

15 Fig 14G shows a bilateral view of two molars on hematoxylin and eosin staining of a tooth cross-section, an incisor tooth staining patterns, and the morphological features of two incisors, with the nasal crest between them, tongue, and hair follicles of the whisker pad;

Fig 14H shows incisor tooth staining patterns with S-35 RNA probe-labeled Sost stain for purposes of detailing the osteoblasts of trabecular bone;

20 Fig 14I shows incisor tooth staining patterns with S-35 RNA probe-labeled Wise stain, prominent Wise staining of incisors, hair follicles and the whisker pad are also stained with Wise labeled RNA probes;

Fig 14J shows X-ray photographs of incisor teeth in the maxilla (upper jaw) regions of the wild type mice, utilizing a 120 strain genetic background;

Fig 14K shows X-ray photographs of incisor teeth in the maxilla (upper jaw) regions of the Wise mutant mice utilizing a 120 strain genetic background, the Wise mutant jaw possesses an additional incisor tooth (i') not present in the wt mouse shown in Fig 14J, the additional tooth may originate from either an additional tooth bud or, alternatively, from a bifurcation of the original incisor;

Fig 14L shows the patterning in molar teeth observed in a wt mouse against a C57BL6 genetic background;

Fig 14M shows the patterning in molar teeth observed in a Wise mutant mouse against a C57BL6 genetic background, the additional M1 molar in the Wise mutant is present compared to the M1, M2, and M3 molars present in the wt mouse in Fig 14L;

Fig 14N shows the patterning in molar teeth observed in a wt mouse against a 129 background; and

Fig 14O shows the patterning in molar teeth observed in a Wise mutant mouse against a 129 background, abnormalities are present compared to the wt mouse of Fig 14N.

DETAILED DESCRIPTION

The present invention relates to a family of nucleic acid molecules, which encode polypeptides that bind to LRP and likely regulate the Wnt pathway and, resultingly, regulate bone deposition. The polypeptides will also regulate ocular and tooth development. The present invention further relates to proteins and polypeptides, or amino acid sequences, expressed from the family of nucleic acid molecules, which regulate bone deposition through LRP interaction.

In particular, a nucleic acid molecule family, which includes the Wise and Sost genes, can be used with the present invention, as well as the family of amino acid sequences expressed therefrom. When the above family of amino acid sequences, including Wise and Sost, are allowed to bind to an LRP protein, bone deposition is regulated. When the family of amino acid sequences are prevented from binding to an LRP protein, deposition of bone will increase.

Antisense RNAs or oligonucleotides can be used to block translation of mRNA related to or translated from the above described nucleic acid molecules—in particular, the LRP binding family of amino acid sequences and polypeptides can cause increased bone deposition and likely activate the LRP/Wnt pathway. Similarly, inhibitor peptides and polypeptides prevent the above family of amino acid sequences from binding to an LRP to thereby increase bone deposition. As such, the present invention includes the above listed methods, nucleic acid molecules, amino acid sequence or polypeptide molecules, as well as related compositions and methods designed to prevent or inhibit binding by the LRP binding protein family to LRP. These tools can also be used to effect phenotypic changes. Specifically, mutants versions of Wise or Sost will cause phenotypic changes. Kits are described for detection of the above native nucleic acid molecules and amino acid sequence molecules. Kits are described for detection of mutant or variant forms of the aforementioned nucleic acid molecules, detection of expressed polypeptides or proteins, and measurement of corresponding levels of protein expression.

The novel Wnt inhibitor, Wise, has been isolated in the present invention. Wise affects craniofacial anterior-posterior patterning. The biochemical function of craniofacial A-P patterning is generally addressed in the present invention. Previously, it was shown that when chick somites were transplanted to more anterior locations, an anterior shift in Hox gene expression was observed. This shift in expression resulted in a posteriorization of the more

anterior neural tissue. A screen for molecules involved in this process lead to the isolation of Wise. Wise is a secreted molecule that, until now, has not been shown to share much homology to any known molecules. Its gene structure contains two exons (200 and 400bp) with a large 2.5Kb intron (Fig. 10). The second exon encodes a cysteine knot motif, which bears some
5 homology to known DAN, and CCN family members (Figs. 9, 10, 11). Wise is mapped to Human chromosome 7p21.1, which in turn is linked to the HoxA cluster by 10.6Mb (Fig. 9C). The four mammalian Hox clusters are thought to have evolved from a single cluster, as in *Drosophila*, therefore other clusters were searched for a possible Wise family member. Nothing was found that linked to the HoxD cluster, however, it was found that both HoxB and HoxC
10 clusters had an ORF that was examined further. The HoxC cluster ORF, at 4Mb upstream shares homology to the CCN family. The HoxB cluster contained an ORF at 5Mb upstream. The HoxB ORF encodes a known gene, Sost. Sost was positionally cloned because of a familial mutation affecting bone density. Sost and Wise both share the same gene structure, and produce a secreted protein whose second exon (70% homologous) encodes for a cysteine knot. Unlike the
15 known cysteine knot from DAN or CCN family members, Wise and Sost cysteine knots contain 8 cysteines instead of 9 like CCN and DAN families. Other molecules, Mucin2 and VWF have cysteine knots containing 10 cysteines, but are arranged in a manner similar to both the CCN and DAN family. DAN and CCN cysteine knots share about 50% homology to those of Wise and Sost. In addition to the cysteine knot domain, CCN proteins also encode for Insulin binding,
20 Von Willderbrand, and TSP1 domains. However, the DAN family appears to only encode for a cysteine knot domain. Other genes that encode a cysteine knot domain include Slits, VWF, Mucins, and NDP.

A new Wise family member, Sost, has been characterized herein. Both Wise and Sost are linked to a Hox cluster further supporting Hox cluster duplication hypotheses. Sost functions like Wise to inhibit the Wnt pathway, however, unlike Wise, Sost is unable to induce En2 expression. The inability to induce En2 is very similar to other cysteine knot family members, like CTGF and Nov.

A family of genes and related proteins or polypeptides was isolated, which likely bind to LRP and likely regulates the LRP/Wnt pathway and causes regulation of bone deposition. The family of genes includes NDP, Dan, Caronte, PDGF, Wise, Sost, Cereberus, Gremlin, CTGF, Soggy, Dkk1, Cyr61, Dkk2, Dkk3, Dkk4, Nov, Mucin, Slit, OH, WISP, and CCN. Proteins expressed therefrom form a related amino acid sequence family. These nucleic acid molecules include sequences identified as SEQ ID NOs 1-44, 96-103, 105, 108, 110-113, and 126-128, and amino acid sequences identified as SEQ ID NOs 45-95, 104-107, 109, 114-125. When the above genes of the family are turned off, or mutagenized, the LRP pathway typically is not regulated and deposition of bone will increase. More particularly, the gene-encoded proteins do not bind to LRP, resulting in increased bone deposition. The gene-expressed proteins can be blocked to prevent regulation of the LRP pathway. Thus, the present invention relates to nucleic acid molecules and amino acid sequences and other tools and methods used to inhibit, block or deactivate binding of the LRP binding family to LRP. Inhibition of Wnt signaling can occur with resultant blocking or deactivation of the LRP binding family to LRP.

Related to this, it is known that mutant Wise and Sost polypeptides cause phenotypic changes in bone deposition, ocular development and tooth development. Regardless of interaction with LRP it is determined that mutants of Sost or Wise, or antibodies which attach to Sost or Wise, will cause phenotypic changes.

The above gene family and related proteins can not only be characterized as binding to or blocking binding to LRP, but as a gene family that expresses related proteins that each possess at least one cysteine knot. The cysteine knot is generally formed by 8 cysteine residues, which are readily conserved. However, other knots may have fewer or more residues. Typically, a guanine
5 is part of the structure and conserved. Guanine will, along with two other amino acids, separate two cysteines located in one arm. For example, the gene family contains the genes Sost, Wise, Dkk1, Dkk2, OH, WISP, and CTGF. These genes include an exon region (*e.g.*, Exon 2), which expresses a protein or amino acid sequence molecule, which has a cysteine knot and binds to LRP.

10 Wise genes and polypeptides that have been specifically isolated, including wild types, alleles, mutants, synthetic versions and any other related homologous nucleic acid sequences, are used herewith. Wise contains two exons, with Exon 2 considered the most important. Exon 2, when expressed, produces a polypeptide that has a cysteine knot.

The present invention includes the LRP binding family of polypeptide molecules, such as
15 Wise, Sost, Dkk1, Dkk2, and CTGF, that binds to LRP, which will, in turn, likely bind to Wnt. The LRP proteins and related genes will include LRP 1-11, and Arrow. LRPs that have been found to be specifically related to the present include LRP1,2,5, and 6. Available LRP nucleic acid sequence, are SEQ ID NOs 29-43, polypeptide SEQ ID Nos 67-88.

The present invention also relates to antisense RNA (asRNA) complementary to an
20 mRNA from the LRP binding nucleic acid family, in particular Wise and Sost, whereby the asRNA will inhibit the members. An RNA may also be used to induce post-transcriptional gene silencing. This RNAi will cause translation of the gene family to cease. Any RNA/DNA that is complementary to the mRNA related to the discussed gene family, can be used to destroy a

family member. Other mutants include point frame shift, deletion, truncated, base substituted, and less of function mutations. The loss of function mutations are made with a stop codon. Additionally, a polyclonal or monoclonal anti-peptide antibody to the cysteine knot antigenic region may be used for detection or inhibition. This antibody would inhibit interaction with LRP. The antibody can also be directed to the entire Wise or Sost polypeptide. A point mutation may be made in a nucleic acid sequence member of the gene family, whereby the expressed protein or polypeptide cannot bind LRP. Alternatively, an antisense oligonucleotide can be used, which will prevent translation of mRNA and thereby inhibit binding to LRP. An anti-polypeptide antibody can be used to bind to LRP and prevent binding with a cysteine knot protein, preferably functioning by a steric hinderance mechanism.

Mutant alleles of the LRP binding gene family can express a protein or amino acid sequence that will not bind LRP and thereby increase bone deposition. As discussed, expression of such a mutant can be therapeutically desirable, especially when used as a method for producing stronger bones or increased recovery from bone disease. Thus, the present invention relates to mutants of the listed gene family. The present invention includes administration of such mutant polypeptide products that can result in increased bone deposition.

Antibodies, which specifically bind to the above proteins and probes for isolating the proteins or nucleic acid molecules, are further part of the present invention. Fab fragments can be derived from the antibodies. Yet another part of the present invention relates to methods for increasing bone deposition by preventing the protein family from binding to an LRP and, in turn, likely regulating the Wnt pathway. The invention includes methods for blocking expression of the nucleic acid molecules; and methods for preventing the amino acid sequences from binding to Wnt or LRP. Kits are also part of the invention which detect mutants and non-mutants of the

nucleic acid molecules, and their expressed amino acid sequences or polypeptide molecules. As such, the present invention includes diagnostic and therapeutic methods and kits for the prediction, assessment, and regulation of bone deposition.

Nucleic acid sequences complementary to the previously listed nucleic acid molecules, preferably the mutants, of the gene family may also be used with the present invention. As expected, such a complementary nucleic acid sequence is one that can be expressed to form a protein or amino acid sequence that binds to LRP and regulates bone deposition. The complementary sequence can also be used to prevent binding of LRP and, thus, increase bone deposition. A complementary nucleic acid sequence from a member of the LRP binding gene family can be made to produce an expressed polypeptide that can impact binding to LRP and ultimately regulate bone deposition. Further, degenerate variants of the sequences may be used. Also, isolated nucleic acid molecules that encode the LRP binding family protein or amino acid sequence may be used in the present invention.

Nucleic acid molecules homologous to the wild type nucleic acid molecules, and the mutant nucleic acid molecules, may be used to regulate or cause increased bone deposition. The homologous nucleic acid molecules are identified using a BLAST (Basic Alignment Search Tool) (NCBI) sequence method. Suitable homology will include those nucleic acid molecules that are 50% homologous to the listed mutant alleles, or non-mutants. More preferably, the homology will be 60% and, even more preferred, 75% homologous to the mutant alleles, or non-mutants. The most preferred homologous nucleic acid molecule will be 90% homologous to the mutant alleles, or non-mutants (*i.e.* wild type), in particular, Wise, Sost, and mutants thereof. Homologous nucleic acid molecules may be derived from animals, including, but not limited to, humans, non-human mammals, amphibians, and insects.

Isolated nucleic acid sequences, such as oligonucleotides, can be derived from the nucleic acid molecules, which are the active portions of the molecules, to bind with LRP, mRNA, or ultimately prevent binding of the LRP protein. Such oligonucleotides are a part of the present invention. The active region, which forms the oligonucleotide molecules, includes the cysteine
5 knot region. More particularly, a region which expresses a cysteine knot sequence that binds to LRP can be used. Conversely, oligonucleotides related to the mutant forms of the genes can be used to prevent regulation of bone deposition.

Expression vectors, which regulate bone deposition, can be formed that contain the above-discussed nucleic acid molecules, using known procedures. A promoter can be operably
10 linked to the isolated nucleic acid molecule to form the expression vector. Any promoter can be used which causes expression of the nucleic acid molecule, and can be switched on and off. It is further preferred to include a marker with the vector. Suitable vectors include DNA vectors, plasmid vectors, and shuttle vectors.

Vectors are formed from both the isolated nucleic acid sequences and the mutant
15 versions of the isolated nucleic acid sequences. The vectors include expression, cloning, and viral vectors. Other available vectors include fusion vectors, gene therapy vectors, two-hybrid vectors, reverse two-hybrid vectors, sequencing vectors, and cloning vectors. Also, prokaryotic and eukaryotic vectors may be used. Specific prokaryotic vectors that may be used in the present invention include pET, pET28, pcDNA3.1/V5-His-TOPO, pCS2+, pcDNA II, pSL301, pSE280,
20 pSE380, pSE420, pTrcHis, pRSET, pGEMEX-1, pGEMEX-2, pTrc99A, pKK223-3, pGEX, pEZZ18, pRIT2T, pMC1871, pKK233-2, pKK38801, and pProEx-HT. Specific eukaryotic vectors that may be used herein include pFastBac, pFastBac HT, pFastBac DUAL, pSFV, pTet-Splice, pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, YACneo,

pSVK3, pSVL, pMSG, pCH110, pKK232-8, p3'SS, pBlueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3, pREP4, pCEP4, and pEBVHis. As mentioned, a variety of promoters may be used with the vector, as well as any of a variety of selectable markers. Available markers include antibiotic resistance genes, a tRNA gene, auxotrophic genes, toxic genes, phenotypic markers, colorimetric markers, antisense oligonucleotides, restriction endonuclease, enzyme cleavage sites, protein binding sites, and immunoglobulin binding sites. Specific selectable markers available include LacZ, neo, Fc, DIG, Myc, and FLAG.

Once the vectors are formed, they can be used to transfect a host cell, whereby a transgenic host cell will be produced that incorporates a vector that expresses the selected nucleic acid molecule, which prevents or causes bone deposition through interaction with the LRP. Such bone deposition may likely involve interaction with the Wnt pathway. Methods for transfecting the host cell are well known to those of skill in the art, and comprise culturing the vectors with the host cells.

The host cell can be derived from any of a variety of eukaryotic cell origins, including animal-, mammalian-, amphibian-, or insect-derived cells. More preferably, the host cells are derived from non-human mammals and humans. The preferred host cell is an osteoblast/osteoclast, chondrocytes.

Any of a variety of host cells, including prokaryotic and eukaryotic cells, can be transfected with the vectors previously mentioned. Prokaryotic host cells include Gram-negative and Gram-positive bacteria may be transfected with any of the variety of the vectors previously mentioned. Available bacteria include *Escherichia*, *Salmonella*, *Proteus*, *Clostridium*, *Klebsiella*, *Bacillus*, *Streptomyces*, and *Pseudomonas*. A preferred Gram-negative bacterium is *Escherichia coli*. Eukaryotic vectors can be used to transfect eukaryotic host cells

including yeast, plant, fish, mammalian, human, mouse, frog, or insect cells. Specific host cells that can be transfected include ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, chondrocytes, and human or mammalian bone marrow stroma. As such, the present invention includes host cells transfected with any of the previously
5 mentioned vectors.

A transgenic animal can be formed using the present invention. In particular, transgenic non-human animals can be formed by insertion of the wild type or mutant nucleic acid molecules into cells of a host animal. The insertion of nucleic acid molecules into host animal cells can occur by a variety of methods including but not limited to transfection, particle bombardment,
10 electroporation, and microinjection. Insertions can be made into germ line, embryonic, or mature adult host animal cells.

The proteins or amino acid sequences expressed by the nucleic acid molecules, related mutants, and the listed nucleic acid molecules can activate LRP/Wnt and can be isolated and purified. Additionally, the mutants, asRNA molecules, as oligonucleotides, and anti-peptide
15 antibodies can be developed and used to prevent binding to LRP or binding of Wnt or Sost. The proteins or amino acid sequences from both the non-mutant and mutant nucleic acid molecules can also be isolated and purified. Such isolation and purification include known procedures and methods, including affinity chromatography or purification, as well as other methods. The isolated proteins include those listed herein. Additionally, suitable proteins or amino acid
20 sequences include those that bind to LRP and Wnt, and prevent or cause activation, dependent upon the desired outcome.

Proteins, which are 90% homologous with the polypeptides listed in SEQ IDs are also included. As would be expected, polypeptides or proteins that are 50% homologous to the

polypeptides may also be used, with proteins 60% homologous more preferred. A polypeptide that is 75% homologous to SEQ ID NOs 45-95, 104-107, 109, and 114-125 is even more preferred. As such, any of a variety of polypeptides may be used, as long as they are expressed by an LRP binding family member, Sost Wise, or homologous nucleic acid molecule, and

5 prevent influence Wnt, Bone deposition, tooth development or ocular development. More preferably, mutants will be used. Resultingly, the proteins will cause increases of bone deposition to occur. Non-mutant, homologous amino acid sequences may be used. The extent of homology will be identical to that previously described above. Thus, sequences that are 50% homologous to the proteins or amino acid sequences may also be formed. More preferably, the

10 sequences will be 75% homologous, and even more preferably, 90% homologous to the proteins.

Probes, which can be used to isolate, identify, and characterize the above proteins and/or genes, can be formed from such proteins or genes. The probes include cDNA, mRNA, and monoclonal and polyclonal antibodies. All the probes are formed using known procedures. Probes, which are 50% homologous to the proteins or amino acid sequence, may also be formed.

15 More preferably, the probes will be 75% and, even more preferably, 90% homologous to the above proteins. The formula used to determine the homology of the probes is a BLAST sequence.

Antibodies, which specifically bind to the above-listed proteins, are part of the present invention. Additionally, hybridomas that produce such antibodies are used herewith. In addition

20 to protein probes, cDNA probes may be formed, which are comprised of isolated nucleic acid molecules previously discussed. As such, any antibody that binds specifically to a Wnt binding family member, may be used. Antibodies that selectively bind to an epitope in the receptor-

binding domain of the LRP/Wnt binding mutant protein may also be used. A non-mutant or wild type epitope may also be used.

A kit for detecting a LRP binding gene, or related nucleic acid molecule, can be formed. The kit will preferably have a container and a nucleic acid molecule, which includes any of the
5 mentioned sequences.

A kit for detecting a LRP binding protein or amino acid molecule can also be formed. The kit will preferably have a container and a nucleic acid molecule, which includes any of the mentioned sequences.

The family of genes and proteins can be used as tools to develop asRNAs and
10 polypeptides, which regulate LRP/Wnt.

Neural patterning in embryogenesis involves signaling between the neural plate and surrounding tissues. To investigate this process, a functional screen was performed using a cDNA library derived from chick tissues surrounding the neural tube. Activities that alter anteroposterior (A-P) character of neuralized *Xenopus* animal caps were assayed for, and a novel
15 gene was identified, Wise, which was expressed in surface ectoderm. Wise encodes a secreted protein capable of inducing posterior neural markers. Importantly, the phenotypes arising from ectopic expression of Wise resemble those affected when Wnt signaling is altered. Induction of posterior markers by Wise likely requires components of the canonical Wnt pathway, showing that it activates the Wnt signaling cascade. In contrast, in other assays, such as secondary axis
20 induction, Wise inhibits Wnt signaling. Wise protein interacts with LRP receptors, but not with Wnt, demonstrating that Wise is a novel ligand for LRP, which either activates or inhibits the signaling pathway. Hence, Wise differentially influences the Wnt signaling cascade in a context-

dependent manner. These activities provide a novel mechanism that integrates and modulates the balance of Wnt signaling.

The following are definitions for terms used herein.

An animal cap is a pigmented animal hemisphere of the amphibian blastula. The vegetal
5 becomes endoderm and part of the animal pole becomes ectoderm. In most animal oocytes the nucleus is not centrally placed, and its position can be used to define two poles. That nearest to the nucleus is the animal pole, and the other is the vegetal pole, with the animal-vegetal axis between the poles passing through the nucleus. During meiosis of the oocyte, the polar bodies are expelled at the animal pole. In many eggs, there is also a graded distribution of substances
10 along this axis, with pigment granules often concentrated in the animal half and yolk region, when present, largely situated in the vegetal half.

The anterior-posterior axis is the body axis extending from the anterior to the posterior pole of a bilaterally symmetric embryo (or animal).

Blastomere is one of the cells produced as the result of cell division and cleavage, in the
15 fertilized egg.

Blastula is the stage of embryonic development of animals near the end of cleavage but before gastrulation. In animals where cleavage or cell division involves the whole egg, the blastula usually consists of a hollow ball of cells.

Bone is continually deposited by osteoblasts. Normally, bone deposition and absorption
20 are equal.

DNA cassette is a deoxyribonucleic acid (DNA) sequence that can be inserted into a cell's DNA sequence. The cell in which the DNA cassette is inserted can be a prokaryotic or eukaryotic cell. The prokaryotic cell may be a bacterial cell. The DNA cassette may include one

or more markers, such as Neo and/or LacZ. The cassette may contain stop codons. In particular, a Neo-LacZ cassette is a DNA cassette that can be inserted into a cell's DNA sequence located in a bacterial artificial chromosome (BAC). Such DNA cassettes can be used in homologous recombination to insert specific DNA sequences into targeted areas in known genes.

5 The ectoderm is the germ layer that gives rise to the epidermis and nervous tissue.

 The endoderm is the germ layer that gives rise to the respiratory organs, gut, and the gut accessory glands.

 Gastrula is the stage of embryonic developments in animals when gastrulation occurs, and follows the blastula stage.

10 Gastrulation is the process by which cells of the blastoderm are translocated to new positions in the embryo, producing the three primary germ layers.

 The germ layer is defined as the main divisions of tissue types in multicellular organisms. Diploblastic organisms (*e.g.*, coelenterates) have two layers, ectoderm and endoderm; triploblastic organisms (*i.e.*, all higher animal groups) have mesoderm between these two layers.

15 Germ layers become distinguishable during late blastula/early gastrula stages of embryogenesis, and each gives rise to a characteristic set of tissues, the ectoderm to external epithelia and to the nervous system, for example, although some tissues contain elements derived from two layers.

 Mesoderm is defined as the middle of the three germ layers; which gives rise to the musculo-skeletal, vascular, and urinogenital systems, to connective tissue (including that of
20 dermis) and contributes to some gland formation.

 Neural plate is defined as a region of embryonic ectodermal cells, called neuroectoderm, that lie directly above the notochord. During neuralation, the neuroectoderm changes shape, so

as to produce an infolding of the neural plate (*i.e.*, the neural fold) that then seals to form the neural tube.

The neural tube is the progenitor of the central nervous system.

Somites are defined as the blocks of tissue in the trunk derived from the originally
5 unsegmented paraxial mesoderm.

Small molecules are defined as regulatory polypeptide or nucleic acid molecules that cause detectable changes in protein-protein interaction systems that may also affect one or more phenotypic changes. Interaction systems include, but are not limited to, Wise and Sost protein interaction with LRPs, the Wnt pathway, Engrailed, and Frizzled. These small molecules may
10 operatively function by structural similarity to and competitive inhibition with native molecules *in vitro* or *in vivo*. Phenotypic changes may include observed changes in such parameters as bone deposition or bone mineral density, tooth development, and ocular development. Small regulatory polypeptide molecules include, but are not limited to, antibody fragments such as Fab, F(ab)₂, Fv, and antibody combining regions that bind with either Wise, Sost, or LRP; and
15 shortened Wise, Sost or LRP polypeptide sequences. Small regulatory nucleic acid molecules include, but are not limited to, antisense RNA sequences that interfere with Wise, Sost, or LRP function; and truncated Wise, Sost or LRP nucleic acid sequences that encode shortened polypeptides that interfere with Wise, Sost or LRP function. An antisense Wise RNA is complementary to Wise sense RNA and operatively binds to it in a cell to prevent translation of
20 native protein. A truncated Wise nucleic acid sequence encodes a shortened Wise polypeptide that can potentially competitively bind to LRP to prevent native Wise protein binding.

The vegetal pole is the surface of the egg opposite to the animal pole. Often the cytoplasm in this region is incorporated into future endoderm cells.

A vector is a self-replication DNA molecule that transfers a DNA segment to a host cell.

A host organism is an organism that receives a foreign biological molecule, including an antibody or genetic construct, such as a vector containing a gene.

Chimera is an individual composed of a mixture of genetically different cells. The genetically different cells of chimeras are required to be derived from genetically different zygotes.

Mutant is an organism bearing a mutant gene that expresses itself in the phenotype of the organism. Mutants include both changes to a nucleic acid sequence, as well as elimination of a sequence. In addition polypeptides can be expressed from the mutants.

Plasmids are double-stranded, closed DNA molecules ranging in size from 1 to 200 kilobases. Plasmids are vectors for transfecting a host with a nucleic acid molecule.

An amino acid (aminocarboxylic acid) is a component of proteins and peptides. Joining together of amino acids forms polypeptides. Polymers containing 50 or more amino acids are called proteins. All amino acids contain a central carbon atom to which an amino group, a carboxyl group, and a hydrogen atom are attached. Polypeptides can be referred to when a protein is less than 500 amino acids.

A nucleic acid is a nucleotide polymer better known as one of the monomeric units from which DNA or RNA polymers are constructed, it consists of a purine or pyrimidine base, a pentose, and a phosphoric acid group.

A gene is a hereditary unit that has one or more specific effects upon the phenotype of the organism that can mutate to various allelic forms.

A polypeptide is a polymer made up of less than 50 amino acids.

Knockout is an informal term coined for the generation of a mutant organism (generally a mouse) containing a null allele of a gene under study. Usually the animal is genetically engineered with specified wild-type alleles replaced with mutated ones.

5 Allele is a shorthand form for allelomorph, which is one of a series of possible alternative forms for a given gene differing in the DNA sequence and affecting the functioning of a single product.

Wild type is the most frequently observed phenotype, or the one arbitrarily designated as "normal". Often symbolized by "+" or "wt."

10 Finally, the phenotypes observed in Wise mutants are similar to that of Sost mutants. Some phenotypes examined in the Wise mutant may explain Sost phenotypes, *i.e.* loss of retinal nerve fibers may be reason for optic nerve atrophy. Interestingly, it has been demonstrated that Wise inhibits the Wnt pathway by binding to an area encompassing the first two YWTD propeller domains of LRP. In humans the autosomal recessive disorder OPPG has been mapped
15 to the area upstream of the first YWTD propeller domain of LRP5. Also, LRP5 is found to be expressed in osteoblasts and in retinal cells of *Xenopus* embryos. The same expression pattern was found for humans. It has been demonstrated that the loss of LRP5 function leads to very low peak bone mass and visual loss. Thus, early during bone development, Wise may be acting to inhibit Wnts through LRP5; and later, the inhibition of Wnts may be the function of Sost.

20

EXAMPLES

Example 1.

Functional screens in *Xenopus* were performed with the aim of identifying factors derived from tissues surrounding the neural tube that alter A-P patterning in Noggin-treated animal caps. Two clones were isolated, one encoded a truncated β -catenin and the other a novel secreted protein, which was named Wise. Isolation of the two clones is described below.

5 Fig. 1A provides an overview of how factors which impacted patterning were determined. Chick embryo somites, which are capable of transforming pre-otic rhombomeres into a more posterior neural tissue were collected together with overlying ectoderm and underlying endoderm. mRNA was collected from the tissue, which was then used to make a cDNA library. This provided a source of putative posteriorizing factors.

10 The cDNA library was made from stage 8-13, (Hamburger and Hamilton, 1951) chick embryos using tissues surrounding the neural tube (Fig. 1A) from axial levels capable of inducing Hoxb9 expression in grafting experiments (Itasaki et al., 1996). The library contained 250,000 un-amplified clones, and 50,000 of these were divided into 100 pools (500 clones per pool). For initial screening, 10 pools were mixed to prepare a single large DNA pool (5,000
15 clones) used to synthesize capped RNA. Size-selected (>1kb) cDNAs were directionally inserted into a modified 64T vector (Tada et al., 1998).

Xenopus eggs were obtained, fertilized, cultured, and injected with the synthesized RNA, as previously described (Jones and Smith, 1999). In the first round of screening, 250 picogram (pg) of Noggin RNA and 12 nanograms (ng) of library RNA were injected into each blastomere
20 of 2-cell state *Xenopus* embryo. To examine embryo phenotypes, RNA was injected into specific blastomeres, together with lacZ or FIDx (Molecular Probes) as a lineage tracer. Markers were assayed with *in situ* hybridization.

Following co-injection of Noggin RNA with pools of RNA from the cDNA library, the induction of posterior markers was monitored in animal caps by assaying for expression of En2, Krox20, and Hoxb9, which mark the midbrain, hindbrain, and spinal cord, respectively (Figs. 1B and 1C). Myosin was also used as a marker for mesoderm induction, which allowed focus on
5 pools that influence neural patterning in the absence of mesoderm.

Explants (excised tissue) were processed for RT-PCR to detect region-specific neural markers. The primers for Efl α , NCAM, Otx2, En2, Krox20, Hoxb9, Myosin light chain and Muscle actin were used.

It was observed in pool 5, that En2 was induced in the absence of mesoderm (Fig. 1B).
10 Successive rounds of sub-division and sib selection identified the clones responsible for this activity. From this pool, two distinct clones were isolated. One clone encoded an amino-terminally truncated form of β -catenin, a cytoskeletal component, and an intracellular target of the Wnt pathway. This result was consistent with data demonstrating that β -catenin has an ability to induce posterior neural markers in animal caps when co-injected with Noggin. The N-
15 terminal truncation in the clone removed the first 87 amino acids, which included the sites for phosphorylation by GSK3 β , which accelerated degradation of β -catenin protein. Therefore, the clone encoded a stable form of β -catenin able to stimulate Wnt signaling.

The second clone proved to encode a novel protein. Based on its characterization and relationship to Wnt signaling detailed in the study, the clone's gene was designated Wise (Wnt,
20 inhibitor/activator in surface ectoderm). In the animal cap assays, injection of Wise RNA, together with Noggin, demonstrated that increasing concentrations of Wise progressively induced more posterior markers (En2 and Krox20) in the absence of mesoderm (Fig. 1C).
Noggin equal to 500 pg and Wise equal to 150, 300, 600 and 1200 pg were injected. Wise alone

exhibited no neural-inducing activity (no NCAM induction) and no ability to induce mesoderm, as confirmed using Myosin (Fig. 1C), Brachyury, Wnt8, and Xhox3 as markers. It was observed that increasing amounts of Wise RNA (150, 300, 600, and 1200 pg) progressively induced more posterior neural markers in the presence of Noggin. Wise DNA and RNA were obtained using
5 standard molecular biology methods. Sambrook et al., Molecular Cloning: a Laboratory Manual, 3rd ed., Cold Spring Harbor, N.Y., Cold Spring Harbor Laboratory Press (2001).

For explant recombination assays, 500 pg of Noggin was injected into one set of embryos and 1 ng of Wise injected into a separate set. For lineage tracing, either FIDx was injected, along with Noggin RNA, or 100 pg of lacZ RNA was co-injected with Wise. Caps were cut at
10 stage 8, combined and cultured for assay at stage 25.

Example 2.

To isolate a frog clone, *Xenopus* stage 25 embryos were collected and a cDNA library was formed. This was used as a template for RT-PCR. Using degenerate primers, designed on the basis of conserved regions between chick and mouse Wise, ~500 bp fragments were sub-
15 cloned into pBluescriptIIKS (Stratagene) and sequenced. The degenerate primers used were upstream, SEQ ID NO 129: 5'-GCTTT(T/T)AA(A/G)AA(C/T)GATGCCAC-3'; and downstream, SEQ ID NO 130: 5'-GTGAC(T/C)AC(T/G/A)GT(T/G)ATTTTGTA-3'. Two different clones in the frog were identified (XWise-A and XWise-B) presumably resulting from the pseudotetraploid *Xenopus* genome. For each clone, 5' and 3' flanking sequences were
20 identified by PCR using a *Xenopus* stage 35 cDNA library. Standard PCR methods are described in U.S. Pat. No. 4,683,195; U.S. Pat. No. 4,683,202; Saiki et al., Science 230:1350-1354 (1985); Innis et al., PCR Protocols: A Guide to Methods and Applications, Academic Press, Inc., San Diego, Calif. (1990).

The predicted amino acid sequence of XWise-A was used for comparison with other species which are listed in Fig. 2A, which shows Wise as a conserved secreted protein. Various EST databases were searched, with the predicted amino acid sequences then aligned in Fig. 2A. The predicted amino acid sequence of Zebrafish, *Xenopus*, chick, mouse, and human Wise proteins were compared.

The predicted Wise protein, SEQ ID NO 45, consists of 206 amino acids and contains cysteine knot-like domains. These cysteine knot domains are found in a number of growth factors, as well as in Slit, Mucin, and CCN (Cef10/Cyr61, CTGF and Nov) family members (Bork, 1993). Among these, the C-terminal domain of the CCN family members showed the highest homology to Wise, but other motifs conserved within the CCN family were absent in Wise (Fig. 2B). Hence, Wise is related to, but not a member of, the CCN family. A homology search revealed that Wise showed the highest amino acid identity (38%) to Sclerostin (Sost), identified by positional cloning of the gene mutated in sclerosteosis (Brunkow et al., 2001).

Wise was further analyzed, as shown in Fig. 2B. The shaded boxes in Fig. 2B indicate three blocks ($\Delta 1$, $\Delta 2$, $\Delta 3$) deleted separately for functional analysis. This was done to investigate if the conserved regions were required for functional activity of Wise, three separate deletions were generated, and their ability to induce En2 expression in Noggin-injected animal caps was tested. The variant that deleted 19 amino acids outside of the CT domain ($\Delta 1$) retained the ability to induce En2. In contrast, two deletions corresponding to different parts of the Slit homology domain ($\Delta 2$ and $\Delta 3$) abolished the ability of Wise to induce En2, demonstrating that these regions were necessary for Wise function.

Example 3.

A signal sequence motif is present at the N-terminus of Wise, and its secretion was confirmed by Western blotting following expression of an HA-tagged version of the protein in *Xenopus* oocytes (Fig. 2C) and COS cells. More particularly, Wise was injected in an amount equal to 30ng/embryo. Western blot analysis detected HA-tagged Wise protein secreted into the medium following RNA injection into oocytes. Fig. 2C, related to the control of uninjected oocytes. Secretion of Wise was confirmed by expression of an HA-tagged version of the protein in *Xenopus* oocytes and COS cells. The protein was detected in both cell extracts and the culture medium (Fig. 2C). It was observed that Wise encoded a signal sequence motif at its N-terminus, suggesting that the protein is secreted.

Further, the ability of Wise to posteriorize neural tissue in a cell non-autonomous manner was tested by using a tissue recombination assay in which a Wise-expressing animal cap was combined with a noggin-expressing animal cap. It was found that both En2 and Krox20 were induced in discrete domains in the Noggin caps (Figs. 2D and 2E). Noggin was injected in an amount equal to 500 pg and Wise equal to 600 pg. Hence, it was determined Wise has the ability to induce posterior markers at a distance.

Subsequently, the ability of Wise to posteriorize tissues in a cell non-autonomous manner was tested. Recombination between Noggin-expressing and Wise-expressing animal caps were assayed for expression of Krox20 or En2, Figs. 2D and 2E respectively. Wise induced a ring of En2 (en) expression or patches of Krox20 staining in a non-cell autonomous manner in the Noggin cap. In Fig. 2D, the Noggin injected cap was marked with FIDx, and in 2E, the Wise cap was marked with lacZ as lineage tracers. Using a tissue recombination assay in which a Wise-expressing animal cap was recombined with a Noggin expressing animal cap, it was found that

both En2 and Krox20 were induced in the Noggin caps (Figs. 2D and 2E). As such, it was determined that Wise has the ability to induce posterior markers at a distance through the induction of Wnt.

Example 4.

5 The following Example analyzes the expression of Wise in chick and *Xenopus* embryos. Whole mount *in situ* hybridization analysis and sections in stage 9-12 chick embryos revealed that Wise was expressed in a dynamic manner in the surface ectoderm (Figs. 3A-3D). Expression was detectable first at stage 9. Expression was localized in the posterior surface ectoderm overlying the presomitic mesoderm, wherein somites were formed by stage 10-11 (Figs. 3A, 3B, and 3D). Figs. 3A-3D show *in situ* hybridization of chick embryos. Wise was expressed in the surface ectoderm from the level of presomitic mesoderm to the posterior end at stage 10, Fig. 3A. Higher transcript levels are detected at stage 11, Fig. 3B, which refine to a small posterior domain by stage 12, Fig. 3C. This is shown by the red stain in the Fig. 6. A section shown in Fig. 3D, in the vicinity of Hensen's node, showed Wise transcripts confined to the surface ectoderm (se). This is shown by the arrow. Expression decreased rapidly during stages 12-13, and resolved into a small posterior domain (Fig. 3D). This expression profile suggested that the original Wise cDNA was derived from the ectodermal part of the tissue used to make the library (Fig. 1A).

20 In an RNase protection assay, *Xenopus* Wise expression was weakly detected initially at gastrula stages (stage 10), and expression persisted into tadpole stages (Fig. 3E). Fig. 3E shows an RNase protection assay of *Xenopus* embryos with stages noted above each lane. Wise is first detected at an early gastrula stage, persisting into tadpole stages. ODC was a loading control. In later stage chick embryos, Wise was expressed in branchial arches and other specialized tissues,

including feather buds. A similar pattern was observed in *Xenopus* embryos. Wise was expressed in the surface ectoderm, but had a broader domain along the A-P axis, in comparison to chick (Fig. 3F). Figs. 3F and 3G show the whole mount *in situ* hybridization to *Xenopus* embryos. At stage 15 (Fig. 3F), Wise is expressed in the surface ectoderm at all anterior-posterior levels. The expression is strongest at the edge of the neural tube. At tadpole stages (Fig. 3G, stage 40), expression was localized in epibranchial placodes, lateral lines, and along the dorsal fin.

This data showed that Wise caused posterior development. It also showed the stages of development when Wise had the strongest effect.

10 Example 5.

The present Example relates to changes observed in neuronal markers after blastomere injections of Wise RNA and Wise antisense morpholino oligos (Fig. 4).

Morpholino antisense oligos were designed against the beginning of the coding region of *Xenopus* Wise-A and B. The sequences were: A (SEQ ID NO 131), 5'-
 15 AGCACTGGAGCCTTGAGACAACCAT-3'; B (SEQ ID NO 132), 5'-
 AGCAGTGAAGCCTTGAGACAACCAT-3'. A 1:1 mixture of these oligos was diluted in PIPES (5mM) buffered water and used for injection. *In vitro* translation of Wise RNA was inhibited at oligo concentrations of between 1-10 μ M, which is equivalent to injecting 6-60 ng into one *Xenopus* embryo (1.2 mm diameter). For whole embryos, 30-60 ng of morpholino was
 20 injected, and for blastomeres (animal-dorsal or animal-ventral blastomere to target the surface ectoderm) 13-33 ng was injected.

Fig. 4 shows changes in neuronal markers after blastomere injection of Wise RNA and Wise antisense morpholino oligos (Figs. 4A-L). *In situ* hybridization with neural markers in

stage 16-21 *Xenopus* embryos following single blastomere injections of Wise RNA (Figs. 4B, 4E, 4H, and 4K) at the 8-cell stage and antisense morpholino oligos (Figs. 4C, 4F, 4I, and 4L) at the 4-cell stage are shown. The left panels (Figs. 4A, 4D, 4G, and 4J) indicate control embryos. In most embryos, lacZ (blue staining) was co-injected as a lineage tracer. Injected sides were to the left. Probes were Sox3 (Figs. 4A-4C), En2 (Figs. 4D-4F), Krox20 (Figs. 4G-4I), and Slug (Figs. 4J-4L). In Wise RNA injected embryos, the neural markers were generally displaced posteriorly. Ectopic induction of Krox20 and Slug can be seen in the forebrain region (Figs. 4H and 4K). In embryos injected with antisense morpholino oligos, these markers were unchanged.

Figs. 4M and 4N show the transverse sections at stage 16 after blastomere injection of either Wise RNA (Fig. 4M) or Wise antisense morpholino oligo (Fig. 4N). In Fig. 4M, the neural plate on the injected side was greatly expanded, which is revealed by Sox3 staining (dark blue, *). Conversely, in the morpholino oligo-injected embryo (Fig. 4N), the surface ectoderm is thicker on the injected side (left, *) in comparison to the right control side.

To further evaluate the effects of Wise on development of the neural tube, RNA or DNA was injected into specific blastomeres at 4-16 cell stages. When Wise RNA injections were targeted to presumptive neural regions, expression of pan-neural markers (Sox3, NCAM) confirmed an expansion of the neural plate (Figs. 4B and 4M). A-P specific markers (En2, Krox20, and Slug) were generally displaced laterally and posteriorly and were frequently expanded (Figs. 4E, 4H, and 4K).

Identical results were obtained using DNA constructs for injection, where Wise expression commenced at mid-blastula stages under the control of a cytoskeletal actin promoter. Together, these changes in morphology and neural patterning demonstrated that ectopic expression of Wise disturbed extension and closure of the developing neural tube.

The disruption of neural tube morphogenesis made it difficult to assay for posteriorizing influences in whole embryos. However, when Wise injected cells were targeted to the forebrain region, ectopic expression of Slug and Krox20 was observed (Figs. 4H and 4K). This indicated that anterior forebrain cells acquired a more posterior character in response to Wise.

5 Localized injection of the morpholino oligo resulted in embryos developing with thickened ectoderm, which contrasted with Wise RNA injections where embryos developed with a thickened neural plate (Figs. 4M and 4N). Neural markers, such as Sox3, En2, Krox20, and Slug, were not obviously affected at early neural stages (Figs. 4C, 4F, 4I, and 4L). This verifies that Wise and Wise mutants influence A-P patterning.

10 **Example 6.**

Like Example 5, Wise RNA and morpholinos were injected into embryos. Injection of Wise RNA and morpholino oligos were observed to impact neural markers. Anterior defects after blastomere injection of Wise RNA or morpholino oligo were observed. Defects in anterior patterning, including a failure in eye formation, were observed at tailbud stages (Fig. 5H).

15 Furthermore, expression of the cement gland marker XCG was specifically down-regulated in cells expressing Wise (Figs. 5B and 5E). Conversely, when Wise injected cells were distributed more ventrally, the ectopic induction of the cement gland and XCG expression was observed (Fig. 5B). Therefore, ectopic expression of Wise altered aspects of A-P patterning in embryos, as well as animal caps.

20 Figs. 5A-5L shows *in situ* hybridization with the cement gland marker XCG at stage 16-20 (Figs. 5A-5C) and morphological phenotypes of cement gland at stage 26-40 (Figs. 5D-5F). Hybridization with the eye at stage 35-36 is shown at Figs. 5G-5I. The controls are shown in Figs. 5A, 5D, and 5G. Blue staining shows co-injected lacZ lineage tracer. Over-expression of

Wise resulted in formation of larger cement glands (Fig. 5C). Eye formation is consistently blocked by injection of both Wise RNA (Fig. 5H) and the morpholino oligo (Fig. 5I).

To analyze the endogenous role of Wise in embryogenesis, the *Xenopus* cognate was isolated and used to design morpholino antisense oligonucleotides, which would specifically
5 interfere with translation of Wise RNA. *In vitro* translation of Wise was blocked by the morpholino oligo, whereas a control oligo had no effect (Fig. 5J). Fig. 5J shows *in vitro* translation of Wise in the presence of the Wise morpholino antisense oligo. Lane 1 shows translation of Wise protein without morpholino oligo. Lanes 2-7 show translation in the presence of the Wise morpholino oligo at concentrations of 0.1 nM, 1 nM, 10 nM, 100 nM, 1
10 μ M, 10 μ M, respectively. Lane 8 shows translation in the presence of control morpholino oligo at the concentration of 10 μ M. Wise translation is partially blocked at concentration of 1 μ M, and completely blocked at 10 μ M.

When the morpholino oligo was injected into the whole embryo at the 1 cell stage, embryos developed cyclopic eyes (Figs. 5L-5N), and the trunk and tail were shortened in most
15 cases (Figs. 5F and 5L). At later stages, morpholino-injected embryos showed defects in eye formation (Fig. 5I), which were rescued by co-injection of Wise RNA (Fig. 5K). Fig. 5K shows the rescue of the eye defect resulting from injection of the morpholino oligos by co-injection of Wise RNA.

Figs. 5L-5N are the phenotypes of embryos following injection of Wise morpholino
20 oligos throughout the whole embryo. Fig. 5L shows the range of cyclopic eye and short trunk phenotypes induced by the oligos in comparison to the control embryo (left). Section of control (Fig. 5M) and morpholino-injected (Fig. 5N) embryos at the level of eye are shown. In the Wise morpholino-injected embryos, eyes are positioned very close to the neural tube.

These results suggest that the endogenous role of Wise is to mediate elongation of the trunk, morphogenesis of the ectoderm/neuroectoderm, and formation of the eye. The fact that both ectopic expression of Wise, and inhibiting its function by injection of the antisense morpholino oligo resulted in similar defects in eye formation, suggests that this process requires a precise level of signaling, mediated by Wise.

Example 7.

The present Example relates to the immunoprecipitation procedures previously discussed. To test protein secretion, RNA encoding the HA tagged version of Wise was synthesized and injected into *Xenopus* oocytes. This HA tagged Wise construct was confirmed to be functional by testing its ability to induce En2 in Noggin-injected animal caps. Fifteen oocytes were incubated in 96-well dish with 150 μ l of OR2 medium + 0.01% BSA for 2 days. Oocytes and the conditioned medium were collected separately and used for Western blotting with an anti-HA antibody (Boehringer). This construct was also transfected into COS cells and assayed for secretion by Western blotting.

For protein interaction studies, COS cells were transfected with DNA constructs encoding tagged versions of the proteins. Cells were harvested and proteins were extracted in 150 mM NaCl, 1% NP40, 0.5% Sodium Deoxycholate, 0.1% SDS, 50mM Tris-HCl (pH8), a cocktail of protease inhibitors (Complete, Boehringer), and 1 mM AEBSF at 4° C. Small aliquots were kept as cell extracts for checking expression of each protein. Primary antibodies against the epitope and Protein A-coupled beads were added to the extracts, incubated for 2 hours, and collected by centrifugation. Following several rounds of washing, pellets were re-suspended in loading buffer in the presence of SDS and subjected to electrophoresis and Western

blotting. The proteins were detected by using the epitope-specific antibodies and appropriate secondary antibodies conjugated to alkaline phosphatase.

Example 8.

The ability of Wise to interact with the Wnt pathway, and the fact that it is normally
 5 expressed in a transient manner in the non-neural surface ectoderm, suggest that it might have a role in modulating Wnt signaling in this tissue (Fig. 3). A balance between Wnt and BMP signaling in the surface ectoderm and dorsal neural tube is important in modulating dorsal fates and the generation of neural crest cells. Furthermore, Wnts in the surface ectoderm influence patterning of the underlying somites and their derivatives. The distribution and timing of Wise
 10 expression in the surface ectoderm, together with the result of morpholino experiments, suggest that it promotes precise levels of Wnt signaling to control some of these interactions.

Figs. 6A-6C show RT-PCR of Noggin treated animal caps assayed for En2 (en) induction. NCAM is used as a pan neural marker and Efla is a loading control. Fig. 6A shows the induction of En2 by Wnt8 or Wise RNA is blocked by dominant-negative (dn) Frizzled 8
 15 ($\Delta Fz8$). Noggin was added in an amount equal to (500 pg); Wnt8 was (50 pg); Wise was (1.2 ng); and $\Delta Fz8$ (2 ng). In Fig. 6B, the following constituents were added: Noggin (500 pg); Wise (600 pg); $\Delta Wnt8$ (200 pg); $\Delta Dsh(dd1)$ (1.2 ng); GSK3 (500 pg); and LEFAN (200 pg). Fig. 6B shows the induction of En2 is blocked by dn-Wnt8 ($\Delta Wnt8$), dn-dishevelled ($\Delta Dsh(dd1)$), GSK3 and dn-Lef1 (LEFAN). Fig. 6C shows the induction of En2 requires signaling components of the
 20 canonical Wnt pathway but not the planar cell polarity (PCP) pathway. Wise-mediated En2 induction was abolished by $\Delta Dsh(dd1)$, a dominant negative form of Dishevelled for both pathways, and $\Delta Dsh(DIX)$, which blocks the canonical pathway. $\Delta Dsh(DEP)$ blocks the PCP

pathway but has no effect on Wise induction of En2. Δ Dsh(Δ N) specifically activates the PCP pathway but fails to induce En2 in the absence of Wise, although full length d

Dishevelled (Dsh) is able to do so. In Fig. 6C, the following constituents were added: Noggin (500 pg); Wise (1.2 ng); Dsh (1 ng); and Δ Dsh(d1), Δ Dsh(DIX) and Δ Dsh(DEP) (2.0
5 ng). Figs. 6D-6G: TCF3 (300 pg); Wnt8 (25 pg); Wise (300 pg); and β -catenin (100 pg) were added in the listed amounts.

Figs. 6D-6G show staining for sub-cellular localization of endogenous β -catenin detected immunocytochemically in *Xenopus* animal caps following RNA injection of: D, TCF3; E, Wnt8+TCF3; F, Wise+TCF3; and G, β -catenin+TCF3. Wnt8 (E) and Wise (F) promoted
10 accumulation of nuclear β -catenin.

Wise activated the Wnt signaling pathway in animal caps. Since Wnts and Wise both induced En2 expression in Noggin-injected animal caps, whether Wise required Wnt signaling for its activity was investigated. To test, Wise RNA was co-injected with either wild-type GSK3 β or dominant negative (dn) versions of the canonical Wnt pathway components, Wnt8,
15 Frizzled, Dishevelled or Lef1. All of these Wnt blocking reagents eliminated the ability of Wise to induce En2 in neuralized animal caps (Figs. 6A and 6B). The finding that dn-Wnt8 and dn-Frizzled8 blocked Wise activity implied that it may use the same receptor(s) as Wnt. With respect to the intracellular components, Dishevelled (Dsh) is an important branch point in Wnt signaling that separates the canonical nuclear pathway from a planar cell polarity (PCP) pathway.
20 Different truncated dishevelled constructs were used to examine the roles of the different pathways in En2 induction. Both Δ Dsh (dd1), which lacks a part of the PDZ domain necessary for both the canonical pathway and the PCP pathway, and Δ Dsh (DIX), which is a specific dominant negative form for the canonical pathway, abolished En2 induction by Wise (Figs. 6B

and 6C). In contrast, both Δ Dsh(DEP), which specifically blocks the PCP pathway, and Δ Dsh (Δ N) which constitutively activates the PCP pathway, had no effect on En2 induction (Fig. 6C). These results suggested that the domains of Dsh, critical for the canonical Wnt signaling pathway, are essential for Wise function.

5 **Example 9.**

This Example demonstrates that expression of Wise interferes with Wnt signaling. Although induction of En2 can be explained in terms of activation of Wnt signaling, the effects of injected Wise RNA on cement gland formation (Fig. 5B) resemble those seen when the Wnt pathway is inhibited. Therefore, it is possible that Wise also inhibits Wnt signaling. As such,
10 Wise's ability to antagonize Wnt8 activity in axial induction was examined.

In particular, Figs. 7A-7C show the secondary axes induced by Wnt8 are blocked by Wise. Injection of Wnt8 RNA into a ventral vegetal blastomere of 4-8-cell stage embryos induced complete secondary axis formation (Fig. 7A). Co-injecting Wise blocked formation of Wnt8-induced secondary axis (Fig. 7B), similar to co-injection of a dominant negative
15 Dishevelled, Δ Dsh(DIX) (Fig. 7C).

Figs. 7A-7C show Wnt8 (5 pg); Wise (200 pg); and Δ Dsh(DIX) (1 ng) that were added in the listed amounts. In Fig. 7D Wise (1 ng); Wnt8 (100 pg); Dsh (1 ng); and β -catenin (200 pg) were added in the listed amounts.

When Wnt8 RNA was injected into a ventral vegetal blastomere at 4-8 cell stages, it
20 induced an ectopic secondary axis. Co-injection of Wise RNA completely blocked Wnt8-induced secondary axis. This inhibition was comparable to that mediated by a dominant negative form of Dsh (Fig. 7C).

Fig. 7D shows that Wise functions extracellularly to block induction of Siamois and Xnr3 by the Wnt pathway in ventral marginal zones. Wise blocks the ability of Wnt8 to induce Siamois and Xnr3, but it does not interfere with the ability of Dishevelled (Dsh) or β -catenin (β -cat) to induce these markers.

5 This inhibitory activity was examined at the molecular level in ventral marginal zone explants by assaying for Wnt-dependent induction of Xnr3 and Siamois, two immediate early response genes. In agreement with the axial duplication assays, the induction of Xnr3 and Siamois in ventral marginal zones by Wnt8 was blocked by the co-injection of Wise (Fig. 7D). However, Wise had no effect on the ability of injected intracellular components, such as
10 Dishevelled and β -catenin to induce Xnr3 and Siamois (Fig. 7D). This suggests that Wise functions extracellularly to interfere with canonical Wnt signaling.

Example 10.

The inhibitory effect of Wise on the Wnt pathway was further examined by assaying secondary head induction dependent upon simultaneously blocking both BMP and Wnt
15 signaling. When BMP signaling is blocked at the ventral marginal zone by a truncated BMP receptor (tBR), an incomplete secondary axis is formed (Fig. 7E). However, simultaneous inhibition of both BMP and Wnt signaling resulted in the formation of a complete secondary axis with eyes and cement glands. Co-injection of tBR and Wise induced a complete secondary axis (Fig. 7F), demonstrating that Wise blocked the Wnt pathway in this context.

20 Wise affected planar cell polarity. While the activation and inhibition properties of Wise in animal caps and embryos, described above, are dependent upon the canonical Wnt pathway, it is possible that Wise also influences the PCP pathway that branches at Dishevelled. Wnt11 is required for proper convergent extension movements of mesoderm during gastrulation in frogs

and fish, and this has been shown to be dependent upon the PCP pathway of Wnt signaling.

Animal caps cultured in the presence of Activin form mesoderm and undergo convergent extension movements, which can be blocked by reagents that either elevate or decrease Wnt signaling. This implies that precise levels of Wnt signaling through the PCP pathway are

5 essential for coordinated cell movements. Figs. 7E and 7F show that Wise acted as Wnt inhibitor and induced head attribute formation in an incomplete secondary axis system. When BMP signaling was blocked at the ventral marginal zone by injection of a truncated BMP receptor (tBR), an incomplete secondary axis was formed (Fig. 7E). Co-injection of tBR and Wise induced a complete secondary axis with eyes (arrows) and cement gland (Fig. 7F).

10 Figs. 7G-7I show how Wise blocks cell movements in Activin-treated animal caps. Control animal caps (Fig. 7G) undergo gastrulation-like movements in the presence of Activin (Fig. 7H). In Wise injected animal caps, elongation was blocked (Fig. 7I), but mesoderm induction occurred. In this animal cap assay, injection of Wise RNA blocked cell movements preventing elongation of animal caps, but had no effect on Activin-induced mesoderm formation
15 (Figs. 7G-7I). This suggested that Wise influenced the Wnt-dependent PCP pathway, but whether activation or inhibition of the pathway resulted, cannot be distinguished. This effect on cell behavior in animal caps is consistent with and may explain the phenotypic effects observed in Wise-injected whole embryos. Wise perturbed the morphogenesis of the neural tube, which failed to close. It was thickened and shorter, and there was a lateral expansion and broadening of
20 A-P markers. Many of these defects appear related to abnormal convergent extension movements during gastrulation. However, the fact that morpholino antisense oligo does not interfere the neural A-P markers (Fig. 4), and that Wise is not predominantly expressed at gastrula state (Fig. 2), both suggest that endogenous Wise is unlikely to be involved in

gastrulation movement. Instead, Wise has a potential to interfere with the Wnt-mediated PCP pathway.

Example 11.

The mechanisms of action were investigated as potential physical interactions of Wise, with Wnt family members or their putative co-receptors Frizzled (Hsieh et al., 1999) and LRP6 (Tamai et al., 2000) or Frizzled8 (Hsieh et al., 1999) with Wise conditioned medium, and assayed for interactions by immunoprecipitation (IP). In this assay, Wise bound to LRP6 and Frizzled 8, but not to Wnt8 (Fig. 8). Recent studies have shown that individual members of the Dickkopf (Dkk) family of secreted proteins can either antagonize or stimulate Wnt signaling through interaction with LRP6 (Brott and Sokol, 2002; Mao et al., 2001; Wu et al., 2000). Therefore, IP experiments were performed to determine if Wise shared common binding sites with Dkk1 or Wnt on LRP6. The extracellular domain of LRP6 contains four EGF repeats and Dkk1 interacts with repeats 3-4, while Wnt interactions seem to involve repeats 1-2 (Mao et al., 2001). It was found that Wise binds to LRP6 and a variant where EGF repeats 3 and 4 are deleted (Δ E3-4), but not to one in which EGF repeats 1 and 2 are removed (Δ E1-2)(Fig. 8A). Conversely, Dkk1 binds to LRP and Δ E1-2, but not to Δ E3-4 (Fig. 8A). These results showed that Wise shared the domain on LRP6 essential for interaction with Wnt and that Wise and Dkk1 modulate LRP6 activity by interacting through different domains. Wise and Wnt8 were tested to determine whether they could bind to LRP6 at the same time, or whether they compete for binding. As shown in Fig. 8C, Wise interferes with the binding of Wnt8 to LRP6. This suggested a mechanism, whereby Wise inhibits Wnt signaling by competing with Wnt8 for binding to LRP6 (Fig. 8D).

In conclusion, the results demonstrate that Wise influenced both the canonical and PCP pathways of the LRP/Wnt signaling cascade. The novel ability to both activate and inhibit Wnt signaling through actions of a single discrete regulatory molecule, places Wise in a unique position as a modulator of Wnt signaling.

5 Example 12.

In this Example, Sost inhibition of the Wnt pathway is described. It has been demonstrated that Wise acts to inhibit the Wnt pathway. The functional inhibition of Wnt was shown to be derived from the second exon of Wise, which encodes the cysteine knot. Since the cysteine knot of Sost is 70% homologous to that of Wise (Fig. 9), thus Sost's potential
10 functioning in a similar fashion was explored. Sost RNA was either microinjected alone or in combination with other factors into *Xenopus* embryos and dorsal marginal zones were assayed for early immediate Wnt response genes, *Siamois* and *Xnr3* (Fig. 11). It was found that, like Wise, Sost was able to inhibit the action of Wnt on *Siamois* and *Xnr3* (Fig. 11). This Wnt inhibition by Sost was found to be working upstream from β -Catenin (Fig. 11). Like Wise, Sost
15 was able to rescue secondary axis formation by Wnt (Fig. 11). However, unlike Wise, Sost was unable to completely restore a normal axis (Fig. 11).

Wise has also been shown to induce *En2* at a distance in *Xenopus* *Noggin* animal cap assays. *En2* expression at a distance is from an induction of Wnt gene activity. The conclusion was that Wise had induced, at a distance, more posterior neural markers in an anterior neuralized
20 animal cap. Next it was analyzed whether Sost and Wise could be redundant by looking to see if Sost could also induce *En2*, like Wise. *Xenopus* embryos were either injected with *Noggin* and/or with Sost or Wise. We found that Wise injected animal caps induced *En2* expression, however

Sost injected caps did not (Fig. 11). This unexpected finding led to further examination of these two genes.

Example 13.

A Wise knockout mouse was made as detailed herein. A Neo-lacZ cassette, containing
5 stop codons at the 3' end, was inserted into a Wise gDNA sequence isolated bacterial artificial
chromosome (BAC) from a 129 strain of mouse by conventional cloning techniques. The mouse
Wise DNA sequence is SEQ ID NO 1. A Sost knockout mouse can similarly be made. The
mouse Sost sequence is SEQ ID NO 6. The Neo-lacZ cassette can be obtained from Stratagene
(La Jolla, CA). The *E. coli* lacZ gene, when integrated into the mouse genome by standard
10 cloning techniques, can be used as a reporter gene under the control of a given
promoter/enhancer in a transgene expression cassette. The lacZ gene encodes β -galactosidase,
which catalyzes the cleavage of lactose to form galactose and glucose. In the presence of X-gal
chromogenic substrate, β -galactosidase converts the substrate into an insoluble blue dye,
allowing identification of cells containing lacZ activity.

15 The 129 mouse strain, commonly utilized in creating "knockout" mice, was obtained
from Jackson Laboratories, Bar Harbor, Maine. The Wise knockout mice produced lacked the
presence of functional Wise polypeptide molecules. Sost knockout mice are predicted to lack
functional Sost polypeptide molecules. Thus, these knockout mice may be referred to as
functional mutants. In such mutant mice, protein translation is prematurely terminated.

20 A Neo-lacZ cassette, containing stop codons at the 3' end, was inserted into the first
Exon of the Wise DNA, isolated BAC using the SmaI and EcoRI restriction sites. However, the
Neo-lacZ cassette can also be inserted into a position within or adjacent to Exon 1 (SEQ ID NO
127) and Exon 2 (SEQ ID NO 128) of Wise. The Wise-containing BAC preparation was

exposed to cleavage enzymes, such as SpeI and BamHI, which yielded homologous arms containing 5' UTR and 3' intron nucleic acid sequences. These nucleic acid sequences permitted homologous recombination with wild type DNA from 129 mouse-derived embryonic stem (ES) cells upon introduction of the BACs into ES cells by the electroporation method described in

5 Example 32. The Neo-lacZ cassette contained one or more stop codons terminating translation of Wise polypeptide, leading to production of a truncated Wise polypeptide, which lacked the cysteine knot motif. The Wise cysteine knot region is significant because this region (1) is homologous to cysteine knot regions of Sost and other family members as described herein, and (2) binds to LRP.

10 After recombination, the ES cells were grown in the presence of G148 for neomycin selection. Neo-lacZ cassette-containing ES cells were neomycin-resistant and positively selected. There were three possible event outcomes occurring when the resultant ES cells were cultured in neomycin-containing media: First, Wise Neo-lacZ cassette-containing ES cells grew, indicating a successful homologous recombination event within the first Exon region of Wise, as
15 predicted. Second, no recombination occurred, resulting in the lack of the presence of a protective Neo-gene in the ES cells and cell death. Third, recombination occurred outside the first Exon of Wise, conferring neomycin resistance and ES cell survival and growth.

To distinguish between the above first and third categories of recombination events in live neomycin-resistant ES cell cultures, genomic DNA (gDNA) extracted from ES cells was
20 divided into two aliquots. One part was frozen (-20 deg. C) for further investigation, and the other part was digested *in vitro* with EcoR I for Southern Blot analysis. By using a 3' probe within Wise Exon 2, EcoR I digestion yielded either a 6.8 Kb fragment associated with a homologous recombination event, or a 9.0 Kb fragment associated with a random integration

event. Frozen cultures from those plates that exhibited homologous recombination event were thawed, expanded and further processed for creation of Wise mutant mice by micro-injection of these Wise Neo-lacZ cassette-containing ES cells into blastomeres as described hereinafter.

In the process of electroporation of mouse ES cells, linearized Wise nucleic acid sequences containing the Neo-lacZ cassette were inserted into the nuclei of ES cells for incorporation into the host ES cell DNA. Similarly, Sost nucleic acid sequences with the Neo-lacZ cassette can be inserted into the nuclei of ES cells for incorporation into other host ES cell DNA. The electroporation process steps were as follows. ES cells were obtained from removed blastocysts obtained from mouse uteri and grown on mitotically inactivated Mouse Embryonic Fibroblast (MEF) feeder layers. An ES cell frozen ampoule was thawed and transferred to a sterile dish containing MEFs as a feeder layer at a concentration of 1×10^6 cells per 10 centimeter (cm) dish. ES cells were grown on the MEF feeder layer in ES media in T-150 flasks. ES cells were centrifuged and washed in transfection buffer (1 x Hebs). ES cells were then placed in a sterile "flat pack" 1.8 mm gap cuvette (BTX order #485), and the cuvette was inserted between the safety stand contacts.

The power was switched to the on position with the BTX 600 or equivalent electroporator set to 500V/capacitance and resistance, 500 uF capacitance timing, 360 ohms R8 resistance timing, and charging voltage 185V. After pipetting the ES cells up and down with a 5 ml pipette, targeting construct DNA (40 μ g of clean linear DNA in 1 x TE @ 1 μ g/ μ l for each electroporation) was added to the ES cells in a microfuge tube. Cells were pipetted up and down gently with a Pasteur pipette. Cells were slowly added to the cuvette which was then placed into the electroporation chamber. The start button was pushed, and electroporation occurred. After completion, electroporated ES cells were removed from the cuvette and placed in 5.0 ml of fresh

ES medium in a centrifuge tube. 2 ml of transfected ES cells were added to each dish containing inactivated MEF feeder layers. Dishes were rocked slowly to evenly disperse cells and incubated. ES cells were fed on day 9 and 12 with selection medium, and clones became visible as small nests under an inverted microscope. Clones were picked on day 13 or 14 using a
5 pipettor set between 30 and 50 μ l. Clones were each placed into one of 24 wells containing ES selection medium. On day 16 or 17, clones were frozen in ES freezing medium and stored at -70°C.

Each set of ES cells containing mutant Wise genes were injected into mouse embryos for creation of transgenic "knockout" mice. Such ES cells were microinjected into early mouse
10 embryos (*i.e.*, blastocysts) which were then transferred to surrogate mothers for embryonic development. Targeted stem cells containing mutant Wise were placed in an injection chamber with expanded blastocysts. Stem cells were loaded into the injection needle and inserted into the blastocoel cavity of the recipient 129 or C57BL/6 embryo, then implanted into the uterus of a foster mother. Chimeric offspring were identified by coat color (*i.e.*, at 2 weeks) or other
15 markers and confirmed by Southern blot analysis of tail biopsies (*i.e.*, at 3 weeks). Similarly, ES cells containing mutant Sost genes can be made and injected into ES cells to make Sost knockout mouse embryos.

The resulting pups (*i.e.*, chimeras) contained a (+) gene in some cells and a (-) gene in other cells. Chimeras were mated with normal mice. Pups were identified that carry one (+) and
20 one (-) copy of the Wise gene, and these animals were mated with each other.

The mouse pups were then analyzed. About 25 percent of the pups were found to have inherited the (-) gene from both parents and completely lack the (+) or wild type gene. Homozygous (-) gene pups lacking the Wise wild type gene were termed "Wise knockout mice."

Similarly, homozygous (-) gene pups lacking the Sost wild type gene can be made, and these are referred to as "Sost knockout mice." Wise knockout mice were then utilized for subsequent experiments to determine effects relating to bone mineral density, bone deposition, embryo implantation, hair development, tooth abnormalities, ophthalmic abnormalities. Sost knockout
5 mice may similarly be made and utilized in phenotypic experiments.

Example 14.

A Sost knockout mouse can be made using the procedure of Example 13 above. Briefly, a Neo-lacZ cassette, containing stop codons, can be inserted into a Sost gDNA isolated BAC from a 129 mouse strain by conventional cloning techniques. The Sost-containing BAC
10 preparation can be electroporated and allowed to undergo homologous recombination into ES cells and be exposed to selection. ES cells containing mutant Sost can be injected into mouse embryos for creation of transgenic Sost knockout mice as previously described.

Example 15.

In this Example, the Wise knockout mice, produced in Example 12, were used to
15 investigate the effect of the absence of a functional Wise polypeptide molecule upon ophthalmic development. It was determined that ophthalmic abnormalities developed in these mutant mice. Immunodetection of Wise protein production in murine retinal regions was used to determine the efficacy of induced Wise mutation in the Wise mutant mice.

Polyclonal anti-Wise peptide antibody was prepared by rabbit immunization with Wise
20 peptide antigens. Such antibodies were directed against the cysteine knot loop encoded by Exon 2 of Wise.

Zymed FITC-conjugated secondary polyclonal antibody directed against primary rabbit anti-Wise peptide antibody was also utilized in a histological sandwich immunoassay. Eye

mounts containing retinas or sections were stained with anti-Wise antibody and FITC-conjugated second antibody. In wild type mice, anti-Wise reactivity was detected as secreted Wise protein in the ganglion cell and optic fiber layers and in rods and cones. However, Wise mutant mice eyes lacked detectable anti-Wise peptide reactivity, indicating absence of Wise from tissues of these mutant mice.

The Wise mutant mice appeared to have lost the majority of the optic nerve fibers and had increased rod and cone layers in the retina (Fig. 12). These mice also exhibited abnormal retinal ganglion cells. Wise protein was found in the inner plexiform layer, ganglion cells and fibers, and in the rods and cone layer of a 2.5 month mouse retina (Fig. 12). Unlike Wise, Sost was found in the tissues adjacent to the neuroepithelium of the diencephalon at E18 dpc.

Example 16.

Wise mutants were analyzed to compare BMD in Wise mutants as compared to that in wild type mice. A Piximus instrument (Faxitron) was used to measure BMD, computed in whole mice by measurement of bone weight divided by area of bone measured.

The BMD in Wise mutants from the C57BL6 and 129 mouse strains was compared with that in wild type (wt) mice by the student t-test method. The resultant p value obtained for the BMD differences between C57BL6 vs. Wise mice was 0.0017. This indicates that BMD values increased in Wise mutant mice as compared to C57BL6 wt mice, with a significant difference between groups ($p < 0.01$) observed. Increased BMD values were also observed in the 129 Wise mutant mice in comparison with 129 wt mice.

Related to this finding, Fig. 13 shows results of bone staining and BMD measurements. Fig. 13A and 13C depict hematoxylin and eosin (H&E) staining of cross-sections of bone tissue from 16 to 18 days post cortum (DPC) mice. Fig. 13B and 13D show the same bone regions as

Figs. 13A and 13C; however, Fig. 13B shows staining with S-35 radiolabel attached to Sost RNA probes, wherein Sost is located in osteoblasts in 16 to 18 DPC mice. Fig. 13D also shows staining with anti-Wise peptide primary antibody and FITC-conjugated secondary antibody, and localization of Wise in hypertrophic and prehypertrophic proliferating chondrocytes.

5 Fig. 13E and 13F show graphical depictions of bone density measurements and total bone weight measurements, respectively. Fig. 13E shows that observable significant differences in BMD measurements between Wise mutant and wild type mice occur at ages between 0 and 3 months. Wise mutant bone is higher in density than wt bone in this age range. At 4 months, there appears to be no significant difference between mutant and wt groups. Fig. 13F depicts
10 total bone weight measurements. Note that at 2.5 months wt bone weight is 19.87, significantly different from the Wise bone weight of 24.67. Therefore, some of the increase in BMD found at 2.5 months can be attributed to increase bone weight and not necessarily an increased BMD. Consistent with data in Figs. 5E and 5F, it is concluded that during the 0 to 3 month period, bone deposition occurs. However, at the 4 month maturation stage, it is postulated that regulatory
15 genes are switched on to remodel bone deposition and bone removal, wherein osteoclasts may be triggered to remove previously deposited bone.

 In summary, one tissue cell type that both Sost and Wise genes appear to affect in a similar fashion is the bone. Sost is expressed in osteoblasts. Sost may also be expressed in osteoclasts. In contrast, Wise is expressed in periosteum, and its protein is found on
20 chondrocytes (proliferating, prehypertrophic and hypertrophic), but not in the growth plate (Fig. 5). Yet, both Sost and Wise genes display a similar phenotype of increased bone density, albeit potentially activated at different developmental stages. As such, Wise mutant mice have increased bone density during early prenatal bone development (under 4 months), and cease to

exhibit increased bone density once bone-modeling begins (4 months; Fig. 5). However, Sost mutations result in increased bone density during the subsequent developmental stage in which the adult bone remodeling process occurs.

Example 17.

5 Genetic regulation in tooth and jaw development was examined in wild type and Wise mutant mice as shown in Fig. 14. The mice were dissected, and the jaws were placed in a proteinase K solution (2x SSC, 0.2% SDS, 10mM EDTA, and 100ul of 10mg/ml proteinase K) overnight at 55°C. The next day the jaws were air-dried. A digital Faxitron was used for capturing X-ray images of the mouse jaw. The teeth were removed using tweezers.

10 Figs. 14A, 14D, and 14G show hematoxylin and eosin staining of a jaw cross-section. Figs. 14B, 14E, and 14H show S-35 RNA probe-labeled Sost staining. Figs. 14C, 14F, and 14I show S-35 RNA probe-labeled Wise staining. Generally, these figures show that Sost appears in odontoblasts and osteoblasts. In contrast, Wise is found in incisors, dental follicles, and hair follicles in the whisker pad.

15 The top sectional Figs. 14A, 14B, and 14C show a bilateral view of two molars with developing tooth buds. Fig. 14C shows that Wise labels layers of the dental follicle of molar teeth.

The middle sectional Figs. 14D, 14E, and 14F show a molar tooth bud at a higher magnification. Fig. 14E shows Sost staining in osteoblasts of the trabecular bone adjacent to the
20 molar tooth. Visible staining of the odontoblasts occurs along the base of each molar. Fig. 14F shows Wise staining of dental follicle layers.

The bottom sectional Figs. 14G, 14H, and 14I show incisor tooth staining patterns. Fig. 14G shows the morphological features of two incisors, with the nasal cleft between them,

tongue, and hair follicles of the whisker pad. Fig. 14H shows Sost staining in osteoblasts of trabecular bone. Fig. 14I shows prominent Wise staining of incisors. Hair follicles and the whisker pad are also stained with Wise labeled RNA probes.

Figs. 14J and 14K show X-ray photographs of incisor teeth in the maxilla (upper jaw) regions of the wild type and Wise mutant mice, respectively, utilizing a 129 strain genetic background. The Wise mutant jaw, shown in Fig. 14K, possesses an additional incisor tooth (i') not present in the wt mouse shown in Fig. 14J. The additional tooth may originate from either an additional tooth bud or, alternatively, from a bifurcation of the original incisor.

Figs. 14L, 14M, 14N, and 14O show the patterning in molar teeth observed in wt (Figs. 14L and 14N) as compared to Wise mutant mice (Figs. 14M and 14O), against a C57BL6 genetic background (Figs. 14L and 14M) and 129 background (Figs. 14N and 14O). Fig. M shows an additional M1 molar in the Wise mutant mouse in comparison to the M1, M2, and M3 molars present in the wt mouse in Fig. 14L. Fig. 14O shows tooth abnormalities in the Wise mutant mouse. The M1 and M2 molar teeth are fused together. Moreover, there is a reversal of the order of molar bone patterning, wherein an M3/M2-1 pattern appears in the Wise mutant, in contrast to the wild type's M1/M2/M3 pattern. Occasionally, an additional M4 molar tooth appears in the Wise mutant.

It was observed that Wise mutant mice possessed tooth abnormalities. The incisors occurred in duplicate number in comparison with wt mice, and these teeth required weekly clipping from the weaning stage onwards. In addition, the molars also displayed abnormal patterning. The three molars were often found in reverse orientation and also showed fusion of M1 and M2. In contrast to Wise mice, Sost human mutations did not display these molar and incisor tooth phenotypic abnormalities, probably because of the differences in Sost and Wise

gene expression distributions in bone. Thus, Sost was expressed in the polarized odontoblasts and the surrounding osteoblasts. Wise, on the other hand, is expressed in the dental follicle surrounding the tooth bud and in the incisors. Thus, Sost and Wise were expressed in complementary cell types, wherein differing tooth and eye phenotypic expression patterns are anticipated and observed in Sost human mutations and Wise mutants.

Example 18.

Plasmid vectors containing Wise nucleic acid sequences were prepared for the purpose of producing Wise proteins and polypeptides. Sost vectors were similarly prepared for the purpose of producing Sost proteins and polypeptides. The expression vector, pET-28b (Novagen pET System Manual), was used for the expression of Wise and Sost, LRP5 and LRP6 sequences. This plasmid utilizes the phage T7 ϕ 10 gene promoter. This promoter is not recognized by *E. coli* DNA dependent RNA polymerase, and thus will not produce substantial levels of the polypeptide unless T7 RNA polymerase is present. Strain BL21 (DE3) contains a lysogenic λ phage that encodes the required polymerase under control of the lacUV5 promoter. A recombinant protein that was made was the intact Wise, Sost, LRP5 or LRP6 proteins. The Wise pET vector which was created by placing an EcoRI-HindIII fragment containing chick Wise cDNA into the pET28B vector which was then digested with EcoRI-HindIII. Extra amino acids 5' to Wise Start, ATG were removed, along with extra amino acids 3' to the Wise stop codon. The Sost pET vector was created by placing a BamHI-XhoI fragment containing mouse Sost cDNA into pET BamHI-XhoI. The amino acids from the 5' and 3' ends to the Sost coding region were removed using mutagenesis. The 3' amino acids were deleted and the missing ELENAY was inserted at the 3' end.

Example 19.

In this Example, the method used for protein production for Wise, Sost, LRP5, and LRP6 polypeptides in HEK293 mammalian cells is outlined briefly. PCS2+ Sost-FLAG, PCS2+ Wise-FLAG, or PCS2+ LRP6 IgG, PCS2+LRP5-Myc DNA was transfected into the HEK293 cells using FuGENE 6 Transfection Reagent (10 µg DNA/100 mm plate) (Roche Diagnostics Corp., Indianapolis, IN). The FuGENE reagent is a multi-component lipid-based transfection reagent that complexes with and transports DNA into the cell during transfection. Adherent cells were plated one day before transfection, and freshly passaged HEK293 suspension cells were prepared. FuGENE 6 reagent:DNA ratios of 3:2, 3:1 and 6:1 were used to transfect HEK293 suspension cells.

After incubation, cell supernatants, containing the polypeptide of interest (Wise, Sost, LRP5, LRP6), were collected on days 1, 2, 3, and 4. Polypeptide-containing supernatants were concentrated by Amicon Ultra-15 column passage (20 ml to 500 µl). Some aliquots were frozen, and other aliquots were used in Western blot and immunoprecipitation quantitation and characterizations using standard methodologies. Mixtures of Wise and LRP5, Wise and LRP6, Sost and LRP5, and Sost and LRP6 were analyzed for binding by immunoprecipitation and Western blot analysis. See SuperSignal West Dura Western Blotting Kit (Pierce, Rockford, IL), Trans-Blot SD Semi-Dry Electrophoretic Transfer and Mini-PROTEAN 3 Electrophoresis (Bio-Rad Labs., Richmond, CA), Hybond – P PVDF Membrane for protein transfer (Amersham Pharmacia Biotech), Chroma Spin Columns (Clontech, Palo Alto, CA).

Immunoprecipitation was performed with anti-Wise antibody, anti-Myc, anti-Flag, and protein G sepharose (Sigma, St. Louis, MO) or protein A sepharose (Repligen). Briefly, transfected cell supernatants were prepared and 1-3 µg of antibody added. After incubation, 30

μl of protein G sepharose was added, incubated, and beads were centrifuged. Beads, containing antibody from supernatants as the immunoprecipitate, were washed in buffer, then submitted to SDS-PAGE analysis and Western Blot analysis. Alternatively, immobilized antibody was used in immunoprecipitation of proteins.

5 In Western Blots, electrophoresis was performed upon the cell supernatant material above. After wash, water rinse, and equilibration of the PVDF membrane in transfer buffer, papers were sandwiched as follows: pre-soaked thick paper, membrane, gel, pre-soaked thick paper. Power was turned to 10V to 15V for 30 min. After transfer of protein to the HyBond-P PVDF membrane, the membrane was incubated in blocking buffer, rinsed, and incubated with
10 antibody solution. After wash, a secondary antibody was added, washed, then ECL-plus added. After exposure of X-ray film, patterns were read. As such, protein production in PCS2+ transfected HEK293 cells was performed to support purification and characterization of Wise, Sost, LRP5, and LRP6 polypeptides.

Example 20.

15 A method for the production of large quantities of Wise and Sost polypeptides is described. Bacteria cells transfected with either the Wise or Sost genes can be grown. E. coli strain DME558 is grown on LB agar plates at 37°C.

For P1 transduction, a P1 viral lysate of the E. coli strain DME558 is used to transduce a tetracycline resistance marker to strain BRE51 (Bremer, E., et al., FEMS Microbiol. Lett.
20 33:173-178 (1986)) in which the entire OmpA gene is deleted (Silhavy, T. J., et al., Experiments with Gene Fusions, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1984)). Strain DME558, containing the tetracycline resistance marker in close proximity of the OmpA gene, is grown in LB medium until it reached a density of approximately 0.6 OD at 600 nm. One tenth of

a milliliter of 0.5 M CaCl_2 is added to the 10 ml culture and 0.1 ml of a solution containing 1×10^9 PFU of P1_{vir} .

The culture is incubated for 3 hours at 37° C. After this time, the bacterial cell density is visibly reduced. 0.5 ml of chloroform is added and the phage culture is stored at 4° C. Because typically 1-2% of the E. coli chromosome can be packaged in each phage, the number of phage generated covers the entire bacterial host chromosome, including the tetracycline resistance marker close to the OmpA gene.

Next, strain BRE51, which lacks the OmpA gene, can be grown in LB medium overnight at 37° C. The overnight culture is diluted 1:50 into fresh LB and grown for 2 hr. The cells are removed by centrifugation and resuspended in MC salts. 0.1 ml of the bacterial cells are mixed with 0.05 of the phage lysate described above and incubated for 20 min. at room temperature. Thereafter, an equal volume of 1 M sodium citrate is added and the bacterial cells are plated out onto LB plates containing 12.5 $\mu\text{g/ml}$ of tetracycline. The plates are incubated overnight at 37° C. Tetracycline resistant (12 $\mu\text{g/ml}$) transductants are screened for lack of OmpA protein expression by SDS-PAGE and Western Blot analysis, as described below. The bacteria resistant to the antibiotic possess the tetracycline resistance gene integrated into the chromosome very near where the OmpA gene had been deleted from this strain. One particular strain was designated BRE-T^R.

A second round of phage production can be then carried out with the strain BRE-T^R, using the same method as described above. Representatives of this phage population contain both the tetracycline resistance gene and the OmpA deletion. These phage are then collected and stored. These phage are used to infect E. coli BL21(DE3). After infection, the bacteria contain

the tetracycline resistance marker. In addition, there is a high probability that the OmpA deletion is selected on the LB plates containing tetracycline.

Colonies of bacteria obtained from plates are grown up separately in LB medium and tested for the presence of the Wise and Sost protein and OmpA protein as judged by antibody reactivity on SDS-PAGE western blots.

The SDS-PAGE is a variation of Laemmli's method (Laemmli, U. K., Nature 227:680-685 (1970)) as described previously (Blake and Gotschlich, J. Exp. Med. 159:452-462 (1984)). Electrophoretic transfer to Immobilon P (Millipore Corp. Bedford, Mass.) is performed according to the methods of Towbin et al. (Towbin, H., et al., Proc. Natl. Acad. Sci. USA 76:4350-4354 (1979)) with the exception that the paper is first wetted in methanol. The Western blots are probed with phosphatase conjugated reagents (Blake, M. S., et al., Analyt. Biochem. 136:175-179 (1984)).

Example 21.

The fusion constructs of Example 18 can be used to transform the expression strain BL21 (DE3) Δ OmpA of Example 19. The transformation plates are cultured at 30°C. Colonies of both types are isolated from these plates and analyzed. It is generally found that virtually all transformants contained the desired plasmid DNA.

Various fusion-Wise clones are then analyzed for protein expression. The clones are induced and grown in LB media containing 0.4% glucose and 118 μ M carbenicillin instead of ampicillin with an aeration speed of 100 to 150 rpm and at about 30°C. The expression of the Wise protein is analyzed by loading 0.1 ml of the culture of total E. coli proteins on an 8-16% gradient SDS gel.

E. coli strain BL21 (DE3) Δ OmpA [pNV-3] can be grown to mid-log phase (OD=0.6 at 600 nm) in Luria broth. Isopropyl thiogalactoside is then added (0.4 mM final) and the cells were grown an additional three hours at 30°C. The cells are then harvested and washed with several volumes of TEN buffer (50 mM Tris-HCl, 0.2 M NaCl, 10 mM EDTA, pH=8.0) and the cell
5 paste stored frozen at -75°C.

For purification, about 3 grams of cells are thawed and suspended in 9 ml of TEN buffer. Lysozyme was added (Sigma, 0.25 mg/ml) deoxycholate (Sigma, 1.3 mg/ml) plus PMSF (Sigma, 10 μ g/ml) and the mixture was gently shaken for one hour at room temperature. During this time, the cells lyse and release DNA causing the solution to become viscous. DNase is then added
10 (Sigma, 2 μ g/ml) and the solution again mixed for one hour at room temperature. The mixture is then centrifuged at 15 K rpm in an SA-600 rotor for 30 minutes and the supernatant discarded. The pellet is twice suspended in 10 ml of TEN buffer and the supernatants discarded. The pellet is suspended in 10 ml of 8 M urea (Pierce) in TEN buffer.

Alternatively, the pellet can be suspended in 10 ml of 6 M guanidine HCl (Sigma) in
15 TEN buffer. The mixture is gently stirred to break up any clumps. The suspension is sonicated for 20 minutes or until an even suspension is achieved. 10 ml of a 10% aqueous solution of 3,14-ZWITTERGENT is added and the solution is thoroughly mixed. The solution is again sonicated for 10 minutes. Any residual insoluble material is removed by centrifugation.

This mixture is then applied to a 180.times.2.5 centimeter (cm) column of Sephacryl-300
20 (Pharmacia) equilibrated in 100 mM Tris-HCl, 1 M NaCl, 10 mM EDTA, 20 mM CaCl_2 , 0.05% 3,14-ZWITTERGENT, pH=8.0. The flow rate is maintained at 1 ml/min. Fractions of 10 ml are collected. Three dimensional conformation was restored in Wise during the gel filtration. The absorbance (OD = 280 nm) of each fraction is measured and those fractions containing protein

are subjected to SDS gel electrophoresis assay for Wise. Those fractions containing Wise are pooled and stored at 4°C for 3 weeks. During the incubation at 4°C, a slow conformational change occurs. The Wise protein remained in solution without the elevated levels of salt. The pooled fractions are then dialyzed against 50 mM Tris-HCl, 200 mM NaCl, 10 mM EDTA, 5 0.05% 3,14-ZWITTERGENT, pH = 8.0. This material is applied to a 2.5x cm Fast Flow Q Pharmacia column equilibrated in the same buffer. Any unbound protein is eluted with starting buffer. A linear 0.2 to 2.0 M NaCl gradient is then applied to the column. The Wise elution profile can be characterized. Fractions are assayed by SDS-PAGE and the purest fractions pooled and dialyzed against TEN buffer containing 0.05% 3,14-ZWITTERGENT. Thus, cells 10 transfected with the constructs can be isolated for Wise protein production. Similarly, Sost transfected cells can be isolated for Sost protein production.

Example 22.

The family tree associations of relatedness between Sost, Wise, and other cysteine knot proteins were analyzed. Sost and Wise cysteine knot protein sequences were analyzed using 15 BLAST, and all significant sequences were isolated. The cysteine knots from all sequences were aligned using the software T-Coffee and then analyzed with Phylip bootstrap neighbor joining methods. To determine chromosomal locations, Wise and Sost DNA sequences were compared against sequences in the mouse and Ensembl database (http://www.ensembl.org/Mus_musculus/blastview).

20 The BLAST program optionally filters out low-complexity regions from the search and assigns scores with well-defined statistical interpretation such that real matches of related sequences can be distinguished from random background hits. The default scoring matrix is BLOSUM62. The significance of each of the matches is given an Expect (E) score, defined as

the expected number of alignments between a random query sequence and a database of random sequences of the same "effective" length and number that will score as well.

A Wise cDNA, (SEQ ID NO 1) was isolated and submitted to NCBI for BLAST sequencing. The Wise cDNA was comprised of 618 nucleic acids, corresponding to 206 amino acids in the wild type polypeptide molecule. 743,070 sequences were searched in the database. From this search, it was determined that Wise and Sost were related. Both genes had two exons and an intron. Exon 2 for both genes was 400 bp long and possessed two cysteine domains that were 70% identical.

Fig. 9D shows the family tree relatedness between cysteine knot protein members Sost and Wise. In initial experiments, when the BLAST analysis was performed for Wise protein alone, only CCN family members (*e.g.*, Slit, Mucin) were obtained as related family members. When Sost alone was run, only DAN family members (*e.g.*, Caronte, Gremlin) were determined to be related. However, when Sost and Wise BLAST analyses were performed together, the family tree was that depicted in Fig. 9D. In this analysis of cysteine knot protein relatedness, it was noted that the DAN family had only one cysteine knot motif. In contrast, the CCN family and Slit and Mucin family possessed ten different protein motifs. Other family proteins had an additional cysteine knot moiety. G and P are conserved.

In Fig. 9D, the red dots indicate significant relatedness among cysteine knot proteins. Thus, Fig. 9D depicts the following family branch associations, wherein Sost and Wise are present in one branch. Nov, CTGF, Cyr61, and Cef10 are present in one closely related branch to Sost and Wise. Cerberus, Caronte, and Gremlin are in a second closely related branch. The aforementioned three branches are more remotely related to the following branches: the Muc2, Apomucpig, and Muc58 branch; the VWF branch, and the Slit 1, Slit2, Slit3, Muc5AC, and

Gastmuc branch. Numerical values in the tree in Fig. 9D indicate a measure of the significance of protein associations. The closer a number is to 100, the more significant the association. Numerical values of less than 50 indicates insignificant associations. Thus, the numerical value of 97 between Sost and Wise is highly significant.

5 **Example 23.**

An *in situ* protocol for detection of gene expression in Sost mutant mice was conducted. 3' untranslated regions of the Sost gene were obtained.

DNA from these 3' translated gene regions were linearized from the vector, then clipped at the 5' end. Subsequently, this sequence was transcribed to produce an antisense RNA
10 molecule. The antisense RNA molecule was labeled with a deoxygenin (DIG) substrate tag. The DIG-labeled RNA was then utilized to bind to an embryo's RNA.

In preparation for staining, a whole embryo was dehydrated and then bleached at the pigment stage. The next day, the embryo was washed and treated with detergent to induce permeability in subsequent staining. When the DIG-labeled RNA was incubated with RNA from
15 an embryo, a purple-blue color was developed in whole embryo staining in the presence of alkaline phosphatase, NBT and BCIP. Using this procedure, Sost expression in whole embryo tissue was characterized.

Example 24.

A chick Wise pET28b vector was made. The Novagen pET28b(+) vectors used
20 contained fl origin, N-terminal histidine, T7, and optional C-terminal histidine tags. Single-stranded sequencing was performed using the T7 terminator primer. An EcoR I-HinD III nucleic acid fragment was obtained from a chick Wise-containing pcDNA3.1-Myc-His vector for

insertion into the pET28b vector by established Novagen methods (Novagen, Madison, WI) described in various pET28b examples herein.

Example 25.

A mouse Sost pET28b vector was made. A Sost-V5 epitope-tagged version was utilized
5 as a base construct for making the pET28b(+) construct. Subsequently, Sost was removed from
the base construct using BamHI and XhoI enzymes and inserted into pET28b vectors according
to Novagen methods as previously described. The Sost-containing preparation was expanded
using the PCR method. Nucleic acids encoding thirteen excess amino acids were removed 5'
from the start codon of the Sost nucleic acid sequence utilizing the Stratagene site-directed
10 mutagenesis kit. Also removed were extra restriction enzyme sites adjacent to Xho or located at
the 3' end of Sost. Naturally occurring nucleic acids in Sost encoding the last six ELENAY
amino acids were added using mutagenesis.

Example 26.

In this Example, the chick Wise-FLAG sequence was inserted into the pCS2+ vector by
15 procedures discussed in Example 19. The chick Wise sequence was placed in the pCS2+ vector
using the EcoRI and SpeI/XbaI nucleases by cloning. The pCS2+ vector also contained T7, ClaI,
BamHI, Sp6, and CMV sites. The chick Wise polypeptide was expressed and used to determine
binding to LRP and BMPs.

Example 27.

20 This Example briefly describes the insertion of a mouse Sost sequence into the
pcDNA3.1/V5-His-TOPO® vector. This TOPO® vector includes a CMV promoter, T7
promoter/priming site, multiple cloning site, V5 epitope, polyhistidine tag, SV40 promoter,
neomycin resistance gene, and ampicillin resistance gene. Mutagenesis permitted creation of the

wild type Sost-V5 vector using the following steps: (1) addition of the sequence encoding six ELENAY amino acids, and (2) addition of the EcoR I site to the 5' end of the Sost sequence.

Example 28.

Human wild type LRP6 and mutant LRP6- Δ 3,4 gene constructs in the pET28b vector
5 were created and characterized. These gene constructs can then be utilized for the production of the corresponding mutant LRP6- Δ 3,4 protein molecule. After cloning the foregoing LRP6 gene construct into the pET28b vector by the method previously described in Example 3, the pET28b vector DNA was digested with BamHI and XhoI enzymes to yield the LRP6 sequence in soluble form for further characterization. This nucleic acid sequence was not linked to the
10 transmembrane.

The EcoRV site was then mutated within the vector backbone using the Stratagene II QuikChange XL-Site Directed mutagenesis kit. This kit's procedure is used to make point mutations, amino acid substitutions, frame shift mutations, or insertion of single or multiple adjacent amino acids in Wise and Sost genes that encode polypeptides. The pET28 vector was
15 digested with XhoI and EcoRV. The purified BamHI/EcoRV restriction enzyme fragment was cloned into pET28b. The first band corresponded to EGF1,2; and the second band corresponded to EGF3,4. The LRP6-derived EGF1,2 fragment was cloned into the pET28b vector containing BamHI and EcoRI sites by homologous recombination as previously described in Example 13. The Stratagene mutagenesis kit was used to obtain mutations in the pET28b vector containing
20 the LRP6-derived EGF1,2 sequence. Subsequently, XhoI, NotI and EcoRV sites were introduced into the multiple cloning site of the pET28b vector. These sites permitted opening of the circular nucleic acid sequence with EcoRV and BamH endonucleases to allow insertion of

the LRP6-derived EGF1,2 fragment into the pET28b vector. LRP6- Δ 3,4 protein was then expressed from the pET28b vector.

Example 29.

This Example relates to the creation of the human LRP5 Δ 3,4 mutant-containing pET28b vector. Similarly, an LRP5 Δ -4 mutant-containing pET-28b vector can be made. A human LRP5 nucleic acid sequence inserted into the CS2+ vector was obtained. The coding sequence for LRP5 in this vector runs from the EcoRI site to the XbaI site. The intact LRP5 was obtained by digestion with EcoR I and Xba I nucleases. As in Example 18, the purified BamHI/XbaI fragment was then digested with the XhoI enzyme to yield two bands, corresponding to LRP5 EGF1,2 and EGF3,4 fragments. As previously, the LRP5 EGF1,2 sequence was inserted into the p28b vector containing EcoRI and XhoI sites. Site-directed mutagenesis was used to (1) remove the stop codon 5' to the actual start site and (2) delete extraneous nucleic acids located 5' to the start of the LRP sequence. The LRP Δ 3-4 and LRP Δ 3-4 vector subsequently can be used to independently transfect E. coli cells for production of LRP Δ 3-4 and LRP Δ 3-4 polypeptide molecules respectively.

Example 30.

This Example relates to the creation of the secreted LRP5-myc CS2+ vector. The human LRP5 containing pCS2 vector was obtained. Stratagen site-directed mutagenesis resulted in the following sequence modifications: (1) addition of the Myc tag upstream of the transmembrane domain, and (2) addition of XbaI and XhoI sites flanking the Myc tag region. Removal of the LRP5 sequence encoding the region that tethers the protein to the membrane was performed by digestion with XbaI nuclease. The resultant religated nucleic acid sequence encoded a secreted form of LRP5, lacking the tethered portion.

Example 31.

Hybridoma cell lines were prepared that can secrete monoclonal antibodies reactive with Wise wild type proteins, polypeptides, whole molecules, and fragments. The technology for producing monoclonal antibodies is well known. See generally E. A. Lerner, "How To Make A Hybridoma", Yale J. Biol. Med., 54, pp. 387-402 (1981); M. L. Gefter et al., "A Simple Method For Polyethylene Glycol-Promoted Hybridization Of Mouse Myeloma Cells", Somatic Cell Genet., 3, pp. 231-36 (1977). Briefly, murine X63AG8.653 myeloma cells are fused to lymphocytes isolated from spleens of mice immunized with a preparation comprising of Wise polypeptide (e.g., wild type Wise polypeptide SEQ ID NOS 45, 114-119), and the culture supernatants of the resulting hybridoma cells are screened as described herein for anti-Wise antibody binding activity. The myeloma cell line is HAT-sensitive, wherein growth in HAT medium selects for growth of HAT-resistant hybridoma cells.

To prepare Wise protein Immunogen, KLH-Immunogen is made. Wise Immunogen may be derived from Wise proteins or polypeptides. Representative Wise wild type proteins and polypeptides are SEQ ID NOs 45, 52, 104-106, and representative Wise mutant polypeptides are SEQ ID NOs 114-119. Each Balb/c mouse is immunized subcutaneously with 0.2 ml of a preparation containing about 100 µg of Wise polypeptide in PBS ("Immunogen") mixed 1:1 with Complete Freund's Adjuvant (CFA). Wise polypeptide was produced according to the method described in Examples 20-21. The Wise Immunogen polypeptide can be derived from wild type Wise molecules, as specifically described in SEQ ID NOs 45, 52, 104-106, 114-119. Shortened Wise polypeptide molecules are SEQ ID NOs 115-119. Three days after the final booster injection, mice are exsanguinated, antisera titrated, and isolated spleen cells are fused with the

non-secreting mouse myeloma cell line, SP2/0 Ag 14 (ATCC Designation CRL 8287).
Thielmans, K., et al., J. Immunol. 133:495 (1984).

Prior to fusing, the resultant mouse antisera are titered to determine the concentration of anti-Wise antibodies made by each mouse. Pre-immune sera noted above are diluted in the same
5 manner as the immune sera and used as controls. Microtiter wells are coated with 1.5 µg of BSA-Wise antigen prepared by incubating bovine serum albumin (BSA from Calbiochem, Catalog #12657, as described by Makita et al., J. Biol. Chem., 267(8), pp. 5133-5138 (1992). The antigen coated wells are sealed with Mylar sealing tape (Corning) and incubated overnight at 4°C. The microtiter plates are subsequently washed and blocked in a BSA-containing solution.
10 After incubation, the microtiter plates are washed and 100 µl of a goat anti-mouse IgG (gamma chain specific) horseradish peroxidase-conjugated antibody (Sigma) is added to all wells and incubated. Ortho-phenylenediamine (OPD) Peroxidase Substrate (Sigma) is added to all wells and incubated. After the incubation period, the plates are read at 450 nm on a microtiter plate reader.

15 Anti-Wise antibodies are further characterized by their reactivity with the mouse bone, tooth, kidney, and other tissue, including but not limited to osteoblasts and osteoclasts. Monoclonal or polyclonal anti-Wise antibodies can be tested in an immunohistological assay using tissues, biochemically in an immunoprecipitation assay, and functionally in a Wnt pathway activation or inhibition assay. Briefly, anti-Wise antibodies are tested for reactivity with a panel
20 of mouse sectioned or whole mount tissues and by immunofluorescence staining with fluorescein or rhodamine conjugated goat anti-mouse or rabbit immunoglobulin heavy or light chain reagents (TAGO, Burlingame, CA) using standard techniques. See Thielmans, K., et al., J. Immunol. 133:495 (1984) and Samoszuk, M.K., et al, Hybridoma 6:605 (1987). Other

colorimetric immunological reagents may be utilized in this immunohistological method. Alternatively, tissue-derived cell suspensions can be analyzed by either fluorescence microscopy or flow cytometry using a fluorescence activated cell sorter (Becton Dickinson FACS 440, Mountain View, CA).

5 In a biochemical functional assay, anti-Wise antibody may be used to bind Wise protein or polypeptide, thereby inhibiting binding of Wise to LRP. Wise-FLAG and LRP-MYC reagents are made such that addition of anti-Wise antibody prevents Wise binding to LRP. In addition, anti-Wise antibody may immunoprecipitate Wise-FLAG, forming an antibody-antigen complex that is then detectable on Western blot analysis. Therefore, this assay may be used to
10 detect anti-LRP antibody activity in functional inhibition of Wise-LRP binding. This functional assay is used as a screening tool to obtain antibodies, both monoclonal and polyclonal, which functionally bind to Wise protein *in vitro* and *in vivo* and prevent Wise binding to LRP. Similarly, anti-LRP antibodies may be screened. It is predicted that such therapeutic anti-Wise antibodies and anti-LRP antibodies can be used *in vitro* and *in vivo* to increase osteoblast number
15 and bone mineral density and bone deposition.

In a luciferase assay, anti-Wise antibody may function to activate the Wnt pathway. Here, Human293 cells are used wherein anti-Wise antibody binds to Wise and prevents such Wnt pathway inhibition.

Upon completion of testing of anti-Wise antibodies in at least one of the above assays,
20 those mouse sera and hybridoma clones producing monoclonal antibodies that are reactive against Wise present in bone cells (osteoblasts, osteoclasts) can be selected for further expansion and processing. Goat antisera containing polyclonal antibodies reactive against Wise can also be produced.

Hybridoma production can be carried out by fusing the mouse spleen cells with the myeloma X63AG8.653 cell line by the procedure described in Harlow, E. and D. Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988. The Sp-2/0 myeloma cell line may also be used. Briefly, spleen cells are mixed with HAT-sensitive X63AG8.653
5 myeloma cells and fused with polyethylene glycol (PEG) (*e.g.*, 50% PEG 4000, Sigma Chemicals). Subsequent to fusion of spleen cells with the myeloma cell line, 1 drop of the 50 ml fusion mixture is added to each of 96 wells in 10 microwell cell culture plates (Corning). After culture of clones in selection media, hybridoma cultures are screened for antibody production to Wise antigen as follows:

- 10 Wise-polypeptide coated wells are prepared. Further, BSA is coated on wells following the same coating procedure as with BSA-Wise to detect any nonspecific binding. The antigen coated plates are used to screen cell culture supernates from each of the parental cultures. The parental supernates are added to one well of BSA-Wise-coated microtiter plate and to one well of BSA coated plate. The plates are incubated and washed. Goat anti-mouse IgG (gamma chanin
15 specific) horseradish peroxidase-conjugated antibody is added to each well. Parental cultures are identified that produce absorbance readings exceeding 0.3 O.D. on the BSA-Wise wells and no reactivity on the BSA coated wells. The latter parental cultures are expanded in culture in 24 well macrowell plates (Corning) and upon further supernatant/antibody evaluation, three parental cultures are re-cloned (secondary cloning). Following a procedure described in Harlow and
20 Lane, *supra*, the parental cultures are diluted in RPMI 1640 culture medium containing 20% fetal bovine serum to give a cell density of 0.5-10 cells per well on wells that are precultured with splenocyte feeder cells.

After two weeks parental cell culture supernates are tested to determine the wells that are positive for monoclonal anti-Wise antibody activity using the screening procedure above. Positive wells are cloned and subcloned. Clonal cultures can be identified with high viability and producing the highest titer antibody to BSA-Wise in the aforementioned antibody screening assay. Secondary and tertiary subcloning of the latter is done to assure monoclonality and stability of the resultant clones. Comparative affinity analysis may be performed in accordance with Macdonald et al. (Macdonald, R. A. et al. 1988. *Journal of Immunological Methods*, 106:191-194). The cells from each culture are prepared in accordance with Harlow and Lane, supra, for frozen storage in ampoules in liquid nitrogen. Each single clone is expanded in culture and adapted to a protein-free medium (MaxiCell/Hybridoma-PF Medium, Cat. No. N10105, Atlanta Biologicals, Norcross, Ga.) for monoclonal antibody production. Thus, anti-Wise monoclonal antibodies are prepared that can be utilized in subsequently described bone deposition experiments.

Next, monoclonal antibodies from subclones can be tested against Wise wild type and mutant polypeptides for binding by direct ELISA and competition ELISA methods. For direct ELISA, BSA-Wise is coated on microtiter plates, the unbound sites are blocked by incubation with Assay Buffer (25 mM borate, pH 8.0, 150 mM NaCl, 0.01% EDTA and 1% BSA). The plate is washed 6X and increasing concentrations of monoclonal antibody (mAb) in Assay Buffer are added. After this incubation, the plate is again washed and incubated with alkaline-phosphates labeled goat anti-mouse antibodies (Cappel, Durham, N.C.) diluted 1:1000 in Assay Buffer. The unbound antibodies are removed by extensive washing and the bound antibodies are detected by addition of p-nitrophenylphosphate (PNPP). The optical density at 410 nm is recorded.

The competition ELISA can be performed by pre-coating microtiter plates with BSA-Wise wild type and mutant polypeptides and blocking with Assay Buffer. The plate is washed, and monoclonal anti-Wise antibody is added with increasing concentrations of the Wise wild type and mutant polypeptide antigen competitors, simultaneously incubating the mixture for 1 hr
5 at 37° C. The unbound materials are removed by extensive washing and the bound mAb is detected with alkaline phosphatase labeled anti-mouse antibodies similar to the direct ELISA method above. All washes are in TBS-T wash solution; all incubations proceeded for 1 hr at 37° C. It is predicted that monoclonal antibodies directed against Wise immunogen will bind specifically to Wise wild type molecules. Such anti-Wise monoclonal antibodies, depending on
10 their reactivity profiles, may or may not bind to Wise mutant molecules that do not bind to LRP.

Fab fragments of anti-Wise antibodies can be prepared. After purification of anti-Wise IgG antibody, Fab fragments are prepared by papain cleavage. Mercuripapain is pre-activated with 10mM cysteine in 1.25 MM EDTA for 15 min at 37° C, then added to the IgG antibody (5-10 mg/ml) at a 1:50 to 1:200 (w/w) ration of enzyme to antibody. The period of incubation at
15 37° C ranged between 15 min to 5 hours to determine the optimum time of incubation for maximal Fab yield. Addition of iodacetamide (20 – 50 mM) stopped the cleavage process. Conditions are optimized by SDS-PAGE. analysis of resultant reaction products.

Thus, anti-Wise monoclonal antibodies and Fab “mini-antibody” fragments are prepared that can be utilized in subsequently described experiments below wherein such antibodies are
20 delivered in liposomes to bone cells (e.g., osteoblasts) for the purpose of increasing bone deposition and bone mineral density *in vitro* and *in vivo*. Anti-Wise Fab fragments are predicted to have greater anti-Wise inhibitory activity than whole anti-Wise antibody. Both anti-Wise

antibodies and their corresponding Fab fragments are expected to bind to Wise molecules in osteoblasts and prevent Wise molecule binding to LRP molecules (*e.g.*, LRP5, 6).

Example 32.

Hybridoma cell lines can be prepared that can secrete monoclonal antibodies reactive
5 with Sost wild type proteins, polypeptides, whole molecules, and fragments according to the
procedure described in Example 31 above. Briefly, murine myeloma cells are fused with murine
splenic lymphocytes from mice immunized with Sost-derived antigen. Hybridomas making
monoclonal antibodies reactive against Sost antigen are selected, grown, and monoclonal
antibodies can then be screened with Sost antigen in EIA assays, histological tissue staining
10 assays, immunoprecipitation assays, and functional assays as previously described. Fab
fragments of anti-Sost antibodies can be prepared by standard papain and pepsin enzymatic
digestion methods.

Example 33.

This Example relates to detection and analysis of the wild type, and also genetically
15 modified, Wise cysteine knot regions in mammalian cells. Similarly, detection and analysis of
the Sost cysteine knot region from wild type or genetically modified cells may be executed. In
this procedure, murine C57BL/6 osteoblasts, producing Wise polypeptide are isolated. Other
isolated or cultured mammalian cells can be used. Genetically modified Wise molecules can be
made as presented in Example 18-21, wherein the stop codon in the Wise Neo-lacZ cassette,
20 which is subsequently inserted into ES cells, encodes a truncated Exon 2 polypeptide product
that comprises part of the cysteine knot region of Wise. After PCR amplification of these
shortened Wise nucleic acid sequences by standard molecular biology cloning techniques, such

sequences are placed on Southern blots for gDNA and on Northern blots for mRNA species. J. Sambrook and D.W. Russell, Molecular Cloning: A Laboratory Manual, 3rd edition (2001).

More specifically, Wise gene nucleic acid fragment sequences for SEQ ID NOs 1 – 5 and 126 - 128 may be made and amplified by standard PCR technologies. These Wise nucleic acid sequences encode corresponding polypeptides. A smaller Wise gene DNA or RNA probe sequence corresponding to SEQ ID NO 1 can be synthesized (see SEQ ID Nos 136-140). Alternatively, site specific mutagenesis or *in vitro* transcription methods may be utilized. The DNA probe can then be labeled with P-32 cytosine (CTP). Alternatively, C-14, H-3, or other radiolabels or nonradioactive labels (*e.g.*, DIG) may be used. In addition, the RNA probe can be labeled with P-32 uracil. Once Wise DNA probes are labeled with P-32 cytosine, these radiolabeled probes may be hybridized to nucleic acids extracted from Wise-containing cells to characterize such Wise genes after Southern blot analysis. Similarly, radiolabeled Wise RNA probes may be hybridized to nucleic acids from Wise-containing cell extracts. It was observed that these Wise RNA fragments detected the presence of Wise nucleic acid sequences in the cell extracts.

Example 34.

Wise antigens to be prepared for immunization and to be used as standards in immunoassays include, but are not limited to, Wise wild type polypeptide whole molecule and polypeptide fragments. In addition, the corresponding Wise-derived nucleic acid molecules to the aforementioned polypeptide molecules were produced as antigens for immunizations and standards. Both Wise-derived polypeptide and nucleic acid antigens are prepared as previously described herein.

Goat and rabbit polyclonal antibodies and mouse monoclonal antibodies to the Wise-derived wild type and mutant polypeptide and nucleic acid molecules are prepared by methods that are known to those of skill in the art. E. Harlow and D. Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, New York, 1988. Similarly, goat and rabbit polyclonal antibodies and mouse monoclonal antibodies may be made to Sost-derived wild type and mutant polypeptides and nucleic acid molecules. The procedure for production of monoclonal antibodies to specific antigens has been described in detail herein. Once monoclonal and polyclonal antibodies to Wise-derived polypeptide and nucleic acid molecules have been made, they can be utilized in immunodiagnosics kit assays for the detection and quantitation of the Wise-derived molecules.

Example 35.

A Sost-specific monoclonal antibody can be made by the procedure as delineated in Examples 32 and 33. Sost-specific monoclonal antibodies may be made against Sost wild type and mutant proteins and polypeptides. These antibodies would inhibit the binding of Sost to LRPs.

Example 36.

This Example relates to the production of monoclonal antibody to the terminus region of LRP5 which binds to Wise protein. This LRP5 terminus region also binds to Sost protein. The anti-LRP5 antibody is predicted to inhibit binding of Wise to LRP5 and thereby result in phenotypic changes such as increased osteoblast number, increased bone mineral density and bone deposition, and tooth and ocular phenotypic changes. Similarly, the anti-LRP5 antibody is predicted to inhibit binding of Sost to LRP5, resulting in similar phenotypic changes.

LRP 5 Δ 3-4 mutants are made as described in Examples 28 and 29. Such LRP5 Δ 3-4 mutant nucleic acid sequences can be inserted into either p28b vectors as described in Examples 28 and 29, or Neo-lacZ cassettes (without stop codons) as described in Example 13. E. coli cells containing the p28b vector with the LRP5 mutation, and ES cells containing the Neo-lacZ cassette with the same mutation are cultured, lysed, and LRP5 Δ 3-4 purified.

Monoclonal antibody can be made to LRP5 by immunization of mice with LRP5 as described in Example 32, hybridization of LRP5 immunized mouse splenic lymphocytes with HAT-sensitive myeloma cells, and selection of HAT-resistant hybridoma cells secreting antibodies that bind LRP5. Once clones are identified that secrete antibody binding to LRP5, clones are further screened for failure to bind LRP5 Δ 3-4 in EIA and functional assays as described in Example 32. Such hybridoma clones that bind to wild type LRP5 molecules yet do not bind to LRP5 Δ 3-4 molecules are deemed to be putative anti-LRP5 Δ 3-4 region-epitope specific antibodies (LRP5 Δ 3-4). Photoreactive chemical conjugation of H3-radiolabeled antibody combining sites to the LRP5 molecule can verify this antibody-specific attachment to the terminal amino acid sequence of LRP5.

Example 37.

This Example relates to the production of monoclonal antibody to the terminus region of LRP6 which binds to Wise protein. The anti-LRP6 antibody is predicted to inhibit binding of Wise to LRP6 and thereby result in phenotypic changes such as increased osteoblast number, increased bone mineral density and bone deposition, and tooth and ocular phenotypic changes. Similarly, the anti-LRP6 antibody is predicted to inhibit binding of Sost to LRP6, resulting in similar phenotypic changes.

LRP 6 Δ 3-4 mutants are made as described in Examples 28-29. Such LRP 6 Δ 3-4 mutant nucleic acid sequences can be inserted into either p28b vectors as described in Examples 28-29, or Neo-lacZ cassettes (without stop codons) as described in Examples 13. *E. coli* cells containing the p28b vector with the LRP6 mutation, and ES cells containing the Neo-lacZ
5 cassette with the same mutation are cultured, lysed, and LRP6 Δ 3-4 purified.

Monoclonal antibody can be made to LRP6 by immunization of mice with LRP6 as described in Example 32, hybridization of LRP6 immunized mouse splenic lymphocytes with HAT-sensitive myeloma cells, and selection of HAT-resistant hybridoma cells secreting antibodies that bind LRP6. Once clones are identified that secrete antibody binding to LRP6,
10 clones are further screened for failure to bind LRP 6 Δ 3-4 in EIA and functional assays as described in Example 32. Such hybridoma clones that bind to wild type LRP6 molecules yet do not bind to LRP 6 Δ 3-4 molecules are deemed to be putative anti-LRP6 Δ 3-4 region-epitope specific antibodies (LRP6 Δ 3-4). Photoreactive chemical conjugation of H3-radiolabeled antibody combining sites to the LRP6 molecule can verify this antibody-specific attachment to
15 the terminal amino acid sequence of LRP6.

Example 38.

This Example relates to the production of biotinylated liposomes which are then linked to monoclonal antibodies specific for osteoblasts through an avidin linkage. These anti-osteoblast antibody-armed liposomes can be utilized to deliver encapsulated anti-Wise antibody to
20 osteoblasts. Similarly, encapsulated anti-Sost antibody may be made and delivered to osteoblasts. Liposomes may be armed with anti-osteoblast (anti-OB) antibodies that react with either mouse or human osteoblasts as described herein. Delivery of anti-Wise antibodies to

osteoblasts using encapsulated liposomes is anticipated to result in increased osteoblast growth and proliferation with concomitant increased bone deposition.

Biotinylated phospholipids are initially prepared. Biotinylated phospholipids are prepared by dissolving phosphatidylethanolamine (PE, 5.1 mg) or phosphatidylserine (PS, 3.9 mg) in a solution (170 μ l for PE; 130 μ l for PS) of chloroform-methanol (2:1) with biotinyl N-hydroxysuccinimide ester (BNHS, 3.3. mg) (Sigma Chemicals, St. Louis, MO). 10 μ l is added of a chloroform solution containing 15% (v/v) triethylamine. After a two hour incubation of the reaction mixture at ambient room temperature (18° C), the crude mixture is stored at -70° C.

The crude biotinylated lipid is then purified by high-performance liquid chromatography (HPLC) using a Waters system (Waters Associates, Milford, MA) with two solvent delivery units (M-45 and Model 510) and a Model 680 gradient controller. Separations are performed using a stainless steel column (250 x 4.6 mm i.d.) packed with 5 μ m Lichrosorb Si-100 silica (Merck, Darmstadt, Germany) at room temperature with a flow rate of 1 ml/min. After a first wash with solvent A (n-hexane/2-propanol/sater in a ratio of 60:80:14, v/v/v), Solvent B (n-hexane/2-propanol/water 60:80:7, v/v/v) is added until a new baseline is stabilized.

10 μ l of the crude biotinylated lipid starting reaction mixture containing 390 nmol lipid is applied to the HPLC column using a Hamilton syringe, and the elution is monitored utilizing an M-441 UV detector (214 nm). The column is eluted for 5 min with solvent A, then with a 20 min linear gradient between 0 and 100% solvent B in A. Solvent B is then passed over the column until a stable baseline is obtained.

The average retention times of BPE and BPS are 20.7 min (17-22) and 27.1 min (26-28), respectively. The HPLC peaks are collected in a Gilson Microfractionator, and the eluted

material is pooled. The solvent is then evaporated under a stream of nitrogen, and the biotinylated lipid is stored at -70° C.

Both the initial crude reaction mixture and the HPLC-purified BPE and BPS fractions are analyzed by thin-layer chromatography (TLC) in silica gel-coated plates (Riedel-de Haen, Germany). For BPE plates, a chloroform/methanol/water (80:25:2) solution is used; and for BPS plates, a chloroform/methanol/acetic acid (30:4:3) solution is used. Phospholipid visualization occurs through one of three methods: (1) exposure to iodine vapors, (2) a biotin-specific spray (dimethylaminocinnamaldehyde) *See* D.B. McCormick and J.A. Roth *Methods in Enzymology* 148A: 383 (1987), or (3) a phosphate-specific spray. *See* V.E. Vaskovsky and E.Y. Kostetsky, *J. Lipid Res.* 9: 396 (1968). All three staining methods reveal that BPE has an $R_f = 0.65$, and BPS has an $R_f = 0.55$.

Biotinylated liposomes are then prepared. Biotinylated phospholipids (BPE or BPS) are dissolved in chloroform/methanol (2:1) and molar equivalents of each corresponding lipid (BPE or BPS) are added to 12 mm x 75 mm glass tubes to yield the final percentage of biotinylated lipid desired (*e.g.*, 5, 10, 20%). Concentrations of 0.01 to 1 mol% of total lipid are achieved.

To prepare liposomes, the biotinylated lipid/native lipid mixture (*e.g.*, 2 μ mol of the stock lipid mixture in chloroform/methanol) is evaporated to dryness under a stream of nitrogen and then placed in a vacuum dessicator overnight. The lipid is resuspended by syringe injection (*e.g.*, 50 μ l lipid in chloroform/methanol into 1.0 ml PBS) in a final concentration of 1 mg/ml in PBS, pH 7.2-7.4, then sonicated under nitrogen in an ice-cooled chamber for 10 min in a Branson Sonifier Model 130. The resulting suspension is centrifuged at 10,000 rpm for 20 min, and the biotinylated liposomes in the supernatant fraction used within 24 hours after preparation.

To encapsulate anti-Wise antibodies, the biotinylated lipid/native mixture is resuspended by injection (e.g., 50 μ l lipid in chloroform/methanol into 1.0 ml PBS) into an anti-Wise antibody-containing PBS solution. After sonication and centrifugation at 10,000 rpm for 20 minutes, anti-Wise antibody-biotinylated liposomes are purified by one of the following
5 procedures: (1) in one preferred procedure, liposome preparations are centrifuged at 13,000 x g in a microcentrifuge; pelleted liposomes are washed with PBS, and pelleted liposome fractions are resuspended in PBS buffer for use; (2) in another method, liposome preparations are passed over a Sephadex 200 column (Pharmacia, Piscataway, NJ) in PBS. The liposomes are eluted in the PBS void volume, with free protein and contaminants appearing in subsequent collection.

10 Once the liposomes are prepared, Fab fragments of anti-osteoblast cell (anti-OB) antibodies must be prepared. Rat anti-mouse Thy-1 monoclonal antibody and mouse anti-human Thy-1 monoclonal antibody are obtained from Pharmingen (San Diego, CA). Thy 1 is known to be an expressed surface antigen on osteoblast cells. X-D Chen, et al., Thy-1 Antigen Expression by Cells in the Osteoblast Lineage, J. Bone & Mineral Research 14(3): 362-375 (1999). Other
15 suitable osteoblast-reactive antibodies have been described. See, e.g., Aubin, J.E. et al. Monoclonal antibodies as Tools for Studying the Osteoblast Lineage, Microsc Res Tech 33:128-140; Bruder SP et al. (1996) Monoclonal Antibodies Selective for Human Osteogenic Cell Surface Antigens, Bone 21:225-235. After purification of anti-OB IgG antibody, Fab fragments are prepared by papain cleavage. Mercuripapain is pre-activated with 10mM cysteine in 1.25
20 mM EDTA for 15 minutes at 37° C, then added to the IgG antibody (5-10 mg/ml) at a 1:50 to 1:200 w/w) ratio of enzyme to antibody. The period of incubation at 37° C. ranged between 15 minutes to 5 hours to determine the optimum time of incubation for maximal Fab yield.

Addition of iodoacetamide (20-50 mM) stopped the cleavage process. Conditions are optimized by SDS-PAGE analysis of resultant reaction products.

Biotinylated Fab fragments of anti-OB antibodies are obtained by using an N-hydroxysuccinimidobiotin (NHS-Biotin, Sigma Chemical, St. Louis, MO). In this method, 2 mg of Fab fragments are dissolved in 1 ml of sodium phosphate buffer (PBS), pH 7.5-8.5, in a 16 x 125 mm test tube. Immediately before use, 1 mg of NHS-Biotin is dissolved in 1 ml dimethylformamide (DMF). 75 μ l of the dissolved NHS-Biotin is added to the Fab containing test tube. The tube is incubated on ice (4° C) for 2 hours. The unreacted biotin may be removed by dialysis (*e.g.*, Slide-A-Lyzer Dialysis Cassette) or with a D-Salting Column (Pierce Chemical, Rockford, IL). Alternative, unreacted biotin may be removed by centrifugation of the product at 1000 x g for 15-30 minutes using a microconcentrator. After centrifugation, the sample is diluted in 0.1 M sodium phosphate, pH 7.0. The process can then be repeated twice more. The biotinylated protein may be stored at 4° C in 0.05% sodium azide prior to use.

Finally, Fab-anti-Wise liposomes utilizing biotinylated Fab molecules, biotinylated liposomes and avidin are prepared. The biotinylated Fab fragments in PBS are mixed with a twenty-fold molar excess of egg white avidin (Vector labs, Burlingame, CA; Sigma Chemical, St. Louis, MO), incubated overnight at 4° C. The excess avidin is removed by passage of the mixture over anti-human light chain affinity columns (*e.g.*, Pharmacia Sepharose 4B). Fab-biotin-avidin molecules are eluted with citrate buffer, pH-4.0, then pooled fractions are dialyzed against PBS, pH=7.0. A suspension of biotinylated anti-Wise antibody-containing liposomes is mixed with Fab-biotin-avidin solutions in PBS to yield avidin to free biotin ratios on the liposome surfaces of approximately 2:1, 5:1, 10:1, and 20:1 molar ratios. After incubation overnight at 4° C on a rotational shaker, liposomes are passed through a Pharmacia Sephadex G-

200 column. The Fab-anti-Wise liposomes are collected in the void volume and resuspended in PBS.

Alternatively, biotinylated anti-Wise antibody-containing liposomes are mixed with a twenty-fold molar excess of streptavidin, incubated overnight at 4° C, then biotinylated-avidin liposomes are passed over the anti-human light chain affinity column. Biotinylated-avidin anti-Wise liposomes are eluted with a citrate buffer, pH = 4.0, then pooled fractions are dialyzed against PBS, pH=7.0. After dialysis, biotinylated-avidin liposomes are mixed with biotinylated Fab fragments in PBS in the above approximate molar ratios. Similarly, after incubation overnight at 4° C on a rotational shaker, liposomes are passed through a Pharmacia Sephadex G-200 column. The Fab-Anti-Wise antibody liposomes are collected in the void volume and resuspended in PBS.

Example 39.

The present Example relates to *in vitro* treatment of mouse bone cells (*e.g.*, osteoblasts and osteoclasts) by anti-Wise-specific Fab liposomes armed with anti-osteoblast antibody as prepared in Example 40. The anti-Wise antibody may have specificity for Wise whole molecule or polypeptides. Similarly, anti-Sost antibody may be encapsulated in liposomes to obtain osteoblast phenotypic effects *in vitro*. First, murine bone cells are purified by fluorescence activated cell sorting (FACS) using anti-bone marker antibodies. In addition, mouse bone cell osteoblasts can be prepared essentially as described by Takahashi et al., 1988 Endocrinology 123:2600-2602; and by Tanaka et al., 1992 J. Bone Min Res. 7:S307, which are incorporated by reference herein. These bone cells are liquid nitrogen-cryopreserved in ampoules.

Bone cells are separated by fluorescence activated cell sorting (FACS) utilizing the FACStar-PLUS flow cytometer (Becton Dickinson) equipped with two 5-watt argon ion lasers

and a tunable dye laser interfaced with a Digital Equipment Corporation Vas Station-4000/90 computer and data collection/analysis software. Bone cells are prepared by suspension in MACS (magnetic sorting) buffer with fluorescein-conjugated antibody directed against mouse osteoblasts (DAKO, Carpenteria, CA) in a tube and vortexed. After incubation for 30 minutes at 4° C, cells are washed 3 – 5 times in MACS buffer, then centrifuged at 400 x g for 5 minutes at 4° C. Cells are placed in MACS buffer at 4° C for separation in the FACStar flow cytometer. Mouse bone cells are separated on the basis of the fluorescence and size. Aliquots of purified murine osteoblasts and osteoclasts cells are tested for reactivity with anti-Wise antibodies in a fluorescence sandwich immunoassay with murine monoclonal anti-Wise antibody made according to the method of Example 32 and fluorescein-conjugated goat anti-mouse IgG antibody (H & L) (DAKO, Carpenteria, CA). Cells are stained for viability (>90%) by Trypan blue staining.

Subsequent to viable bone cell isolation above, bone cells (primarily osteoblasts or osteoclasts) are incubated *in vitro* with anti-Wise antibody-containing liposomes. An aliquot of anti-Wise-liposome-bone cells are then lysed. Polypeptide molecules of the elysate are separated and characterized by SDS gel electrophoresis and Western blot analysis. Reduction of Wise binding to LRP in the presence of anti-Wise antibody in bone cells can be measured.

It is predicted that anti-Wise antibody and anti-Wise Fab fragment molecules will both inhibit binding of wild type Wise to LRP5 in osteoblasts *in vitro*. In contrast, anti-Wise antibodies and fragments should not bind to osteoclasts, nor assert an effect on osteoclast activity (e.g., bone resorption). Correspondingly, based in part upon results described in Example 16 herein, it is expected that anti-Wise inhibition of Wise binding to LRP5 will result in increased growth and number of osteoblasts. Such increase in osteoblast number has previously

been associated with concomitant increases in bone deposition and bone mineral density *in vivo*, as described in Example 16. Thus, treatment with anti-Wise liposomes is predicted to result in increased bone deposition and bone mineral density in *in vivo* mouse studies.

Example 40.

5 The present Example relates to *in vivo* treatment of nude mice implanted with murine bone cells (*e.g.*, osteoblasts, osteoclasts) with anti-Wise antibody-containing liposomes. Congenitally athymic nude mice containing murine bone fragment implants can be used as a test system for assessing the anti-Wise antibody-containing liposomes on murine bone cell growth *in vivo* according to the procedure described herein.

10 Congenitally athymic homozygous CD-1 female nude scid/scid mice (SCID, Charles River Laboratories, Wilmington, MA) are housed in sterile cages, treated with antibiotics and give autoclaved food and water. At approximately 6 – 8 weeks old, SCID mice can be injected subcutaneously with cut fragments of femurs and tibias of allotypically different murine fetuses or immature pups. Balb/c mice can be used as bone donors. Intraperitoneal injection of mice
15 with bone fragment marrow implants is an alternative route of administration. These mice may now be referred to as “SCID-bone mice.” Murine implanted bone fragment marrow grafts are allowed to “take” for approximately 6 – 8 weeks prior to injection with anti-Wise antibodies. Fetal donor bone cell suspensions are analyzed for murine allotypic markers.

As previously described herein, Fab anti-Wise antibody-containing liposomes can be
20 prepared. $0.5 - 5.0 \times 10^6$ bone osteoblast cells are suspended in 20 ml of complete RPMI-1640 medium and injected with a Hamilton microliter syringe into each of the 6 – 8 week old murine bone marrow grafts of the SCID-bone mice. In the first experiment, Fab anti-Wise antibody liposomes (200:1; 100:1, 50:1 liposome:cell ratios) can be mixed together with bone cells prior

to injection *in vivo*. In the second experiment, bone cells can be injected into the bone fragment marrow grafts, then anti-Wise antibody-containing anti-osteoblast antibody-armed liposomes (200:1; 100:1; 50:1 liposome:cell ratios) can be injected by several routes: (1) directly into the murine bone marrow, 4, 6, and 24 hr after murine bone fragment implantation; and (2) intravenously in the mouse tail vein at 0, 4, 6, and 25 hr after murine fragment implantation. Alternatively, and perhaps preferably, anti-Wise antibody-liposomes may be mixed with osteoblasts or osteoclasts prior to placement in operably contact with the implanted bone fragment. Controls would include anti-Wise antibody-containing liposomes wherein the attached arming antibody lacks osteoblast-binding specificity, and liposomes lacking anti-Wise antibody.

The effect of anti-Wise antibody-liposome treatment on bone cells can then be assessed by the following procedure. Growth of bone cells (*i.e.*, osteoblasts, osteoclasts) can be analyzed by examining cells harvested from SCID-bone mouse bone fragment marrow implants at 1, 2, 4, 8, 16, and 32 weeks after anti-Wise antibody-liposome injection. Harvested cells can be analyzed by flow cytometry in the FACScan system after suspension in complete RPMI-1640 medium, washing in RPMI, lysing of red blood cells with ammonium chloride, and staining with immunofluorescent reagents. Immunofluorescence sandwich markers including fluorescein- or rhodamine-conjugated goat anti-mouse IgG (H & L) antibody can be used in conjunction with murine monoclonal anti-Wise anti-body. Histological sections of bone, bone marrow, spleen, lymph node, lung and other tissue can also be prepared 1, 2, 3, and 4 months after bone cell implantation, sectioned, and stained with immunofluorescence reagents described above or with hematoxylin and eosin-stained formalin-fixed and paraffin-embedded specimens compared with specimens from untreated, control SCID-bone mice in which no osteoblast or osteoclast cells are

injected. Significantly, SCID-bone mice may be analyzed for treatment with anti-Wise antibody-liposomes to determine efficacy of such liposomes to increase in growth and number of osteoblasts which is expected to result in increased bone deposition in this *in vivo* SCID nude mouse model system. Moreover, SCID-bone mice may be used to assess anti-human Wise antibody treatment effects utilizing xenogeneic human bone fragment transfers into such SCID-bone mice as described herein.

Example 41.

This Example relates to injection of anti-Wise antibodies into the pups of the C57BL/6 mouse strain to determine their positive effects on Wise-regulated phenotypes. Alternatively, the 129 mouse strain may be used. Monoclonal and polyclonal anti-Wise antibodies specific for wild type Wise polypeptide molecules were made as described in Example 31 above. The antibody can be directed to the cysteine knot-containing region of Wise. Similarly, anti-Sost antibodies may be injected into mouse pups to determine phenotypic and therapeutic changes.

In this procedure, C57BL/6 mouse pups are injected with therapeutic doses of anti-Wise antibody in a pharmaceutical carrier such as sterile endotoxin-free phosphate buffered saline (PBS) at 2, 4, 6, 8, 10, 12, 14, 16, 18, and 20 days post partum. Alternatively, anti-Wise antibody Fab fragments may be used in a suitable pharmaceutical carrier medium. Bone mineral density of injected mice is compared to that of uninjected control mice as described in Example 16. It is anticipated that anti-Wise antibody treatment will result in increased bone mineral density and increased bone deposition in injected mice as compared to controls.

It is also predicted that anti-Wise antibody treatment will result in phenotypic changes in eyes and teeth as described in Wise mutant mice in Examples 15 and 17 above. Thus, anti-Wise antibody injected mice are expected to exhibit loss of optic nerve fibers and increased rod and

cone layers in the retina as shown in Example 15 in Wise mutant mice. Anti-Wise antibody injected mice are predicted to manifest molar and incisor tooth abnormalities similar to those of Wise mutant mice as demonstrated in Example 17. An additional incisor tooth phenotype not present in the wild type mouse may be observed. In addition, anti-Wise antibody injected mice may show an additional M1 molar tooth, with an additional associated root. Anti-Wise antibody injected mice may also exhibit reverse orientation patterning of molar teeth, with possible fusion of M1 and M2 teeth.

Example 42.

In this Example, kit components for detection and quantitation of Wise wild type and mutant polypeptides and fragments are described. Immunodiagnosics methodologies utilized in these kits are modifications of general and specific principles well known in the art. E. Harlow and D. Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, New York, 1988, and E.T. Maggio, Ed., *Enzyme-Immunoassay*, CRC Press, Florida, 1980 are incorporated by reference herein.

Sandwich enzyme immunoassay kit components are as follows: 96-well microtiter plates coated with anti-Wise antibody, diluent buffer, Wise standards, horseradish peroxidase (HRP)-conjugated mouse anti-Wise antibody, ortho-phenylenediamine (OPD) substrate solution, containing H_2O_2 , and 2N sulfuric acid stop solution.

Competitive enzyme immunoassay kit components are as follows: 96-well microtiter plates coated with wild type or variant Wise molecules, diluent buffer, Wise wild type and variant standards, horseradish peroxidase (HRP)-conjugated mouse anti-Wise antibody, ortho-phenylenediamine (OPD) substrate solution, containing H_2O_2 , and 2N sulfuric acid stop solution. Similarly, Sost immunoassay kits may be prepared by substituting anti-Sost antibody for anti-

Wise antibody, and Sost standards for Wise standards as components in the above described Wise kit.

Example 43.

In this Example, an immunoprecipitation protocol and subsequent Western Blot protocol
5 are described for analysis and characterization of various Wise-derived proteins and polypeptide molecules. Similarly, immunoprecipitation and Western blot analysis and characterization may be executed for Sost-derived proteins and polypeptide molecules. Western blot kits based on the methodology described herein may also be produced.

Western blot kits will contain the following components: Wise-derived protein and
10 polypeptide molecule standards, primary goat antibody against Wise, secondary alkaline phosphatase-conjugated anti-goat antibody, blocking buffer, diluent buffer, and substrate development solution.

The immunoprecipitation protocol involves a technique for separation of Wise-derived polypeptide molecules from whole cell lysates or cell culture supernatants. Wise-derived
15 polypeptide molecules may be wild type or mutant molecules; and these molecules may be obtained from mammalian cell cultures (*e.g.*, osteoblasts) or from bacterial cells (*e.g.*, *E. coli*) or mammalian cells. After immunoprecipitation binding to anti-Wise antibody and separation of these Wise-derived polypeptide molecules, the Wise molecules can be identified, biochemically characterized, and expression levels quantitated. Sost-derived polypeptide molecules may be
20 similarly immunoprecipitated.

In initial immunoprecipitation runs, approximately 5-10 μ g of anti-Wise-derived polypeptide molecule antibody is added to an Eppendorf tube containing the cold precleared lysate containing Wise polypeptides. Alternatively, antibodies recognizing the MYC tag may be

utilized for these immunoprecipitations of Wise polypeptides. Reduced and nonreduced Wise-derived polypeptide molecules are prepared to run alongside prestained molecular weight standards for use on SDS-PAGE gels.

In the R&D System Immunostaining procedure, Western Blot membranes are blocked in Blocking Buffer, incubated with primary goat anti-Wise polypeptide antibody, incubated with secondary antibody (*e.g.*, alkaline phosphatase conjugated anti-goat IgG antibody), incubated with Substrate Development solution, dried, and blocked in Blocking Buffer. Block unoccupied protein binding sites on membrane by placing membrane in Blocking Buffer on a rocker/shaker. Primary antibody (*e.g.*, goat anti-Wise polypeptide molecule antibody) in Diluent Buffer is added to the membrane and incubated. After washing, incubate blots with 20 mL of secondary antibody (*e.g.*, TAGO alkaline phosphatase-conjugated rabbit anti-goat IgG antibody) in Diluent Buffer and incubated. Wash membranes, incubate and then add Substrate Development Solution to membrane. Stop substrate development after incubation by pouring off Development Solution and rinsing membrane in deionized water.

In summary, this Western blot methodology can be used to identify, biochemically and immunologically characterize, and quantitate Wise and Sost polypeptide molecules derived from wild type and/or mutants in both mammalian and bacterial cell culture systems. In addition, Western blot kits may be produced utilizing Wise-derived and Sost-derived molecule standards, antibodies, and kit components described and utilized in the above-described methodology.

Example 44.

In this Example, hybridization kits are described for the detection of Wise wild type and Wise variant nucleic acid sequences. Wise wild type and variant nucleic acid sequence molecules are prepared by either PCR methodology [Mullis, U.S. Pat. No. 4,683,195; Mullis,

4,683,202], including real time PCR techniques, or conventional cloning technology as described in Examples 19-20. Probe nucleic acid sequences can be produced in vectors as described previously. As alternatives to PCR methodology, isothermal techniques [Guatelli et al., Proceeding of the National Academy of Science 87: 1874-1878 (1990)], transcription based
5 methods [Kwoh et al., Proceedings National Academy of Science 86: 1173-1177 (1989)], and QB replicase techniques [Munishkin et al., Nature 33: 473 (1988)] may be used. DNA or RNA primers are prepared containing desired Wise or Sost probe sequences. For example, a nucleic acid probe can be prepared to different portions of Wise nucleic acid sequences. Similarly, probes can be prepared for nucleic acid sequences that encode inactive Wise polypeptide variants
10 that either do not bind to LRP5 or LRP6 or, alternatively, that, when inserted into mammalian cells, cause phenotypic increases in bone deposition or bone mineral density. [Kemp et al., Proceedings of the National Academy of Science 86: 2423-2427 (1989)].

Wise wild type molecule and Wise variant cDNA synthesis and DIG labeling is as follows: Heat 10-15 µg Wise sample RNA with 1.7 µl random primers (3 ug/ul; Invitrogen Cat.
15 No. 48190-011) and 15.9 µl H₂O at 70° C. Snap cool on ice and centrifuge. To each reaction tube, add DIG-dCTP. Add Master mix as follows: First Strand Buffer, DTT, dNTPs (25 mM each dA/G/TTP, 10 mM dCTP), SuperScript II (200 U/ul; Invitrogen Cat. No. 18064-014). Incubate reaction at 25° C, followed by 42° C incubation.

While incubating the above reaction mixture, slides are prepared for hybridization as
20 follows: Incubate the prehybridization solution in a Coplin jar at 63° C to equilibrate. Place slides in the pre-heated solution and incubate at 63° C. Prepare two staining troughs, one with MilliQ H₂O and the other with isopropanol. Place slides in slide rack and immerse in first trough to rinse in MilliQ H₂O with vigorous shaking. Transfer the rack into the second trough and rinse

in isopropanol. Dry slides by centrifugation on a microtiter plate rotor on absorbent cloth. Store slides in slide box prior to hybridization.

Briefly centrifuge the labeling reaction tubes. Add 10 μ l 1N NaOH and heat at 70° C to hydrolyze the RNA. Neutralize by adding 1 N HCl. Using the MinElute PCR purification kit (Qiagen Cat. No. 28004), combine DIG-labeled cDNA samples in a single Eppendorf tube and add Buffer PB. Apply to MinElute column in collection tube and centrifuge. Purple coloration of the membrane indicates efficient labeling of both cDNA samples. Add 50 μ l Buffer PE to MinElute column and centrifuge to dry the membrane. Add 10 μ l MilliQ H₂O pH 7-8.5 carefully to the center of the membrane and allow to stand for 1 min. Centrifuge to collect cDNA (yield ~ 80%). Place the MinElute column into a fresh tube B. Add MilliQ H₂O pH 7-8.5 to the center of the membrane and allow to stand for 1 min. Centrifuge at 13,000 rpm for 1 min to collect residual cDNA. Transfer 4.5 μ l from tube B to tube A (final volume 14.5 μ l).

For hybridization, the following procedure is used: Mix purified DIG sample with hybridization solution (DIG-labeled cDNA, filtered 20x SSC, filtered 2x SDS). Prepare a slide heating block. Preheat the hybridization chamber. Heat hybridization solution at 99° C for 2 min to denature cDNA. In the meantime, prepare the slide and a 24 x 24 mm coverslip. When ready, immediately centrifuge the hybridization solution briefly, put the slide into the chamber, pipet SSC into each of the two wells of the chamber, and apply the solution onto the slide at the edge of the spotted area avoiding bubble formation by using curved-edge fine forceps to set the coverslip in place. Close the chamber and immerse it in a 63°C waterbath. Incubate chambers overnight.

Transfer slides one at a time from the chamber to the Coplin jar containing Wash A and let the coverslip fall off by gently moving the slide vertically in the solution. Once the coverslip

is removed, transfer the slide quickly to the rack in the trough of Wash A. When all slides are on the rack, wash by vigorous agitation for 5 min at room temperature. Transfer the slides quickly to the rack in the second trough containing Wash B. Wash by vigorous agitation for 3 min at room temperature. Transfer the rack to the third trough containing Wash B and wash by
5 vigorous agitation for 3 min at room temperature. Dry slides and store in a slide box until scanning.

The ScanArray Express (Perkin Elmer Life Sciences, Boston, MA) can be used to scan the slides. Alternatively, the Image Trak Eip-Fluorescence System (Perkin Elmer Life Sciences, Boston, MA) can be used for 96,384, or 1536 well plates.

10 In summary, hybridization methodology and kits for the detection, identification, and quantification of Wise-associated nucleic acid sequences in cells are set forth herein. Using these methods, Wise wild type and mutant nucleic acid sequences can be identified, characterized, and quantified. In addition, kits may be produced utilizing Wise-derived nucleic acid molecule standards, antibodies, and kit components as described in the above methodology.

REFERENCE LIST

- Amaya, E., Musci, T.J., and Kirschner, M.W. (1991). Expression of a dominant negative mutant of the FGF receptor disrupts mesoderm formation in *Xenopus* embryos. *Cell* 66, 257-70.
- Axelrod, J.D., Miller, J.R., Shulman, J.M., Moon, R.T., and Perrimon, N. (1998).
5 Differential recruitment of Dishevelled provides signaling specificity in the planar cell polarity and Wingless signaling pathways. *Genes Dev.* 12, 2610-2622.
- Baker, J.C., Beddington, R.S., and Harland, R.M. (1999). Wnt signaling in *Xenopus* embryos inhibits bmp4 expression and activates neural development. *Genes Dev* 13, 3149-59.
- Beddington, R., and Robertson, E. (1998). Anterior patterning in mouse. *Trends in*
10 *genetics* 14, 277-284.
- Beddington, R., and Robertson, E. (1999). Axis development and early asymmetry in mammals. *Cell* 96, 195-209.
- Blumberg, B., Bolado, J., Moreno, T., Kintner, C., Evans, R., and Papalopulu, N. (1997).
An essential role for retinoid signaling in anteroposterior neural patterning. *Development* 124,
15 373-379.
- Bork, P. (1993). The modular architecture of a new family of growth regulators related to connective tissue growth factor. *FEBS* 327, 125-130.
- Bourguignon, C., Li, J., and Papalopulu, N. (1998). XBF-1, a winged helix transcription factor and dual activity, has a role in positioning neurogenesis in *Xenopus* competent ectoderm.
20 *Development* 125, 4889-900.
- Bradley, L., Sun, B., Collins-Racie, L., LaVallie, E., McCoy, J., and Sive, H. (2000). Different activities of the frizzled-related proteins frzb2 and sizzled2 during *Xenopus* anteroposterior patterning. *Dev Biol* 227, 118-32.

Brannon, M., Gomperts, M., Sumoy, L., Moon, R.T., and Kimelman, D. (1997). A β -catenin/XTcf-3 complex binds to the siamois promoter to regulate dorsal axis specification in *Xenopus*. *Genes Dev.* 11, 2359-2370.

Cadigan, K.M., and Nusse, R. (1997). Wnt signaling: a common theme in animal
5 development. *Genes Dev* 11, 3286-305.

Capdevila, J., Tabin, C., and Johnson, R.L. (1998). Control of dorsoventral somite patterning by Wnt-1 and β -catenin. *Dev Biol* 193, 182-94.

Christian, J.L., and Moon, R.T. (1993). Interactions between XWnt-8 and Spemann
organizer signaling pathways generate dorsoventral pattern in the embryonic mesoderm of
10 *Xenopus*. *Genes Dev.* 7, 13-28.

Condie, B.G., Brivanlou, A.H., and Harland, R.M. (1990). Most of the homeobox-containing Xhox 36 transcripts in early *Xenopus* embryos cannot encode a homeodomain protein. *Mol. Cell. Biol.* 10, 3376-3385.

Cox, W.G., and Hemmati-Brivanlou, A. (1995). Caudalization of neural fate by tissue
15 recombination and bFGF. *Development* 121, 4349-4358.

Danielian, P.S., and McMahon, A.P. (1996). Engrailed-1 as a target of the Wnt-1 signalling pathway in vertebrate midbrain development. *Nature* 383, 332-4.

Dickinson, M.E., Selleck, M.A., McMahon, A.P., and Bronner-Fraser, M. (1995). Dorsalization of the neural tube by the non-neural ectoderm. *Development* 121, 2099-106.

20 Doniach, T. (1993). Planar and vertical induction of anteroposterior pattern during the development of the amphibian central nervous system. *J. Neurobiology* 24, 1256-1275.

Ensini, M., Tsuchida, T., Belting, H.-G., and Jessell, T. (1998). The control of rostrocaudal pattern in the developing spinal cord: Specification of motor neuron subtype identity is initiated by signals from paraxial mesoderm. *Development* 125, 969-982.

Fagotto, F., Guger, K., and Gumbiner, B.M. (1997). Induction of the primary dorsalizing center in *Xenopus* by the Wnt/GSK/ β -catenin signaling pathway, but not by Vg1, Activin or Noggin. *Development* 124, 453-460.

Fan, M.J., and Sokol, S.Y. (1997). A role for Siamois in Spemann organizer formation. *Development* 124, 2581-2589.

Fredieu, J.R., Cui, Y., Maier, D., Danilchik, M.V., and Christian, J.L. (1997). XWnt-8 and lithium can act upon either dorsal mesoderm or neurectodermal cells to cause a loss of forebrain in *Xenopus* embryos. *Developmental Biology* 186, 100-114.

Gavalas, A., and Krumlauf, R. (2000). Retinoid signalling and hindbrain patterning [In Process Citation]. *Curr Opin Genet Dev* 10, 380-6.

Glinka, A., Wu, W., Delius, H., Monaghan, A.P., Blumenstock, C., and Niehrs, C. (1998). Dickkopf-1 is a member of a new family of secreted proteins and functions in head induction.

Glinka, A., Wu, W., Onichtchouk, D., Blumenstock, C., and Niehrs, C. (1997). Head induction by simultaneous repression of Bmp and Wnt signalling in *Xenopus*. *Nature* 389, 517-519.

Gould, A., Itasaki, N., and Krumlauf, R. (1998). Initiation of rhombomeric Hoxb4 expression requires induction by somites and a retinoid pathway. *Neuron* 21, 39-51.

Grapin-Botton, a., Bonnin, M.-A., and Le Douarin, N. (1997). Hox gene induction in the neural tube depends on three parameters: competence, signal supply and paralogue group. *Development* 124, 849-859.

Hamburger, V., and Hamilton, H.L. (1951). A series of normal stages in the
5 development of the chick embryo. *J. Morph.* 88, 49-92.

He, X., Saint-Jeannet, J.P., Wang, Y., Nathans, J., Dawid, I., and Varmus, H. (1997). A member of the Frizzled protein family mediating axis induction by Wnt- 5A. *Science* 275, 1652-4.

Heasman, J., Kofron, M., and Wylie, C. (2000). β -catenin signaling activity dissected in
10 the early *Xenopus* embryo: a novel antisense approach. *Dev Biol* 222, 124-34.

Heisenberg, C.P., Tada, M., Rauch, G. J., Saude, L., Concha, M.L., Geisler, R., Stemple, D.L., Smith, J.C., and Wilson, S.W. (2000). Silberblick/Wnt11 mediates convergent extension movements during zebrafish gastrulation. *Nature* 405, 76-81.

Hemmati-Brivanlou, A., Kelly, O.G., and Melton, D.A. (1994). Follistatin, an antagonist
15 of activin, is expressed in the Spemann organizer and displays direct neuralizing activity. *Cell* 77, 283-95.

Hemmati-Brivanlou, A., and Melton, D. (1997). Vertebrate embryonic cells will become nerve cells unless told otherwise. *Cell* 88, 13-7.

Hemmati-Brivanlou, A., and Melton, D.a. (1994). Inhibition of activin receptor signaling
20 promotes neuralization in *Xenopus*. *Cell* 77, 273-81.

Hoppler, S., Brown, J.D., and Moon, R.T. (1996). Expression of a dominant-negative Wnt blocks induction of MyoD in *Xenopus* embryos. *Genes Dev.* 10, 2805-2817.

Hsieh, J.-C., Kodjabachian, L., Rebbert, M.L., Rattner, A., Smallwood, P.M., Samos, C.H., Nusse, R., Dawid, I.B., and Nathans, J. (1999). A new secreted protein that binds to Wnt proteins and inhibits their activities. *Nature* 398, 431-436.

Itaskai, N., Sharpe, J., Morrison, A., and Krumlauf, R. (1996). Reprogramming Hox
5 expression in the vertebrate hindbrain: Influence of paraxial mesoderm and rhombomere transposition. *Neuron* 16, 487-500.

Itoh, K., and Sokol, S. (1997). Graded amounts of *Xenopus* dishevelled specify discrete anteroposterior cell fates in prospective ectoderm. *Mechanism of Development* 61, 113-125.

Itoh, K., and Sokol, S.Y. (1999). Axis determination by inhibition of Wnt signaling in
10 *Xenopus*. *Genes Dev* 13, 2328-36.

Itoh, K., Tang, T.L., Neel, B.G., and Sokol, S.Y. (1995). Specific modulation of ectodermal cell fates in *Xenopus* embryos by glycogen synthase kinase. *Development* 121, 3979-3988.

Jones, C.M., and Smith, J.C. (1999). An overview of *Xenopus* development. *Methods in*
15 *Molecular Biology* 97, 331-340.

Jones, C.M., and Smith, J.C. (1999). Wholemount *in situ* hybridization to *Xenopus* embryos. *Methods in Molecular Biology* 97, 635-640.

Joyner, A.L. (1996). Engrailed, Wnt and pax genes regulate midbrain-hindbrain development. *Trends Genet* 12, 15-20.

Kintner, C. (1992). Molecular bases of early neural development in *Xenopus* embryos.
20 *Ann. Rev. Neurosci.* 15, 251-284.

Kolm, P., Apekin, V., and Sive, H. (1997). *Xenopus* hindbrain patterning requires retinoid signaling. *Developmental Biology* 192, 1-16.

Kreig, P., and Melton, D. (1988). *In vitro* RNA synthesis with SP6 RNA polymerase. In Methods in Enzymology: Recombinant DNA techniques, S. Berger and A. Kimmel, eds.: Academic Press), pp. 397-415.

Lamb, T.M., and Harland, R.M. (1995). Fibroblast growth factor is a direct neural
5 inducer, which combined with noggin generates anterior-posterior neural pattern. Development 121, 3627-3636.

Lee, K.J., and Jessell, T.M. (1999). The specification of dorsal cell fates in the vertebrate central nervous system. Annu Rev Neurosci 22, 261-94.

Leyns, L., Bouwmeester, T., Kim, S.H., Piccolo, S., and DeRobertis, E.M. (1997). Frzb-
10 1 is a secreted antagonist of Wnt signaling expressed in the Spemann organizer. Cell 88, 747-56.

Liem, K.F., Jr., Tremml, G., and Jessell, T.M. 1997). A role for the roof plate and its resident TGF β -related proteins in neuronal patterning in the dorsal spinal cord. Cell 91, 127-38.

Liem, K.F., Jr., Tremml, G., Roelink, H., and Jessell, T.M. (1995). Dorsal differentiation of neural plate cells induced by BMP-mediated signals from epidermal ectoderm. Cell 82, 969-
15 79.

Lin, X., and Perrimon, N. (1999). Dally cooperates with *Drosophila* Frizzled2 to transduce Wingless signalling. Nature 400, 281-284.

Lu, J., Chuong, C., and Widelitz, R. (1997). Isolation and characterization of chicken β -catenin. Gene 196, 201-207.

Lumsden, A., and Krumlauf, R. (1996). Patterning the vertebrate neuraxis. Science 274,
20 1109-1115.

McGrew, L. Hoppler, S., and Moon, R. (1997). Wnt and FGF pathways cooperatively pattern anteroposterior neural ectoderm in *Xenopus*. Mechanisms of Development 69, 105-114.

McGrew, L., Lai, C.-J., and Moon, R. (1995). Specification of the anteroposterior neural axis through synergistic interaction of the Wnt signalling cascade with noggin and follistatin. *Developmental Biology* 172, 337-342.

McGrew, L., Takemaru, K., Bates, R., and Moon, R. (1999). Direct regulation of the
5 *Xenopus* engrailed-2 promoter by the Wnt signaling pathway, and a molecular screen for Wnt-responsive genes, confirm a role for Wnt signaling during neural patterning in *Xenopus*. *Mechanism of Development* 87, 21-32.

McMahon, A.P., Joyner, A.L., Bradley, A., and McMahon, J.A. (1992). The midbrain-hindbrain phenotype of Wnt-1-/Wnt-1- mice results from stepwise deletion of engrailed-
10 expressing cells by 9.5 days postcoitum. *Cell* 69, 581-95.

Moon, R.T., Brown, J.D., Yang-Snyder, J.A., and Miller, J.R. (1997). Structurally related receptors and antagonists compete for secreted Wnt ligands. *Cell* 88, 725-8.

Muhr, J., Graziano, E., Wilson, S., Jessell, T., and Edlund, T. (1999). Convergent inductive signals specify midbrain, hindbrain, and spinal cord identity in gastrula stage chick
15 embryos. *Neuron* 23, 689-702.

Muhr, J., Jessell, T., and Edlund, T. (1997). Assignment of early caudal identity to neural plate cells by a signal from caudal paraxial mesoderm. *Neuron* 19, 487-502.

Munsterberg, A.E., Kitajewski, J., Bumcrot, D.A., McMahon, A.P., and Lassar, A.B. (1995). Combinatorial signaling by Sonic hedgehog and Wnt family members induces myogenic
20 bHLH gene expression in the somite. *Genes Dev* 9, 2911-22.

Nieuwkoop, P. (1952). Activation and organisation of the central nervous system in amphibians. *J. Exp. Zool.* 120, 1-108.

- Pera, E.M., and DeRobertis, E.M. (2000). A direct screen for secreted proteins in *Xenopus* embryos identifies distinct activities for the Wnt antagonists Crescent and Frzb-1. *Mech Dev* 96, 183-95.
- Piccolo, S., Agius, E., Leyns, L., and Bhattacharyya, S. (1999). The head inducer Cerberus is a multifunctional antagonist of Notal, BMP and Wnt signals. *Nature* 397, 707-710.
- Piccolo, S., Sasai, Y., Lu, B., and DeRobertis, E.M. (1996). Dorsoventral patterning in *Xenopus*: inhibition of ventral signals by direct binding of chordin to BMP-4. *Cell* 86, 589-98.
- Pinson, K.I., Brennan, J., Monkley, S., Avery, B.J., and Skarnes, W.C. (2000). An LDL-receptor-related protein mediates Wnt signalling in mice. *Nature* 407, 535-538.
- 10 Pownall, M.E., Isaacs, H.V., and Slack, J.M. (1998). Two phases of Hox gene regulation during early *Xenopus* development. *Curr Biol* 8, 673-6.
- Pownall, M.E., Tucker, A.S., Slack, J.M., and Isaacs, H.V. (1996). eFGF, Xcad3 and Hox genes form a molecular pathway that establishes the anteroposterior axis in *Xenopus*. *Development* 122, 3881-92.
- 15 Rasmussen, J.T., Deardorff, M.A., Tan, C., Rao, M.S., Klein, P.S., and Vetter, M.L. (2001). Regulation of eye development by frizzled signaling in *Xenopus*. *Proc Natl Acad Sci USA* 98, 3861-6.
- Rothberg, J.M., Jacobs, J.R., Goodman, C.S., and Artavanis-Tsakonas, S. (1990). slit: an extracellular protein necessary for development of midline glia and commissural axon pathways
- 20 contains both EGF and LRR domains. *Genes Dev* 4, 2169-87.
- Ruiz i Altaba, A. (1994). Pattern formation in the vertebrate neural plate. *TINS* 17, 233-243.

Salic, A.N., Kroll, K.L., Evans, L.M., and Kirschner, M.W. (1997). Sizzled: a secreted XWnt8 antagonist expressed in the ventral marginal zone of *Xenopus* embryos. *Development* 124, 4739-4748.

5 Tada, M., and Smith, J. (2000). XWnt11 is a target of *Xenopus* Brachyury: regulation of gastrulation movements via Dishevelled, but not through the canonical Wnt pathway. *Development* 127, 2227-2238.

Tamai, K., Semenov, M., Kato, Y., Spokony, R., Lui, C., Katsuyama, Y., Hess, F., Saint-Jeannet, J.-P., and He, X. (2000). LDL-receptor-related proteins in Wnt signal transduction. *Nature* 407, 530-535.

10 Trainor, P., and Krumlauf, R. (2000). Plasticity in mouse neural crest cells reveals a new patterning role for cranial mesoderm. *Nature Cell Biology* 2, 96-102.

Tsuda, M., Kamimura, K., Nakato, H., Archer, M., Staatz, W., Fox, B., Humphrey, M., Olson, S., Futch, T., Kaluza, V., Siegfried, E., Stam, L., and Selleck, S.B. (1999). The cell-surface proteoglycan Dally regulates Wingless signalling in *Drosophila*. *Nature* 400, 276-280.

15 Vleminckx, K., Kemler, R., and Hecht, A. (1999). The C-terminal transactivation domain of β -catenin is necessary and sufficient for signaling by the LEF-1/ β -catenin complex in *Xenopus laevis*. *Mech Dev* 81, 65-74.

von Heijne, G. (1986). A new method for predicting signal sequence cleavage sites. *Nucleic Acid Research* 14, 4683-4690.

20 Wallingford, J.B. Rowning, B.A., Vogeli, K.M., Rothbacher, U., Fraser, S.E., and Harland, R.M. (2000). Dishevelled controls cell polarity during *Xenopus* gastrulation. *Nature* 405, 81-5.

Wang, S., Krinks, M., Lin, L., Luyten, F.P., and Moos, M., Jr. (1997). Frzb, a secreted protein expressed in the Spemann organizer, binds and inhibits Wnt-8. *Cell* 88, 757-66.

Wehrli, N., Dougan, S.T., Caldwell, K., O'Keefe, L., Schwartz, S., Vaizel-Ohayon, D., Schejter, E., Tomlinson, A., and DiNardo, S. (2000). Arrow encodes an LDL-receptor-related protein essential for Wingless signalling. *Nature* 407, 527-530.

Thus, there has been shown and described novel methods and compositions related to Wise, Sost, and LRP, which influence ocular development, bone deposition, Wnt pathway, and tooth development, which fulfills all the objects and advantages sought therefore. It is apparent to those skilled in the art, however, that many changes, variations, modifications, and other uses and applications for the subject methods and compositions are possible, and also such changes, variations, modifications, and other uses and applications which do not depart from the spirit and scope of the invention are deemed to be covered by the invention, which is limited only by the claims which follow.

What is claimed is:

1. A family of isolated nucleic acid molecules which can influence at least one of the following: tooth development, Wnt pathway activation, bone deposition, or ocular development, wherein the family is selected from the group consisting of:

- 5 (a) isolated nucleic acid molecule selected from the group consisting of SEQ ID NOs 1-8, 10-28, 96, 97, 108 – 111, 126, and 127, and complementary sequences thereof;
- (b) degenerate variants of the sequences of step a;
- (c) an isolated nucleic acid molecule that expresses a cysteine knot protein; and,
- (d) oligonucleotide fragments which are 70% homologous to Exon 2 of SEQ. ID.

10 NO. 128.

2. The isolated nucleic acid molecule of Claim 1(c), wherein the nucleic acid molecule is selected from the group consisting of Wise and Sost family member nucleic acid sequence molecules.

3. The isolated nucleic acid molecule of Claim 1, wherein nucleic acid molecules are
15 homologous to the sequences of Claim 1, and are selected from the group consisting of genes, mRNA, cDNA, gDNA, tRNA, RNAi, SiRNA, oligonucleotides, polynucleotides, and nucleic acid sequence fragments.

4. The isolated nucleic acid molecules of Claim 1 wherein the molecules comprise
20 genes, mRNA, cDNA, gDNA, tRNA, RNAi, oligonucleotides, polynucleotides, and nucleic acid sequence fragments.

5. Antisense RNAs complementary to at least one of the isolated nucleic acid molecules of Claim 1.

6. Mutations of the nucleic acid sequences of Claim 1, wherein mutants are selected from the group consisting of point, frame shift, deletion, and loss of function mutations.
7. The mutations of Claim 5 wherein the loss of function mutation comprises a stop codon associated with Exon1 of the Wise gene.
- 5 8. The mutations of Claim 5, wherein the loss of function mutation comprises a stop codon associated with the Sost gene.
9. An antisense oligonucleotide to any mRNA transcribed from at least one nucleic acid molecule of Claim 1.
- 10 10. An RNAi complementary to at least one of the nucleic acid sequences of Claim 1.
11. RNA nucleic acid molecules transcribed from the nucleic acid sequences of Claim 1.
12. A probe which hybridizes to at least one of the nucleic acid molecules of Claim 1 selected from the group consisting of cDNA and RNA labeled probes.
13. A vector comprising a promoter operably linked to a nucleic acid molecule
15 according to Claim 1 or 6.
14. The vector of Claim 13, wherein the vector is selected from the group consisting of expression, cloning, and viral vectors.
15. The vector of Claim 13, wherein the vector is selected from the group consisting of expression vectors, fusion vectors, gene therapy vectors, two-hybrid vectors, reverse two-
20 hybrid vectors, sequencing vectors, and cloning vectors.
16. The vector of Claim 13, wherein the vector is selected from the group consisting of prokaryotic and eukaryotic vectors.

17. The prokaryotic vector of Claim 16, wherein the vector is selected from the group consisting of pET, pET28, pcDNA3.1/V5-His-TOPO, pCS2+, pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHis, pRSET, pGEMEX-1, pGEMEX-2, pTrc99A, pKK223-3, pGEX, pEZZ18, pRIT2T, pMC1871, pKK233-2, pKK38801, and pProEx-HT.

5 18. The eukaryotic vector of Claim 16, wherein the vector is selected from the group consisting of pFastBac, pFastBac HT, pFastBac DUAL, pSFV, pTet-Splice, pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, YACneo, pSVK3, pSVL, pMSG, pCH110, pKK232-8, p3'SS, pBlueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3, pREP4, pCEP4, and pEBVHis.

10 19. The promoter of Claim 13, wherein the promoter is selected from the group consisting of a viral promoter and a cellular promoter.

20. The vector of Claim 13, wherein the vector comprises a selectable marker selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic gene, a toxic gene, a phenotypic marker, a colorimetric marker, an antisense oligonucleotide, a
15 restriction endonuclease, an enzyme cleavage site, a protein binding site, and an immunoglobulin binding site.

21. The vector of Claim 20, wherein the selectable marker is selected from the group consisting of LacZ, neo, Fc, DIG, myc, and FLAG.

22. The isolated nucleic acid molecule of Claim 1, wherein nucleic acid molecules
20 homologous to the sequences of Claim 1 are selected from the group consisting of wild type, mutant, antisense, base-substituted, frame shift, deletion, and truncated genes.

23. The prokaryotic vector of Claim 17, wherein the vector replicates in a prokaryotic host cell selected from the group consisting of Gram-negative and Gram-positive bacterium.

24. The prokaryotic host cell of Claim 23, wherein the host cell is a bacterium selected from the group consisting of Escherichia, Salmonella, Proteus, Clostridium, Klebsiella, Bacillus, Streptomyces, and Pseudomonas.

25. The Gram-negative bacterium of Claim 23, wherein the bacterium is Escherichia coli.

26. The eukaryotic vector of Claim 16, wherein the vector replicates in a eukaryotic host cell selected from the group consisting of yeast, plant, fish, mammalian, human, mouse, frog, or insect cells.

27. The eukaryotic host cell of Claim 26, wherein the host cell is selected from cells of the group consisting of ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, and human or mammalian bone marrow stroma.

28. A host cell transfected with a vector according to Claim 13.

29. A morpholino antisense oligo molecule derived from any of the nucleic acid sequences of Claim 1.

30. The morpholino of Claim 29, wherein the effective amount of morpholino antisense oligo is within a concentration range between 0.1 nM to 10 mM.

31. A mutant Wise nucleic acid molecule selected from the group consisting of mutants of the following sequences:

- (a) isolated nucleic acid molecule selected from the group consisting of SEQ. ID. NOs. 1-5, 96, 97, 109, 126-128, and complementary sequences thereof;
- (b) degenerate variants of the sequences of step a;
- (c) an isolated nucleic acid molecule that expresses a cysteine knot protein; and,

(d) oligonucleotide fragments which are 70% homologous to Exon 2 of SEQ. ID.

NO. 128.

32. The mutant nucleic acid sequences of Claim 31, wherein mutants are selected from the group consisting of point, frame shift, deletion, and loss of function mutations.

5 33. A recombinant Wise plasmid formed from a mutant of Claim 31, a promoter, and a selectable marker.

34. The plasmid of Claim 33 comprising at least one stop codon.

35. A host cell transfected with the plasmid of Claim 33, wherein the host cell comprises stem cells.

10 36. A host cell transfected with the plasmid of Claim 33, wherein the host cell comprises embryonic cells.

37. A chimeric mammal wherein the host cell of Claim 35 or Claim 36 is used to transfect the mammal.

38. The transfected mammal of Claim 37, wherein a mouse is selected.

15 39. The promoter of Claim 33, wherein the promoter is selected from the group consisting of a viral promoter and a cellular promoter.

40. The Wise plasmid of Claim 33, wherein the selectable marker comprises at least one marker selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic gene, a toxic gene, a phenotypic marker, a colorimetric marker, an antisense
20 oligonucleotide, a restriction endonuclease, an enzyme cleavage site, an enzyme, a protein binding site, and an immunoglobulin binding site.

41. The Wise plasmid of Claim 33, wherein the selectable marker is selected from the group consisting of LacZ, neo, Fc, DIG, myc, and FLAG.

42. The Wise mutant nucleic acid molecule of Claim 31, wherein the sequences are selected from the group consisting of wild type, mutant, antisense, base-substituted, deletion, frameshift, and truncated genes.

43. The vector of Claim 33, wherein the vector is selected from the group consisting
5 of prokaryotic and eukaryotic vectors.

44. A prokaryotic plasmid of Claim 43, wherein the plasmid replicates in a prokaryotic host cell selected from the group consisting of Gram-negative and Gram-positive bacterium.

45. A prokaryotic host cell transfected with the plasmid of Claim 33, wherein the host
10 cell is selected from the group consisting of Escherichia, Salmonella, Proteus, Clostridium, Klebsiella, Bacillus, Streptomyces, and Pseudomonas.

46. The Gram-negative bacterium of Claim 43, wherein the bacterium is Escherichia coli.

47. A eukaryotic host cell transfected with the plasmid of Claim 33, wherein the
15 plasmid replicates in a eukaryotic host cell selected from the group consisting of yeast, plant, fish, mammalian, human, frog, or insect cells.

48. The eukaryotic host cell of Claim 47, wherein the host cell is selected from cells of the group consisting of ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, and human or mammalian bone marrow stroma.

20 49. A mutant Wise nucleic acid molecule which can influence at least one of the following: tooth development, Wnt pathway, bone deposition, and ocular development selected from the group consisting of:

(a) mutants of isolated nucleic acid molecules comprising SEQ. ID. NOs. 1-5, 8, 109, 126 – 128, and complementary sequences thereof;

(b) degenerate variants of the sequences of step a; and,

(c) Wise nucleic acid molecules having a stop codon which prevents translation to a polypeptide.

50. A mutant Sost isolated nucleic acid molecule which can influence at least one of the following: tooth development, Wnt pathway, bone deposition, and ocular development selected from the group consisting of mutant variants of:

(a) Mutants of isolated nucleic acid molecule comprising SEQ. ID. NOs. 6, 7, 9 – 14, 110, and 111, and complementary sequences thereof; and,

(b) degenerate variants of the sequences of step a.

51. The isolated nucleic acid molecule of Claim 50, wherein nucleic acid molecules are homologous to the sequences of Claim 50, and are selected from the group consisting of genes, mRNA, cDNA, gDNA, tRNA, RNAi, oligonucleotides, polynucleotides, and nucleic acid sequence fragments.

52. The mutants of Claim 50, wherein the mutants comprise antisense RNAs complementary to the non-mutant isolated nucleic acid molecules.

53. The mutants of Claim 50, wherein mutants are selected from the group consisting of point, frame shift, deletion, and loss of function mutations.

54. The mutations of Claim 53, wherein the loss of function mutation comprises a stop codon at the start of the Sost gene.

55. An antisense oligonucleotide to any mRNA translated from a nucleic acid molecule of Claim 50.

56. An RNAi complementary to the non-mutant nucleic acid sequences homologous to the sequences of Claim 50.

57. RNA nucleic acid molecules transcribed from the nucleic acid sequences of Claim 50.

5 58. A probe which hybridizes to at least one of the nucleic acid molecules of Claim 50 selected from the group consisting of cDNA and RNA labeled probes.

59. A vector comprising a promoter operably linked to a nucleic acid molecule according to Claim 50.

60. The vector of Claim 59, wherein the vector is selected from the group consisting of expression, cloning, and viral vectors.

61. The vector of Claim 59, wherein the vector is selected from the group consisting of expression vectors, fusion vectors, gene therapy vectors, two-hybrid vectors, reverse two-hybrid vectors, sequencing vectors, and cloning vectors.

62. The vector of Claim 59, wherein the vector is selected from the group consisting of prokaryotic and eukaryotic vectors.

63. The prokaryotic vector of Claim 62, wherein the vector is selected from the group consisting of pET, pET28, pcDNA3.1/V5-His-TOPO, pCS2+, pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHis, pRSET, pGEMEX-1, pGEMEX-2, pTrc99A, pKK223-3, pGEX, pEZZ18, pRIT2T, pMC1871, pKK233-2, pKK38801, and pProEx-HT.

20 64. The eukaryotic vector of Claim 62 wherein the vector is selected from the group consisting of pFastBac, pFastBac HT, pFastBac DUAL, pSFV, pTet-Splice, pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, YACneo, pSVK3, pSVL, pMSG,

pCH110, pKK232-8, p3'SS, pBlueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3, pREP4, pCEP4, and pEBVHis.

65. The promoter of Claim 59, wherein the promoter is selected from the group consisting of a viral promoter and a cellular promoter.

5 66. The vector of Claim 59, wherein the vector comprises a selectable marker selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic gene, a toxic gene, a phenotypic marker, a colorimetric marker, an antisense oligonucleotide, a restriction endonuclease, an enzyme cleavage site, a protein binding site, and an immunoglobulin binding site.

10 67. The vector of Claim 66, wherein the selectable marker is selected from the group consisting of LacZ, neo, Fc, DIG, myc, and FLAG.

68. The isolated nucleic acid molecule of Claim 50, wherein nucleic acid molecules homologous to the sequences of Claim 50 are selected from the group consisting of wild type, mutant, antisense, base-substituted, frame shift, deletion, and truncated genes.

15 69. The prokaryotic vector of Claim 63, wherein the vector replicates in a prokaryotic host cell selected from the group consisting of Gram-negative and Gram-positive bacterium.

70. The prokaryotic host cell of Claim 69, wherein the host cell is a bacterium selected from the group consisting of *Escherichia*, *Salmonella*, *Proteus*, *Clostridium*, *Klebsiella*, *Bacillus*, *Streptomyces*, and *Pseudomonas*.

20 71. The Gram-negative bacterium of Claim 69, wherein the bacterium is *Escherichia coli*.

72. The eukaryotic vector of Claim 64, wherein the vector replicates in a eukaryotic host cell selected from the group consisting of yeast, plant, fish, mammalian, human, mouse, frog, or insect cells.

73. The eukaryotic host cell of Claim 72, wherein the host cell is selected from cells of the group consisting of ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, and human or mammalian bone marrow stroma.

74. A host cell transfected with a vector according to Claim 59.

75. A morpholino antisense oligo molecule derived from the nucleic acid sequences of Claim 50.

76. The morpholino of Claim 75, wherein the effective amount of morpholino antisense oligo is within a concentration range between 0.1 nM to 10 mM.

77. A mutant LRP nucleic acid molecule which can influence at least one of the following: tooth development, Wnt pathway activation, bone deposition, or ocular development, selected from the group consisting of:

- (a) mutants of isolated nucleic acid molecule selected from the group consisting of SEQ ID NOs 29 - 44, 99, 100, 112, 113, and complementary sequences thereof; and,
(b) degenerate variants of the sequences of step a.

78. The isolated nucleic acid molecule of Claim 77, wherein nucleic acid molecules are homologous to the sequences of Claim 77, and are selected from the group consisting of genes, mRNA, cDNA, gDNA, tRNA, RNAi, oligonucleotides, polynucleotides, and nucleic acid sequence fragments.

79. The mutants of Claim 77, wherein the mutants comprise antisense RNAs complementary to the isolated nucleic acid molecules of Claim 77.

80. The mutations of Claim 77, wherein mutants are selected from the group consisting of point, frame shift, deletion, and loss of function mutations.

5 81. An antisense oligonucleotide to any mRNA translated from a nucleic acid molecule of Claim 77.

82. An RNAi complementary to the nucleic acid sequences homologous to the sequences of Claim 77.

10 83. RNA nucleic acid molecules transcribed from the nucleic acid sequences of Claim 77.

84. A probe which hybridizes to at least one of the nucleic acid molecules of Claim 77 selected from the group consisting of cDNA and RNA labeled probes.

85. A vector comprising a promoter operably linked to a nucleic acid molecule according to Claim 77.

15 86. The vector of Claim 85, wherein the vector is selected from the group consisting of expression, cloning, and viral vectors.

87. The vector of Claim 85, wherein the vector is selected from the group consisting of expression vectors, fusion vectors, gene therapy vectors, two-hybrid vectors, reverse two-hybrid vectors, sequencing vectors, and cloning vectors.

20 88. The vector of Claim 85, wherein the vector is selected from the group consisting of prokaryotic and eukaryotic vectors.

89. The prokaryotic vector of Claim 88, wherein the vector is selected from the group consisting of pET, pET28, pcDNA3.1/V5-His-TOPO, pCS2+, pcDNA II, pSL301, pSE280,

pSE380, pSE420, pTrcHis, pRSET, pGEMEX-1, pGEMEX-2, pTrc99A, pKK223-3, pGEX, pEZZ18, pRIT2T, pMC1871, pKK233-2, pKK38801, and pProEx-HT.

90. The eukaryotic vector of Claim 88, wherein the vector is selected from the group consisting of pFastBac, pFastBac HT, pFastBac DUAL, pSFV, pTet-Splice, pEUK-C1, pPUR, 5 pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, YACneo, pSVK3, pSVL, pMSG, pCH110, pKK232-8, p3'SS, pBlueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3, pREP4, pCEP4, and pEBVHis.

91. The promoter of Claim 85, wherein the promotor is selected from the group consisting of a viral promoter and a cellular promoter.

10 92. The vector of Claim 85, wherein the vector comprises a selectable marker selected from the group consisting of an antibiotic resistance gene, a tRNA gene, an auxotrophic gene, a toxic gene, a phenotypic marker, a colorimetric marker, an antisense oligonucleotide, a restriction endonuclease, an enzyme cleavage site, a protein binding site, and an immunoglobulin binding site.

15 93. The vector of Claim 91, wherein the selectable marker is selected from the group consisting of LacZ, neo, Fc, DIG, myc, and FLAG.

94. The isolated nucleic acid molecule of Claim 77, wherein nucleic acid molecules homologous to the sequences of Claim 77 are selected from the group consisting of wild type, mutant, antisense, base-substituted, frame shift, deletion, and truncated genes.

20 95. The prokaryotic vector of Claim 89, wherein the vector replicates in a prokaryotic host cell selected from the group consisting of Gram-negative and Gram-positive bacterium.

96. The prokaryotic host cell of Claim 95, wherein the host cell is a bacterium selected from the group consisting of *Escherichia*, *Salmonella*, *Proteus*, *Clostridium*, *Klebsiella*, *Bacillus*, *Streptomyces*, and *Pseudomonas*.

97. The Gram-negative bacterium of Claim 95, wherein the bacterium is *Escherichia coli*.

98. The eukaryotic vector of Claim 88, wherein the vector replicates in a eukaryotic host cell selected from the group consisting of yeast, plant, fish, mammalian, human, mouse, frog, or insect cells.

99. The eukaryotic host cell of Claim 97, wherein the host cell is selected from cells of the group consisting of ES, COS, HEK 293, CHO, SaOS, osteosarcomas, KS483, MG-63, primary osteoblasts, osteoclasts, and human or mammalian bone marrow stroma.

100. A host cell transfected with a vector according to Claim 85.

101. A morpholino antisense oligo molecule derived from the nucleic acid sequences of Claim 77.

102. The morpholino of Claim 100, wherein the effective amount of morpholino antisense oligo is within a concentration range between 0.1 nM to 10 mM.

103. A mutant nucleic acid molecule, wherein the nucleic acid molecule is selected from the group consisting of mutagenized versions of LRP 1, 2, 5, and 6.

104. A nucleic acid sequence comprising a stop codon and a sequence selected from the group consisting of SEQ. ID. NOs. 1 – 44, 96 – 103, 108, 110 – 113, and 126 - 128.

105. A mutant of Wise SEQ. ID. NO. 126.

106. A mutant of mouse Wise nucleic acid SEQ. ID. NO. 1.

- 107. A mutant chick Wise protein SEQ. ID. NO. 4.
- 108. A mutant of Wise SEQ. ID. NO. 128.
- 109. A mutant of Wise SEQ. ID. NO. 2.
- 110. A mutant of Wise SEQ. ID. NO. 96.
- 5 111. A mutant of Wise SEQ. ID. NO. 97.
- 112. A mutant of Sost SEQ. ID. NO. 6.
- 113. A mutant of Sost SEQ. ID. NO. 8.
- 114. A mutant of Sost SEQ. ID. NO. 10.
- 115. A mutant of LRP SEQ. ID. NO. 38.
- 10 116. A mutant of LRP SEQ. ID. NO. 39.

117. A family of amino acid sequences which can influence at least one of the following: tooth development, Wnt pathway activation, bone deposition, or ocular development, selected from the group consisting of:

5 (a) an isolated amino acid sequence comprising SEQ ID NOs 45-48, 50-66, 104 - 107, 114 - 125;

(b) Wise amino acid sequences;

(c) Sost amino acid sequences;

(d) LRP amino acid sequences;

10 (e) an isolated amino acid sequence that is at least 70% homologous, to any of the proteins of (a); and,

(f) an isolated protein that has a cysteine knot formed from eight cysteine residues.

118. An antibody which binds to at least one of the amino acid sequences of Claim

15 117.

119. The antibodies of Claim 118, wherein the antibodies are selected from the group consisting of monoclonal antibody, polyclonal antibody, recombinant antibody, and antibody fragment.

120. A hybridoma cell that expresses at least one the antibodies of Claim 118.

20 121. An antibody that binds to a Wise polypeptide.

122. An antibody that binds to a Sost polypeptide.

123. An antibody that selectively binds to an epitope in the receptor-binding domain of the Wise protein.

124. The antibody of Claim 123, wherein an epitope on the Wise protein comprises a cysteine knot sequence that binds LRP, wherein the antibody prevents binding of the Wise protein to the LRP.

125. An Fab fragment derived from an antibody of Claim 118.

5 126. An anti-peptide antibody that prevents binding by Wise amino acid sequences to an LRP polypeptide selected from SEQ. ID. NOs. 67 - 95.

127. A Fab fragment that binds to any one of the polypeptides of Claim 117.

128. Fab fragments which bind to Exon 2 of Wise.

129. An anti-peptide antibody that prevents binding by Sost amino acid sequences to
10 an LRP polypeptide selected from SEQ. ID. NOs. 67 - 95

130. A family of amino acid sequences selected from the group consisting of:

(a) an isolated amino acid sequence comprising SEQ ID NOS 45-53, 104 - 107,
114 - 125;

(b) Wise amino acid sequences; and,

15 (c) SOST amino acid sequences.

131. An antibody that binds to at least one of the amino acid sequences of Claim 130.

132. A Fab fragment from an antibody of Claim 131.

133. An isolated amino acid sequence selected from the group consisting of:

(a) an isolated amino acid sequence comprising SEQ ID NOS 45, 52, 104, 105,
20 106, 114 - 125;

(b) a Wise amino acid sequence encoded by any of the nucleic acid molecules of Claim 1; and,

(c) an isolated protein that has a cysteine knot formed from eight cysteine residues.

134. An antibody that binds to at least one of the amino acid sequences of Claim 133.

135. A Fab fragment from an antibody of Claim 134.

5 136. A family of amino acid sequences selected from the group consisting of:

(a) an isolated amino acid sequence comprising SEQ. ID. NOs. 46 – 51, 53, 109;

and,

(b) a SOST amino acid sequence.

137. An antibody that binds to at least one of the amino acid sequences of Claim 136.

10 138. A Fab fragment from the antibody of Claim 137.

139. An anti-peptide antibody that prevents binding by a Sost amino acid sequences to an LRP polypeptide selected from SEQ. ID. NOs. 67 - 95.

140. An isolated amino acid sequence selected from the group consisting of:

(a) isolated amino acid sequences comprising SEQ. ID. NOs. 67 - 95;

15 (b) LRP polypeptides selected from the group consisting of LRP 1, 2, 5, and 6.

141. An antibody that binds to at least one of the amino acid sequences of Claim 140.

142. A Fab fragment from an antibody of Claim 141.

143. An isolated mutant amino acid sequence selected from the group consisting of:

(a) isolated mutagenized versions of amino acid sequences selected from SEQ.

20 ID. NOs. 45 – 48, 50 – 66, 104 – 107, 114 - 125;

(b) mutagenized Wise amino acid sequences; and,

(c) mutagenized Sost amino acid sequences.

144. An antibody that binds to at least one of the amino acid sequences of Claim 143.

145. A Fab fragment from an antibody of Claim 144.
146. An isolated antibody derived from the group of polypeptides consisting of:
- (a) an isolated amino acid sequence comprising SEQ. ID. NOs. 45 – 95, 104 – 107, and 114 - 125;
 - 5 (b) anti-Wise antibodies;
 - (c) anti-Sost antibodies; and,
 - (d) LRP antibodies.
147. A host cell transfected invitro with an antibody of Claim 146.
148. A host cell transfected invivo with an antibody of Claim 146.
- 10 149. An Fab derived from one of the antibodies of Claim 146.
150. An Fab which prevents binding of Sost to LRP where in the Fab is derived from a Sost antibody.
151. An Fab which prevents binding of Wise to LRP when the Fab is derived from a Wise antibody.
- 15 152. A protein molecule comprising:
- (a) a Wise polypeptide; and,
 - (b) an LRP polypeptide.
153. The protein of Claim 152, wherein the LRP polypeptide is selected from the group consisting of LRP 1, 2, 5, and 6 polypeptides.
- 20 154. A protein molecule comprising:
- (a) a Sost polypeptide; and,
 - (b) an LRP polypeptide.
155. A method for increasing bone deposition, comprising:

- (a) isolating a Wise nucleic acid sequence;
- (b) attaching a stop codon at the beginning of the Wise nucleic acid sequence to form a Wise cassette;
- (c) forming a Wise plasmid by inserting the Wise cassette into the plasmid;
- 5 (d) transfecting a host cell with the Wise plasmid, whereby homologous recombination occurs with a wild type Wise gene; and,
- (e) activating the stop codon to cause a loss of function mutation.

156. The method of Claim 155, wherein the host cell is selected from the group consisting of an insect, an amphibian, and a non-human mammal.

10 157. The method of Claim 150, wherein the host cell is derived from a human.

158. The method of Claim 155, wherein expression is controlled by delivery of a Wise nucleic acid molecule into a host cell by a method selected from the group consisting of transfection, microinjection, micro-vessel encapsulation, liposome encapsulation, and electroporation.

15 159. The method of Claim 155, wherein the host cell is selected from the group consisting of osteoblasts and osteoclasts.

160. The method of Claim 155 comprising transfecting a host organism to form a chimeric host.

161. The method of Claim 160, wherein the chimeric host is a mouse.

20 162. The method of Claim 160, wherein the host cells are transfected *in vitro*.

163. A method for increasing bone deposition, comprising:

- (a) isolating a Sost nucleic acid sequence;

(b) attaching a stop code at the beginning of the Sost nucleic acid sequence to form a Sost cassette;

(c) forming a Sost plasmid by inserting the Sost cassette into the plasmid;

(d) transfecting a host cell with the Sost plasmid, whereby homologous recombination occurs with a wild type Sost gene; and,

(e) activating the stop code to cause a loss of function mutation.

164. The method of Claim 163, wherein the host cell is selected from the group consisting of an insect, an amphibian, and a non-human mammal.

165. The method of Claim 163, wherein the host cell is derived from a human.

166. The method of Claim 163, wherein expression is controlled by delivery of a nucleic acid molecule into a host cell by a method selected from the group consisting of microinjection, micro-vessel encapsulation, liposome encapsulation, and electroporation.

167. The method of Claim 163, wherein the host cell is selected from the group consisting of osteoblasts and osteoclasts.

168. The method of Claim 163 comprising transfecting a host organism to form a chimeric host.

169. The method of Claim 168, wherein the chimeric host is a mouse.

170. The method of Claim 163, wherein the host cells are transfected *in vitro*.

171. A method for increasing bone deposition, comprising:

(a) isolating a LRP nucleic acid sequence;

(b) attaching a stop code at the beginning of the LRP nucleic acid sequence to form an LRP cassette;

(c) forming an LRP plasmid by inserting the LRP cassette into the plasmid;

(d) transfecting a host cell with the LRP plasmid, whereby homologous recombination occurs with a wild type LRP gene; and,

(e) activating the stop code to cause a loss of function mutation.

172. The method of Claim 171, wherein the LRP is selected from the group consisting of LRP 1, 2, 5, and 6.

173. The method of Claim 171, wherein expression is controlled by delivery of an LRP nucleic acid molecule into a host cell by a method selected from the group consisting of transfection, microinjection, micro-vessel encapsulation, liposome encapsulation, and electroporation.

174. The method of Claim 171, wherein the host cell is selected from the group consisting of osteoblasts and osteoclasts.

175. The method of Claim 171 comprising transfecting a host organism to form a chimeric host.

176. The method of Claim 175, wherein the chimeric host is a mouse.

177. The method of Claim 171, wherein the host cells are transfected *in vitro*.

178. A method for affecting the Wnt pathway comprising:

(a) isolating a Wise nucleic acid sequence;

(b) attaching a stop code at the beginning of the Wise nucleic acid sequence to form a Wise cassette;

(c) forming a Wise plasmid by inserting the Wise cassette into the plasmid;

(d) transfecting a host cell with the Wise plasmid, whereby homologous recombination occurs with a wild type Wise gene; and,

(e) activating the stop code to cause a loss of function mutation.

179. A method for affecting the Wnt pathway comprising:

(a) isolating a Sost nucleic acid sequence;

(b) attaching a stop codon at the beginning of the Sost nucleic acid sequence to form a Sost cassette;

5 (c) forming a Sost plasmid by inserting the Sost cassette into the plasmid;

(d) transfecting a host cell with the Sost plasmid, whereby homologous recombination occurs with a wild type Sost gene; and,

(e) activating the stop code to cause a loss of function mutation.

180. A method for affecting the Wnt pathway comprising:

10 (a) isolating an LRP nucleic acid sequence;

(b) attaching a stop codon at the beginning of the LRP nucleic acid sequence to form an LRP cassette;

(c) forming an LRP plasmid by inserting the LRP cassette into the plasmid;

(d) transfecting a host cell with the LRP plasmid, whereby homologous recombination occurs with a wild type LRP gene; and,

15 (e) activating the stop code to cause a loss of function mutation.

181. A method for affecting tooth development comprising:

(a) isolating a Wise nucleic acid sequence;

(b) attaching a stop code at the beginning of the Wise nucleic acid sequence to form a Wise cassette;

20 (c) forming a Wise plasmid by inserting the Wise cassette into the plasmid;

(d) transfecting a host cell with the Wise plasmid, whereby homologous recombination occurs with a wild type Wise gene; and,

(e) activating the stop code to cause a loss of function mutation.

182. A method for affecting tooth development comprising:

(a) isolating a Sost nucleic acid sequence;

(b) attaching a stop code at the beginning of the Sost nucleic acid sequence to
5 form a Sost cassette;

(c) forming a Sost plasmid by inserting the Sost cassette into the plasmid;

(d) transfecting a host cell with the Sost plasmid, whereby homologous
recombination occurs with a wild type Sost gene; and,

(e) activating the stop code to cause a loss of function mutation.

10 183. A method for affecting tooth development comprising:

(a) isolating an LRP nucleic acid sequence;

(b) attaching a stop code at the beginning of the LRP nucleic acid sequence to
form an LRP cassette;

(c) forming an LRP plasmid by inserting the LRP cassette into the plasmid;

15 (d) transfecting a host cell with the LRP plasmid, whereby homologous
recombination occurs with a wild type LRP gene; and,

(e) activating the stop code to cause a loss of function mutation.

184. The method of Claim 183, wherein the plasmid includes a promoter.

185. The method of Claim 183, wherein the transfected host cell is delivered to a host
20 organism to form a knockout host.

186. A method for predicting a defect in bone deposition, comprising:

(a) isolating a Wise gene;

(b) forming a labeled Wise gene probe; and,

(c) contacting the labeled gene probe with DNA from a homologue, whereby attachment of the labeled probe indicates a significant probability of normal bone development with normal activation of the Wnt pathway.

187. A method for causing increased bone deposition comprising:

- 5 (a) isolating a nucleic acid sequence selected from the group consisting of Wise, Sost, and LRP; and,
- (b) forming an antisense RNA from the nucleic acid sequence;
- (c) forming an antisense RNA vector; and,
- (d) transfecting a host cell with the antisense RNA vector.

10 188. The method of Claim 187, wherein the host cell is selected from the group of animals consisting of insect, amphibian, and non-human mammal.

189. The method of Claim 187, wherein the host cell is from Homo sapiens.

190. The method of Claim 187, wherein expression is controlled by injection of an encoding nucleic acid molecule into an embryo.

15 191. The method of Claim 187, wherein the vector is inserted into a prenatal subject.

192. A method for increasing bone deposition comprising:

- (a) isolating a Wise nucleic acid sequence;
- (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the Wise nucleic acid sequence to produce Wise polypeptides;
- 20 (c) harvesting the Wise polypeptides;
- (d) immunizing a host organism with the Wise polypeptides;
- (e) isolating antibodies to the Wise polypeptides from the host;
- (f) combining the antibodies with a carrier; and,

(g) transfecting a host cell *in vitro*.

193. The method of Claim 192, wherein a host organism is transfected with the carrier containing the antibodies.

194. The method of Claim 192, wherein the host cell is transfected *in vivo*.

5 195. The method of Claim 192, wherein expression is controlled by delivery of a Wise nucleic acid molecule into a host cell by a method selected from the group consisting of transfection, microinjection, micro-vessel encapsulation, liposome encapsulation, and electroporation.

196. The method of Claim 192, wherein the host cell is selected from the group
10 consisting of osteoblasts and osteoclasts.

197. The method of Claim 192, wherein the antibodies are Fab fragments.

198. A method for increasing bone deposition comprising:

(a) isolating a Sost nucleic acid sequence;

(b) forming a plasmid vector and transfecting a host cell whereby the host cell
15 expresses the Sost nucleic acid sequence to produce Sost polypeptides;

(c) immunizing a host organism with the Sost polypeptides;

(d) isolating antibodies to the Sost polypeptides from the host;

(e) combining the antibodies with a carrier; and,

(f) transfecting a host cell *in vitro*.

20 199. A method for increasing bone deposition comprising:

(a) isolating an LRP nucleic acid sequence;

(b) forming a plasmid vector and transfecting a host cell whereby the host cell
expresses the LRP nucleic acid sequence to produce LRP polypeptides;

- (c) immunizing a host organism with the LRP polypeptides;
- (d) isolating antibodies to the LRP polypeptides from the host;
- (e) combining the antibodies with a carrier; and,
- (f) transfecting a host cell *in vitro*.

5

200. A method for affecting the Wnt pathway comprising:

- (a) isolating a Wise nucleic acid sequence;
- (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the Wise nucleic acid sequence to produce Wise polypeptides;

10

- (c) immunizing a host organism with the Wise polypeptides;
- (d) isolating antibodies to the Wise polypeptides from the host;
- (e) combining the antibodies with a carrier; and,
- (f) transfecting a host cell *in vitro*.

201. A method for affecting the Wnt pathway comprising:

- (a) isolating a Sost nucleic acid sequence;
- (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the Sost nucleic acid sequence to produce Sost polypeptides;

15

- (c) immunizing a host organism with the Sost polypeptides;
- (d) isolating antibodies to the Sost polypeptides from the host;
- (e) combining the antibodies with a carrier; and,
- (f) transfecting a host cell *in vitro*.

20

202. A method for affecting the Wnt pathway comprising:

- (a) isolating an LRP nucleic acid sequence;

(b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the LRP nucleic acid sequence to produce LRP polypeptides;

(c) immunizing a host organism with the LRP polypeptides;

(d) isolating Fab antibodies to the LRP polypeptides from the host;

5 (e) combining the antibodies with a carrier; and,

(f) transfecting a host cell *in vitro*.

203. A method for affecting tooth development comprising:

(a) isolating a nucleic acid sequence selected from the group consisting of Wise, Sost, and LRP;

10 (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the nucleic acid sequence to produce polypeptides;

(c) immunizing a host organism with the polypeptides;

(d) isolating antibodies to the polypeptides from the host;

(e) combining the antibodies with a carrier; and,

15 (f) transfecting a host cell *in vivo*.

204. A method for affecting ocular development comprising:

(a) isolating a nucleic acid sequence selected from the group consisting of Wise, Sost, and LRP;

20 (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the nucleic acid sequence to produce polypeptides;

(c) immunizing a host organism with the polypeptides;

(d) isolating antibodies to the polypeptides from the host;

(e) combining the antibodies with a carrier; and,

(f) transfecting a host cell *in vivo*.

205. A method for preventing Sost from binding to an LRP selected from the group consisting of LRP5 and LRP6 comprising:

(a) isolating a Sost nucleic acid sequence;

5 (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the Sost nucleic acid sequence to produce Sost polypeptides;

(c) immunizing a host organism with the Sost polypeptides;

(d) isolating antibodies to the LRP polypeptides from the host;

(e) combining the antibodies with a carrier; and,

10 (f) transfecting a host cell *in vivo*.

206. A method for preventing Wise from binding to an LRP selected from the group consisting of LRP5 and LRP6 comprising:

(a) isolating a Wise nucleic acid sequence;

15 (b) forming a plasmid vector and transfecting a host cell whereby the host cell expresses the Wise nucleic acid sequence to produce Wise polypeptides;

(c) immunizing a host organism with the Wise polypeptides;

(d) isolating antibodies to the Wise polypeptides from the host;

(e) combining the antibodies with a carrier; and,

(f) transfecting a host cell *in vitro*.

20 207. A method for affecting either bone deposition, ocular development, Wnt pathway, or tooth development, comprising transfecting a host cell with an antibody derived from the group consisting of antibodies to LRP, Wise, and Sost, wherein the antibody prevents wild-type polypeptides from binding with their targets.

208. A kit for detecting a Wise polypeptide, wherein the kit comprises:

- (a) a container; and,
- (b) a Wise antibody with a marker.

209. A kit for detecting a Wise nucleic acid molecule, wherein the kit comprises:

- 5
- (a) a container; and,
 - (b) a Wise probe.

210. The method of Claim 207, wherein the protein molecule is isolated from a host organism in the group selected from Humans, xenopus, frogs, and *Drosophila*.

211. A method for blocking Wise/SOST expression using a morpholino.

10 212. The kit of Claim 208, wherein the markers comprise en2, Krox20, Hoxb9, myosin, RT-PCR, Ef1-Δ, NCAM, otx2, myosin light chain, and muscle actin.

213. The method of Claim 208, wherein the markers are selected from the group consisting of posterior, midbrain, hindbrain, spinal cord, mesoderm, muscle, and neural markers.

15 214. A Wise nucleic acid sequence comprising Wise, hemagglutinin, myc, stop codon, and FLAG sequences.

215. A method for activating canonical Wnt signaling comprising:

(a) injecting a Wise protein into an embryo, wherein the Wise protein binds to a Frizzled receptor thereby inhibiting the binding of the Wnt protein to the Frizzled receptor; and,

20 (b) activating canonical Wnt signaling.

216. A family of nucleic acid sequences selected from the group consisting of Caronte, Wise, Sost Dan, Cereberus, Gremlin, CTGF, Soggy, DKK1, DKK2, DKK3, DKK4, NOV, mucin, slit, OH, WISP, and CCN.

217. A method for producing a Wise mutant mouse comprising:

- (a) introducing a mutant Wise gene into a mouse embryonic stem cell;
- (b) introducing the embryonic stem cell into a mouse blastocyst to create a transgenic embryo; and,
- 5 (c) allowing the embryo to develop into the Wise mouse.

218. The method of Claim 217, wherein the introduction of a gene into the stem cell is selected from the group of methods consisting of transfection, micro-injection, biolistic particle delivery, lipofection, and electroporation.

219. The method of Claim 217, wherein the Wise mouse exhibits developmental
10 abnormalities selected from the group consisting of bone deposition, dental, neurological, and ocular abnormalities.

220. The mutated Wise gene of Claim 217, wherein the gene is selected from the group consisting of antisense, base-substituted, and truncated gene sequences.

221. An isolated mouse cell comprising a mutated Wise gene, wherein the endogenous
15 wild type Wise gene has been replaced with the mutated Wise gene.

222. The mutated Wise gene of Claim 221, wherein the gene is selected from the group consisting of antisense, base-substituted, and truncated genes.

223. A Wise pET vector comprising a mutated Wise gene sequence, neo, and LacZ.

224. The mutated Wise sequence of Claim 223, wherein the gene sequence is selected
20 from the group consisting of antisense, base-substituted, and truncated sequences.

225. A Sost pET vector comprising a mutated Sost sequence, neo, and LacZ.

226. The mutated Sost sequence of Claim 225, wherein the gene sequence is selected from the group consisting of antisense, base-substituted, and truncated sequences.

227. A mutant Wise mouse comprising the mutant Wise nucleic acid sequence of Claim 31.

228. The Wise mouse of Claim 227, wherein the mutant Wise gene is selected from the group consisting of homozygous and heterozygous genes.

5 229. A Sost mouse comprising the mutant Sost gene sequence of Claim 49.

230. The Sost mouse of Claim 229, wherein the mutant Sost gene is selected from the group consisting of homozygous and heterozygous genes.

231. A mutant Wise mouse made by the steps comprising:

(a) introducing a mutant Wise gene into a mouse embryonic stem cell;
10 (b) introducing the embryonic stem cell into a mouse blastocyst to create a transgenic embryo; and,

(c) allowing the embryo to develop into the mutant Wise mouse.

232. A family of nucleic acid sequences which can influence at least one of the following: bone deposition, Wnt pathway, tooth development, and ocular development, selected
15 from the group consisting of SEQ. ID. NOs. 1 - 44.

233. An isolated nucleic acid sequence which regulates bone deposition, ocular development, Wnt pathway, and tooth development, and binds to LRP.

234. The isolated nucleic acid sequence of Claim 233, wherein the sequence is selected from the group consisting of Wise and Sost nucleic acid sequences.

20 235. A method for producing a transgenic mutant Wise mouse, comprising:

(a) microinjecting a Wise cassette containing a mutant Wise nucleic acid sequence into a blastomere;

(b) injecting the blastomere into a host mouse embryo; and,

(c) growing the embryo to maturation.




Fig. 1A




Fig. 1B and C

A

fish	1	M	Y	I	N	A	P	E	S	C	N	F	N	L	V	F	G	F	L	I	R	G	L	T	L	K	N	D	A	T	E	32		
Xenopus	1	M	-	V	V	S	R	L	C	C	C	W	L	V	L	A	C	L	I	E	S	-	C	V	S	F	K	N	D	A	T	-	29	
chick	1	M	-	L	L	S	A	I	H	F	Y	G	L	L	L	A	C	T	F	T	R	S	-	Y	S	A	F	K	N	D	A	T	-	29
mouse	1	M	-	L	P	P	A	I	H	L	E	L	I	P	L	L	C	T	L	M	R	N	-	C	L	A	F	K	N	D	A	T	-	29
human	1	M	-	L	P	P	A	I	H	F	L	L	P	L	L	A	C	I	L	M	K	S	-	C	L	A	F	K	N	D	A	T	-	29

▲

fish	33	E	I	L	Y	S	H	V	S	P	V	Q	D	A	O	S	N	A	S	L	L	N	R	A	R	S	S	S	R	O	F	64		
Xenopus	30	E	I	L	Y	S	H	V	D	K	H	I	O	D	S	A	N	S	L	S	-	T	L	N	O	A	R	N	G	O	R	N	A	59
chick	30	E	I	L	Y	S	H	V	K	P	A	P	A	S	F	S	S	N	S	-	T	L	N	O	A	R	N	G	O	R	N	A	60	
mouse	30	E	I	L	Y	S	H	V	K	P	V	P	A	H	P	S	S	N	S	-	T	L	N	O	A	R	N	G	O	R	N	A	60	
human	30	E	I	L	Y	S	H	V	K	P	V	P	A	H	P	S	S	N	S	-	T	L	N	O	A	R	N	G	O	R	N	A	60	

* * * * *

fish	65	S	T	H	D	R	E	-	E	R	I	P	V	G	C	R	E	L	R	S	T	K	Y	I	S	D	G	Q	C	T	S	I	95	
Xenopus	60	A	N	S	A	L	D	R	I	N	H	D	V	G	C	R	E	L	R	S	T	K	Y	I	S	D	G	Q	C	T	S	I	91	
chick	61	A	G	T	G	S	D	R	N	N	R	V	Q	V	G	C	R	E	L	R	S	T	K	Y	I	S	D	G	Q	C	T	S	I	92
mouse	61	S	T	G	L	D	R	N	S	R	V	Q	V	G	C	R	E	L	R	S	T	K	Y	I	S	D	G	Q	C	T	S	I	92	
human	61	S	N	T	G	L	D	R	N	T	R	V	Q	V	G	C	R	E	L	R	S	T	K	Y	I	S	D	G	Q	C	T	S	I	92

* * * * *

fish	96	N	P	V	K	E	L	V	C	I	T	G	C	L	P	A	O	M	L	P	N	W	I	G	G	-	V	G	K	K	S	W	N	126
Xenopus	92	O	P	L	K	E	L	V	C	A	G	E	C	L	P	L	P	T	L	P	N	I	G	G	G	G	-	L	K	Y	W	S	123	
chick	93	N	P	L	K	E	L	V	C	A	G	E	C	L	P	L	P	N	W	I	G	G	G	G	-	L	K	Y	W	S	124			
mouse	93	S	P	L	K	E	L	V	C	A	G	E	C	L	P	L	P	N	W	I	G	G	G	G	-	L	K	Y	W	S	124			
human	93	S	P	L	K	E	L	V	C	A	G	E	C	L	P	L	P	N	W	I	G	G	G	G	-	L	K	Y	W	S	124			

* * * * *





fish	127	R	R	S	S	O	E	W	R	-	-	C	-	V	N	D	K	T	R	T	O	R	I	Q	L	Q	C	D	G	S	I	J	158
Xenopus	124	R	R	S	S	O	E	W	R	-	-	C	-	V	N	D	K	T	R	T	O	R	I	Q	L	Q	C	D	G	S	I	J	152
chick	125	R	R	S	S	O	E	W	R	-	-	C	-	V	N	D	K	T	R	T	O	R	I	Q	L	Q	C	D	G	S	I	J	153
mouse	125	R	R	S	S	O	E	W	R	-	-	C	-	V	N	D	K	T	R	T	O	R	I	Q	L	Q	C	D	G	S	I	J	153
human	125	R	R	S	S	O	E	W	R	-	-	C	-	V	N	D	K	T	R	T	O	R	I	Q	L	Q	C	D	G	S	I	J	153

* * * * *

fish	159	T	Y	K	I	T	V	V	T	S	C	K	C	K	R	Y	T	-	R	Q	H	N	E	S	G	V	K	S	E	G	Y	S	190
Xenopus	153	T	Y	K	I	T	V	V	T	S	C	K	C	K	R	Y	T	-	R	Q	H	N	E	S	S	H	N	Y	D	A	S	182	
chick	154	T	Y	K	I	T	V	V	T	A	C	K	C	K	R	Y	T	-	R	Q	H	N	E	S	S	H	N	F	E	G	T	S	183
mouse	154	T	Y	K	I	T	V	V	T	A	C	K	C	K	R	Y	T	-	R	Q	H	N	E	S	S	H	N	F	E	G	T	S	183
human	154	T	Y	K	I	T	V	V	T	A	C	K	C	K	R	Y	T	-	R	Q	H	N	E	S	S	H	N	F	E	G	T	S	183

* * * * *

fish	191	H	S	O	I	K	K	O	R	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207
Xenopus	183	P	A	K	P	V	O	H	H	K	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	214
chick	184	P	A	K	P	V	O	H	H	K	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206
mouse	184	P	A	K	P	V	O	H	H	K	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206
human	184	P	A	K	P	V	O	H	H	K	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207

B**C****E****Fig 2**




Fig 3




Fig 4





Fig 5






Fig. 7. A-D




Fig. 7E - I




Fig. 8




Fig. 9 A and B






Fig 9C and D

gi 7019349	hGremlin	094..179	CEKQPLRQIVSEEG---CFSRTILHRF-CYQCHBFYIPREVKKEEDSCAFCTPQRTVSIVIVELECPGLDPPFRIKRIQKVKRC
gi 5902634	gCaronte	168..247	CRLTFSSVAHES---CENVIVQHL-CFGRGSEFVPPDDELTYD---CCLPTKTSKGFPLNCTSSVAVKVEHVEE-CNC
gi 4685135	hCarberus	162..241	CRVFFNQIARLD---CQVUVQHL-CFGRCSHIFPPGEGADHSTSHCSPTKFTTVHLELNCTSPYAVKRVGVLE-CQC
gi 20140217	mSOST	076..165	CRELHYTRFLTDGP---CISAKFVTELVCSGCGGPARLLPNAIGEVKNQPCINDRTRAGVQLCPGGIAPRSRRVLVASCRG
gi 13384674	hWISE	133..165	CRELRTRYISDQ---CTISISPKELVCAQFCLLPVLPNFIQGGCYGSRGVHDKTRTQHQLQQDQSTRTYTEITVVA-CRC
gi 1352515	hNOW	264..338	CLRTKSLRAIHLOKNCIELHTKPRFC-GVCSQGR-----CCTPHNTKIQAFQCSHQVKKPVEVIGT-CTC
gi 4504613	hCyc61	293..375	CSKTKSPPEPVFTTACLSVKSTRPKYC-GSCVDGR-----CCTPOLIRVVRFRCEDEGTFSKNWHMIGS-CRC
gi 104571	gCEF10	281..350	CITKTKSPSPVFTTACCSVKTRPKYC-GSCVDGR-----CCTPOLIRVVRFRCEDEGTFSKNWHMIGS-CRC
gi 6753878	mCTCF	250..344	CIRTKIAKPVKFLSGCTSVKTRATC-GVCTDGR-----CCTPHRTMLPVEFKCPDGEIRKNEHTIKT-CAC
gi 4507907	hVWF	2724..2806	CNDITARLQVVKGS---CKSEVVDIHYCGKCAKAYSIDINDVCGSCSPTRTEPEQALHCTNGSWYHEVLNAME-CRC
gi 114060	hApomuc	962..1411	CKPSPVNVTVRYNG---CTIKVENAR---CQCECKTVTVYDIFOLRW---CQCEDETEFRDIVLDCPDGSLPYRYRBITA-CSC
gi 2135765	hMuc2	5075..5154	CSTVTVTTSYAG---CIKTVLNEH---CQSGCGTFVYSAKAQALHSCCKTEKTSCEVVLSCFNGSLTHYTHIES-COC
gi 20873290	mMuc5B	4668..4767	CQVWVNATVLRNG---CETEVMITF---CQSGCSGISKYSNEAQARERTCCQKSKVHDVAVTQCQPDGVIQHTNTHIDE-CNC
gi 4405824	sGascmuc	865..952	CAVYKQHQVLQOQS---CRSAGPVRLTYCGNCGDTASHTSPFLNAVECKLCOELQVALRWTLHCPDGSRAFSYTEVE-KCGC
gi 3559944	mMucSAC	766..849	CTVHQQQIIRQIN---CSEGPVSIYCOGNCGDSISHTSLEANKVEGELCOELQTSQRNVLRCDDGSDITTSYITQVE-KCGC
gi 12821130	rSlt1	1455..1523	CRGDPVRDFHRVDRGTACGTTPLSVVECRGACPGG-----CCQGLRLKRRRLTFECSDGTSFAEEVERPT-KCGC
gi 5532495	mSlt2	1445..1516	CEGEAVRDYVQDGTACGTTKVSRLRCRGCCAGGQ-----CCQPLRSKRRKVSFECDGSGSFVDEVEKV-KCGC
gi 5532497	mSlt3	1449..1519	CEGEIVREAIRQKIVACATSKVP1HRCRGCCGSGQ-----CCQPLRSKRRKVSFECDGSGSFVDEVEHLE-CGC

E

Fig. 9E

Fig. 10






Fig. 11




Fig. 12




Fig. 13




Fig. 14

Nonprovisional IP-017.ST25.txt
SEQUENCE LISTING

<110> Krumlauf, Robb
Ellies, Debra

<120> COMPOSITIONS AND METHODS FOR REGULATING BONE DEPOSITION

<130> 40716-IP-017

<150> 60/388,970
<151> 2002-06-14

<160> 140

<170> PatentIn version 3.2

<210> 1
<211> 618
<212> DNA
<213> MOUSE

<220>
<221> misc_feature
<223> wise, cDNA

<220>
<221> misc_feature
<222> (283)..(283)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (383)..(383)
<223> n is a, c, g, or t

<400> 1
atgcttcctc ctgccattca tctctctctc attccccctgc tctgcatcct gatgagaaac 60
tgtttggtt ttaaaaatga tgccacagaa atcctttatt cacatgtggt taaacctgtc 120
ccggcacacc ccagcagcaa cagcaccctg aatcaagcca ggaatggagg caggcatttc 180
agtagcactg gactggatcg aaacagtcga gttcaagtgg gctgcaggga actgcggtcc 240
accaaataca ttctggacgg ccagtgcacc agcatcagcc cnttgaagga gctggtgtgc 300
gcgggcgagt gcttgcccct gccggtgctt cccaactgga tcggaggagg ctatggaaca 360
aagtactgga gccggaggag cnttcaggag tggcggtgtg tcaacgacaa gacgcgcacc 420
cagaggatcc agctgcagtg tcaggacggc agcacgcgca cctacaaaat caccgtggtc 480
acggcgtgca agtgcaagag gtacacccgt cagcacaacg agtccagcca caactttgaa 540
agcgtgtcgc ccgccaagcc cgcccagcac cacagagagc ggaagagagc cagcaaatcc 600
agcaagcaca gtctgagc 618

<210> 2
<211> 3311
<212> DNA
<213> Homo sapiens

<400> 2
tatataaagg gaagcttgag gaggaatttc acagttacag tgcagaagca gaagcaaaag 60

Nonprovisional IP-017.ST25.txt

aattaaccag ctcttcagtc aagcaaatcc tctactcacc atgcttcctc ctgccattca	120
tttctatctc ctcccccttg catgcatcct aatgaaaagc tgtttggtt ttaaaaatga	180
tgccacagaa atcctttatt cacatgtggt taaacctggt ccagcacacc ccagcagcaa	240
cagcacgttg aatcaagcca gaaatggagg caggcatttc agtaacactg gactggatcg	300
gaacagtaag tgtgttttac ttgtacagtt ttttttttc ttttctggtg gcattagctc	360
acattcctgt agaattgttt tatttgtaac taacctgaac cgtatatatg ttgtgaaaca	420
atttgggagt aatctgctgc atgtgcaggt tggcattctt ccctaggtag tgattttaaa	480
gttaacctaa ctaaaacagt ggtttaatag tgcaagcaca gactgaagtt ttatcaaaca	540
tccacaaaga aaacatttcc aggaattaaa ctattgtttt gtcaaaatca tgcaaaatga	600
ccattttaaa aagtattgtt ttagatagct caagttccgg ttgttttgtc aatttatttc	660
aggcatatg caattttggt aaagtgtata aacgtaacta atatatatta ttagttacca	720
tccacaaata aatatagga atcacaaggg aaaaaggaa gcttccagga gaaaaattt	780
gtttacattg gatttctaaa atatgtctag tgagatagtc aaaagttttg atgatgtca	840
atgtaaaaga gggataaact aaaaatgttg gagaatcaca ttttctaaa ataattcctt	900
gttgctccat tcaaaattta gataattgtg tatttctgtg acagactggg gacatttttg	960
taacttaaga gatgtaaaac aacagcttag ttgacacact aattgaccac tggtagggg	1020
gattcaaatt acccctaact tttgtttcta tcttttctt tagaagaggc catatgctaa	1080
taatcaggtt ttaagagaga gagagagaga gagagaaaca ctgagcagga aatcttacac	1140
aaatcttttg cctctccttc ttactccat tcaactacga aaagtagttt tgacttttga	1200
aaagtcaaag caaatttgac tgtaaatgtc taagaaagct aggatgtttt aactttcacg	1260
aagctggttg cttttaagta cacaggacat atctgattat tattagatta ctgagcaatg	1320
tggtgggtat tcgttgtaa tgaactgtca ctgcaaaaat gccaaatctg tatatacaca	1380
ggaacagaaa gcttgacgag acaaaattat ttctggctat ttccagggtc attcctgagg	1440
cagctgcagg aaggtgagct ggaggcagaa tcaggcacgc tgagcacact gtccaaccaa	1500
acaatttacg ctttacattt taatcccaca attctagatt tctatgcatg catgtctata	1560
tacataagtt tttcacaaac tatcacgttc cccttaagct atatctctta cctcagaagt	1620
actagcatag agagatgaag tgaactcct gattcagttc tacttcgacg tatctttcag	1680
tactttttgt ggaaccactt cagtgtccct tatcattttt atttgtaaaa tgtcagcagc	1740
ctgtactttt aaacatcctt ttttttttc ctggttggtg agccttgatt tcttttcaag	1800
cttggtatag gcaattctcc tcaagtttag ataacaagc aagggttaagg aaaacttaaa	1860
atatttaaag attaatTTTT gctttaatta cataaggcat gtaacaagaa acagccaatt	1920
agagaacata cctatcaaat ccaaataact aaaacaaaaa gtttgccatg accaatattc	1980
aggaaatgaa caccgtggtt ccttttgtag ttgtaaatca gacatgttag gcatttttct	2040
gccataaaat tcatggaaat gtagccaagt tgttatggca accatacgtt cctgatttag	2100

Nonprovisional IP-017.ST25.txt

```

gggccttttat attcctttgag tcttgagttg tagtggcatt ttacatttca aacatgttac 2160
tgtttgattt ttttaaaaga tagtttgga atttatgttt aaaacatagt tattaagttt 2220
gatatgcaaa atgtcagatg ttgtacacat gtatgtctga gtctctgcag cttaaagtcta 2280
taattgaaat aaaatattac cgagagcata tgcattatac acaatattta aatggctatc 2340
acattttttc tcaacagatt tttaaaaagc ctaattaaaa acacttgagc acattagcca 2400
atatgaccct tgagaaagag aatattaaag tatactctta actcattgaa taatgaatat 2460
ttacacataa atggaagagc tgctaacccc ttattggaga gtcagactaa ggaaattgga 2520
ttttcaaaca ctctaataag caattagcta atgttatata taaaaacaat caggcctaca 2580
ttttttttcc caaaaaagtt atagccatgt aaactgatga ttttcatgaa agtgtcccta 2640
tactatccag acagattttt ttcactgtga aaataaagta ggtgctcact ttctatttgg 2700
caatttgcta tcaattgcct attatttttg tcattgcaga tcacttttta aaaggctctt 2760
atttgcatth tttctctgat gcacattctt ttttgthtcc tgcagctcgg gttcaagtgg 2820
gttgccggga actgcgttcc accaaatata tctctgatgg ccagtgcacc agcatcagcc 2880
ctctgaagga gctggtgtgt gctggcgagt gcttgcctt gccagtgtc cctaactgga 2940
ttggaggagg ctatggaaca aagtactgga gcaggaggag ctcccaggag tggcggtgtg 3000
tcaatgacaa aaccgtacc cagagaatcc agctgcagt ccaagatggc agcacacgca 3060
cctacaaaat cacagtagtc actgcctgca agtgcaagag gtacaccggg cagcacaacg 3120
agtcagtc caactttgag agcatgtcac ctgccaagcc agtcagcat cacagagagc 3180
ggaaaagagc cagcaaatcc agcaagcaca gcatgagtha gaactcagac tcccataact 3240
agacttacta gtaaccatct gctttacaga ttgattgct tggaagactc aagcctgcca 3300
ctgctgtttt c 3311

```

<210> 3
<211> 1873
<212> DNA
<213> Homo sapiens

```

<400> 3
agggatccca ccccttctct gtgttttcac tctgaagctc tacacaactt tacacctgaa 60
tgaacgcaa acctctatgg atatataaag ggaagcttga ggaggaattt cacagttaca 120
gtgcagaagc agaagcaaaa gaattaacca gctcttcagt caagcaaata ctctactcac 180
catgcttcct cctgccattc atttctatct ccttcccctt gcatgcatcc taatgaaaag 240
ctgttttgct tttaaaaatg atgccacaga aatcctttat tcacatgtgg ttaaacctgt 300
tccagcacac ccagcagca acagcacgtt gaatcaagcc agaaatggag gcaggcattt 360
cagtaacact ggactggatc ggaacactcg ggttcaagtg ggttgccggg aactgcgttc 420
caccaaatac atctctgatg gccagtgcac cagcatcagc cctctgaagg agctgggtgtg 480
tgctggcgag tgcttgcccc tgccagtgt ccctaactgg attggaggag gctatggaac 540
aaagtactgg agcaggagga gctcccagga gtggcggtgt gtcaatgaca aaaccgtac 600

```

Nonprovisional IP-017.ST25.txt

```

ccagagaatc cagctgcagt gccaatgatg cagcacacgc acctacaaaa tcacagtagt    660
cactgcctgc aagtgaaga ggtacacccg gcagcacaac gaggccagtc acaactttga    720
gagcatgtca cctgccaagc cagtcagca tcacagagag cggaaaagag ccagcaaadc    780
cagcaagcac agcatgagtt agaactcaga ctcccataac tagacttact agtaaccatc    840
tgctttacag atttgattgc ttggaagact caagcctgcc actgctgttt tctcacttga    900
aagtatatgc ttctgtcttt gatcaaacc agcaagctgt cttaagtatc aggaccttct    960
ttgggaatag tttttccttt tcaagtttt caagatgtag gtatatccat gaatgcaatt   1020
tgcatttaaa ttccacgtat cctgtagttt taattcctca ttgttcttaa aagactgttg   1080
atactataaa catcagtga tcatatatt ttaaaacaga aaagggcttc tcagataccc   1140
tccatctact ggcccatccc ctctcctaaa caaaactcct tcaaacagg ttaaaaaaaa   1200
tatgttgtca tgaatcttca cagtaacatt tcagaaagg gcttttttg tactcttcat   1260
gggaacagtt tagcagccat gaggatctt ccttgaaag agaataagag accctgtgac   1320
atttcacttc aaaaataagc cctgtagctc ttacggctc catagtataa aattataccc   1380
tgcagctga cctcgcttg gaatggaatg ccagaaatgc atggcagcag ctaataagta   1440
aagctgatta actatttatt tgtcaatgtt attatttaat gaggcttcac atgtgatttg   1500
tttcaaaact ttaatttttt aatgttttga aactttttca tggacctaaa tattttccta   1560
tatgatttgt ggttgattag aaatatgaaa tacatgttgt agatatgtaa aatgaatatt   1620
ttagtctcct tattacatat atgttcatgg tgaactttat caatagtatg gatcttttta   1680
aatcaataag atgctttgta aagttgaaat aagtaatact ttcttgttta atctgtgcaa   1740
tcagaagggt tcttgacctt caattcaatt ggtttctttt aacaaaaata aactcgcata   1800
aaagttattg ttgttgcttc taacatgtat aaagggtgca aaaattgtag aataaatgta   1860
taagggtaaa aaa                                         1873

```

```

<210> 4
<211> 671
<212> DNA
<213> CHICK

```

```

<400> 4
atgcttctct ccgccattca ctctacggc ttactcctag cttgcacctt cagcagaagc    60
tactcggctt tcaagaacga tgccactgag atactttatt cccacgtcgt taaacctgcc   120
cctgcgagcc cgagcagcaa cagcacgttg aaccaagcca ggaacggagg gaggcactac   180
gccggcacgg gctccgaccg taacaatcgc gttcaagttg gctgccggga actgcgatct   240
accaagtaca tctcagacgg ccagtcacc agcatcaatc ccctgaagga gctggtgtgt   300
gctggcgaat gcctccctt gccgctcctg cccaactgga ttggaggagg ttatggaacc   360
aagtactgga gcagacggag ctgcaagag tggagatgtg tcaatgacaa aactcgcacc   420
cagaggatcc agctgcagtg ccaggatgga agtataagaa cctacaaaat aactgtggct   480

```


Nonprovisional IP-017.ST25.txt

acggcctgca agtgcaagcg atacaccagg cagcacaacg agtccagcca caactttgag 540
 ggaacctctc aagcaaagcc tgtccagcat cacaaagaga gaaaaagagc cagtaaatcc 600
 agcaaacata gtacaagtta gaagtcagac gtcctctcct ctctgctcc tcctgccaaa 660
 actgaactca c 671

<210> 5
 <211> 5669
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 5
 ttaagcagtg tgttcgacaa atgccggtgc aggagtgaca acatcctggt gtggtggctc 60
 gggtgaaatg tctccagcgt tcgaagaagc gtcgctacct gacttggtac gttcacgctt 120
 cgttgcctga aacatgtcac atatttgcac gaatagcaat agtttttgca ccatgtggaa 180
 atctaagaat ctatgaagcc agggcttcca ttccgccaca gaaccccgaa agtgtcggcc 240
 gctgccaaat aactatttat cgcactacgt tatgcaaaca tcaagcatgg cgtggagcgc 300
 cgtcaccgtc aaaatcctag ccagcagttg tagaaaatac accaactctt ccatcgctgc 360
 tgctgctgtt agtttgatct tcgtcctctt cctcctcgtg gcagaacgtt tcctgatcgt 420
 tcaacgtttt cttgttccat ccacgaactt gctgtccgac actttgttgg cgttccagag 480
 tgtttgatcg agatctcaaa gtgtgtgcgt ggtcgactgt aagctcatgt ggcatgcatt 540
 tcattgggtc acggaaatag tagaatgatg gatagtgtac aaggttgtag caagaagaag 600
 cgtagacgtc agcatatctg aaaatacccg tggcttttgc acttatttct atttttgggt 660
 aggttcagtc aaccgtgatg tcctaaaaat gtcataaac cgttgttttg aaagttttta 720
 ttactaaag ggatattctt agagcaagag taaagggtcg aataatttga aacgcatgtt 780
 gtttaaatgc gtcacaaatga caaaatttca atgaaactta tcaaaaattt atcaaaaaag 840
 tgttatgccc gtttaaaagt ttgaaaaaat ggtcaaactt taacaaaacg ctacagttga 900
 cttttttgat ttactattat gtattggtat ttgtgaagcc gataggtaac taaaaattac 960
 aaaaataagt caactatcgc ttcaaaggta ccttaaccaa cgaaataatg tgagataaac 1020
 taccaaaata tgcaataaaa gacgataact taaaagtca accacgaacc gcgtggccga 1080
 aattggagat tttagctaaa attagggtat ttttatttga aattttcaat tgccataaaa 1140
 actttatgaa catttttcaa aaagtttcat tacgaaattt gttcatttga gcacattttg 1200
 gataaatacg ttccaaatag ttttagctgt tactcctctt tcaaactttt ttcaggttta 1260
 atcaaacact aaaacttaaa aaaaaaaca atttaaattc tctattctag tgaatcaggt 1320
 aaattacatt ttttaatcat aaaaaactga acactttagt gtatacttct tttgtatttt 1380
 tgccaaggaa acaccgttcc caaaccta atcaagtta tatacctttc gacttgagag 1440
 gcaaagaagg tagttcggcc tccggttcta aaaagacttc ccaaacatcc atactcctcg 1500
 tccatttgat tggtaagttt ctggaagaaa ttgtgatttc acaaacttta tccgtaaaat 1560
 aaatattgaa cctactctaa tcttatcaac gatgtccttg acgacagggt tatgacgaga 1620

Nonprovisional IP-017.ST25.txt

agctccatcc aaattcttat agatgtcagc caacgtgctc tccatatgtc ccatctcatc	1680
gaacaatggc ttgctatcag tccacacagt cagctcgta acaagctccg gaacaactag	1740
gaaggtcctc catccgcggg atttcttcga gcgaagtaca tctccgaaaa tgtgatctcc	1800
gacgtaaagg acctcctttc cacggcattt catcattttt tggaaagcgt cacaggatcc	1860
tccagaatag acgactcctt ctctgagcgg tccagtatga attccgagtt tgtaggatcc	1920
ggtgtcagtg ttgacttctc taaaaactgt tccctctgca aaccatctcg gcttgcacga	1980
atctacaact atgatgttga agtaggtctt ccagtcattt cccaaaataa acttcatcat	2040
cacattagtg tacgtccagt cgctgttggg gaggaggaaat gttttcttgc cgtgctctct	2100
gagctggctc aagaaacgtg gtgcacgctc atcacgaatg acatacttct ccggattttc	2160
cattacttgc tttttcatcg tgctctgaaa atctcatcta tttagtttcc ggaaacaaga	2220
catttgagtc tcacctcac atgaaccag tcaataactc gtctcaaate ttggaaaatt	2280
gatttgatg acatcatcac ctgccacct ttactcccg tcttatcagt gagcctggaa	2340
tttattggaa aatgttgagc tggagctgcc tatcttgtaa acttacatcg aataatgtgg	2400
atgcttgtca aagaagtcga taagttgaca gataagatga gtctcgggca tgttgaacag	2460
cggtttcaat acataaaccc gcgagtcgga caatggtagg tacttgttcg ggtacatctc	2520
ctcgatttca tggctgcaaa attaatTTTT gcttgattat attgattatt taggcatact	2580
ttttcaagaa acggagaccg tgaattcctc cgagaatgtt tccaaatcca tcaactttga	2640
gcaaatTTCC gaattgaaac tcgaaccaca gacctgaaat aatcaagcac actataataa	2700
tcttttcttg cgactgatta aatatttaaa gacgattacg cattgaaatcg taatcagaaa	2760
cccataattc ccggcttaca agacgattag caacacctcg accctgtttt gaacctttgt	2820
aaaatctaataa aaagtcgagg tcaaatTTTC tcccctgtta caaacaatcc aacgattcaa	2880
tgtgtgatgt caaggaaaac tggcgcttag acgttgttcg tcaaaagatt tattgcagtg	2940
agataatgagc cagctatttt ttatttaagc gcataaaaaat tgtattccct tacaacacca	3000
agatacaaaa agtttatgtt cctgattcgc atgcaataaa aaaaactaat tgacagtacc	3060
agcattcttt caagacgcgt gctataaaac acgtgagcca ctgaaacaaa ccggaaattt	3120
cgcaacttac cacgaactgg gaaaattgga tcatatttga aacttttgat ttcttcagga	3180
taaccagtgt ctacaagacg ttggacagcc atattgaatg ccagatattc catatcagga	3240
gctttgtact ctggaaaaaa gacttgttgg aatgctggac tggttaatgt gcaatgaact	3300
tacgaacaag ggtataatcc atgtcgaatc caaagtgggt gatTTTctcc aaccggaggg	3360
accggttaac gaataccctg taacacagat ttgatataaa tttctcagaa ataaaatatt	3420
ttgaatggcg ttcttatttt ctaaactatg tttatgcaaa aagctacatc acaggtttga	3480
aggaggtatt acggatttgc gtatttttaa cgtgtaggct caaaatgtgt ttaagtgaac	3540
gaatttcgta atgacatctt tcaaaaaaaa tttcacaac atttcatggc ggttcaaat	3600
ttcgaaaaat ttagcctaata tctagctgaa atctgcaatt ttgggaccaa aaattacaaa	3660

Nonprovisional IP-017.ST25.txt

acacctatgg tcacctatag gctttaaatg tgccatcaac gcagtaacgc gagataaact	3720
acaaaaatat gagataaagg ataaaaattht gaaaaaaaag tcatcttcga acggctgcga	3780
cagagtgcact aaattcggag atattaccta attctgaacc cccataaaaa aatttttgaa	3840
atattttttg aaatgtttca ttttgaaatt cattttattg aacacatttt gggctacata	3900
cccaaaaccg atactgctcc tttaatctat acctttcgtc tgcattggag tctttccagc	3960
taaccatttt ttaaattcctt cagtgtatct tgataggagt aagccgtaga agtaagtttg	4020
tggctcagtt tgtgaggcgc cgaaaaataa aaagttttta tgattttgaa aatatataga	4080
gcaatcaaac caaaaaaaaa agtgcaaaaa aattaggcag ataataaaga aaactgaggg	4140
aaagtatttt catcttcagt ataccaaaag aaaattgata agacatgata acgaaggttg	4200
acacctgaga atttcttagt gagaaaaagt gggcagaccg gggggaacaa acccaataaa	4260
gaaattatca gtaagagtga acttaaacct aggccagtg gaaacacgacg caatttttagc	4320
gccttggaat gattccgcct atcgctacca ttaaaagata ggaagaggag gattggaaaa	4380
cgctgcaacc tcagaaaacc ttgatgcga tgagaaaaaa ttgatggata aattgaggaa	4440
tgcaattttt tgagagcgat tattttaatg tggtagacag acccagtaaa gaaataacct	4500
tgaatcttca gccaaagtaa acgaatctcg taatattcca caactccaca tcatagtatt	4560
ctaataccga actgtcacca taaattatac atttctattt cactttgaaa aatcaaattt	4620
atacctacat atgacctatt cacgcttggg ggagcaataa tttgcaaaac gaagcgaaaa	4680
taggagttaa atagaaaaaa aagaaaagaa aagaaaacgt gtaggggtta gaatgaataa	4740
atacaggag gtaagaagtt cgtgcagttt agttgagagc gaagcattct ctcttctgct	4800
ctcatgctcc tatgagcatt tcttggttaa cttgcttctt cgttgttttt ttctgttgct	4860
tttttaggct cttggttcca tcaaccctat tacgaaggcg cgttctaaaa tggatttttc	4920
caccattttt tttactaaa aacagcgcca aaaatgtgct agaacagcac aaaaatgatt	4980
ggtcaaaatt atgaaaattt tgaaaaatca caaaaacgta gatctcagcc tagggaaaaa	5040
gcctagggaa taagtaccca caatttaatt ttttctgat caatactaaa tttatgaaca	5100
attttttaaa aagttgaata attgaagcgg tagaaatttt ttttaagttct aaaaaagtat	5160
acaataatgt gtatttattt aaaagaatat ctttgaagg aggagtaacg ggaaaaattt	5220
cggattgaat tttttagaaa aaaaaattca aaatttatta tgggtgattta tttcgccac	5280
ttttccgtgt tgaagcgggt ggaagctaatt ttttttctga attatcattc tctgttgca	5340
tattttggtt gtttatctca cattattgtg taaataaatg tatatttaaa taaatatgca	5400
ataaaaaaga taattcgaaa aaagtcagct ccaatccgaa aagggtggcca atcaagatcg	5460
gaaaatataa ataaaactcg gctgaaccgt cataaaaaaa gttaaagttt gtcaattgag	5520
cgcatttttg agctaggcgt gtgtataata aaattcacga aaatatacac gtatgtttcc	5580
tttttatagc aaaagtataa ttttttctga ttttattgtt ctcacctttc agctgggttc	5640
cttttgtaaa gcgaacgggc ggctgacat	5669

Nonprovisional IP-017.ST25.txt

<210> 6
 <211> 3128
 <212> DNA
 <213> MOUSE

<400> 6
 atgcagccct cactagcccc gtgcctcatc tgcctacttg tgcacgctgc cttctgtgct 60
 gtggagggcc aggggtggca agccttcagg aatgatgcca cagaggcatc ccagaggctt 120
 ggagagtacc ccgagcctcc tcctgagaac aaccagacca tgaaccgggc ggagaatgga 180
 ggcagacctc cccaccatcc ctatgacgcc aaaggtacgg gatgaagaag cacattagt 240
 gggggggggg tcctgggagg tgactggggt ggttttagca tcttcttcag aggtttgtgt 300
 ggggtgctag cctctgctac atcagggcag ggacacattt gcctggaaga atactagcac 360
 agcattagaa cctggagggc agcattgggg ggctggtaga gagcacccaa ggaggggtgg 420
 aggctgaggt cagccgaagc tggcattaac acgggcatgg gcttgatga tggccagag 480
 aatctcctcc taaggatgag gacacaggtc agatctagct gctgaccagt ggggaagtga 540
 tatggtgagg ctggatgcca gatgccatcc atggctgtac tataccccc atgaccacca 600
 catgaggtaa agaaggcccc agcttgaaga tggagaaacc gagaggctcc tgagataaag 660
 tcacctggga gtaagaagag ctgagactgg aagctgggtt gatccagatg caaggcaacc 720
 ctagattggg tttgggtggg aacctgaagc caggaggaat cccttagtt ccccttgcc 780
 cagggctctg tcaatgagcc cagagggtta gcattaaaag aacagggttt gtaggtggca 840
 tgtgacatga ggggcagctg agtgaaatgt cccctgtatg agcacagggt gcaccacttg 900
 ccctgagctt gcaccctgac cccagctttg cctcattcct gaggacagca gaaactgtgg 960
 aggcagagcc agcacagaga gatgcctggg gtgggggtgg gggatcacg cacggaacta 1020
 gcagcaatga atgggtggg gtggcagctg gagggacact ccagagaaat gacctgtctg 1080
 gtcaccattt gtgtgggagg agagctcatt ttccagcttg ccaccacatg ctgtccctcc 1140
 tgtctcctag ccagtaaggg atgtggagga aaggccacc ccaaaggagc atgcaatgca 1200
 gtcacgtttt tgcagaggaa gtgcttgacc taagggcact attcttgga agccccaaa 1260
 ctagtccttc cctgggcaaa caggcctccc ccacatacca cctctgcagg ggtgagtaaa 1320
 ttaagccagc cacagaaggg tggcaaggcc tacacctccc ccctgttgtg ccccccccc 1380
 ccccgtaag gtgcatcctg gcctctgccc ctctggcttt ggtactggga ttttttttt 1440
 ccttttatgt catattgatc ctgacacat ggaacttttg gaggtagaca ggaccacac 1500
 atggattagt taaaagcctc ccatccatct aagctcatgg taggagatag agcatgtcca 1560
 agagaggagg gcaggcatca gacctagaag atatggctgg gcatccaacc caatctcctt 1620
 cccggagaa cagactctaa gtcagatcca gccacccttg agtaaccagc tcaaggtaca 1680
 cagaacaaga gagtctggt tacagcaggt gctaaacaaa tgcttggtgt agcaaaagct 1740
 ataggttttg ggtcagaact ccgacccaag tcgagagtga agagcgaaag gccctctact 1800

Nonprovisional IP-017.ST25.txt

cgccaccgcc ccgccccac ctgggtcct ataacagatc actttcacc ttgcgggagc 1860
 cagagagccc tggcatccta ggtagcccc cccgcccc cccgcaagc agcccagccc 1920
 tgcctttggg gcaagtictt ttctcagcct ggacctgtga taatgagggg gttggacgcg 1980
 ccgcctttgg tcgctttcaa gtctaataa ttcttatccc taccacctgc ctttctaccc 2040
 cgctcctcca cagcagctgt cctgatttat taccttcaat taacctccac tcctttctcc 2100
 atctcctggg ataccgcccc tgtcccagtg gctggtaaag gagcttagga aggaccagag 2160
 ccagggtgtg ctagaggcta ccaggcaggg ctggggatga ggagctaaac tggaagagtg 2220
 tttggttagt aggacaaaag ccttgggtgg gatccctagt accggagaag tggagatggg 2280
 cgctgagaag ttcaagacca tccatcctta actacacagc cagtttgagg ccagcctggg 2340
 ctacataaaa acccaatctc aaaagctgcc aattctgatt ctgtgccacg tagtgcccga 2400
 tgtaatagtg gatgaagtcg ttgaatcctg gggcaaccta ttttacagat gtggggaaaa 2460
 gcaactttaa gtaccctgcc cacagatcac aaagaaagta agtgacagag ctccagtgtt 2520
 tcacccctgg gttccaagga caggagaga gaagccaggg tgggatctca ctgctccccg 2580
 gtgcctcctt cctataatcc atacagattc gaaagcgag ggcaggtttg gaaaaagaga 2640
 gaagggtgga aggagcagac cagtctggcc taggctgcag cccctcacgc atccctctct 2700
 ccgcagatgt gtccgagtac agctgccgcg agctgacta caccgcttc ctgacagacg 2760
 gccatgccg cagcgccaag ccggtcacgg agttggtgtg ctccggccag tgcggccccg 2820
 cgcggtgct gcccaacgcc atcgggcgcg tgaagtgtgt gcgcccgaac ggaccggatt 2880
 tccgtgcat cccggatcgc taccgcgcgc agcgggtgca gctgctgtgc cccgggggcg 2940
 cggcgccgcg ctgcgcgaag gtgcgtctgg tggcctcgtg caagtgaag cgcctcacc 3000
 gcttcacaa ccagtcggag ctcaaggact tcgggcccga gaccgcgcgg ccgcagaagg 3060
 gtcgaagcc gcggcccggc gcccggggag ccaaagccaa ccaggcggag ctggagaacg 3120
 cctactag 3128

<210> 7
 <211> 636
 <212> DNA
 <213> MOUSE

<400> 7
 atgcagccct cactagcccc gtgcctcatc tgcctacttg tgcacgctgc cttctgtgct 60
 gtggagggcc aggggtggca agccttcagg aatgatgcca cagaggtcat cccagggctt 120
 ggagagtacc ccgagcctcc tcctgagaac aaccagacca tgaaccgggc ggagaatgga 180
 ggcagacctc cccaccatcc ctatgacgcc aaagggtgtgt ccgagtacag ctgccgcgag 240
 ctgcactaca cccgcttcct gacagacggc ccatgccgca gcgccaagcc ggtcaccgag 300
 ttggtgtgct ccggccagtg cggccccgcg cggtgtgtgc ccaacgccat cgggcgcgtg 360
 aagtgggtggc gcccgaaagg accggatttc cgctgcatcc cggatcgcta ccgcgcgcag 420
 cgggtgcagc tgctgtgccc cgggggcgcg gcgccgcgct cgcgcaaggc gcgtctggtg 480

Nonprovisional IP-017.ST25.txt

```

gcctcgtgca agtgcaagcg cctcaccgc ttccacaacc agtcggagct caaggacttc      540
gggccggaga ccgcgcggcc gcagaagggc cgcaagccgc ggcccggcgc ccggggagcc      600
aaagccaacc aggcggagct ggagaacgcc tactag                                636

<210> 8
<211> 3180
<212> DNA
<213> RAT

<400> 8
atgcttcctc ctgccattca tctctctctc attcccctgc tctgcatcct gatgaaaaac      60
tgtttggtt ttaaaaatga tgccacagaa atcctttatt cacatgtggt taaacctgtt      120
tcagcacacc ccagcagcaa cagcaccttg aatcaagcca ggaatggagg caggcacttc      180
agtagcacgg gactggatcg aaatagtaag tgtgttttat ttgtacagat tgttttttct      240
tttggggagt atcagctccc cactcttgta gaacaccttt actgtaaact aaagtgatcc      300
atctataatt ttgcaaagca atctgggagc aatctggcgc acgtgtaggc tgggtgttcta      360
tcctgggtag tgattttaga gttaatataa ttgaaccagt ggcttgataa tgcaggcaca      420
gacatggttc atccaatgcc cactggggag aaaaatgtat ctgggtattg agctgatgct      480
tttaaaaaac tccgcagaag gagagtgtt tgaagagttg ctctgtacag tttgagctca      540
tgtcatgtta acacttggtt atttcagacc atacacaaat ttggtgaagt gtctaaaggt      600
aactaaccag aactatgaat agggaatcac aaaggatgaa aggaagcttc aggaaatatg      660
gaattgctca cacagatgtc tgaaatatgt ctactctgga gaggtaataa agacttgatg      720
ttcactgtta aacagggtcta tactacaaaa cgttggggcg ccctggtttt cttaaattgct      780
ttttattcaa caggtcaaat caaggtaatt gtatgttttt gcgaaagact gaaaggcgat      840
ttttaatac tacatggcag tgttcagcat agtgcataat tctttaccct tttcagtttg      900
cttaattgac atacatgcc aagtactact agttaggcgg gttcaaattt cttcctctaa      960
cttttgcat attttcttcc tttaaaagat ttcctgttag taaccaacgt gaagaaagac     1020
agagaaactg tacaggaaac cttacacaaa tccacaaatc tctggccctt ctaccttaa     1080
ctccatccaa ccacgaaaaa aaagagtttt gacctttgaa aagtcatacc aagtatgact     1140
ggtaatatct caccaagaaa accaaagtgt tttacttgca ggtagatgat ttcagagcat     1200
agaaagcgtc tggctagtat tgggttactg aacagtgtgg tgggtattca ttgtcagtga     1260
gagaaacgtc accacaaaaa atgcccaatc ttacacatgc agggacaaaa aaagccagga     1320
gagtcaaaaa tcattgctgg ctgtttccag gtacattcct aaggcagctg caggaagggtg     1380
atcgggaacc aaatacaggc aagcctagca cactgtccag ccaaaccgtt aaccctttca     1440
tttactctc tagcttttagc ctctgtata cagacatatg catgcatatg ctacacactt     1500
cccttaggct ctgagcctta aagtagacgt ccagggtaca gaattggaga gaaacttcta     1560
acttgctgtc tgctttaggg ttgttctcag gagtcaagaa aacaatttca gcaggtttta     1620

```

Nonprovisional IP-017.ST25.txt

```

ttagttttgg cttggacact tcattctgcct ctgttaagtt ttccccctc tttcatggtt 1680
aataagcctt gatttctttt caagcttgtc ataaataatt ctcathtagga taacaaagga 1740
tttagatatac aaaataacaa gaaagaaagc ttgaagtatt ttaagattaa ttttgtttta 1800
attacacgag gcacgtgacc agaaacagcc aattagagaa cacacttatc aaatccaaat 1860
aactaaaaca aaaagttttc catgcctgat attcaggaaa tgaacaccgt gggttcctgt 1920
gcagttgttaa atcagacatg ttaggtatgt ttctgctata aaattcatgg aaatgtagcc 1980
aagttgttat ggcaaccata cggttcctaat ttaggggcct ttgtattctt taaatattga 2040
attgtagtgg cattttgcat ttcaaacatt ttgtcgctta tttttttaa acacagcttg 2100
tgaatttatg tttagaatat agttattaag tttgatatgc aaaatgtcat tggttgtacc 2160
cgtatgcatg tgtgaccatg cagctgaatt ctataattga aacaaaatat tacagcatgc 2220
ctatgcactg tacacaatat ttaaattgct tccacatttt ctcaagagat ttttgaaaaa 2280
cttaattcaa agcacttgca gacattaacc aatatgacct atgagcatga gtacattaaa 2340
gtgtactctt tgaagagtga atatttacag gagtggaca cttgttgga atgagactaa 2400
gagaatgtga cttttcaata cttttaataa acaatcagtt attgaaacac atggacaaga 2460
aacgagtctc tctctccctt gctgtctccc cccccctc tctccccctc cactccaaag 2520
ttacagcctt taaagttaca gcctttatgt aggctggcca ttataataaa agtgtcttcc 2580
aacctccca cagacttgca ttgtgaaaat acagtacatc gcagtttgct gtaatttgga 2640
tattatatta tatacatatt ctataaagag agagtccctg caaattactt aaaacaagaa 2700
caaaacccaa acaccttcag ttacattctg tctctgatgc agttctgtcc tgtttcttgc 2760
aggctcagtt caagtgggct gcagggaact gcggtccacc aaatacatct cggatggcca 2820
gtgcaccagc atcagccctc tgaaggagct ggtgtgcgcg ggtgagtgct tgcccttgcc 2880
agtgttccc aactggatcg gaggaggcta cggaacaaag tactggagcc ggaggagctc 2940
ccaggagtgg cgtgtgtca acgacaagac gcgcaccag agaatccagc tgcagtgtca 3000
ggacggcagc acacgcacct acaaaatcac cgtgtgcaca gcgtgcaagt gcaagaggta 3060
caccggcag cacaacgagt ccagccacaa ctttgaaagc gtgtctcccg ccaagcccgc 3120
ccagcaccac agagagcgga agagagccag caaatccagc aagcacagtc tgagctagag 3180

```

```

<210> 9
<211> 675
<212> DNA
<213> MOUSE

```

```

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is a, c, g, or t

```

```

<220>
<221> misc_feature
<222> (8)..(9)
<223> n is a, c, g, or t

```

Nonprovisional IP-017.ST25.txt

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> n is a, c, g, or t

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> n is a, c, g, or t

<220>
 <221> misc_feature
 <222> (42)..(42)
 <223> n is a, c, g, or t

<400> 9
 taancatnnc tngttctgnt ttgcaggatc cactagtcca gntgtggtgg aattgccctt 60
 atgcagccct cactagcccc gtgcctcatc tgcctacttg tgcacgctgc cttctgtgct 120
 gtggagggcc aggggtggca agccttcagg aatgatgcca cagaggatcat cccagggctt 180
 ggagagtacc ccgagcctac tcctgagaac aaccagacca tgaaccgggc ggagaatggt 240
 ggcagacctc cccaccatcc ctatgacgcc aaagatgtgt ccgagtacag ctgccgcgag 300
 ctgcactaca cccgcttcct gacagacggc ccatgccgca gcgccaagcc ggtcaccgag 360
 ttggtgtgct ccggccagtg cggccccgcg cggctgctgc ccaacgccat cgggcgcgtg 420
 aagtgggtggc gcccgaacgg accggatttc cgctgcatcc cggatcgcta ccgcgcgcag 480
 cgggtgcagc tgctgtgccc cgggggcgcg gcgccacgct cgcgcaaggt gcgtctggtg 540
 gcctcgtgca agtgcaagcg ccccaccgcg ttccacaacc agtcggagct caaggacttc 600
 gggccggaga ccgcgcggcc gcagaagggt cgcaagccgc ggcccggcgc ccggggagcc 660
 aaagccaacc aggcg 675

<210> 10
 <211> 642
 <212> DNA
 <213> HOMO SAPIENS

<400> 10
 atgcagctcc cactggccct gtgtctcgtc tgcctgctgg tacacacagc cttccgtgta 60
 gtggagggcc aggggtggca ggcgttcaag aatgatgcca cggaaatcat ccccagctc 120
 ggagagtacc ccgagcctcc accggagctg gagaacaaca agaccatgaa ccgggcggag 180
 aacggagggc ggcctccccca ccaccccttt gagaccaaag acgtgtccga gtacagctgc 240
 cgcgagctgc acttcacccg ctacgtgacc gatgggcccgt gccgcagcgc caagccggtc 300
 accgagctgg tgtgtccgg ccagtgcggc ccggcgcgcc tgctgcccga cgcctcggc 360
 cgcggcaagt ggtggcgacc tagtgggccc gacttcctgt gcatccccga ccgctaccgc 420
 gcgcagcgcg tgcagctgct gtgtcccggt ggtgaggcgc cgcgcgcgcg caaggtgcgc 480
 ctggtggcct cgtgcaagtg caagcgcctc acccgttcc acaaccagtc ggagctcaag 540
 gacttcggga ccgaggccgc tcggccgcag aagggccgga agccgcggcc ccgcgcccgg 600

Nonprovisional IP-017.ST25.txt
agcgccaaag ccaaccaggc cgagctggag aacgcctact ag

642

<210> 11
<211> 3400
<212> DNA
<213> HOMO SAPIENS

<400> 11
atgcagctcc cactggccct gtgtctcgtc tgcttctgg tacacacagc cttccgtgta 60
gtggagggcc aggggtggca ggcgttcaag aatgatgcc cggaaatcat ccccgagctc 120
ggagagtacc ccgagcctcc accggagctg gagaacaaca agaccatgaa ccgggaggag 180
aacggagggc ggcctcccca ccaccccttt gagaccaaag gtatggggtg gaggagagaa 240
ttcttagtaa aagatcctgg ggagggttta gaaacttctc tttgggaggc ttggaagact 300
ggggtagacc cagtgaagat tgctggcctc tgccagcact ggtcgaggaa cagtcttgcc 360
tggaggtggg ggaagaatgg ctgctggtg cagccttcaa attcaggtgc agaggcatga 420
ggcaacagac gctggtgaga gcccagggca gggaggacgc tggggtggtg agggtatggc 480
atcagggcat cagaacaggc tcaggggctc agaaaagaaa aggtttcaaa gaatctcctc 540
ctgggaatat aggagccacg tccagctgct ggtaccactg ggaagggaac aaggtaaggg 600
agcctcccat ccacagaaca gcacctgtgg ggcaccggac actctatgct ggtggtggct 660
gtccccacca cacagacca catcatggaa tccccaggag gtgaaccccc agctcgaagg 720
ggaagaaaca ggttccaggc actcagtaac ttggtagtga gaagagctga ggtgtgaacc 780
tggtttgatc caactgcaag atagccctgg tgtgtggggg ggtgtggggg acagatctcc 840
acaaagcagt ggggaggaag gccagagagg caccctgca gtgtgcattg cccatggcct 900
gcccagggag ctggcacttg aaggaatggg agttttcggc acagtttttag cccctgacat 960
gggtgcagct gagtccaggc cctggagggg agagcagcat cctctgtgca ggagtaggga 1020
catctgtcct cagcagccac cccagtccca accttgctc attccagggg agggagaagg 1080
aagaggaacc ctgggttcct ggtcaggcct gcacagagaa gcccagggtga cagtgtgcat 1140
ctggctctat aattggcagg aatcctgagg ccatgggggc gtctgaaatg acacttcaga 1200
ctaagagctt ccctgtcctc tggccattat ccagggtggca gagaagtcca ctgcccaggc 1260
tcctggaccc cagccctccc cgcctcaca cctgttggga ctatggggtg ctaaaaaggg 1320
caactgcatg ggaggccagc caggaccctc cgtcttcaaa atggaggaca agggcgccctc 1380
ccccacagc tccccttcta ggcaaggtea gctgggctcc agcgactgcc tgaagggtg 1440
taaggaaacc aaacacaaaa tgtccacctt gctggactcc cacgagaggc cacagcccct 1500
gaggaagcca catgctcaaa acaaagtcac gatctgcaga ggaagtgcct ggcctagggg 1560
cgctattctc gaaaagccgc aaaatgcccc cttccctggg caaatgcccc cctgaccaca 1620
cacacattcc agccctgcag aggtgaggat gcaaaccagc ccacagacca gaaagcagcc 1680
ccagacgatg gcagtggcca catctcccct gctgtgcttg ctcttcagag tgggggtggg 1740
gggtggcctt ctctgtcccc tctctggttt ggtcttaaga ctatttttca ttctttcttg 1800

Nonprovisional IP-017.ST25.txt

```

tcacattgga actatcccca tgaaaccttt gggggtggac tggactcac acgacgacca 1860
gctatttaaa aagctcccac ccatctaagt ccaccatagg agacatggtc aagggtgtgtg 1920
caggggatca ggccaggcct cggagcccaa tctctgcctg cccagggagt atcaccatga 1980
ggcgccatt cagataacac agaacaagaa atgtgccag cagagagcca ggtcaatggt 2040
tgtggcagct gaacctgtag gttttgggtc agagctcagg gccctatgg taggaaagta 2100
acgacagtaa aaagcagccc tcagctccat ccccgagccc agcctcccat ggatgctcga 2160
acgcagagcc tccactcttg ccggagccaa aagggtgctgg gacccaggg aagtggagtc 2220
cggagatgca gcccgacctt ttgggcaagt tcttttctt ggctgggcct cagtattctc 2280
attgataatg agggggttg acacactgcc tttgattcct ttcaagtcta atgaattcct 2340
gtcctgatca cctcccttc agtccctcgc ctccacagca gctgccctga tttattacct 2400
tcaattaacc tctactcctt tctccatccc ctgtccaccc ctccaagtg gctggaaaag 2460
gaatttggga gaagccagag ccaggcagaa ggtgtgctga gtacttacc tgcccaggcc 2520
agggaccctg cggcacaagt gtggcttaaa tcataagaag accccagaag agaaatgata 2580
ataataatac ataacagccg acgctttcag ctatatgtgc caaatggtat tttctgcatt 2640
gcgtgtgtaa tggattaact cgcaatgctt ggggcggccc attttgcaga caggaagaag 2700
agagaggtta aggaacttgc ccaagatgac acctgcagt agcgatggag ccctggtgtt 2760
tgaacccag cagtcatttg gctccgagg gacagggtgc gcaggagagc tttccaccag 2820
ctctagagca tctgggacct tcctgcaata gatgttcagg ggcaaaagcc tctggagaca 2880
ggcttgga aaagcagggt ggggtggaga gagacgggcc ggtccagggc aggggtggcc 2940
aggcggcg ccaccctcac gcgcgcctt ctccacagac gtgtccgagt acagctgccg 3000
cgagctgcac ttcaccgct acgtgaccga tgggccgtgc cgcagcgcca agccggtcac 3060
cgagctggtg tgctccggcc agtgcggccc ggcgcgcctg ctgccaacg ccatcggccg 3120
cggcaagtgg tggcgacct gtgggcccga cttccgctgc atccccgacc gctaccgcg 3180
gcagcgctg cagctgctgt gtcccgttg tgaggcgccg cgcgcgcga aggtgacct 3240
ggtggcctcg tgcaagtga agcgctcac ccgcttcac aaccagtcg agctcaagga 3300
cttcgggacc gaggccgctc ggccgcagaa gggccggaag ccgcccgcgc gcgccggag 3360
cgccaaagcc aaccaggccg agctggagaa cgcctactag 3400

```

```

<210> 12
<211> 1718
<212> DNA
<213> RAT

```

```

<400> 12
acgcggggac agtcaatagc gcagaagcag ggggaaagaa ttcaccgcct cagccagta 60
aatcctccac tcatcatgct tcctcctgcc attcatctct ctctattcc cctgctctgc 120
atcctgatga aaaactgttt ggcttttaaa aatgatgcca cagaaatcct ttattcacat 180

```

Nonprovisional IP-017.ST25.txt

gtggttaaac ctgtttcagc acaccccagc agcaacagca ctttgaatca agccaggaat	240
ggaggcaggc acttcagtag cacgggactg gatcgaaata gtcgagttca agtgggctgc	300
agggaaactgc ggtccaccaa atacatctcg gatggccagt gcaccagcat cagccctctg	360
aaggagctgg tgtgCGCGgg tgagtgttg cccttgccag tgcttcccaa ctggatcgga	420
ggaggctacg gaacaaagta ctggagccgg aggagctccc aggagtggcg gtgtgtcaac	480
gacaagacgc gcaccagag aatccagctg cagtgtcagg acggcagcac acgcacctac	540
aaaatcaccg tggtcacagc gtgcaagtgc aagaggtaca cccggcagca caacgagtcc	600
agccacaact ttgaaagcgt gtctcccgcc aagctcgccc agcaccacag agagcggag	660
agagccagca aatccagcaa gcacagtctg agctagagct ggactgacta gaaagcatct	720
gctccccaga tttgattgCG tggaagactc gtcgagcct gccattgctc ttttctcact	780
tgaaagtata tgctttctgc tttgatcagg cccagcaggc tgtccttctc tgggaccttc	840
tctgggacta gcttttctt tgcaagtttc tcaagatgta atgagtagtt tgcagtgaac	900
gccaggcatc ccatagtttc acccctccc ccagtcattt ctttcaaaag cacctgatgc	960
tgcatcctgt tacagtttaa accgCGctcc attccctagc ccacccttta cccttcccaa	1020
actaaatccc tccgaaccgg agaagttcaa tcaaaaaaaaa aaatgtatct tcacagaaca	1080
tttcacaaag gggcttttcc agtagtttt atgggaatag tttgacagcc aggggttagc	1140
ttcctttgaa agagaggcaa accttgtgac atttcacttc aaaaataagc ccggtggcat	1200
ttccagctc cagtgtgaaa ttatccccct cgtgttgacc tctcttgag tggaatgcca	1260
gcaatgcaag gcagcagcta ataggtaaag ccggttattt atttgcgat gttgttattt	1320
aatgagctcg cgcagtgtgat tttttttcca aatgttaatt tttttttata ttttgaagct	1380
ttttcatgta cctaaatatt tcccaatcag atttgtggtt ggtctagaaa tatgaaaata	1440
catgtttag atattgtaaaa ataaatattt tagactcctt atatattaca cggttcctca	1500
tacactttgt cattagcgtg gttccctgta aagctgaagt tatgtaatac tttattattt	1560
agtccatgaa atcagaaggc agcttgacct tcggtgccat cggtttcttt taataaacat	1620
aaatatccgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1680
aaaaaaaaat taaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1718

<210> 13
 <211> 574
 <212> DNA
 <213> CHICK

<220>
 <221> misc_feature
 <222> (570)..(570)
 <223> n is a, c, g, or t

<220>
 <221> misc_feature
 <222> (574)..(574)
 <223> n is a, c, g, or t

Nonprovisional IP-017.ST25.txt

<400> 13
agctggctag ttaagcttgg taccgagctc ggatccacta gtccagtgtg gtggaattgc 60
ccttggccag gggtagcagg cgttcgatga ggtgggcgat gcgcgcggcc cggtagccgt 120
agtcccagtc gcgggagagg aagtactcgt agtcgtcgcc gacgatcgcg ttgttcgagg 180
tgacgatgta tccggagctc gggttgtatg acaccggaag ttcttcgaac gggatgaagc 240
cggtcacagtc gtagctgctg tcccatcccg gctgcggcat ccatccgtcg ccggcgccgc 300
ggatgggcag ccgtccgggc gtctggtatc cgatgttgcc ctcggtgtcg gcgtagacga 360
ggttctgcgc cggaacatcg aagagggatg ccgcggcgcg gaagtcgtcg aagtcctggg 420
cggtcgagag ggcgaagatc gccgtcgagg cggtagccgg gtcgagcgcg gtccagcgca 480
ggctcagcgc gtactccgcg tcatccgtcg tctcagcggg ggccctccggc gaagccgggg 540
gcgcgtcacc ggccgccaat cccggcagcn gggg 574

<210> 14
<211> 674
<212> DNA
<213> RAT

<400> 14
gaggaccgag tgcccttcct ctttctggca ccatgcagct ctactagcc cttgccttg 60
cctgcctgct tgtacatgca gccttcgttg ctgtggagag ccaggggtgg caagccttca 120
agaatgatgc cacagaaatc atcccgggac tcagagagta ccagagcct cctcaggaa 180
tagagaacaa ccagaccatg aaccgggccc agaaccggagg cagaccccc caccatcctt 240
atgacaccaa agacgtgtcc gagtacagct gccgcgagct gactacacc cgcttcgtga 300
ccgacggccc gtgccgagc gccaaagccgg tcaccgagtt ggtgtgctcg ggccagtgcg 360
gccccgcgcg gctgctgccc aacgccatcg ggccgctgaa gtggtggcg ccgaacggac 420
ccgacttcgg ctgcatcccg gatcgctacc gcgcgcagcg ggtgcagctg ctgtgccccg 480
gcggcgcggc gccgcgctcg cgcaagggtgc gtctggtggc ctctgcaag tgcaagcgcc 540
tcaccgctt ccacaaccag tcggagctca aggacttcgg acctgagacc gcgcggccgc 600
agaagggtcg caagccgagg ccccgcgccc ggggagccaa agccaaccag gcggagctgg 660
agaacgccta ctag 674

<210> 15
<211> 1047
<212> DNA
<213> MOUSE

<400> 15
atgtcgcct ccgtcgagg tcccatcagc ctgccttgg tgctcctcg cctctgcacc 60
cggcctgcta cgggcccagg ctgcagcgcg caatgtcagt gcgcagccga agcagcgccg 120
cactgccccg ccggcgtgag cctggtgctg gacggctgcg gctgtgccc cgtctgcgcc 180
aagcagctgg gagaactgtg tacggagcgt gaccctgcg acccacaaa gggcctcttc 240

Nonprovisional IP-017.ST25.txt

tgcgatttcg gctccccgc caaccgcaag attggagtg gactgcca agatggtgca	300
ccctgtgtct tcggtgggtc ggtgtaccgc agcggtagt ccttccaaag cagctgcaaa	360
taccaatgca cttgcctgga tggggccgtg ggctgcgtgc ccctatgcag catggacgtg	420
cgctgcca gccctgactg ccccttcccg agaagggca agctgcctgg gaaatgctgc	480
aaggagtggtg tgtgtgacga gccaaggac cgcacagcag ttggccctgc ctagctgcc	540
taccgactgg aagacacatt tggcccagac ccaactatga tgcgagccaa ctgcctggtc	600
cagaccacag agtggagcgc ctgttctaag acctgtggaa tgggcatctc caccgagtt	660
accaatgaca ataccttctg cagactggag aagcagagcc gcctctgcat ggtagggccc	720
tgcgaagctg acctggagga aacattaag aagggcaaaa agtgcacccg gacacctaaa	780
atcgccaagc ctgtcaagtt tgagctttct ggctgcacca gtgtgaagac atacagggct	840
aagttctgcg ggggtgtgac agacggccgc tgcctgcacac cgcacagaac caccactctg	900
ccagtggagt tcaaatgccc cgatggcgag atcatgaaaa agaatatgat gttcatcaag	960
acctgtgcct gccattacaa ctgtcctggg gacaatgaca tctttgagtc cctgtactac	1020
aggaagatgt acggagacat ggcgtaa	1047

<210> 16
 <211> 1050
 <212> DNA
 <213> HOMO SAPIENS

<400> 16	
atgaccgccg ccagtatggg ccccgctccgc gtcgccttcg tggctctcct cgccctctgc	60
agccggccgg ccgtcggccga gaactgcagc gggccgtgcc ggtgcccga cgagccggcg	120
ccgcgtgcc cggcggggtg gagcctcgtg ctggacggct gcggctgctg ccgcgtctgc	180
gccaagcagc tgggcgagct gtgcaccgag cgcgaccctc gcgaccgca caaggccctc	240
ttctgtgact tcggctcccc ggccaaccgc aagatcggtg tgtgcaccgc caaagatggt	300
gctccctgca tcttcggtgg tacggtgtac cgcagcggag agtccttcca gagcagctgc	360
aagtaccagt gcacgtgcct ggacggggcg gtgggtgca tgcccctgtg cagcatggac	420
gttcgtctgc ccagccctga ctgccccttc ccgaggagg tcaagctgcc cgggaaatgc	480
tgcgaggagt ggggtgtgta cgagcccaag gaccaaaccg tggttgggccc tgccctcgcg	540
gcttaccgac tggaagacac gtttgggcca gacccaacta tgattagagc caactgcctg	600
gtccagacca cagagtggag cgctgttcc aagacctgtg ggatgggcat ctccaccgg	660
gttaccaatg acaacgcctc ctgcaggcta gagaagcaga gccgcctgtg catggtcagg	720
ccttgcaag ctgacctgga agagaacatt aagaaggga aaaagtgcac ccgtactccc	780
aaaatctcca agcctatcaa gtttgagctt tctggctgca ccagcatgaa gacataccga	840
gctaaattct gtggagtatg taccgacggc cgatgctgca cccccacag aaccaccacc	900
ctgccggtgg agttcaagt ccctgacggc gaggtcatga agaagaacat gatgttcac	960
aagacctgtg cctgccatta caactgtccc ggagacaatg acatctttga atcgtgtac	1020

Nonprovisional IP-017.ST25.txt

tacaggaaga tgtacggaga catggcatga 1050

<210> 17
 <211> 1050
 <212> DNA
 <213> BOVINE

<400> 17
 atgtcagcca ccggcctggg cccgggtccg tgcgcttcg tgctcctgct cgccctctgc 60
 agccggcccg cctccagcca ggactgctgc agcgccccgt gccagtggcc tgccggcccg 120
 gcgcgcgct gccccgccg cgtcagcttg gtgctggacg gctgcggctg ctgctgtgct 180
 gccaagcagc tgagcgagtt gtgtaccgag cgcgaccct gcgatccgca caagggcctc 240
 ttctgcgact tcggctcccc aaccaaccgc aagatcggcg tgtgcaccgc taaagatggt 300
 gccccctaca ttttcggagg aactgtgtac cagagcggag agtctttcca gagcagctgc 360
 aaataccagt gcacgtgtct ggacgggtcg gtgggctgcg tgccccctatg cagcgtggac 420
 gtccgcctgc ccagccccga ctgccccctc ccacggaggg tcaaactgcc cgggaaatgc 480
 tgcgaggaat ggggtgtccc tgatgagaag gagcacaccg tggtcggccc tgcgctggca 540
 gcttaccggc tggaagacac gtttggtccc gacccaacca tgatccgagc caactgccag 600
 gtccagacca cagagtggag tgcctattcc aagacctgcg gaatgggcat ctccaccg 660
 gttaccaatg acaacgcatt ctgcaggctg gagaagcaga gccgcctctg catggtcagg 720
 ccttgcaag ctgacctgga ggagaacatt aagaaaggca aaaagtgcag ccggactccc 780
 aaaatctcca agcctatcaa gtttcagctt tctggctgca ccagcatgaa gacataccga 840
 gctaaattct tcggagtgtg cacagacggg cgtgtctgca cccccacag aaccaccacc 900
 cttcccgtgg agttcaagtg tcctgatggg gaggtcatga agaagagcat gatgttcatc 960
 aagacctgtg cctgccatta caactgcccc ggagacaatg acatcttcga gtcactgtac 1020
 tacaggaaga tgtatggaga catggcctaa 1050

<210> 18
 <211> 1065
 <212> DNA
 <213> MOUSE

<400> 18
 atgagcctct tcctgcgaaa gcgatgcctc tgcttaggct tcctgctctt ccattcttta 60
 agtcaagtct ctgcatctct gcgctgccct tctcgggtgc cgccaagtg ccccagtata 120
 tcaccgacct gcgcccccg ggtgcgctcg gtgctggacg gctgctcctg ctgtccggtg 180
 tgcgccccgc agcgcgggga gagttgttct gagatgagac cctgtgacca gagcagtggg 240
 ctctactgtg accgcagcgc agacccaac aaccagactg gcatttgcag ggttccagag 300
 ggagacaact gtgtgttcga tggggtcatt taccgcaacg gagagaagtt tgagccgaac 360
 tgtcagtact tctgcacctg cagagatggg cagattggct gtctgccccg ctgccagcta 420
 gacgtgctac tgccgggtcc tgactgcccc gctccgagaa aagtcgcagt gccaggggag 480

Nonprovisional IP-017.ST25.txt

tgctgcgaaa agtggacctg tggtcagac gagcagggga cacaggggac gctgggaggc	540
ttggcccttc cagcctatag accggaagcc accgtaggag ttgaagtctc tgactccagc	600
attaactgca ttgagcagac gacggagtgg agcgcattgtt ccaagagctg tggaaatgggc	660
gtgtccaccc gggtcaccaa caggaatcgc cagtgtgaga tggtaaaaca gactcgtctc	720
tgcacgttc ggcttgtga acaagagccc gaggaagtaa cagacaagaa aggtaaaaag	780
tgctccgca ccaagaagtc cctgaaagcc atccacctac agttcgagaa ttgcactagc	840
ttgtacacct ataagccccg gttctgtggg gtctgcagtg atggccgctg ctgtaccccc	900
cacaacacca aaaccatcca ggtggagttt cagtgtctcc cgggggaaat catcaagaaa	960
ccagtcatgg tcattggaac ctgtacctgc tactccaact gccctcagaa caatgaggcc	1020
ttctccaag atctggagct gaagacaagc agaggagaaa tttaa	1065

<210> 19
 <211> 1074
 <212> DNA
 <213> HOMO SAPIENS

<400> 19	
atgcagagtg tgcagagcac gagcttttgt ctccgaaagc agtgcctttg cctgaccttc	60
ctgcttctcc atctcctggg acaggtcgct gcgactcagc gctgccctcc ccagtgcccg	120
ggccggtgcc ctgcgacgcc gccgacctgc gccccggggg tgcgcgcggt gctggacggc	180
tgctcatgct gtctggtgtg tgcccgccag cgtggcgaga gctgctcaga tctggagcca	240
tgcgacgaga gcagtggcct ctactgtgat cgcagcgcgg accccagcaa ccagactggc	300
atctgcacgg cggtagaggg agataactgt gtgttcgatg ggtcatcta ccgcagtgga	360
gagaaatttc agccaagctg caaattccag tgcacctgca gagatgggca gattggctgt	420
gtgccccgct gtcagctgga tgtgtactg cctgagccta actgcccagc tccaagaaaa	480
gttgaggtgc ctggagagtg ctgtgaaaag tggatctgtg gccagatga ggaggattca	540
ctgggaggcc ttaccttgc agcttacagg ccagaagcca ccctaggagt agaagtctct	600
gactcaagtg tcaactgcat tgaacagacc acagagtgga cagcatgctc caagagctgt	660
ggtatggggg tctccacccg ggtcaccaat aggaaccgtc aatgtgagat gctgaaacag	720
actcggctct gcatgggtgc gccctgtgaa caagagccag agcagccaac agataagaaa	780
ggaaaaaagt gtctccgcac caagaagtca ctcaaagcca tccacctgca gttcaagaac	840
tgcaccagcc tgcacaccta caagcccagg ttctgtgggg tctgcagtga tggccgctgc	900
tgcactcccc acaataccaa aaccatccag gcagagtttc agtgcctccc agggcaaata	960
gtcaagaagc cagtgatggt cattgggacc tgcacctgtc acaccaactg tcctaagaac	1020
aatgaggcct tcctccagga gctggagctg aagactacca gagggaaaat gtaa	1074

<210> 20
 <211> 1140
 <212> DNA

Nonprovisional IP-017.ST25.txt

<213> MOUSE

<400> 20

```

atgagctcca gcaccttcag gacgctcgct gtcgccgtca cccttctcca cttgaccaga      60
ctggcgctct ccacctgccc cgccgcctgc cactgccctc tggaggcacc caagtgcgcc      120
ccgggagtcg ggttgggtccg ggacggctgc ggctgctgta aggtctgcgc taaacaactc      180
aacgaggact gcagcaaaac tcagccctgc gaccacacca aggggttggg atgcaatttc      240
ggcgccagct ccaccgctct gaaagggatc tgcagagctc agtcagaagg cagaccctgt      300
gaatataact ccagaatcta ccaaaacggg gaaagcttcc agcccaactg taaacaccag      360
tgcacatgta ttgatggcgc cgtgggctgc attcctctgt gtccccaaga actgtctctc      420
cccaatctgg gctgtcccaa cccccggctg gtgaaagtca gcgggcagtg ctgtgaagag      480
tgggtttgtg atgaagacag cattaaggac tccctggacg accaggatga cctcctcgga      540
ctcgatgcct cggaggttga gttaacgaga aacaatgagt taatcgcaat tggaaaaggc      600
agctcactga agaggcttcc tgtctttggc accgaaccgc gaggcttttt caaccctctg      660
cacgcccatt gccagaaatg catcgttcag accacgtctt ggtcccagtg ctccaagagc      720
tgcggaactg gcatctccac acgagttacc aatgacaacc cagagtgccg cctggtgaaa      780
gagaccgga tctgtgaagt gcgtccttgt ggacaaccag tgtacagcag cctaaaaaag      840
ggcaagaaat gcagcaagac caagaaatcc ccagaaccag tcagatttac ttatgcagga      900
tgctccagtg tcaagaaata ccggcccaa tactgcggct cctgcgtaga tggccggtgc      960
tgcacacctc tgcagaccag aactgtgaag atgcggttcc gatgcgaaga tggagagatg     1020
ttttccaaga atgtcatgat gatccagtcc tgcaaatgta actacaactg cccgcatccc     1080
aacgaggcat cgttccgact gtacagccta ttcaatgaca tccacaagtt cagggactaa     1140

```

<210> 21

<211> 1146

<212> DNA

<213> HOMO SAPIENS

<400> 21

```

atgagctccc gcacgcccag ggcgctcgcc ttagtcgtca cccttctcca cttgaccagg      60
ctggcgctct ccacctgccc cgctgcctgc cactgcccc tggaggcgcc caagtgcgcg      120
ccgggagtcg ggctgggtccg ggacggctgc ggctgctgta aggtctgcgc caagcagctc      180
aacgaggact gcagcaaaac gcagccctgc gaccacacca aggggcttgg atgcaacttc      240
ggcgccagct ccaccgctct gaaggggatc tgcagagctc agtcagaggg cagaccctgt      300
gaatataact ccagaatcta ccaaaacggg gaaagtttcc agcccaactg taaacatcag      360
tgcacatgta ttgatggcgc cgtgggctgc attcctctgt gtccccaaga actatctctc      420
cccaacttgg gctgtcccaa cctcggctg gtcaaagtta ccgggcagtg ctgcgaggag      480
tgggtctgtg acgaggatag tatcaaggac cccatggagg accaggacgg cctccttggc      540
aaggagctgg gattcgatgc ctccgaggtg gagttgacga gaaacaatga attgattgca      600

```


Nonprovisional IP-017.ST25.txt

gttggaaaag gcagctcact gaagcggctc cctgtttttg gaatggagcc tcgcatccta 660
 tacaaccctt tacaaggcca gaaatgtatt gttcaaaca cttcatggtc ccagtgtctca 720
 aagacctgtg gaactgggtat ctccacacga gttaccaatg acaaccctga gtgccgcctt 780
 gtgaaagaaa cccggatttg tgagggtcgg ccttgtggac agccagtgtg cagcagcctg 840
 aaaaagggca agaatgcag caagaccaag aaatcccccg aaccagtcag gtttacttac 900
 gctggatgtt tgagtgtgaa gaaataccgg cccaagtact gcggttcctg cgtggacggc 960
 cgatgctgca cgtccagct gaccaggact gtgaagatgc ggttcgctg cgaagatggg 1020
 gagacatttt ccaagaacgt catgatgatc cagtcctgca aatgcaacta caactgcccg 1080
 catgccaatg aagcagcgtt tcccttctac aggcgtgttca atgacattca caaatttagg 1140
 gactaa 1146

<210> 22
 <211> 1140
 <212> DNA
 <213> RAT

<400> 22
 atgagctcca gcaccatcaa gacgctcgt gtcgccgtca ccttctcca cttgaccagg 60
 ctggcactct ccacctgccc tgcctcctgc cactgccctc tggaggcgcc caagtgcgcc 120
 ccgggagtcg gcttgggtccg ggacggctgc ggctgctgta aggtctgcgc gaagcaactc 180
 aacgaggact gcagcaaaac gcaaccctgc gaccacacca aggggctgga atgcaatttc 240
 ggcgccaatt ccaccgctct gaaagggatc tgcagagctc agtcagaagg cagaccttgt 300
 gaatataact ccaggatcta ccagaacggg gagagcttcc aaccaactg taaacatcag 360
 tgcacatgta ttgacggtgc tgtgggctgc attcctctgt gtccccaaga actgtctctc 420
 cccaatctgg gctgtcccaa ccccggtcgt gtgaaagtca gcgggcagtg ctgtgaggaa 480
 tgggtctgtg atgaagacag cattaaggac tccctggacg accaggacga cctccttgga 540
 ttcgatgcct cggagggtgga gttaacaaga aacaatgagt taatcgcaac tggcaaaggc 600
 agctcactga agaggcttcc tgtctttggc acggaacctc gagtccttta caacccttg 660
 catgcccag gccagaaatg catcgttcag actacgtcct ggtcccagtg ctccaagagc 720
 tgcggaactg gcatctccac acgagttacc aatgacaacc cggagtgccg cctggtgaaa 780
 gagaccggga tctgtgaagt gcgtccttgt ggacaaccag tgtacagcag cctaaaaaag 840
 ggcaagaaat gcagcaagac caagaaatcc ccagaaccag tccgatttac ttatgcagga 900
 tgctccagtg tgaagaaata ccggcccaaa tactgaggct cctgcgtgga cggccggtgc 960
 tgcacacctc tgcagaccag gaccgtgaag atgcggttcc ggtgcgaaga tggcgagatg 1020
 ttctccaaga acgtcatgat gattcagtc tgcaagtgtg actacaactg cccgcatccc 1080
 aacgaggcgt cgtttcgcct ctacagtctg ttcaacgata tccacaagtt cagggactaa 1140

<210> 23
 <211> 1128

Nonprovisional IP-017.ST25.txt

<212> DNA
<213> XENOPUS

<400> 23

```

atgagcttcc tagcacttaa ccccgctcctt gctattgccc ttctttctgg attcattgac    60
ttggctgtgt catcgtgccc agcagtgtgc caatgtccgg ttgaagtacc caaatgtgcc    120
ccaggagtgt gactggttct ggatggttgt ggatgttgca aaatctgtgc taagcagctc    180
aatgaagatt gcagcaaaac tcattcctgt gatcacacca agggacttga atgcaatttt    240
ggagccagtt ccagagccat taagggaata tgtagagcaa aatcagaagg gagaccttgt    300
gagtacaatt ccaaaatcta ccagaatgga gaaagttttc agccaaactg caagcatcag    360
tgcacatgca tagatggagc tgttggttgc cttccattgt gtcctcaaga actatccctg    420
cctaacttgg gctgccccaa tccaaggctg gtgaagggtc cagggcagtg ctgtgaggag    480
tgggtctgcg atgaagccaa agatccagtc gatgagatgg atgacttctt taacaaagaa    540
tttggaatgg atactaatga aggagaactt acaaggaaaa atgaatttgt tgcggtcatc    600
aaaggaggac taaaaatgct gcctgttttt ggctctgacc cgcaaagtca tgttgtggag    660
aactcgaagt gcattgttca aaccacatcg tggctctcagt gctcaaagac ctgtggaact    720
ggtatctcta cgagagtcac aaatgataac agcaactgca gactcgtgag ggagaccaga    780
atctgtgaag tccgaccttg tggccagcca agctatacaa gtttaaagaa gggaaagaaa    840
tgcaccaaga caaaaaaatc tcaagctcca gtaagataca catacgccgg atgttcagt    900
gtaaagaaat atcgtccaaa atattgtgga tcatgtgtgg atgggaggtg ctgcactcca    960
cagcagacaa ggactgtcaa aatccgattc cgttgtgagg atggggagac ctttactaaa   1020
aatgtcatga tgatccagtc atgtagatgc aactacaact gcccacatac aaatgaagcc   1080
tattcttact acagattatt caatgatatc cacaaattca gagactaa                   1128

```

<210> 24
<211> 555
<212> DNA
<213> MOUSE

<400> 24

```

atgaatcgca ccgcatacac tgtgggagcg ttgcttctcc tcctggggac cctactgcca    60
acagctgagg ggaaaaagaa aggttcccaa ggagccattc cgctctctga caaggctcag   120
cacaatgact ctgagcagac ccagtcccca ccacaacctg gctccaggac ccgggggcgg   180
ggccaggggc ggggcaccgc catgcctgga gaggaggtgc ttgagtccag ccaagaggcc   240
ctgcacgtga cagagcgcaa gtatctgaag cgagattggt gcaaaactca gcccctgaag   300
cagaccatcc acgaggaggg ctgcaacagc cgactatca tcaaccgctt ctgttatggc   360
cagtgcact cttctacat ccccaggcac atccgaaagg aggaagggtc ctttcagtct   420
tgctccttct gcaagcccaa gaagttcacc accatgatgg tcacactcaa ctgtcctgag   480
ctacagccac ccaccaagaa gaaaagggtc acacgcgtga agcagtgccg ttgcatatcc   540
atcgacttgg attaa

```

555

Nonprovisional IP-017.ST25.txt

<210> 25
 <211> 555
 <212> DNA
 <213> MOUSE

<400> 25
 atgaatcgca ccgcatacac tgtgggagcg ttgcttctcc tcctggggac cctactgcca 60
 acagctgagg ggaaaaagaa aggttcccaa ggagccattc cgcttcctga caaggctcag 120
 cacaatgact ctgagcagac ccagtcccca ccacaacctg gctccaggac ccgggggagg 180
 ggccaggggc ggggcaccgc catgcctgga gaggaggtgc ttgagtccag ccaagaggcc 240
 ctgcacgtga cagagcgcaa gtatctgaag cgagattggt gcaaaactca gcccctgaag 300
 cagaccatcc acgaggaggg ctgcaacagc cgactatca tcaaccgctt ctgttatggc 360
 cagtgcact ctttctacat ccccaggcac atccgaaagg aggaaggggc ctttcagtct 420
 tgctccttct gcaagcccaa gaagttcacc accatgatgg tcacactcaa ctgtcctgag 480
 ctacagccac ccaccaagaa gaaaaggggc acacgcgtga agcagtgccg ttgcatatcc 540
 atcgacttgg attaa 555

<210> 26
 <211> 555
 <212> DNA
 <213> HOMO SAPIENS

<400> 26
 atgagccgca cagcctacac ggtgggagcc ctgcttctcc tcttggggac cctgctgccg 60
 gctgctgaag ggaaaaagaa aggttcccaa ggtgccatcc ccccgccaga caaggcccag 120
 cacaatgact cagagcagac tcagtgcgcc cagcagcctg gctccaggaa ccgggggagg 180
 ggccaagggc ggggcactgc catgcccggg gaggaggtgc tggagtccag ccaagaggcc 240
 ctgcatgtga cggagcgcaa atacctgaag cgagactggt gcaaaacca gccgcttaag 300
 cagaccatcc acgaggaagg ctgcaacagt cgaccatca tcaaccgctt ctgttacggc 360
 cagtgcact ctttctacat ccccaggcac atccggaagg aggaaggttc ctttcagtcc 420
 tgctccttct gcaagcccaa gaaattcact accatgatgg tcacactcaa ctgccctgaa 480
 ctacagccac ctaccaagaa gaagagagtc acacgtgtga agcagtgtcg ttgcatatcc 540
 atcgatttgg attaa 555

<210> 27
 <211> 804
 <212> DNA
 <213> HOMO SAPIENS

<400> 27
 atgcatctcc tcttatttca gctgctggta ctctgcctc taggaaagac cacacggcac 60
 caggatggcc gccagaatca gagttctctt tccccgtac tcctgccaag gaatcaaaga 120
 gagcttccca caggcaacca tgaggaagct gaggagaagc cagatctgtt tgtcgcagtg 180

Nonprovisional IP-017.ST25.txt

```

ccacaccttg tagccaccag ccctgcaggg gaaggccaga ggcagagaga gaagatgctg 240
tccagatttg gcaggttctg gaagaagcct gagagagaaa tgcattccatc cagggactca 300
gatagtgagc ccttcccacc tgggaccag tccctcatcc agccgataga tggaatgaaa 360
atggagaaat ctctcttctg ggaagaagcc aagaaattct ggcaccactt catgttcaga 420
aaaactccgg cttctcaggg ggtcatcttg cccatcaaaa gccatgaagt acattgggag 480
acctgcagga cagtgccctt cagccagact ataaccacg aaggctgtga aaaagtagtt 540
gttcagaaca acctttgctt tgggaaatgc gggctgtgtc attttcctgg agccgcgcag 600
cactcccata cctcctgctc tcaactgttg cctgccaagt tcaccacgat gcacttgcca 660
ctgaactgca ctgaactttc ctccgtgatc aagggtgtga tgctggtgga ggagtgccag 720
tgcaaggtga agacggagca tgaagatgga cacatcctac atgctggctc ccaggattcc 780
tttatcccag gagtttcagc ttga 804

```

```

<210> 28
<211> 804
<212> DNA
<213> HOMO SAPIENS

```

```

<400> 28
atgcattctc tcttatttca gctgctggta ctctgcctc taggaaagac cacacggcac 60
caggatggcc gccagaatca gagttctctt tccccgtac tcctgccaag gaatcaaaga 120
gagcttccca caggcaacca tgaggaagct gaggagaagc cagatctgtt tgtcgcagtg 180
ccacaccttg tagccaccag ccctgcaggg gaaggccaga ggcagagaga gaagatgctg 240
tccagatttg gcaggttctg gaagaagcct gagagagaaa tgcattccatc cagggactca 300
gatagtgagc ccttcccacc tgggaccag tccctcatcc agccgataga tggaatgaaa 360
atggagaaat ctctcttctg ggaagaagcc aagaaattct ggcaccactt catgttcaga 420
aaaactccgg cttctcaggg ggtcatcttg cccatcaaaa gccatgaagt acattgggag 480
acctgcagga cagtgccctt cagccagact ataaccacg aaggctgtga aaaagtagtt 540
gttcagaaca acctttgctt tgggaaatgc gggctgtgtc attttcctgg agccgcgcag 600
cactcccata cctcctgctc tcaactgttg cctgccaagt tcaccacgat gcacttgcca 660
ctgaactgca ctgaactttc ctccgtgatc aagggtgtga tgctggtgga ggagtgccag 720
tgcaaggtga agacggagca tgaagatgga cacatcctac atgctggctc ccaggattcc 780
tttatcccag gagtttcagc ttga 804

```

```

<210> 29
<211> 13638
<212> DNA
<213> MOUSE

```

```

<400> 29
atgctgacct cgccgttgct gctgctctgt ccgctgcttt cagctctggt ctccggggcc 60
actatggatg cccctaaaac ttgcagccct aagcagtttg cctgcagaga ccaaattcacc 120

```

Nonprovisional IP-017.ST25.txt

tgtatctcaa agggctggcg gtgtgacggt gaaagagatt gccccgacgg ctctgatgaa	180
gccccctgaga tctgtccaca gagtaaagcc cagagatgcc cgccaaatga gcacagtgtg	240
ctggggactg agctatgtgt ccccatgtct cgtctctgca acgggatcca ggactgcatg	300
gatggctcag acgaggggtgc tctactgccga gagctccgag ccaactgttc tcgaatgggt	360
tgtcaacacc attgtgtacc tacacccagt gggcccacgt gctactgtaa cagcagcttc	420
cagctcgagg cagatggcaa gacgtgcaaa gattttgacg agtggtccgt gtatggcacc	480
tgcagccagc tttgcaccaa cacagatggc tccttcacat gtggctgtgt tgaaggctac	540
ctgctgcaac cggacaaccg ctctgcaag gccagaatg agccagtaga tcggccgcca	600
gtgctactga ttgccaaactc tcagaacatc ctactacgt acctgagtgg ggcccaagt	660
tctaccatca caccaccag caccgacaa accacggcca tggacttcag ttatgccaat	720
gagaccgtat gctgggtgca cgttggggac agtgctgccc agacacagct caagtgtgcc	780
cggatgcctg gcctgaaggc ctttgtggat gagcatacca tcaacatctc cctcagcctg	840
caccacgtgg agcagatggc aatcgactgg ctgacgggaa acttctactt tgtcgacgac	900
attgacgaca ggatcttgt ctgtaaccga aacggggaca cctgtgtcac tctgctggac	960
ctggaactct acaaccccaa aggcacgcc ttggacccg ccatggggaa ggtgttcttc	1020
actgactacg ggcagatccc aaaggtggag cgctgtgaca tggatggaca gaaccgcacc	1080
aagctggtgg atagcaagat cgtgtttcca cacggcatca ccctggacct ggtcagccgc	1140
ctcgtctact gggcggacgc ctacctagac tacatcgagg tggtagacta cgaagggaag	1200
ggtcggcaga ccatcatcca aggcacctg atcgagcacc tgtacggcct gaccgtgttt	1260
gagaactatc tctacgccac caactcggac aatgccaaac cgcagcagaa gacgagcgtg	1320
atccgagtga accggttcaa cagtactgag taccaggtcg tcaccctgtt ggacaaggg	1380
ggtgccctgc atatctacca ccagcgacgc cagccccgag tgcggagtca cgctgtgag	1440
aatgaccagt acgggaagcc aggtggctgc tccgacatct gcctcctggc caacagtcac	1500
aaggcaagga cctgcaggtg caggtctggc ttcagcctgg gaagtgatgg gaagtcttgt	1560
aagaaacctg aacatgagct gttcctcgtg tatggcaagg gccgaccagg catcattaga	1620
ggcatggaca tgggggcca ggtcccagat gagcacatga tccccatga gaaccttatg	1680
aatccacgcg ctctggactt ccacgccgag accggcttca tctactttgc tgacaccacc	1740
agctacctca ttggccgcca gaaaattgat ggcacggaga gagagactat cctgaaggat	1800
ggcatccaca atgtggaggc cgtagccgtg gactggatgg gagacaatct ttactggact	1860
gatgatggcc ccaagaagac cattagtgtg gccaggctgg agaaagccgc tcagaccggg	1920
aagactctaa ttgagggcaa gatgacacac cccagggcca ttgtagtga tccactcaat	1980
gggtggatgt actggacaga ctgggaggag gaccccaagg acagtcggcg agggcggctc	2040
gagagggtt ggatggacgg ctacaccga gatatcttg tcacctcaa gacagtgtt	2100
tggcccaatg ggctaagcct ggatatcca gccggacgcc tctactgggt ggatgccttc	2160

Nonprovisional IP-017.ST25.txt

tatgaccgaa ttgagaccat actgctcaat ggcacagacc ggaagattgt atatgagggt	2220
cctgaactga atcatgcctt cggcctgtgt caccatggca actacctctt ttggaccgag	2280
taccggagcg gcagcgtcta ccgcttgga cggggcgtgg caggcgcacc gccactgtg	2340
acccttctgc gcagcgagag accgcctatc tttgagatcc gaatgtacga cgcgcacgag	2400
cagcaagtgg gtaccaacaa atgccgggta aataacggag gctgcagcag cctgtgcctc	2460
gccacccccg ggagccgccca gtgtgcctgt gccgaggacc aggtgttga cacagatgggt	2520
gtcacctgct tggcgaacct atcctacgtg cccccacccc agtgccagcc gggccagttt	2580
gcctgtgccca acaaccgctg catccaggag cgctggaagt gtgacggaga caacgactgt	2640
ctggacaaca gcgatgaggc ccagcactg tgccatcaac acacctgtcc ctcggaccga	2700
ttcaagtgtg agaacaaccg gtgtatcccc aaccgctggc tctgtgatgg ggataatgat	2760
tgtggcaaca gcgaggacga atccaatgcc acgtgctcag cccgcacctg tccaccaaac	2820
cagttctcct gtgccagtgg ccgatgcatt cctatctcat ggacctgtga tctggatgat	2880
gactgtgggg accggtccga tgagtcagcc tcatgcgect accccacctg cttccccctg	2940
actcaattta cctgaacaa tggcagatgt attaacaatca actggcgggtg tgacaacgac	3000
aatgactgtg gggacaacag cgacgaagcc ggctgcagtc actcctgctc cagtaccag	3060
ttcaagtga acagtggcag atgcatcccc gagcactgga cgtgtgatgg ggacaatgat	3120
tgtggggact acagcgacga gacacagcc aactgtacca accaggctac aagacctcct	3180
ggtggctgcc actcggatga gttccagtgc ccgctagatg gcctgtgcat cccctgagg	3240
tggcgctcgc acggggacac cgactgcatg gattccagcg atgagaagag ctgtgagggc	3300
gtgacccatg tttgtgaccc gaatgtcaag tttggctgca aggactccgc ccggtgcatc	3360
agcaaggcgt ggggtgtgtga tggcgacagc gactgtgaag ataaactcca cgaggagaac	3420
tgtgaggccc tggcctgcag gccaccctcc catccctgcg ccaacaacac ctctgtctgc	3480
ctgcctcctg acaagctgtg cgacggcaag gatgactgtg gagacggctc ggatgagggc	3540
gagctctgtg accagtgttc tctgaataat ggtggctgta gtcacaactg ctcagtggcc	3600
cctggtgaag gcatcgtgtg ctcttgccct ctgggcatgg agctgggctc tgacaaccac	3660
acctgccaga tccagagcta ctgtgccaaag cacctcaaata gcagccagaa gtgtgaccag	3720
aacaagttca gtgtgaagtg ctctgctac gagggctggg tcttgaggcc tgacggggaa	3780
acgtgccgca gtctggatcc cttcaaactg ttcatactct tctccaaccg ccacgagatc	3840
aggcgattg accttcacaa gggggactac agcgtcctag tgcctggcct gcgcaacact	3900
attgccttg acttccacct cagccagagt gccctctact ggaccgacgc ggtagaggac	3960
aagatctacc gtgggaaact cctggacaac ggagccctga ccagctttga ggtggtgatt	4020
cagtatggct tggccacacc agagggcctg gctgtagatt ggattgcagg caacatctac	4080
tgggtggaga gcaacctgga ccagatcgaa gtggccaagc tggacggaac cctccgaacc	4140
actctgctgg cgggtgacat tgagcaccgc agggccatcg ctctggaccc tcgggatggg	4200

Nonprovisional IP-017.ST25.txt

attctgtttt ggacagactg ggatgccagc ctgccacgaa tcgaggctgc atccatgagt 4260
 ggagctggcc gccgaacat ccaccgggag acaggctctg ggggctgcgc caatgggctc 4320
 accgtggatt acctggagaa gcgcattctc tggattgatg ctaggtcaga tgccatctat 4380
 tcagcccggg atgacggctc cggccacatg gaggtgcttc ggggacacga gttcctgtca 4440
 caccattttg ccgtgacact gtacgggtggg gaggtgtact ggaccgactg gcgaacaaat 4500
 aactgggcta agggcaacaa gtggactggc cacaacgtca ccgtgggtaca gaggaccaac 4560
 acccagccct tcgacctgca ggtgtatcac ccttcccggc agcccatggc tccaaacca 4620
 tgtgaggcca atggcggccg gggcccctgt tcccatctgt gcctcatcaa ctacaaccgg 4680
 accgtctcct gggcctgtcc ccacctcatg aagctgcaca aggacaacac cacctgctat 4740
 gagtttaaga agttcctgct gtacgcacgt cagatggaga tccggggcgt ggacctggat 4800
 gccccgtact acaattatat catctccttc acggtgcctg atatcgacaa tgtcacggtg 4860
 ctggactatg atgcccgaga gcagcgagtt tactggctctg atgtgcggac tcaagccatc 4920
 aaaagggcat ttatcaacgg cactggcgctg gagaccgttg tctctgcaga cttgcccaac 4980
 gcccacgggc tggctgtgga ctgggtctcc cgaaatctgt tttggacaag ttacgacacc 5040
 aacaagaagc agattaacgt ggcccggctg gacggctcct tcaagaatgc ggtgggtgcag 5100
 ggcctggagc agccccacgg cctggctcgtc caccgccttc gtggcaagct ctactggact 5160
 gatggggaca acatcagcat ggccaacatg gatgggagca accacactct gctcttcagt 5220
 gggcagaagg gccctgtggg gttggccatt gacttccttg agagcaaact ctactggatc 5280
 agctctggga accacacaat caaccgttgc aatctggatg ggagcgagct ggaggtcatc 5340
 gacacatgc ggagccagct gggcaaggcc actgccctgg ccatcatggg ggacaagctg 5400
 tgggtggcag atcaggtgtc agagaagatg ggcacgtgca acaaagccga tggctctggg 5460
 tccgtggtgc tgcggaacag taccacgttg gttatgcaca tgaaggtgta tgacgagagc 5520
 atccagctag agcatgaggg caccaacccc tgcagtgtca acaacggaga ctgttcccag 5580
 ctctgcctgc caacatcaga gacgactcgc tcctgtatgt gtacagccgg ttacagcctc 5640
 cggagcggac agcaggcctg tgaggggtgtg ggctcttttc tcctgtactc tgtacatgag 5700
 ggaattcggg ggattccact agatcccaat gacaagtcgg atgccctggg cccagtgtcc 5760
 ggaacttcac tggctgtcgg aatcgacttc catgccgaaa atgacactat ttattgggtg 5820
 gatatgggccc taagcaccat cagcagggcc aagcgtgacc agacatggcg agaggatgtg 5880
 gtgaccaacg gtattggccg tgtggagggc atcgccgtgg actggatcgc aggcaacata 5940
 tactggacgg accagggtct cgtatgtcatc gaggttgccc ggctcaatgg ctcttttcgt 6000
 tatgtggtca tttcccaggg tctggacaag cctcgggcca tcaactgtcca cccagagaag 6060
 gggctacttg tctggaccga gtggggtcat taccacgta ttgagcggtc tcgccttgat 6120
 ggcacagaga gagtgggtgt ggttaatgtc agcatcagct ggcccaatgg catctcagta 6180
 gactatcagg gcggcaagct ctactggtgt gatgctcgga tggacaagat cgagcgcac 6240

Nonprovisional IP-017.ST25.txt

gacctggaaa	cgggcgagaa	ccgggagggtg	gtcctgtcca	gcaataacat	ggatatgttc	6300
tccgtgtccg	tgtttgagga	cttcatctac	tggagtga	gaactcacgc	caatggctcc	6360
atcaagcgcg	gctgcaaaga	caatgctaca	gactccgtgc	ctctgaggac	aggcattggt	6420
gttcagctta	aagacatcaa	ggctttcaac	agggacaggc	agaagggtac	caatgtgtgc	6480
gcggtagcca	acggcggggtg	ccagcagctc	tgtttgtatc	ggggtggcgg	acagcgagcc	6540
tgtgcctgtg	cccacgggat	gctggcagaa	gacggggcct	catgccgaga	gtacgtggc	6600
tacctgtctt	actcagagcg	gaccatcctc	aagagcatcc	acctgtcgga	tgagcgtaac	6660
ctcaacgcac	cgggtcgagcc	ctttgaagac	cccagacaca	tgaaaaatgt	catcgccctg	6720
gcctttgact	accgagcagg	cacctccccg	gggacccta	accgcatctt	cttcagtga	6780
atccactttg	ggaacatcca	gcagatcaat	gacgatggct	cgggcaggac	caccatcgtg	6840
gaaaatgtgg	gctctgtgga	aggcctggcc	tatcacctgtg	gctgggacac	actgtactgg	6900
acaagctaca	ccacatccac	catcacccgc	cacaccgtgg	accagactcg	cccagggggc	6960
ttcgagaggg	agacagtcac	caccatgtcc	ggagacgacc	acccgagagc	ctttgtgctg	7020
gatgagtgcc	agaacctgat	gttctggacc	aattggaacg	agctccatcc	aagcatcatg	7080
cgggcagccc	tatccggagc	caacgtcctg	accctcattg	agaaggacat	ccgcacgccc	7140
aatgggttgg	ccatcgacca	ccgggcggag	aagctgtact	tctcggtatg	caccttgga	7200
aagatcgagc	gctgcgagta	cgacggctcc	caccgctatg	tgatcctaaa	gtcggagccc	7260
gtccaccctt	ttgggttggc	ggtgtacgga	gagcacattt	tctggactga	ctgggtgcgg	7320
cgggcagtgc	agcgagccaa	caagtatgtg	ggcagcgaca	tgaagctgct	tcgggtggac	7380
attccccagc	aaccatggg	catcatcgcc	gtggccaatg	acaccaacag	ctgtgaactc	7440
tccccctgcc	gtatcaacaa	tggaggctgc	caggatctgt	gtctgctcac	ccaccaaggc	7500
cacgtcaact	gttcctgtcg	agggggccgg	atcctccagg	aggacttcac	ctgccgggct	7560
gtgaactcct	cttgtcgggc	acaagatgag	tttgagtgtg	ccaatgggga	atgtatcagc	7620
ttcagcctca	cctgtgatgg	cgtctccac	tgcaaggaca	agtccgatga	gaagccctcc	7680
tactgcaact	cacgccgtg	caagaagact	ttccgccagt	gtaacaatgg	ccgctgtgta	7740
tccaacatgc	tgtggtgcaa	tggggtggat	tactgtgggg	atggctctga	tgagatacct	7800
tgcaacaaga	ctgcctgtgg	tgtgggtgag	ttccgtgcc	gggatgggtc	ctgcatcggg	7860
aactccagtc	gctgcaacca	gtttgtggat	tgtgaggatg	cctcggtatg	gatgaattgc	7920
agtgccacag	actgcagcag	ctatttccgc	ctgggcgtga	aagggtgcct	cttccagccg	7980
tgcgagcgga	catccctgtg	ctacgcacct	agctgggtgt	gtgatggcgc	caacgactgt	8040
ggagactaca	gcgatgaacg	tgactgtcca	ggtgtgaagc	gccctagggtg	cccgtcaat	8100
tactttgcct	gccccagcgg	gcgctgtatc	cccatgagct	ggacgtgtga	caaggaggat	8160
gactgtgaga	acggcgagga	tgagaccac	tgcaacaagt	tctgctcaga	ggcacagtgc	8220
gagtgccaga	accaccgggtg	tatctccaag	cagtggctgt	gtgacggtag	cgatgattgc	8280

Nonprovisional IP-017.ST25.txt

ggggatggct ccgatgaggc agctcactgt gaaggcaaga catgtggccc ctcctccttc 8340
 tcctgtcccc gacccacgt gtgtgtccct gagcgtggc tctgtgatgg cgacaaggac 8400
 tgtaccgatg gcgcggatga gagtgtcact gctggctgcc tgtacaacag cacctgtgat 8460
 gaccgtgagt tcatgtgcca gaaccgcttg tgtattccca agcatttcgt gtgcgaccat 8520
 gaccgtgact gtgctgatgg ctctgatgaa tcccctgagt gtgagtaccc aacctgcggg 8580
 cccaatgaat tccgctgtgc caatgggcgt tgtctgagct cccgtcagtg ggaatgtgat 8640
 ggggagaatg actgtcacga ccacagcgat gaggctccca agaaccaca ctgcaccagc 8700
 ccagagcaca aatgcaatgc ctcatcacag ttctgtgca gcagcgggcg ctgcgtggct 8760
 gaggcgttgc tctgcaacgg ccaggacgac tgtggggacg gttcagacga acgcgggtgc 8820
 catgtcaacg agtgtctcag ccgcaagctc agtggtgca gtcaggactg cgaggacctc 8880
 aagataggct ttaagtgccg ctgtcgcccg ggcttccggc taaaggacga tggcaggacc 8940
 tgtgccgacc tggatgagtg cagcaccacc ttcccctgca gccagctctg catcaacacc 9000
 cacggaagt acaagtgtct gtgtgtggag ggctatgcac cccgtggcgg tgacccccac 9060
 agctgcaaag ctgtgaccga tgaggagcca tttctcatct ttgccaaccg gtactacctg 9120
 cggaagctca acctggacgg ctccaactac aactgttta agcagggcct gaacaatgcg 9180
 gtcgccttgg catttgacta ccgagagcag atgatctact ggacgggcgt gaccaccag 9240
 ggcagcatga ttgcaggat gcacctcaac ggcagcaacg tgcaggttct gcaccggacg 9300
 ggccttagta acccagatgg gctcgtgtg gactgggtgg gtggcaacct gtactggtgt 9360
 gacaagggca gagataccat tgagggtgcc aagcttaacg gggcctatcg gacagtgtg 9420
 gtcagctctg gcctccggga gccagagct ctggtagtgg atgtacagaa tgggtacctg 9480
 tactggacag actggggtga ccactcactg atcgccgga ttggcatgga tggatctggc 9540
 cgcagcatca tcgtggacac taagatcaca tggcccaatg gcctgaccgt ggactacgtc 9600
 acggaacgca tctactgggc tgacgccgt gaggactaca tcgagttcgc cagcctggat 9660
 ggctccaacc gtcacgttgt gctgagccaa gacatccac acatctttgc gctgacccta 9720
 tttgaagact acgtctactg gacagactgg gaaacgaagt ccatcaaccg ggcccacaag 9780
 accacgggtg ccaacaaaac actcctcatc agcaccctgc accggcccat ggacttacat 9840
 gtattccacg ccctgcgcca gccagatgtg cccaatcacc cctgcaaagt caacaatggt 9900
 ggctgcagca acctgtgcct gctgtcccct ggggggtggtc acaagtgcgc ctgccccacc 9960
 aacttctatc tgggtggcga tggccgtacc tgtgtgtcca actgcacagc aagccagttt 10020
 gtgtgcaaaa atgacaagt catccccctt tgggtggaagt gtgacacgga ggacgactgt 10080
 ggggatcact cagacgagcc tccagactgt cccgagttca agtgccgcc aggccagttc 10140
 cagtgtcca ccggcatctg caccaaccct gccttcatct gtgatgggga caatgactgc 10200
 caagacaata gtgacgaggc caattgcgac attcacgtct gcttgcccag ccaattcaag 10260
 tgcaccaaca ccaaccgtg cattcctggc atcttccgtt gcaatgggca ggacaactgc 10320

Nonprovisional IP-017.ST25.txt

ggggacggcg aggatgagcg ggattgccct gaggtgacct gcgcccccaa ccagttccag 10380
 tgctccatca ccaagcgctg catccctcgc gtctgggtct gtgacagggg taatcactgt 10440
 gtggacggca gtgatgagcc tgccaactgt acccaaata cctgtggagt ggatgagttc 10500
 cgctgcaagg attctggccg ctgcatcccc gcgcgctgga agtgtgacgg agaagatgac 10560
 tgtggggatg gttcagatga gcccaaggaa gagtgtgatg agcgcacctg tgagccatac 10620
 cagttccgct gcaaaaaaca ccgctgtgtc ccaggccgtt ggcaatgtga ctacgacaac 10680
 gactgcggag ataactcggg cgaggagagc tgcacacctc ggccctgctc tgagagttag 10740
 tttttctgtg ccaatggccg ctgcatcgct gggcgctgga agtgtgatgg ggaccatgac 10800
 tgtgccgacg gctcagacga gaaagactgc acccccgcgt gtgatatgga ccagttccag 10860
 tgcaagagtg gccactgcat cccctcgcgc tggccgtgtg acgcggatgc tgactgtatg 10920
 gacggcagtg acgaggaagc ctgtggcact ggggtgagga cctgccatt ggatgagttt 10980
 caatgtaaca acacctgtg caagccgctg gcctggaagt gtgatggaga ggacgactgt 11040
 ggggacaact cagatgagaa ccccgaggaa tgcgccggt tcatctgcc tcccaaccgg 11100
 cctttccgct gcaagaatga ccgagtctgc ctgtggattg ggcgccagtg tgatggcgtg 11160
 gacaactgtg gagatgggac tgacgaggag gactgtgagc cccccacggc ccagaacccc 11220
 cactgcaaag acaagaagga gttcctgtgc cgaaaccagc gctgtctatc atcctccctg 11280
 cgctgtaaca tgttcagat ctgcggcgat ggctccgatg aagaagattg cagcatcgac 11340
 cccaagctga ccagctgtgc caccaatgcc agcatgtgtg gggacgaagc tcgttgtgtg 11400
 cgactgaga aagctgccta ctgtgcctgc cgctcgggct tccatactgt gccggggccag 11460
 cccggatgcc aggacatcaa cgagtgcctg cgctttggtg cctgctctca gctctggaac 11520
 aaaccaagg gaggccacct ctgcagctgt gcccgcaact tcatgaagac acacaacacc 11580
 tgcaaagctg aaggctccga gtaccaggtg ctatacatcg cggatgacaa cgagatccgc 11640
 agcttggtcc cgggccaccc ccaactcagc tacgagcaga cattccaggg cgatgagagt 11700
 gtccgcatag atgccatgga tgtccatgtc aaggccggcc gtgtctactg gactaactgg 11760
 cacacgggca caatctccta caggagcctg cccctcgcg cccctcctac cacttccaac 11820
 cgccaccgga ggcagatcga ccggggtgtc acccacctca atatttcagg gctgaagatg 11880
 ccgaggggta tcgctatcga ctgggtggcc gggaatgtgt actggaccga ttccggccga 11940
 gacgtgattg aggtggcgca aatgaagggc gagaaccgca agacgctcat ctccggcatg 12000
 attgatgagc cccatgccat cgtgggtggc cctctgaggg gcaccatgta ctggtcagac 12060
 tgggggaacc accccaagat tgaaacagca gcgatggatg gcacccttcg ggagactctc 12120
 gtgcaagaca acattcagtg gcctacaggg ctggctgtgg actatcaca tgaacggctc 12180
 tactgggcag atgccaaagt ttcggctatc ggcagcatcc ggctcaacgg cactgacccc 12240
 attgtggctg ctgacagcaa acgaggccta agtcaccctc tcagcatcga tgtgtttgaa 12300
 gactacatct acggagtcac ttacatcaat aatcgtgtct tcaagatcca caagtttgga 12360

Nonprovisional IP-017.ST25.txt

cacagcccct tgtacaacct aactgggggc ctgagccatg cctctgatgt agtcctttac 12420
 catcaacaca agcagcctga agtgaccaac ccctgtgacc gcaagaaatg cgaatggctg 12480
 tgtctgctga gccccagcgg gcctgtctgc acctgtccca atggaaagag gctggataat 12540
 ggacactgtg tgcctgtgcc ctctccaaca cccctccag atgcccctag gcctggaacc 12600
 tgcactctgc agtgcttcaa tggtggtagt tgtttcctca acgctcggag gcagcccaag 12660
 tgccgttgcc agccccgtta cacaggcgat aagtgtgagc tggatcagtg ctgggaatac 12720
 tgtcacaacg gaggcacctg tgcggcttcc ccatctggca tgcccacgtg ccgctgtccc 12780
 actggcttca cgggccccaa atgcaccgca cagggtgtgtg caggctactg ctctaacaac 12840
 agcactgca ccgtcaacca gggcaaccag cccagtgcc gatgtctacc tggcttctctg 12900
 ggcgaccgtt gccagtaccg gcagtgtctt ggcttctgtg agaactttgg cacctgtcag 12960
 atggctgctg atggctcccg acaatgtcgc tgcaccgtct actttgaggg accaagggtgt 13020
 gaggtgaaca agtgtagtgc ctgtctccaa ggcgccctgtg tggtaataa gcagaccgga 13080
 gatgtcacat gcaactgcac tgatggccgg gtagcccca gttgtctcac ctgcatcgat 13140
 cactgtagca atgggtggctc ctgcaccatg aacagcaaga tgatgcctga gtgccagtgc 13200
 ccgccccata tgacaggacc ccggtgccag gagcagggtt ttagtcagca acagcctggg 13260
 catatggcct ccatcctgat ccctctgctg ctgcttctcc tgcctgttct ggtggctggc 13320
 gtggtgttct ggtataagcg gcgagtccga ggggctaagg gcttcagca ccagcggatg 13380
 accaatgggg ccatgaatgt ggaaattgga aaccctacct acaagatgta tgaagggtgga 13440
 gagcccgatg atgtcggggg cctactggat gctgattttg cccttgacct tgacaagcct 13500
 accaacttca ccaaccagt gtatgccacg ctctacatgg ggggccacgg cagccgccat 13560
 tccttgacca gcacggacga gaagcgagaa ctgctgggcc ggggacctga agacgagata 13620
 ggagatccct tggcatag 13638

<210> 30
 <211> 13635
 <212> DNA
 <213> HOMO SAPIENS

<400> 30
 atgctgacct cgccgttgct cctgctgctg cccctgctct cagctctggt cgcggcggct 60
 atcgacgccc ctaagacttg cagccccaag cagtttgctt gcagagatca aataacctgt 120
 atctcaaagg gctggcggtg cgacgggtgag agggactgcc cagacggatc tgacgaggcc 180
 cctgagattt gtccacagag taaggcccag cgatgccagc caaacgagca taactgcctg 240
 ggtactgagc tgtgtgttcc catgtcccgc ctctgcaatg ggggtccagga ctgcatggac 300
 ggctcagatg aggggccccca ctgccgagag ctccaaggca actgctctcg cctgggctgc 360
 cagcaccatt gtgtccccac actcgatggg cccacctgct actgcaacag cagctttcag 420
 cttcaggcag atggcaagac ctgcaaagat tttgatgagt gctcagtgtg cggcacctgc 480
 agccagctat gcaccaacac agacggctcc ttcatatgtg gctgtgttga aggatacctc 540

Nonprovisional IP-017.ST25.txt

ctgcagccgg ataaccgctc ctgcaaggcc aagaacgagc cagtagaccg gccccctgtg	600
ctgttgatag ccaactccca gaacatcttg gccacgtacc tgagtggggc ccaggtgtct	660
accatcacac ctacgagcac gcggcagacc acagccatgg acttcagcta tgccaacgag	720
accgtatgct ggggtgcatgt tggggacagt gctgctcaga cgcagctcaa gtgtgcccgc	780
atgcctggcc taaagggctt cgtggatgag cacaccatca acatctccct cagtctgcac	840
cacgtggaac agatggccat cgactggctg acaggcaact tctactttgt ggatgacatc	900
gatgatagga tctttgtctg caacagaaat ggggacacat gtgtcacatt gctagacctg	960
gaactctaca accccaaggg cattgccctg gaccctgcca tggggaagggt gtttttcaact	1020
gactatgggc agatcccaaa ggtggaacgc tgtgacatgg atgggcagaa ccgcaccaag	1080
ctcgtcgaca gcaagattgt gtttcctcat ggcacacgc tggacctggg cagccgcctt	1140
gtctactggg cagatgccta tctggactat attgaagtgg tggactatga gggcaagggc	1200
cgccagacca tcatccaggg catcctgatt gagcacctgt acggcctgac tgtgtttgag	1260
aattatctct atgccaccaa ctcgacaat gccaatgccc agcagaagac gagtgtgatc	1320
cgtgtgaacc gctttaacag caccgagtac caggttgtca cccgggtgga caagggtggg	1380
gccccccaca tctaccacca gaggcgtcag ccccgagtga ggagccatgc ctgtgaaaac	1440
gaccagtatg ggaagccggg tggtctgtct gacatctgcc tgctggccaa cagccacaag	1500
gcgcggacct gccgctgccg ttccggcttc agcctgggca gtgacgggaa gtcatgcaag	1560
aagccggagc atgagctgtt cctcgtgtat ggcaagggcc ggccaggcat catccggggc	1620
atggatatgg gggccaagggt cccggatgag cacatgatcc ccattgaaaa cctcatgaac	1680
ccccgagccc tggacttcca cgctgagacc ggcttcatct actttgccga caccaccagc	1740
tacctcattg gccgccagaa gattgatggc actgagcggg agaccatcct gaaggacggc	1800
atccacaatg tggaggggtgt ggccgtggac tggatgggag acaatctgta ctggacggac	1860
gatgggcccc aaaagacaat cagcgtggcc aggctggaga aagctgctca gacccgcaag	1920
actttaatcg agggcaaaat gacacacccc agggctattg tgggtggatcc actcaatggg	1980
tggatgtact ggacagactg ggaggaggac cccaaggaca gtcggcgtgg gcggctggag	2040
agggcgtgga tggatggctc acaccgagac atctttgtca cctccaagac agtgctttgg	2100
cccaatgggc taagcctgga catcccggct gggcgctct actgggtgga tgccttctac	2160
gaccgcatcg agacgatact gctcaatggc acagaccgga agatttgtga tgaaggctct	2220
gagctgaacc acgccttttg cctgtgtcac catggcaact acctcttctg gactgagtat	2280
cggagtggca gtgtctaccg cttggaacgg ggtgtaggag gcgcaccccc cactgtgacc	2340
cttctgcga gtgagcggcc ccccatcttt gagatccgaa tgtatgatgc ccagcagcag	2400
caagttggca ccaacaaatg ccgggtgaac aatggcggct gcagcagcct gtgcttggcc	2460
acccctggga gccgccagt cgctgtgct gaggaccagg tgttggacgc agacggcgtc	2520
acttgcttgg cgaaccatc ctacgtgcct ccacccagc gccagccagg cgagtttggc	2580

Nonprovisional IP-017.ST25.txt

tgtgccaaca gccgctgcat ccaggagcgc tggaggtgtg acggagacaa cgattgcctg	2640
gacaacagtg atgaggcccc agccctctgc catcagcaca cctgcccctc ggaccgattc	2700
aagtgcgaga acaaccggtg catccccaac cgctggctct gcgacgggga caatgactgt	2760
gggaacagtg aagatgagtc caatgccact tgttcagccc gcacctgccc cccaaccag	2820
ttctcctgtg ccagtggccg ctgcatcccc atctcctgga cgtgtgatct ggatgacgac	2880
tgtggggacc gctctgatga gtctgcttcg tgtgcctatc ccacctgctt cccctgact	2940
cagtttacct gcaacaatgg cagatgtatc aacatcaact ggagatgca caatgacaat	3000
gactgtgggg acaacagtga cgaagccggc tgcagccact cctgttctag caccagttc	3060
aagtgaaca gcgggcgttg catccccgag cactggacct gcgatgggga caatgactgc	3120
ggagactaca gtgatgagac acacgccaac tgcaccaacc aggccacgag gccccctggt	3180
ggctgccaca ctgatgagtt ccagtgccg ctggatggac tatgcatccc cctgcggtgg	3240
cgctgcgatg gggacactga ctgcatggac tccagcgatg agaagagctg tgagggagt	3300
accacgtct cgcgtcccg tgtcaagttt ggctgcaagg actcagctcg gtgcatcagc	3360
aaagcgtggg tgtgtgatgg cgacaatgac tgtgaggata actcggacga ggagaactgc	3420
gagtccctgg cctgcaggcc accctcgac cttgtgcca acaacacctc agtctgcctg	3480
ccccctgaca agctgtgtga tggcaacgac gactgtggcg acggctcaga tgagggcgag	3540
ctctgcgacc agtgctctct gaataacggt ggctgcagcc acaactgctc agtggcacct	3600
ggcgaaggca ttgtgtgttc ctgccctctg ggcatggagc tggggcccga caaccacacc	3660
tgccagatcc agagctactg tgccaagcat ctcaaatgca gccaaaagtg cgaccagaac	3720
aagttcagcg tgaagtgtc ctgctacgag ggctgggtcc tggaaactga cggcgagagc	3780
tgccgcagcc tggaccctt caagccgttc atcatcttct ccaaccgcca tgaaatccgg	3840
cgcatcgatc ttcacaaagg agactacagc gtcttgggtc cggcctgcg caacaccatc	3900
gccttgact tccacctcag ccagagcgcc ctctactgga ccgacgtggt ggaggacaag	3960
atctaccgcy ggaagctgct ggacaacgga gccctgacta gtttcgaggt ggtgattcag	4020
tatggcctgg ccacaccga gggcctggct gtagactgga ttgcaggcaa catctactgg	4080
gtggagagta acctggatca gatcgaggtg gccaagctgg atgggaccct cgggaccacc	4140
ctgctggccg gtgacattga gcaccaagg gcaatcgac tggatccccg ggatgggatc	4200
ctgttttga cagactggga tgccagcctg cccgcattg aggcagcctc catgagtggg	4260
gctgggcgcc gcaccgtgca ccgggagacc ggctctgggg gctggcccaa cgggctcacc	4320
gtggactacc tggagaagcg catcctttg attgacgcca ggtcagatgc catttactca	4380
gcccgttacg acggctctgg ccacatggag gtgcttcggg gacacgagtt cctgtcgac	4440
ccgtttgcag tgacgtgta cgggggggag gtctactgga ctgactggcg aacaacaca	4500
ctggctaagg ccaacaagtg gaccggccac aatgtcaccg tggtagagag gaccaacacc	4560
cagccctttg acctgcaggt gtaccacccc tcccgcagc ccattggctcc caatccctgt	4620

Nonprovisional IP-017.ST25.txt

gaggccaatg ggggccaggg cccctgctcc cacctgtgtc tcatcaacta caaccggacc 4680
 gtgtcctgcg cctgccccca cctcatgaag ctccacaagg acaacaccac ctgctatgag 4740
 tttaagaagt tcctgctgta cgcacgtcag atggagatcc gaggtgtgga cctggatgct 4800
 ccctactaca actacatcat ctctttcacg gtgcccagaca tcgacaacgt cacagtgtca 4860
 gactacgatg cccgcgagca gcgtgtgtac tggctgtacg tgcggacaca ggccatcaag 4920
 cgggccttca tcaacggcac aggcgtggag acagtctgtc ctgcagactt gccaaatgcc 4980
 cacgggctgg ctgtggactg ggtctcccga aacctgttct ggacaagcta tgacaccaat 5040
 aagaagcaga tcaatgtggc ccggctggat ggctccttca agaacgcagt ggtgcagggc 5100
 ctggagcagc cccatggcct tgtcgtccac cctctgcgtg ggaagctcta ctggaccgat 5160
 ggtgacaaca tcagcatggc caacatggat ggagcaatc gcacctgtct cttcagtggc 5220
 cagaagggcc ccgtgggcct ggctattgac ttccctgaaa gcaaactcta ctggatcagc 5280
 tccgggaacc ataccatcaa ccgctgcaac ctggatggga gtgggctgga ggtcatcgat 5340
 gccatgcgga gccagctggg caaggccacc gccctggcca tcatggggga caagctgtgg 5400
 tgggctgata aggtgtcggg aaagatgggc acatgcagca aggctgacgg ctcgggctcc 5460
 gtggtccttc ggaacagcac caccctgggt atgcacatga aggtctatga cgagagcatc 5520
 cagctggacc ataagggcac caaccctgc agtgtcaaca acggtgactg ctcccagctc 5580
 tgctgccc cgtcagagac gaccgcctcc tgcattgtga cagccggcta tagcctccgg 5640
 agtggccagc aggcctgcga gggcgtaggt tcctttctcc tgtactctgt gcatgagggg 5700
 atcaggggaa ttcccctgga tcccaatgac aagtcagatg ccctgggtccc agtgtccggg 5760
 acctcgtgg ctgtcggcat cgacttccac gctgaaaatg acaccatcta ctgggtggac 5820
 atgggcctga gcacgatcag ccgggccaag cgggaccaga cgtggcgtga agacgtgggtg 5880
 accaatggca ttggccgtgt ggagggcatt gcagtggact ggatcgagg caacatctac 5940
 tggacagacc agggctttga tgtcatcgag gtcgcccggc tcaatggctc cttccgctac 6000
 gtggtgatct ccaggggtct agacaagccc cgggccatca ccgtccaccc ggagaaaggg 6060
 tacttgttct ggactgagtg gggtcagtat ccgctattg agcgttctcg gctagatggc 6120
 acggagcgtg tgggtgtggt caacgtcagc atcagctggc ccaacggcat ctcatggac 6180
 taccaggatg ggaagctgta ctggtgcgat gcacggacag acaagattga acggatcgac 6240
 ctggagacag gtgagaaccg cgaggtggtt ctgtccagca acaacatgga catgttttca 6300
 gtgtctgtgt ttgaggattt catctactgg agtgacagga ctcatgcca cggtctatc 6360
 aagcgcgga gcaaagacaa tgccacagac tccgtgcccc tgcgaaccgg catcggcgctc 6420
 cagcttaaag acatcaaagt cttcaaccgg gaccggcaga aaggcaccaa cgtgtgcgcg 6480
 gtggccaatg gcgggtgcca gcagctgtgc ctgtaccggg gccgtgggca gcgggcctgc 6540
 gcctgtgccc acgggatgct ggctgaagac ggagcatcgt gccgcgagta tgccggctac 6600
 ctgctctact cagagcgcac cattctcaag agtatccacc tgtcggatga gcgcaacctc 6660

Nonprovisional IP-017.ST25.txt

aatgcgcccc	tgcagccctt	cgaggaccct	gagcacatga	agaacgtcat	cgccctggcc	6720
tttgactacc	gggcaggcac	ctctccgggc	acccccaatc	gcattcttct	cagcgacatc	6780
cactttggga	acatccaaca	gatcaacgac	gatggctcca	ggaggatcac	cattgtggaa	6840
aacgtgggct	ccgtggaagg	cctggcctat	caccgtggct	gggacactct	ctattggaca	6900
agctacacga	catccaccat	cacgcgccac	acagtggacc	agaccgccc	aggggccttc	6960
gagcgtgaga	ccgtcatcac	tatgtctgga	gatgaccacc	cacgggcctt	cgttttggac	7020
gagtgccaga	acctcatgtt	ctggaccaac	tggaatgagc	agcatcccag	catcatgcgg	7080
gcggcgctct	cgggagccaa	tgtcctgacc	cttatcgaga	aggacatccg	tacccccaat	7140
ggcctggcca	tgcaccaccg	tgccgagaag	cttactttct	ctgacgccac	cctggacaag	7200
atcgagcggg	gcgagtatga	cggctcccac	cgctatgtga	tcctaaagtc	agagcctgtc	7260
caccccttcg	ggctggccgt	gtatggggag	cacattttct	ggactgactg	ggtgcggcgg	7320
gcagtgcagc	gggccaacaa	gcacgtgggc	agcaacatga	agctgctgcg	cgtggacatc	7380
ccccagcagc	ccatgggcat	catcgccgtg	gccaacgaca	ccaacagctg	tgaactctct	7440
ccatgccgaa	tcaacaacgg	tggtgccag	gacctgtgtc	tgctcactca	ccagggccat	7500
gtcaactgct	catgccgagg	gggccgaatc	ctccaggatg	acctcacctg	ccgagcggtg	7560
aattcctctt	gccgagcaca	agatgagttt	gagtgtgcca	atggcgagtg	catcaacttc	7620
agcctgacct	gcgacggcgt	ccccactgc	aaggacaagt	ccgatgagaa	gccatcctac	7680
tgcaactccc	gccgtgcaa	gaagactttc	cggcagtgca	gcaatgggcg	ctgtgtgtcc	7740
aacatgctgt	ggtgcaacgg	ggccgacgac	tgtggggatg	gctctgacga	gatcccttgc	7800
aacaagacag	cctgtgggtg	gggcgagttc	cgctgccggg	acgggacctg	catcgggaac	7860
tccagccgct	gcaaccagtt	tgtggattgt	gaggacgcct	cagatgagat	gaactgcagt	7920
gccaccgact	gcagcagcta	cttcgcctg	ggcgtgaagg	gcgtgctctt	ccagccctgc	7980
gagcggacct	cactctgcta	cgcaccacgc	tgggtgtgtg	atggcgccaa	tgactgtggg	8040
gactacagtg	atgagcgcga	ctgcccaggt	gtgaaacgcc	ccagatgccc	tctgaattac	8100
ttcgcctgcc	ctagtgggcg	ctgcatcccc	atgagctgga	cgtgtgacaa	agaggatgac	8160
tgtgaacatg	gcgaggacga	gaccactgc	aacaagttct	gctcagaggc	ccagtttgag	8220
tgccagaacc	atcgctgcat	ctccaagcag	tggctgtgtg	acggcagcga	tgactgtggg	8280
gatggctcag	acgaggctgc	tcactgtgaa	ggcaagacgt	gcggccccctc	ctccttctcc	8340
tgccctggca	cccacgtgtg	cgtccccgag	cgctggctct	gtgacggtga	caaagactgt	8400
gctgatgggtg	cagacgagag	catcgacgct	ggttgcttgt	acaacagcac	ttgtgacgac	8460
cgtgagttca	tgtgccagaa	ccgccagtgc	atccccaagc	acttcgtgtg	tgaccacgac	8520
cgtgactgtg	cagatggctc	tgatgagtc	cccagtggtg	agtacccgac	ctgcggcccc	8580
agtgagttcc	gctgtgccaa	tgggcgctgt	ctgagctccc	gccagtggga	gtgtgatggc	8640
gagaatgact	gccacgacca	gagtgcgag	gctcccaaga	accacactg	caccagccca	8700

Nonprovisional IP-017.ST25.txt

gagcacaagt gcaatgcctc gtcacagttc ctgtgcagca gtgggcgctg tgtggctgag	8760
gcactgctct gcaacggcca ggatgactgt ggcgacagct cggacgagcg tggctgccac	8820
atcaatgagt gtctcagccg caagctcagt ggctgcagcc aggactgtga ggacctcaag	8880
atcggttca agtgccgctg tcgccctggc ttccggctga aggatgacgg ccggacgtgt	8940
gctgatgtgg acgagtgcag caccaccttc ccctgcagcc agcgtgcat caacacccat	9000
ggcagctata agtgtctgtg tgtggagggc tatgcacccc gcggcggcga cccccacagc	9060
tgcaaggctg tgactgacga ggaaccgttt ctgatcttcg ccaaccggta ctacctgcg	9120
aagctcaacc tggacgggtc caactacacg ttacttaagc agggcctgaa caacgccgtt	9180
gccttgatt ttgactaccg agagcagatg atctactgga cagatgtgac caccagggc	9240
agcatgatcc gaaggatgca ccttaacggg agcaatgtgc aggtcctaca ccgtacaggc	9300
ctcagcaacc ccgatgggct ggctgtggac tgggtgggtg gcaacctgta ctggtgcgac	9360
aaaggccggg acaccatcga ggtgtccaag ctcaatggg cctatcggac ggtgctggtc	9420
agctctggcc tccgtgagcc cagggtctctg gtggtggatg tgcagaatgg gtacctgtac	9480
tggacagact ggggtgacca ttactgata ggccgcatcg gcatggatgg gtccagccgc	9540
agcgtcatcg tggacaccaa gatcacatgg ccaatggcc tgacgtgga ctatgtcact	9600
gagcgcactt actgggccga cgcccgag gactacattg aatttgccag cctggatggc	9660
tccaatcgcc acgttgtgct gagccaggac atcccgaca tctttgact gacctgttt	9720
gaggactacg tctactggac cgactgggaa acaaagtcca ttaaccgagc ccacaagacc	9780
acgggcacca acaaaacgct cctcatcagc acgtgcacc ggcccatgga cctgcatgtc	9840
ttccatgccc tgcgccagcc agacgtgccc aatcacccct gcaaggctcaa caatggtggc	9900
tgcagcaacc tgtgcctgct gtccccggg ggagggcaca aatgtgcctg cccaccaac	9960
ttctacctgg gcagcgatgg gcgcacctgt gtgtccaact gcacggctag ccagtttgta	10020
tgcaagaacg acaagtgcac ccccttctgg tggaggtgtg acaccgagga cgactgcggg	10080
gaccactcag acgagcccc ggactgcctt gagttcaagt gccggccccg acagttccag	10140
tgctccacag gtatctgcac aaacctgcc ttcatctgcg atggcgacaa tgactgccag	10200
gacaacagtg acgaggccaa ctgtgacatc cacgtctgct tgcccagtca gttcaaatgc	10260
accaacacca accgctgtat tcccggcatc ttccgtgca atgggcagga caactgcgga	10320
gatggggagg atgagaggga ctgccccgag gtgacctgcg ccccaacca gttccagtgc	10380
tccattacca aacggtgcat cccccgggtc tgggtctgcg accgggacaa tgactgtgtg	10440
gatggcagtg atgagccgc caactgcacc cagatgacct gtggtgtgga cgagttccgc	10500
tgcaaggatt cgggccgctg catcccagcg cgttggaagt gtgacggaga ggatgactgt	10560
ggggatggct cggatgagcc caaggaagag tgtgatgaac gcacctgtga gccataccag	10620
ttccgtgca agaacaaccg ctgctgccc ggccgctggc agtgcgacta cgacaacgat	10680
tgcggtgaca actccgatga agagagctgc acccctcggc cctgtccga gagtgagttc	10740

Nonprovisional IP-017.ST25.txt

tcctgtgcca acggccgctg catcgcgggg cgctggaaat gcgatggaga ccacgactgc 10800
 gcggacggct cggacgagaa agactgcacc ccccgctgtg acatggacca gttccagtgc 10860
 aagagcggcc actgcatccc cctgcgctgg cgctgtgacg cagacgccga ctgcatggac 10920
 ggcagcgacg aggaggcctg cggcactggc gtgcggacct gccccctgga cgagttccag 10980
 tgcaacaaca ccttgtgcaa gccgctggcc tggaagtgcg atggcgagga tgactgtggg 11040
 gacaactcag atgagaaccc cgaggagtgt gcccggttcg tgtgccctcc caaccggccc 11100
 ttccgttgca agaattgaccg cgtctgtctg tggatcgggc gccaatgcga tggcacggac 11160
 aactgtgggg atgggactga tgaagaggac tgtgagcccc ccacagccca caccaccac 11220
 tgcaagaca agaaggagt tctgtgccg aaccagcgt gcctctctc ctccctgcgc 11280
 tgcaacatgt tcgatgactg cggggacggc tctgacgagg aggactgcag catcgacccc 11340
 aagctgacca gctgcgccac caatgccagc atctgtgggg acgaggcacg ctgctgcgc 11400
 accgagaaag cggcctactg tgcctgccgc tcgggcttcc acaccgtgcc cggccagccc 11460
 ggatgccaa acatcaacga gtgcctgcgc ttcggcacct gctcccagct ctgcaacaac 11520
 accaagggcg gccacctctg cagctgcgct cggaacttca tgaagacgca caacacctgc 11580
 aaggccgaag gctctgagta ccaggctcctg tacatcgctg atgacaatga gatccgcagc 11640
 ctgttccccg gccaccccc ttcggcttac gagcaggcat tccagggtga cgagagtgtc 11700
 cgcattgatg ctatggatgt ccatgtcaag gctggccgtg tctattggac caactggcac 11760
 acgggcacca tctcctaccg cagcctgcc cctgctgcgc ctctaccac ttccaaccgc 11820
 caccggcgac agattgaccg ggggtgcacc cacctcaaca ttccagggt gaagatgccc 11880
 agaggcatcg ccatcgactg ggtggccgga aacgtgtact ggaccgactc gggccgagat 11940
 gtgattgagg tggcgagat gaagggcgag aaccgcaaga cgctcatctc gggcatgatt 12000
 gacgagcccc acgccattgt ggtggaccca ctgaggggga ccatgtactg gtcagactgg 12060
 ggcaaccacc ccaagattga gacggcagcg atggatggga cgcttcggga gacactggtg 12120
 caggacaaca ttcagtggcc cacaggcctg gccgtggatt atcacaatga gcggctgtac 12180
 tgggcagacg ccaagctttc agtcatcggc agcatccggc tcaatggcac ggacccatt 12240
 gtggctgctg acagcaaagc aggcctaagt cacccttca gcatcgacgt ctttgaggat 12300
 tacatctatg gtgtcaccta catcaataat cgtgtcttca agatccataa gtttgccac 12360
 agccccttg tcaacctgac agggggcctg agccacgcct ctgacgtggt ctttaccat 12420
 cagcacaagc agcccgaagt gaccaacca tgtgaccgca agaaatgcga gtggctctgc 12480
 ctgctgagcc ccagtgggccc tgtctgcacc tgtcccaatg ggaagcggct ggacaacggc 12540
 acatgcgtgc ctgtgccctc tccaacgccc ccccagatg ctccccggcc tggaacctgt 12600
 aacctgcagt gcttcaacgg tggcagctgt ttcctcaatg caccgaggca gcccaagtgc 12660
 cgctgccaac cccgctacac gggtgacaag tgtgaactgg accagtgtg ggagcactgt 12720
 cgcaatgggg gcacctgtgc tgcctcccc tctggcatgc ccacgtgccg gtgccccacg 12780

Nonprovisional IP-017.ST25.txt

ggcttcacgg gccccaaatg caccagcag gtgtgtgagg gctactgtgc caacaacagc 12840
 acctgcactg tcaaccaggg caaccagccc cagtgccgat gcctaccggt cttcctgggc 12900
 gaccgctgcc agtaccggca gtgctctggc tactgtgaga actttggcac atgccagatg 12960
 gctgctgatg gctcccgaca atgccgctgc actgcctact ttgagggatc gaggtgtgag 13020
 gtgaacaagt gcagccgctg tctcgaaggg gcctgtgtgg tcaacaagca gagggtgggat 13080
 gtcacctgca actgcacgga tggccgggtg gccccagct gtctgacctg cgtcggccac 13140
 tgcagcaatg gcggctcctg taccatgaac agcaaaatga tgcctgagtg ccagtgccca 13200
 cccacatga cagggtcccg gtgtgaggag cacgtcttca gccagcagca gccaggacat 13260
 atagcctcca tcctaattccc tctgctgttg ctgctgtctg tggttcttgt ggccggagtg 13320
 gtattcttgt ataagcggcg agtccaaggg gctaagggt tccagacca acggatgacc 13380
 aacggggcca tgaacgtgga gattggaaac cccacctaca agatgtacga aggcggagag 13440
 cctgatgatg tgggaggcct actggacgct gactttgccc tggaccctga caagcccacc 13500
 aacttcacca acccgtgta tgccacactc tacatggggg gccatggcag tcgccactcc 13560
 ctggccagca cggacgagaa gcgagaactc ctgggccggg gccctgagga cgagataggg 13620
 gaccccttgg catag 13635

<210> 31
 <211> 621
 <212> DNA
 <213> CHICK

<400> 31
 gtaccccttc aacccaact cagcctacga gccggccttc cagggcgacg agaactgtgc 60
 catcgatgcc atggacatct acgtcaaggg caacaagatc tactggacca actggcacac 120
 gggcaggatc tcgtactgag agctgccgc ctcctcgcgt gcctccaccg cctccaaccg 180
 caaccggcgt cagatcgacg gcggcgctac ccacctgaac atctccgggc tgaagatgcc 240
 gcggggatc gctgttgatt gggctgctgg gaacatctac tggacagact ccgggcggga 300
 tgtcatcgag gtggcgaga tgaaaggcga gaatcgcaag acgctgatct cgggcatgat 360
 tgatgagcca catgccattg tggttgatcc acttaggggg acgatgtact ggtcagactg 420
 gggcaatcac cccaagatcg agacggccgc gatggacggg acgctgcgcg agacgctggt 480
 gcaagacaac atccaatggc caacaggcct ggctgtggac taccacaatg agcggctgta 540
 ctgggctgac gccaagctgt ccgtcatcgg cagcatccgg ctcaacggca ccgaccccgt 600
 cgtggccatc gacaacaaga a 621

<210> 32
 <211> 19519
 <212> DNA
 <213> CAENORHABDITIS ELEGANS

<400> 32
 atgattctga ggttgctcat ttccacagcg ttggctgtaa caaccgcaa ttcaagtacg 60

Nonprovisional IP-017.ST25.txt

cggcaacagt caacgtttca ttcaattcaa ggtgagaagg ttttgtat	120
aaagtictat caagttaaaa acaattctgt tttttttct ggtttcagat	180
attattat	240
attctataat tgtaaatgt aagtccgaat tctctgcacc attttatgat	300
aaaagttgca ttctctaaat tcttttagat tgtaaaaaac tttctattaa	360
gttaagtgac aatctttctg aaagatttgg gcttttgtaa aattggttta	420
accgttttct aaaattatga atggcagaga ctgagtat	480
taatattatt ttgaaaagt tcaataattt ctgactggc gttcaataa	540
gtagtttttt ttgttgaaat ttgggccctg cctccagaca tticaaactt	600
catatcacca aagatagaag cacaaatgtt cacaaaaag gtgcataaaa	660
gctcaaaagg tgttcaagag tgacctatgt ggagcattgc ttcgtgaggt	720
tttgtctgca cgagaagcat actcgcgcac ctcatagcac aaataatgtc	780
tcaattggaa tagagaaaaag tctcagagtt agaacaacaa accaacaaaa	840
atatgataat attcgacaaa ggaatataca ctattaaaaa cattaattgt	900
tcgaggtttt catgatctt tcatcttta ttttaaagat ggaatagcgc	960
aatattttaa agaattcaca atggtttttg gcaaatcagg tctttttcaa	1020
caacattaaa aattatttcc aattcattca aatattttcc ttttttctac	1080
gtttcaaca aaatttgta tcatattttt cctcgcctcc gaagttttca	1140
attaaagtgt gattagatatt tgtttgtga tgtggttact gaatgataca	1200
accatcgtt ttcaacaat cattccaaaa aaagtgacaa aaaagggagg	1260
tcaaccccat agatgaccac tacaccgtgt caaacattg atttagttt	1320
tggtctgccc ttgtgatgt taatcttaag ttacaatgtc aaaaggatag	1380
tagtaggggt tccagtcgtt gttccaggag tgcgcggaaa ttaaaattat	1440
ttcttcctcg ttaaaataat ttggaaactg taaagcaaag attttgaaaa	1500
aaaatcaaca aaaagtattt atttttatg tagagatttc gttcatctct	1560
aatgtcaat aggcttggt taccacagaa cagttaagta ccgtaacttt	1620
cagagctttt tagaaatcaa tgtgatgaac aatattttct gccaaaaatg	1680
aaacgaaaac atgcaacccc aaaaaaatgg aacaatacaa attgacagta	1740
aatctaaaat ttttgagtt gactcaccgc catcagttcg ttctcgaata	1800
cagtaaacac agcttcatca gtatgcaacg agaatgactt tagatgtaac	1860
gtatacgtac cgaatggaaa tgtgatggat ctggtgattg ttcagatggc	1920
aagattgccg taagtttgaa tataaaaatg ttcccaaatc ttttggctcg	1980
tcatttctac gagactaatt gcgacaattt ttttgcgaaa ataataaaag	2040
ctcgaaccca ctctcaatt ttcagcacat cctggctgta aatctgatca	2100

Nonprovisional IP-017.ST25.txt

gataacctaca catggcacag tgtctcatgt attgccgaat atcaaagatg tgataacatc 2160
 actgattgtg cagatggatc agatgaaaag gattgtcgtg agttttttgc tttaatgttc 2220
 aaattgagaa ggcttattta taataatctg aattaaaatt ttcagctgct tcaactgtgg 2280
 actgcagttc ccaaaatgta tttatgtgtg ctgatgggag acaatgtttt gatgtgtcga 2340
 agaaatgtga tggaaaatat gattgtagag atttaagtga tgaaaaggta attttcaact 2400
 taaattagtt atttttttag ttattcttaa ttattttctc aggattcttg ttcccgaat 2460
 cacacagcct gcttccaata tcaattccgt tgtgtcgata agactcaatg cattcagaaa 2520
 tcatggggtt gtgatggatc gaaagattgt gctgatggat ctgacgaacc tgacacttgt 2580
 ggtacatacc tgaaaattag aagtttcttt ctgaaaatat gatatttcag aattcaaaaa 2640
 gtgtacggcc aatgaattcc aatgcaagaa taaacgttgt caacctcgaa aattccgttg 2700
 tgattactat gatgattgtg gtgataactc ggatgaagat gaatgtggag aatacagatg 2760
 tccacctgga aaatggaatt gtcctggtac tgggcattgt attgatcaat tgaaactttg 2820
 tgatggatca aaggattgtg ctgatggagc tgatgagcaa cagtgttgta agtttttcaa 2880
 tttaaataaa atgaagtagg taggcttgaa gtaggcacta cgcaggcatg taggcaggca 2940
 tggaaagact aggtatgaat taggcgtaaa gtaggtaggt acaaggtaga agtaggtaca 3000
 tcataaatgt tccacaattt tttagtcgat tgccaatatt atctttgttt ttttcaaaaa 3060
 acggtttcaa caaaaatata agttctaact gcctaatttt ctattgcata aaatgccatt 3120
 tgccgaaaga tcgcgcgtcc aaagatcagt aacgtctttt ttatcactga aatcccatta 3180
 aataaactac cgattaaaaa tgtatatgat tgcagcgcaa aacctgtgcc catcacttgg 3240
 ttgtcaagca ggttgccatc catcaccaca tggaggtgaa tgtacgtgcc caagtggata 3300
 taaactcgat gatcgtttcc atagaacatg ttctgatatc aacgaatgcg ctgaatttgg 3360
 atatttgtat caattatgtg caaatcatcg tccaggcttc acatgctcat gtcttgaga 3420
 ctgttttaca cttcaaatgg aacatgggtcc agggaaaagat aacctgacaa tgagaggata 3480
 ttgtgtatca aataatgctg ataaaatgaa acttttcggt gcaagaagag aggggtctcta 3540
 cagattaaat cctaaaaatc cagatgaaga agtcaagaaa ttggcttctg gagaattcat 3600
 ttatggtatt gactttgatt atggagatcg taaaatcttc tggactgatc gtcttgctca 3660
 ttctgcattc agtgcgtatg ttgatgatga gggagaaatt tcacaaatca agttagtttt 3720
 tttctaccaa atttaactta aattttgaaa caaatattt agaaatatcc caatttttaa 3780
 tttgaattca gcaaatatac tttgtggctt tcgagaaact tgaacttacg ttgtatat 3840
 cagaaagtgt agcttgaaat ctcttgctta tccacgttgc cttgccgttg attggattac 3900
 aaataccctt tacatcattg agtctggatc aagaagaatt gatgtatcat catatgatgg 3960
 agaacgaaga acagtcttct ttgctgatgg cttacactt ccacttgata ttgctcttga 4020
 tccactcaga gggatgtttt tattctaaac ggtcaaattt tactctgtaa tttcagagaa 4080
 atgttcttca caaatcagct caaacttgaa gcagctgcaa tggatggaac aaatcgctga 4140

Nonprovisional IP-017.ST25.txt

acattagtga acacacatac tcatcaagta tctggaattg ttgtggatat aactgcaaag	4200
agggtttact gggttgatcc taaagttgat cgacttgaaa gtattgatta tcaggtacgg	4260
ggactttgat caacatttga aagtgtgatt ttttttctta atctgttgga aaacgcaaag	4320
catgccatat atgtatatta tagagacggt acttaccttt tacatatatt tcttcaaata	4380
tgattaatag taagtcaaac aggttacaat aaaaatataa tactgttaga gtaatgtttt	4440
tcaatttaaa tgtctgcgaa taaaatcatt tttttaggga aatgatcgtc gaattgttgc	4500
tcaaggaatg aacgttgtcc cacatccatt cggcttgga ctatttgatc aatatcttta	4560
ttggactgat tggactcgtc tcggagtaat tcaagtcgaa aaattcggat ccgatactaa	4620
attgtttgtg agtaacactg agaataatgt attcccaatg ggaatatctg cataccatcc	4680
aatggctcaa ccaggctctg gacaatctga atgccttgca atgaaaattg agaatccatg	4740
cacaaacgca gattgtgaag gaatgtgtat tctatcaaag gataatggag gttttggtgt	4800
tggatataaa tgtgcatgtc caattgggtca aaactagta aatggaaaga gatgtattga	4860
ttcaattgat tatttgctat tctcaagcaa taaattgtg agaggaatat tcccagaaat	4920
caatgaaaaa gctcttgctg aagctgttct accaatttct ccaatatcac aacgaagaat	4980
tggaatgtat ttgaagttg aatgtgatgt tcatggaaat tcattcttct atgctgatat	5040
tatggataat actatctaca ggtactttct ttgtttatag tgtttggtg agcttttaaa	5100
tttaaaagta catgtacttt cagatgaaac gtatgtaatt tgaaataaga tccttttaaa	5160
agggatgcat cagcactttg aactagaaaa aagtcggagt gaaatttttt ggtgcatttt	5220
tgtactactg gcgaagtccg taaaattgcc ccaaagtggt agttttgctc atttttgata	5280
atttttaagt gtcggaaggt ttgttttaaa tttattttta gaaaaaaaac atctgaataa	5340
tatattttcca gaatccgtcc tgatggagaa ggagctgctc cagttcttgt aaccataat	5400
gatggactat tctcaatgtc atttgattgg atcagcaaac aactttacta tgttgataat	5460
atcagaaata gtcttgaagt tgtgaagatt ggagaaactg gattagttca tccagacgaa	5520
cttgttcgcc gtcaacttat tacagaactt cgtgatccag tttcagtcgt tgtacatcca	5580
tggaaaggac tcttattcta tgcagaggca atgcgaccg ctgcaatcta caggttccta	5640
attttcaacg tctcgaacaa attttaaaact aaacattttc tcagatgcca cattgatgga	5700
caaaactgcc aagttatccg taacaccact cttggccgcc catctgaaat ggctatcgac	5760
tttgctgaaa atcgcttttg ctggggagat actcttctga aaacgatttc atgcatggac	5820
tttgatggaa agaattgtgt taagcttgat attgataacc cgattccagt tgcaattaca	5880
attatgaatg aatacattta ttatgtacat caacgaccat attcaattag aagagttcat	5940
aagaagaatg gaggaggaag caagattgtt cgagagtttg gagctgatgt gagttatttg	6000
aaatagcaaa ttaaacagg actgagtatt catatttttc aaaaattaat tggtttcttg	6060
taaaacttgt caaaatatta ttttttaatc aatataatat tttctcacat ttcaatatta	6120
gttattgatt ttgaaagtta gtttatcgta aacagttttg caaacaagca tcgctatttt	6180

Nonprovisional IP-017.ST25.txt

gaaatttgtt gtctttccgc ttagtctttt gatattctgt tcaaaacaac taatcccatt	6240
gtcaaatatt aaatctcttc gctttctaata tttctattta caggaaagat caatcttctc	6300
tctcaaagct tgttcccatc aaaatcaacc aattcctgat gattcacgag aacatccatg	6360
tcgtgcttct caatgcactc aactttgttt tgcaactcct tcggaatctc atccaaacga	6420
gcttgaagca aaatgtgcat gtcgtcaagg atttatgatc aataaggaaa ataaccatag	6480
ttgtcagaaa gatcccgctg agaaaattga gcaattgtgc tcatcgaact caacacaatt	6540
ccagtgaag aatggaagat gtattccaaa agaattgaaa tgtgatggag aaaatgattg	6600
tttgatgaa tcagatgaaa ttgatgagaa aggagacaaa tgttttcatg aaacagaatg	6660
cgcagagaat acaattaaat gtagaaatac gaaaaagtgt attccagctc aatacggttg	6720
tgatggtgat aatgattgtg gagattattc tgatgaagat gttaaataatt gtaaagacgg	6780
acagaagcct gtatgtgctg ccaagaagtt ccaatgtgac aatcacaggt gaatagtttt	6840
tcattaaaa ataaacttgg aatggcactt ttgtaaatca gaaattgaat ctgcttaaat	6900
ctgaaattct ttcattgat tttttgcac tgttttctcg agacctgtag atttactcga	6960
attgtcgggt ttgaagacat tttaatgatt ttttggtttt caaaactggg taaataatct	7020
ggaatttttt tgaatttttt tttcgctaaa cgatcggaat attctttcac tcagaaaatt	7080
taacctaaat taaaacctta aacaataaac tttagttgac attttagaaa atcagttaat	7140
tttacagatg tattcctgaa caatggaaat gtgacagtga caatgactgt ggagatgggt	7200
ccgatgaaaa attggaaatg tgtggaaatg ccacatgtgc tgccaacca ttctcatgtg	7260
caaacggacg atgcattcca atttattggc tctgcgatgg tgataatgat tgttatgatg	7320
gaactgatga agacaaggaa agatgtccac cagttcaatg ctctgctctt caatttagat	7380
gtgcaaatgg tagacaatgt gttccattaa gaaatcattg tgatggacaa agcgattgtg	7440
aagatgggtc agatgaagat tcatgtgcag ttacagcaga atcttgtaca ccagatcaat	7500
tcaaatgtgt atcatctggt ctttgtattc ctgcttcatg gaaatgtgat ggtcaacagg	7560
attgtgatga tggctccgat gagccaaagt tcggatgtac tagtggaaga caatgtagtt	7620
cggatcaatt caaatgtgga aatggtagat gtatccttaa tgtgagttca tgtttagagc	7680
taaactatta aattcattct taaaacattt tagaactggc tttgcgatgg tgagaatgac	7740
tgtggtgatg gttctgatga atcatcagaa cgtggatgta agacttcaat gaatgcaaga	7800
aaatgtccat ttgaacatgt tgcttgtgaa aatgaccaag aaacttgcat tccacttcat	7860
caactttgtg atggaaagac ccattgtcct ggtggaactg acgaagggtg aagatgtgct	7920
cgtgacttat gctctgctga cagagctgga tgctcattca agtgtcataa cagtccaaat	7980
ggaccaatth gcagttgtcc attcgggtgaa caggtttgta attcatctat ataactgcag	8040
ttaaatgctt ccatttttca gcttgtgaac aagaccaa atgtgagccaga aaacgaatgt	8100
ttggattcca gcagttgttc tcaaagatgt aaagatgaaa agcatggatt cacatgttct	8160
tgtgatgaag gatatgaatt ggatgttgat aagagaacct gtaaggttgc tgataatgtg	8220

Nonprovisional IP-017.ST25.txt

aaggatacca gaatctatgt ttcaaaccga aatagaatct actacagtga ccataaactt	8280
gacaattggc atacttttgg agcaattgtt gaaaatgcaa tagcacttgc ttgggatagt	8340
ttaacggatc gaattttattg gtcagatatt cgagagaaga aaattttatc agcaaacaga	8400
aatggaacaa atgcaacagt tttcattgct gatggacttg atatcactga aggaattgct	8460
ttggattggg ttggaagaaa tctttatttg gttgactctt cattaaatac aattgaagtt	8520
gcaaattctg aagatccaaa acaaagaact cttctcgttc atcaaaatgt cagtcaacca	8580
cgtggaattg ctgttgatcc acgtaaaggt gtcatgttct ggactgattg gggacagaat	8640
ccatgtatcg agagagcttc aatggacgga acagatcgtc agattattgt aaaaacaaag	8700
atctattggc caaacactat tgccttggtat tatactactg atcgagttta ctttgccgat	8760
tctaagcttg actttatcga ttttgtgaat tacgatggaa gtggaagaac tcaagttttg	8820
gcttcatcca aattcggtca acatccacat gctcttgcta tctttgaaga tatgatgtat	8880
tattcggata gaagacttca aaaattacaa gtttatccaa aatatccaaa tggaacaaca	8940
tcggaatacc caagtcatac attcagtaag gctttgggag ttgttgcagt tcatccagta	9000
cttcaaccag ttatcaagaa taatccatgt tcaacgaatc cttgcagtca tctttgtctt	9060
cttaataaca agaacgtgag tttttttttt gattttactc aggaaatata ttcctgataa	9120
ggcaattttac tgaacttatt tccggatttc tcaatgaaac atttgccatt tgaaaaatta	9180
ccatttctaat ccctacaaaa aatattttat ccttaaattt tagacattca cctgcaaatg	9240
cccaatggga gagaaattag atgcatctgg aaagaagtgc attgacgacg caaaaccatt	9300
cctcgttatc attcaaaaaa ctaacgtttt cggaattgaa atgaactctg cctcgtaagt	9360
atagcctcta acgtgtttga aatctatttt tctttctgaa actcattatt ttaaattttc	9420
agagaaaaag aaacccagct tctcgctgga atggttccac tatctggtct tggaaatgca	9480
tttgacgctg cctatgatgc tttaagtga gaaatgttca ttttgagca tacaatcat	9540
gccaaaacac ttgctcaaat cacgactgat tctgcaattt atcgaagcac tgtaacggt	9600
ggaaacaaaa caaaaatggt ctcgtcggca gttcctgatg atgcatattg tcttggtttt	9660
gattggaatg ggagaaattt ggttgttga aacaagatta ctcaaacaat tgaaattatt	9720
cggactcaag gaaaacaata tcgatctgta attctatcaa atgatcaatc accaactgcc	9780
gtagtgactc ctgttgcaat tgctgttgat gcagataagg gatacgtttt ctggcttgat	9840
agaggagggtg gtgctgctga tgcaaagggt gctcgtgctg gattagatgg aagtaatcca	9900
ttggttattg caagcaatga tttggcagaa ctcgatcata ttgcaattga taccactaat	9960
acaagagttt acttctcgga agctaaagct ggaagagttc gttctttttt gttacgaaac	10020
tctagaatag ttttctacc cgaacaccta gtttttcaag ttcttttctg caaactgatg	10080
gcacattttt ctattcgaca attctaatta aatactacag aaagctctta ttttattctg	10140
ctttctccat tctagagtgt aacattttat tgcccatctt aaattttaaa atgtttagat	10200
ttcatcagtc acctacgatg gtcaagatcg tcattacgtg ctgagtgatg gtggacgtca	10260

Nonprovisional IP-017.ST25.txt

accaaatgga cttgcattct atggagatcg tctcttttat gctgattcgg catttgattc 10320
aattgaggtt gccacaatca atggtgattc tcaaccacca cagtggacac atttcaagaa 10380
ggatgttgag aatttggtta atattaaggc attgcaacct agagcatgta agtatttcag 10440
tttatttttg tttttgaaa attcaaagt gaatatatta gcatcaagcg gtcacccatg 10500
tcatattaac aatggaaact gtgatcatat ttgtattcca cttatgtttg cccagaggac 10560
atgtacatgc gccaatggat atgttaagga tgggcagact tcgtgtaaac tctttgatga 10620
atcatttgtc attgtcgcta caaagaccaa ggttattgga tatccgtaag tttcttattc 10680
tcgatgacat tgaattgaaa acaatattga aaaaaagaa aaaaatttat tttcagaatc 10740
gacgaaacac aatcaaaagg agttgcaatg gagccaatcg gaggattatc catcacagga 10800
gttgattatg attatgaatc aaagactatc tacgtggcag aagcatctgg aattaacaag 10860
ggaattactg cctacacaat tggagaatct tcaccaagag ctgttatcag agattctatt 10920
ggatcattga caatcaagag tttagcaatt gatttgatta attacaatat gtactttatt 10980
aatcatgatg ctgaacgtac gaatattgaa gtgtcgaagt tggatggaac ttatcgaaag 11040
attctattaa ctactaaaac tgaaactcca tcatctattg ctgttgatcc agttagtaga 11100
tatttgtatt gggctgatca aggacaaaa ccaacaattc aaagatcttt ccttgatgga 11160
tcaagacgtg aagtgattgt ttcacggtga attgctgaac caactgattt agttgtggat 11220
gttgccagta aaatgattta ttggtcggat gccaatggtg atggaatcta ccgtgtaaga 11280
agcaccggtg gaacgccaga acttgtaaga tcagacattg catctgctgc tggagtggct 11340
cttcacggac agaacatgta ctggacggat aacagacttg aaaaactatt ccgagcaaca 11400
tcgaagccta atcagacatc tcttctcctt tctccaacta ctgttgctgc ttctctcaag 11460
gatattggtg acgtggcagt cttctcatcc aacaatcaac caagagcaag ttctccatgt 11520
caaatcacag ataatttgag aaagagtcca tgtactcaat tgtgcttcgc cactcctgga 11580
actcaaactc caacttggtc gtgcgcacgt ggtgttctga agggaagaac atgtgaagaa 11640
ccagacactt atattatggt ctctgatggt gataagatta ttgatgttgc aattgaacca 11700
gatgtcaaag catcacgtcc attgaaggat ccattcccag agatttccaa tcttcaaact 11760
ttcgaatgtg atgtcaattt gagaagagta tactttgttg tcgaatctcc agttggagtt 11820
aacatttctt ggttctcaat gaacaacgag gagaatccaa gactcgtgtt tggagcttca 11880
aagcaaccac atgcaaagga gattcgtcat atttctgata tgaagcttga ttggttgaca 11940
cagaagatct attttacaac tggagaggt ggaaaagtga tggcaattga tacagctgga 12000
gaacatcttt caacaattgc atccggagat tggacatatg cattggccat tgatccatgt 12060
tcaggacttt tgttctggtc ggatagtgga tataagacaa gtggaggtct ttatgaacca 12120
agaatcgaaa gatctaattt tgcgggtgga agccgaaaag tcattgtatc agagtccata 12180
tctcttcag ctgccatgc tgttgacttc agaaatcaga aaatctactg ggcagacgtt 12240
aatcgtttga atatcgaagt cgcagattat gatggtcaaa accgaaaggt gattgcttcg 12300

Nonprovisional IP-017.ST25.txt

ggatatcgtg caaagtcatt ggatatttgg gatagatggc tctacatgag tgatcctctc 12360
agtaatggcg tcttccgtat cgataaggaa tctggttcag gcctcgagaa tgtggtttct 12420
gatcgtagaa tcccaggtgc tcttcgtgta tttgcgagcg aatcagatgt tcgtacacgt 12480
aatcaagtgt gcaatgcatt gacttctcaa ctctgcaaga ctgataatgg aggatgtgat 12540
cagttgtgta ctgtcgttgc tgatgatatt ggattggctg caagcaagg tcaatgttca 12600
tgtaatgata catacgaact tgtacaagaa ccaggaaagg actatccaac tcaatgtgtt 12660
ctccgtggaa gtaactctga acctgcaaaa gaatgtcttc caccatacaa tttccaatgt 12720
ggagatggct catgcatctt gctcggcgca acgtgtgatt ctaaaccaga ttgtgcagat 12780
gcttcagatg agaatccaaa ttactgtaac actcgttcat gtccagaaga ttacaatctt 12840
tgtaccaacc gacgatgcat tgattctgct aaaaagtgc atcacattga tgattgtgga 12900
gatggatctg atgaacttga ttgtccatct gcagttgctt gtgtggaagg tacattccct 12960
tgttccaatg gacattgtat caatcagaca aaggtttgtg atggtcacaa tgactgtcat 13020
gatgaacaag tatccgatga gtctcttgcc acgtgtccag gacttccaat cgattgtcgt 13080
ggagtgaag ttcgttgtcc aaacacaaac atctgtattc aaccagctga tctttgtgat 13140
ggttatgatg attgtggaga taaggctgac gagaatcaat tgttctgtat gaatcaacaa 13200
tgtgtcaac attatgtcag atgcccattt ggaagatgta ttccggagac atggcaatgc 13260
gacggggaca atgattgtct tgatggatgg gatgaaacac atacaaattg cactgatact 13320
gcaggaaaga agatttgtgt tggagattat ctattccaat gcgacaatct taaatgtata 13380
tccagagcat ttatttgtga cggagaagat gattgtggag atggatcaga tgaacattca 13440
agacatggat gtggtaacag aacttgca gaatcaagaat tccactgtac ctcgaatgca 13500
aaactagctc aacaaaaata cgagtgtatt ccgagagcat ggctttgtga tggagatgtt 13560
acttgtgtc gaggagaaga tgaatcaact gaactctgta aaacagaaaa gaaagaatgc 13620
aataaggag aattcagatg tagtaatcaa cattgtattc attcaacatg ggaatgtgat 13680
ggagataatg attgtctcga tggatcagat gaacatgcta actgtactta ttcattctgt 13740
caacctgatt tcttccaatg tgccaatcat aaatgtgttc caaattcatg gaaatgcgat 13800
ggaaatgacg attgtgaaga tggttcagat gaaaaagatt gtccaaagaa ttctgcatct 13860
gcacaaaaag catcaaatg ttcaaacggt caattccagt gtacttcagg agaatgtatt 13920
gatgacgcaa aggtctgcga taggaacttt gattgtactg atcgatccga tgaaagctct 13980
ctttgttgta agtttttttag tttattttga aaatattttg gaacggcctg tatctagatt 14040
tataaaacac cgttttctat ttcaagagta ttttgttcaa gtcttagact ttttgaaaaa 14100
tatctaaagt tggctatttc agtcatcgat gaatgtctac ttgctgaaaa accactttgt 14160
gagcagaaat gtatggatat gaagattgga tacaatgtg attgtttcga aggatattgca 14220
attgatattt cggatcaaaa gagtgtcac aatgttaatg aatgctatgg taagtatttt 14280
gataagagtt gagaatgttt tgaattttta aagatttttt taaagtataa ttagacccta 14340

Nonprovisional IP-017.ST25.txt

aaatatgcag gactaactta acatttttaga aaattcgtct ggcgttttca gttttaaact 14400
 tcactttcca aattgaaaca ttttcttgcc gactgattta ttgatttttc tgaaaatttg 14460
 ccacaaatat tatattgaat cgtttcgaaa cctaatttta tttcagaagg aatctcggga 14520
 tgcagtcaaa aatgtgatga taagatagga tcttacaagt gtggttgtgt cgatggatac 14580
 caactatcaa gtgatgatca cagctgtaaa agaactgaaa tggaaccgga accattcttc 14640
 ctgcttgcaa ataaacatta cattcgaaag atttcaatag atggaaataa atatgaattg 14700
 gctgtcgaag gattcgataa tgttgtatct ttggatatag atcttactga gaagaaggca 14760
 tacttgattg atcaagggaa actgagactt ttgagggttg atcttgatga aatggattct 14820
 ccactgtcat cttatgaaac tgttttgagg cataatgttt atggaactga aggaatcgct 14880
 gttgattggg tcggaagaaa actgtatatg cttaatcgac aagaaagatc aattagagtg 14940
 tgtgaacttg atggaagatt ctgtaaaact cttattcgag acagaattca acaaccaaaag 15000
 gcaattgttg tacatcctgg aaagggatat ctctcttca ctgaatggtc tcttcaacct 15060
 tatattggaa gaattgctct cgatggatct ccagaacttc aagatccaat cttcaagctc 15120
 gcagagcatg atcttgatg gccaaatgca attgcaatcg attatttctc ggatcgtctc 15180
 ttctggggtg atgctcatct caacgagatt ggattcatgg actttgatgg aaatggtaga 15240
 agacacattc ctgctcaacg taccagtcac gtttcatcaa tggttgtctt tgatgattat 15300
 ttgtattggg ctgattggaa tttgagagaa gttctgagat gtgataagtg gacaggaaaag 15360
 aatgaaacta ttctcaagaa gactgttcaa cttccgaatg atttgagaat tgttcatccg 15420
 atgagacaac ccgcgtatcc aaatccatgt ggagataata atggcggatg ctcacatctt 15480
 tgtcttatcg gagctggagg aaatggatac acatgttcat gtccagatca atttgtatta 15540
 ctctctgatc agaagacttg tgagccaaat tgtactgaaa gacaatttgc gtgtggtgga 15600
 gacgatgcc aagtatttcc aaaactttgg tatttgtatg gagaaccaga ttgccgtgat 15660
 ggatccgatg agcctggaga gagcatctgt ggccagagaa tctgtcctgt tggagaattc 15720
 caatgcacaa atcacaattg tactcggcca ttccaaatct gcgatggaaa cgatgattgt 15780
 ggtgacagtt ccgatgagca aaactgtgat aaggcttggt atccatggat gtttaagtgt 15840
 gcagctacag gaagatgtat tccaagaaga ttcacgtgtg atggtgatga tgattgtggt 15900
 gatagatcag atgaagctga tactttatgt atgtcagcag aaagaaattg tactgccgaa 15960
 gaattcagat gtaataataa caaatgtatt gcaaaggcat ggagatgtga taatgatgat 16020
 gattgtggag atggttctga tgaaacacct gaatgtgctc aaattgaatg caagaaagga 16080
 tggactagat gttcatcttc ttacagatgt attccaaatt gggcattctg taatggacaa 16140
 gacgactgtc gtgacaattc tgatgaggat aagcaacggt gtcctacttg tgatgatgtt 16200
 ggagagtcc gatgtgcaac aagtggaaaa tgtattccaa gacgttggtg gtgtgacact 16260
 gaaaacgatt gtggagataa ctccgatgaa ttggacgcaa gttgcggtgg aaccactcgt 16320
 ccattgtcag aatccgaatt ccgatgtaac gatggaaaat gtattcctgg aagtaaagtg 16380

Nonprovisional IP-017.ST25.txt

tgtgatggaa caattcaatg ttcggatgga ctgatgaat ctcaatgtac acttagaaga 16440
 tgtttacctg gacatagaca atgtgatgat ggaacatgta ttgctgaaca taaatggtgt 16500
 gatagaaaga aagattgtcc aaatgctgct gatgaattgc attgtgaaga tgtggtacgt 16560
 ttacttttta ttgactgaaa actgatacag acggaaccta cagagttctt gttaacttgt 16620
 tggtttcctt ctcatatta ggcaaatta aaagaacata gaacaaaaat acgaaataaa 16680
 ttcgttgagt acataaaaat ttggtgtagc ggcgcaaaaa agccaatata tataagttcc 16740
 atcgctccc cactaaactt caaataatta cagtctcgcc gtacttgctc tccattcgaa 16800
 tttgaatgtg ccaactccgt gtgcattcca cgtaaattca tgtgtgatgg tgacaatgat 16860
 tgtggagaca actcagatga aacatcatca gaatgcagaa gtgctcaatg tgatccacca 16920
 cttcgattca gatgtgctca ttctcgctc tgcctgaata ttcttcaact ttgcaatggt 16980
 ttcaatgatt gtgggccaaa tgatttctcc gatgagcatt tgtcaatgtg ctcaagcttc 17040
 tcagaatacg gtgattgttc atctgatcaa ttcaagtgtg ccaatggaaa atgtgtgaat 17100
 ggaacagtgg catgtgatag aaaggatgat tgtggagatg cttctgatga aattggatgc 17160
 tgtaagtttc aatgatttca gtactttag aatttttcaa taaacttcaa atatttcagc 17220
 aaagcacgga ggaagacaa gctgcgaagc cttcggtaac aacggtggtt gcaaacatat 17280
 ctgtacggat gtccgtgatg gattctactg tcattgtcgt gatggattcc gtccagatcc 17340
 acagagtcca aaggaatgta ttgatattga tgaatgtgct ggaacaata cttgtactca 17400
 attgtgcttg aacactaaag gatcatatct gtgtagatgc cacgaggatt atgagaacaa 17460
 tgtagttgtt ggatcaatga ctggaaagga ttgccgtgca aaggagatg ctgcaaatgt 17520
 aatgattgga gctgatgatt ctcttggtca attatcactt catggatctg gtacaaatag 17580
 acatgcagct gcaaaagcaa atgatgatga taatgatatc attggaattg catttgatcc 17640
 aagaaaagaa ttgatgtact ggattgatgg aagtgaacga actatttata gatcagcaat 17700
 tgcaaatgga aatcaaagtc atgaaggaca gaaattggat gttgactttg cagcaatggg 17760
 tgtagttccg actgcaattg cagttgacta tacaactgga aatttggtca tcgcagctgt 17820
 ttctgagaat atcgaaaatg gacttgtaac tgcaagaaag aagagaatgt ctgaaccaat 17880
 cgataatcaa aatactggat tcatttttgt ctgtcttcg gatggacgtt acctcaaaaa 17940
 gattgtcgca ggacatctcc aacaaccaac tgcactcatc acagctccat ctgccggaag 18000
 aatctgttat tctgatgcag gacttcatgc aaaaatagaa tgtgctgata tggatggaac 18060
 acatcgtaaa atcattgtra aagatcttgt attctctcca acttcaatgg caatcgatga 18120
 aggaaagggg aatcgaatct attgggtcga tccaaaatac agaagagttg atgcagtga 18180
 tattgatgga agtgaaagga ctactgtagt tcatgataga catattccat atgcagttga 18240
 tgtatttgag aatcatattt actggttgag cagagaatca aaaactcttt atgttcaaga 18300
 taaattcgga agaggaagag tttcagtgtt ggcactctgac ttggaagatg gtcatactgt 18360
 aagagtaagt caaaagtatg caaaggatac tcaacgaaca gttagtggat gtgaaagagc 18420

Nonprovisional IP-017.ST25.txt

tcaatgttct catctctgtg ttctcttccc ttcaactgga ttgcatgtc tctgcccaga 18480
 tggaatcggt cctcaacttg atggatcatg tgcaacacaa catgttgaag cacttacaat 18540
 gccaaaacaa tgtaaattga caaatggagg aaaatgtcga ttggatgggt catgtgaatg 18600
 tacatctgat ttgaaggag atcaatgtga aaaggaatca agtgtcagtc gaaagattat 18660
 tggaactctt tctgagaatt tcattaccgt tctactttat attcttgcatt tcctatttgc 18720
 atttggactt attggattct gtgcattgaa tctctataag agacgtcaat tgctatttaa 18780
 gaagaatgaa gctgctgatg gaagtgtttc attccacgga aatgttatct ctttcagtaa 18840
 tccagttcta gaaaacaaac aggttagttt ttaaggtttt catcgatttt aattaaattt 18900
 ttattccagg atgcaccagg aagtgaattc aatatgcaac agatgacatc aatgcacgac 18960
 gattcgacaa cattcacgaa tccagtgtat gaattagaag atgttgatat gtcattacca 19020
 ccaccatcaa atgatcagcc atccacgtca gcatctgcaa tgtcaccaa cagaccatca 19080
 acgtctgctg cgtcatcttt tgtgccacca acatttgatc aagatgagat tgaattaaag 19140
 actgctgatg agattattgg tgagttgcaa taagaattac tgtgatatgt gatattactg 19200
 atatctgacg ggctcacatg gtggcaggct gtcccataac tacaataaaa taagttacgc 19260
 acaaaaaagt gtgacgtcgt acgctctcac cttgcgcact ggtaaaaaac gatgtgtctc 19320
 aattcccga tttttttag atcacaatag attaaagtaa attaaacgaa tatctgaagt 19380
 ataataattt ctatttgcag tcccaaaagc ggaaatctcg aagccaccaa ttccagctcg 19440
 acccaaaaag gagaaagctg atcctctacg agtagacaat ccactttatg atccagattc 19500
 agaagtttct gatgtctaa 19519

<210> 33
 <211> 8604
 <212> DNA
 <213> HOMO SAPIENS

<400> 33
 atggatcgcg ggccggcagc agtggcgtgc acgtgctcc tggtctctgt cgctgccta 60
 gcgcccggca gtggccaaga atgtgacagt gcgcattttc gctgtggaag tgggcattgc 120
 atccctgcag actggagggtg tgatgggacc aaagactgtt cagatgacgc ggatgaaatt 180
 ggctgcgctg ttgtgacctg ccagcagggc tatttcaagt gccagagtga gggacaatgc 240
 atccccaact cctgggtgtg tgaccaagat caagactgtg atgatggctc agatgaacgt 300
 caagattgct cacaaggtac atgtcgaagt catcagataa catgctcaa tggtcagtgt 360
 atcccaagtg aatacagggtg cgaccacgtc agagactgcc ccgatggagc tgatgagaat 420
 gactgccagt acccaacatg tgagcagctt acttgtgaca atggggcctg ctataacacc 480
 agtcagaagt gtgattggaa agttgattgc agggactcct cagatgaaat caactgcact 540
 gagatatgct tgcacaatga gttttcatgt ggcaatggag agtgtatccc tcgtgcttat 600
 gtctgtgacc atgacaatga ttgccaagac ggcagtgcag aacatgcttg caactatccg 660

Nonprovisional IP-017.ST25.txt

acctgcggtg gttaccagtt cacttgcccc agtgccgat gcatttatca aaactgggtt	720
tgtgatggag aagatgactg taaagataat ggagatgaag atggatgtga aagcggtcct	780
catgatgttc ataaatgttc cccaagagaa tggctttgcc cagagtcggg acgatgcac	840
tccatttata aagtttgtga tgggatttta gattgcccag gaagagaaga tgaaaacaac	900
actagtaccg gaaaatactg tagtatgact ctgtgctctg ccttgaactg ccagtaccag	960
tgccatgaga cgccgtatgg aggagcgtgt ttttgtcccc cagggttatat catcaaccac	1020
aatgacagcc gtacctgtgt tgagtttgat gattgccaga tatggggaat ttgtgaccag	1080
aagtgtgaaa gccgacctgg ccgtcacctg tgccactgtg aagaagggtat tatcttggag	1140
cgtggacagt attgcaaagc taatgattcc tttggcgagg cctccattat cttctccaat	1200
ggtcgggatt tgtaatttgg tgatattcat ggaaggagct tccggatcct agtggagtct	1260
cagaatcgtg gagtggccgt ggggtgtggct ttccactatc acctgcaaag agttttttgg	1320
acagacaccg tgcaaaataa ggttttttca gttgacatta atggttttaa tatccaagag	1380
gttctcaatg tttctgttga aaccccagag aacctggctg tggactgggt taataataaa	1440
atctatctag tggaaaccaa ggtcaaccgc atagatatgg taaatttggga tggaagctat	1500
cgggttacc ttataactga aaacttgggg catcctagag gaattgccgt ggaccaact	1560
gttggttatt ttttttctc agattgggag agcctttctg gggaacctaa gctggaaagg	1620
gcattcatgg atggcagcaa ccgtaaagac ttggtgaaaa caaagctggg atggcctgct	1680
ggggtaaactc tggatatgat atcgaagcgt gtttactggg ttgactctcg gtttgattac	1740
attgaaactg taacttatga tgggaattcaa aggaagactg tagttcatgg aggctccctc	1800
attcctcatc ctttggagt aagcttattt gaaggctcagg tgttctttac agattggaca	1860
aagatggccg tgctgaaggc aaacaagttc acagagacca acccacaagt gtactaccag	1920
gcttcctga ggcctatgg agtgactgtt taccattccc tcagacagcc ctatgctacc	1980
aatccgtgta aagataacaa tgggggctgt gagcaggctc gtgtcctcag ccacagaaca	2040
gataatgatg gtttgggttt ccgttgcaag tgcacattcg gcttccaact ggatacagat	2100
gagcgccact gcattgctgt tcagaatttc ctcatTTTTT catccaagt tgctattcgt	2160
gggatcccg tcccttgtc taccaggaa gatgtcatgg ttccagtttc ggggaatcct	2220
tctttctttg tcgggattga ttttgacgcc caggacagca ctatcttttt ttcagatatg	2280
tcaaaacaca tgatttttaa gcaaaagatt gatggcacag gaagagaaat tctcgcagct	2340
aacaggggtg aaaatgttga aagtttggct tttgattgga tttcaaagaa tctctattgg	2400
acagactctc attacaagag tatcagtgtc atgaggctag ctgataaaac gagacgcaca	2460
gtagttcagt atttaaataa cccacggctg gtggtagtgc atccttttgc cgggtatcta	2520
ttcttcaactg attggttccg tcctgctaaa attatgagag catggagtga cggatctcac	2580
ctcttgccg taataaacac tactcttggga tggcccaatg gcttggccat cgattgggct	2640
gcttcacgat tgtactgggt agatgcctat tttgataaaa ttgagcacag cacctttgat	2700

Nonprovisional IP-017.ST25.txt

ggtttagaca gaagaagact gggccatata gagcagatga cacatccgtt tggacttgcc	2760
atctttggag agcattttatt ttttactgac tggagactgg gtgccattat tcgagtcagg	2820
aaagcagatg gtggagaaat gacagttatc cgaagtggca ttgcttacat actgcatttg	2880
aaatcgtatg atgtcaacat ccagactggg tctaacgcct gtaatcaacc cacgcatacct	2940
aacggtgact gcagccactt ctgcttcccg gtgccaaatt tccagcgagt gtgtgggtgc	3000
ccttatggaa tgaggctggc ttccaatcac ttgacatgcg aggggggaccc aaccaatgaa	3060
ccaccacag agcagtgtgg cttattttcc ttcccctgta aaaatggcag atgtgtgccc	3120
aattactatc tctgtgatgg agtcgatgat tgtcatgata acagtgatga gcaactatgt	3180
ggcacactta ataatacctg ttcatcttcg gcgttcacct gtggccatgg ggagtgcatt	3240
cctgcacact ggcgctgtga caaacgcaac gactgtgtgg atggcagtga tgagcacaac	3300
tgccccaccc acgcacctgc ttccctgcctt gacaccaat acacctgtga taatcaccag	3360
tgtatctcaa agaactgggt ctgtgacaca gacaatgatt gtggggatgg atctgatgaa	3420
aagaactgca attcgacaga gacatgccaa cctagtcagt ttaattgccc caatcatcga	3480
tgtattgacc tatcgtttgt ctgtgatggg gacaaggatt gtgttgatgg atctgatgag	3540
gttggttgtg tattaactg tactgcttct caattcaagt gtgccagtgg ggataaatgt	3600
attggcgtca caaatcgttg tgatgggttt tttgattgca gtgacaactc ggatgaagca	3660
ggctgtccaa ccaggcctcc tggatgtgac cactcagatg aatttcagtg ccaagaagat	3720
ggtatctgca tcccgaactt ctgggaatgt gatgggcatc cagactgcct ctatggatct	3780
gatgagcaca atgcctgtgt cccaagact tgcccttcat catatttcca ctgtgacaac	3840
ggaaactgca tccacagggc atggctctgt gatcgggaca atgactgcgg ggatatgagt	3900
gatgagaagg actgccctac tcagcccttt cgctgtccta gttggcaatg gcagtgtctt	3960
ggccataaca tctgtgtgaa tctgagtgtg gtgtgtgatg gcatctttga ctgccccaat	4020
gggacagatg agtccccact ttgcaatggg aacagctgct cagatttcaa tgggtggtgt	4080
actcacgagt gtgttcaaga gccctttggg gctaaatgcc tatgtccatt gggattctta	4140
cttgccaatg attctaagac ctgtgaagac atagatgaat gtgatattct aggcctctgt	4200
agccagcact gttacaatat gagaggttct ttccggtgct cgtgtgatac aggcctacatg	4260
ttagaaagtg atgggaggac ttgcaaagtt acagcatctg agagtctgct gttacttgtg	4320
gcaagtcaga acaaaattat tgccgacagt gtcacctccc aggtccacaa tatctattca	4380
ttggtcgaga atggttctta cattgtagct gtgtattttg attcaattag tggtcgtatc	4440
ttttggtctg atgcaactca gggtaaaacc tggagtgcgt ttcaaaatgg aacggacaga	4500
agagtggat ttgacagtag catcatcttg actgaaacta ttgcaataga ttgggtaggt	4560
cgtaatcttt actggacaga ctatgctctg gaaacaattg aagtctcaa aattgatggg	4620
agccacagga ctgtgctgat tagtaaaaac ctaacaaatc caagaggact agcattagat	4680
cccagaatga atgagcatct actgttctgg tctgactggg gccaccaccc tcgcatcgag	4740

Nonprovisional IP-017.ST25.txt

cgagccagca tggacggcag catgcgcact gtcattgtcc aggacaagat cttctggccc	4800
tgcggcttaa ctattgacta cccaacaga ctgctctact tcatggactc ctatcttgat	4860
tacatggact tttgtgatta taatggacac catcggagac aggtgatagc cagtgatttg	4920
attatacggc acccctatgc cctaactctc tttgaagact ctgtgtactg gactgaccgt	4980
gctactcgtc ggggttatgcg agccaacaag tggcatggag ggaaccagtc agttgtaatg	5040
tataatattc aatggccctt tgggattgtt gcggttcac cttcgaaaca accaaattcc	5100
gtgaatccat gtgccttttc ccgctgcagc catctctgcc tgccttcctc acaggggcct	5160
catttttact cctgtgtttg tccttcagga tggagtctgt ctctgatct cctgaattgc	5220
ttgagagatg atcaaccttt ctttaataact gtaaggcaac atataatttt tggaatctcc	5280
cttaatcctg aggtgaagag caatgatgct atgggtcccca tagcagggat acagaatggt	5340
ttagatgttg aatttgatga tgcgtagcaa tacatctatt ggggttgaaaa tccaggtgaa	5400
attcacagag tgaagacaga tggcaccaac aggacagtat ttgcttctat atctatggtg	5460
gggccttcta tgaacctggc cttagattgg atttcaagaa acctttattc taccaatcct	5520
agaactcagt caatcgaggt tttgacactc cacggagata tcagatacag aaaaacattg	5580
attgccaatg atgggacagc tcttgagatt ggctttccaa ttggcataac tgttgatcct	5640
gctcgtggga agctgtactg gtcagaccaa ggaactgaca gtgggggttc tgccaagatc	5700
gccagtgcta acatggatgg cacatctgtg aaaactctct ttactgggaa cctcgaacac	5760
ctggagtgtg tcactcttga catcgaagag cagaaactct actgggcagt cactggaaga	5820
ggagtgttg aaagaggaaa cgtggatgga acagatcgaa tgatcctggt acaccagctt	5880
tcccaccctt ggggaattgc agtccatgat tctttccttt attatactga tgaacagtat	5940
gaggtcattg aaagagttga taaggccact ggggccaaaca aaatagtctt gagagataat	6000
gttccaaatc tgaggggtct tcaagtttat cacagacgca atgccgccga atcctcaa	6060
ggctgtagca acaacatgaa tgcctgtcag cagatttgcc tgcctgtacc aggaggattg	6120
ttttcctgcg cctgtgccac tggatttaaa ctcaatcctg ataatcggtc ctgctctcca	6180
tataactctt tcattgttgt ttcaatgctg tctgcaatca gaggccttag cttggaattg	6240
tcagatcatt cagaaaccat ggtgccgggt gcaggccaag gacgaaacgc actgcatgtg	6300
gatgtggatg tgcctcttgg ctttatttat tgggtgtgatt ttagcagctc agtggcatct	6360
gataatgcga tccgtagaat taaaccagat ggatcttctc tgatgaacat tgtgacacat	6420
ggaataggag aaaatggagt ccgggggtatt gcagtggatt gggtagcagg aaatctttat	6480
ttcaccaatg cctttgtttc tgaaacactg atagaagttc tgcggatcaa tactacttac	6540
cgccgtgttc ttcttaaagt cacagtggac atgcctaggc atattgttgt agatcccaag	6600
aacagatacc tcttctgggc tgactatggg cagagaccaa agattgagcg ttctttcctt	6660
gactgtacca atcgaacagt gcttgtgtca gagggcattg tcacaccacg gggcttgga	6720
gtggaccgaa gtgatggcta cgtttattgg gttgatgatt ctttagatat aattgcaagg	6780

Nonprovisional IP-017.ST25.txt

attcgtatca atggagagaa ctctgaagtg attcgttatg gcagtcgtta cccaactcct 6840
 tatggcatca ctgtttttga aaattctatc atatgggtag ataggaattt gaaaaagatc 6900
 ttccaagcca gcaaggaacc agagaacaca gagccacca cagtataag agacaatatc 6960
 aactggctaa gagatgtgac catctttgac aagcaagtcc agccccggtc accagcagag 7020
 gtcaacaaca acccttgctt ggaaaaaat ggtgggtgct ctcatctctg ctttgctctg 7080
 cctggattgc acaccccaaa atgtgactgt gcctttggga ccctgcaaag tgatggcaag 7140
 aattgtgcca ttccaacaga aaatttcctc atctttgcct tgtctaattc cttgagaagc 7200
 ttacacttg accctgaaaa ccatagccca cctttccaaa caataaatgt ggaaagaact 7260
 gtcattgtctc tagactatga cagtgtagt gatagaatct acttcacaca aaatttagcc 7320
 tctggagttg gacagatttc ctatgccacc ctgtcttcag ggatccatac tccaactgtc 7380
 attgcttcag gtataggac tgctgatggc attgcctttg actggattac tagaagaatt 7440
 tattacagt actacctcaa ccagatgatt aattccatgg ctgaagatgg gtctaaccgc 7500
 actgtgatag ccgcgttcc aaaaccaaga gcaattgtgt tagatccctg ccaagggtag 7560
 ctgtactggg ctgactggga tacacatgcc aaaatcgaga gagccacatt gggaggaaac 7620
 ttccgcgtac ccattgtgaa cagcagtctg gtcattgccca gtgggctgac tctggactat 7680
 gaagaggacc ttctctactg ggtggatgct agtctgcaga ggattgaacg cagcactctg 7740
 acgggcgtgg atcgtgaagt cattgtcaat gcagccgttc atgcttttgg cttgactctc 7800
 tatggccagt atatttactg gactgacttg tacacacaaa gaatttaccg agctaacaaa 7860
 tatgacgggt caggtcagat tgcaatgacc acaaatttgc tctcccagcc caggggaatc 7920
 aacactgttg tgaagaacca gaaacaacag tgtaacaatc cttgtgaaca gtttaatggg 7980
 ggctgcagcc atatctgtgc accaggtcca aatgggtgcc agtgccagt tccacatgag 8040
 ggcaactggt atttgccaa caacaggaag cactgcattg tggacaatgg tgaacgatgt 8100
 ggtgcattct ccttcacctg ctccaatggg cgctgcatct cggaagagt gaagtgtgat 8160
 aatgacaacg actgtgggga tggcagtgat gagatggaaa gtgtctgtgc acttcacacc 8220
 tgctaccga cagccttcac ctgtgccaat gggcgatgtg tccaatactc ttaccgctgt 8280
 gattactaca atgactgtgg tgatggcagt gatgaggcag ggtgcctgtt cagggactgc 8340
 aatgccacca cgagttttat gtgcaataac agaagggtga tacctcgtga gtttatctgc 8400
 aatgggtgtg acaactgcc tgataataac acttcagatg agaaaaattg ccctgatcgc 8460
 acttgccagt ctggatacac aaaatgtcat aattcaaata ttgtattcc tcgcgtttat 8520
 ttgtgtgacg gagacaatga ctgtggagat aacagtgatg aaaaccctac ttattgcagc 8580
 cactcacag tgcagcagca gtga 8604

<210> 34
 <211> 13983
 <212> DNA
 <213> RAT

Nonprovisional IP-017.ST25.txt

<400> 34
 atggagcgcg gggccgcagc ggcggcgctgg atgctgttgc tggcgatcgc tgcctgcctg 60
 gagccagtca gtagccaaga atgcggcagt gggaattttc gctgtgacaa tggatactgt 120
 atccctgcgt cctggagggtg tgatgggacc agagactgtt tggatgacac agatgaaatt 180
 ggctgtcctc ccaggtcctg cgaatcaggc cttttcctgt gtctgtctga ggggacctgc 240
 atccctagct cctgggtgtg tgacgaggat aaggattgtt cggacgggtc agacgaacag 300
 caaaattgtg ctgggaccac gtgtctcggt cagcagatga cgtgtctcaa cggtcagtgt 360
 attccgagcg aatacagggtg cgacctgtc agcgactgcc ccgacggctc tgacgagaga 420
 aactgccatt atccaacatg tgatcaactt acttgtgcca atggagcctg ctataacacg 480
 agtcagaggt gtgacaaaa agttgactgc agggattcct cggacgaagc taactgcact 540
 accctgtgtt cgcaaaaaga atttgaatgt ggcagtggag agtgtatcct tcgcgccctac 600
 gtctgtgacc atgacaatga ctgcgaagat aacagcgatg agcgcaattg caactatgac 660
 acctgcggag gtcaccagtt cacttgctcc aatggccagt gcatcaacca gaactgggtt 720
 tgtgatggag atgacgactg ccaagattct ggtgatgaag atggatgtga aagtaaccag 780
 agtcatacata ggtgttacc aagagaatgg gcgtgtcctg ggtctggacg atgcatctca 840
 attgataaag tttgcgatgg agttcctgac tgtccagaag gagacgatga gaacaacgtc 900
 acaagcggaa gaacctgtgg tatgggtgtc tgctctgtct taaactgtga gtaccagtgc 960
 catcagacgc catttggagg agaatgcttc tgccccccag gtcataattat caacagcaat 1020
 gacagccgta cttgcattga tttcgacgac tgccagatat ggggaatttg tgaccagaag 1080
 tgtgaaaacc gacagggccg tcatcagtgc ctctgtgaag aagggtatat cctggagcga 1140
 gggcagcatt gcaaatccag tgactccttc agtgcagcct ctgttatctt ctccaatggt 1200
 cgggatttgc tagttggaga tcttcatgga agaaacttcc ggattctagc agagtctaag 1260
 aaccgaggaa tggttatggg agtggatttt cactatcaga aacacagagt tttttggaca 1320
 gaccccatgc aggaaaaggt gttttccact gacatcaatg gcttaaatac ccaagaaatt 1380
 cttaatgttt ctgttgacac tccagagaat ctggctgtgg atttgattaa taataaactt 1440
 tatctggtag agacaaaggt caaccgcatt gacgtggtca acttggaggg aaatcagcgt 1500
 gttactctca taactgaaaa cttagggcat cctagaggaa ttgcccttga tccaactgtg 1560
 ggctatttgt ttttctcaga ttggggaagc ctctctgggc aaccaaggt ggagagagcc 1620
 ttcatggatg gtagcaatcg gaaagacctg gtaacaacca aagtggggtg gcctgctggg 1680
 atcactctgg atctggtgtc caagcgagtt tactgggtgg attctcgta tgactacatt 1740
 gaaactgtaa catatgacgg aattcaaagg aagacggtag ctcgtggagg ctcccttgtt 1800
 ccgcatccct ttggaataag cttatttgag gaacacgtgt tctttactga ttggacaaag 1860
 atggctgtga tgaaagccag caagttcaca gaaaccaacc ctcaagtgtg ccaccagtct 1920
 tccctgaggc ctcacggagt gacggtttac catgccctca ggcaacccaa tgccaccaat 1980
 ccgtgcggga gcaacaatgg gggctgtgcg caggtctgtg tcctcagtca caggacggat 2040

Nonprovisional IP-017.ST25.txt

aatggtggcc tgggctaccg gtgcaagtgt gaattcggct ttgaactgga tgatgatgag 2100
caccgctgtg ttgccgttaa gaattcctg ctcttctcat cgaaaacggc tgtgcgtgga 2160
atccccattca ccctctccac ccaggaagat gtcattggtt ctgtcacagg gattccatcc 2220
ttcttcgttg gaattgattt tgatgccccacacagtactg tcttctattc agatttgtca 2280
aaagacataa ttataaaca aaaaattgat ggcacaggaa aagaggttat cacagcaaac 2340
cggttggaaa gtgttgagtg ttgactttt gactggatct caaggaatct ttactggaca 2400
gatggaggac taaagagtgt cactgtcctg aggctggctg ataagtccc acgacagata 2460
atcagcaact taaacaaccc tcgttccatt gtggtgcac cgaccgctg gtatatgttc 2520
ctgagtgatt ggttccgctc tgcaaaaatt atgagagcat ggagcgatg ttctcaccta 2580
atgcccatag tcaatactag tctggggtg ccaatggct tggccatcga ttggagtgt 2640
tcacgattgt actgggtaga tgcctttttt gataagattg aacacagcac cttgatggt 2700
ttagatagaa aaaggctggg ccatgtagac cagatgactc atccatttgg actcaccgtt 2760
tttaaagata atgtgttcat aacagactgg agactgggtg ctattattcg agtgaggaaa 2820
tcagatgggt gtgatatgac agttattcga agaggcatca gcagcgtaat gcacgtgaaa 2880
gcctacgatg ctgacctca gactgggtct aactactgca gtcagaccac ccacgccaac 2940
gggtgactgca gccacttctg cttcccgtc ccgaacttcc agcgggtgtg cggctgtccc 3000
tatggaatga agcttcagag ggatcaaag acttgtgagg gagaccagc ccgagagcca 3060
cccacacagc agtgtggctc cctctcctt ccctgcaaca atggcaagtg tgtgcccagt 3120
ttcttccgct gtgatggagt ggacgattgc catgacaaca gtgatgagca tcagtgcggg 3180
gtgtttaata atacttgctc accttcggct ttcgcctgcg tccgcgggtg acagtgcac 3240
cctggccagt ggcactgtga cagacagaat gactgtttag acggcagtga tgagcaaac 3300
tgccccacac atgccacgtc gtccacttgc ccgtccacct cttcacctg cgacaatcac 3360
gtgtgcatcc caaaagactg ggtctgtgac acagacaatg attgctcggg tggctcggat 3420
gaaaagaact gccaagcttc agggacctgc cagcctacac agtttcgggt ccctgaccac 3480
cgatgcatca gcccgtgtg tgctgtgat ggggacaagg actgcgcgga tgggtctgat 3540
gaggcgggct gtgtgttaaa ctgtacgagt gccagttca aatgtgccga tgggagttct 3600
tgcattaaca gcaggatccg ctgcgatggg gtttacgact gcagggacaa ctctgacgag 3660
gcaggctgcc ccaccaggcc tcccggcatg tgccaccgg atgagttcca gtgccaagga 3720
gacggtacat gcatccctaa cacctgggag tgtgacgggc atccagactg tatccacggg 3780
tccgacgagc aactggctg tttcctaag acctgctgc cgactcattt cctctgtgac 3840
aatggaaact gcatctacaa agcgtggatc tgtgatggg acaatgattg tagggatag 3900
agtgatgaga aggactgtcc taccagcct ttctactgtc ctgacagca gtggcagtgc 3960
ccgggctaca gcacctgtat caatctgagt gccctgtgt acggcgtctt tgactgtccg 4020
aatgggactg acgagtcacc actttgcaat caagacagct gctccattt taatggtggc 4080

Nonprovisional IP-017.ST25.txt

tgtactcatc agtgcacgca agggcccttc ggagccacat gcctatgccc attaggatac	4140
caacttgcca atgataccaa gacctgtgaa gatatacatg agtgcgatat tccaggcttc	4200
tgcagccagc actgcgtcaa catgagaggt tccttccggt gcgcttgatg tccagaatat	4260
acgctggaaa gtgatgggag gacttgcaaa gtcacaggat ctgaaaatcc gttgttagtt	4320
gtagcaagtc gtgacaaaat cattgtggac aacatcactg cccacacgca caatctctac	4380
tcgttggtcc aggatgtttc ttttgtggtt gctcttgatt ttgattcagt cactggctgt	4440
gtcttctgga gtgacttact gcagggtaaa acctggagtg tctttcaaaa cggaacagac	4500
aagagagtgg tccatgacag tggcctctct gtgacagaaa tgattgcagt agattggatt	4560
ggctgcaacc ttacttgac ggactatgct cttgaaacaa tcgaagtttc taaaattgat	4620
ggaagtcaca gaacagtact gatcagcaaa aatgtcaca aaccgagggg actcgcgtta	4680
gatcccagaa tgggtgacaa tgtaatgttt tggctgact ggggccatca ccctcgatt	4740
gagcgagcca gcatggatgg caccatgcgc acagtcattg tccaggaaaa gatctactgg	4800
ccctgtggct taagcatcga ctaccccaac cgcctcatct acttcatgga tgcctatctt	4860
gactacattg aattctgtga ttacgacgga cataaccgaa ggcaggatc tgctagcgat	4920
ttggttctcc accatccgca cgccctcact ctgttcgaag actttgtgta ctggactgac	4980
cggtgtactc ggcagggtat gcaggccaac aagtggcatg gggggaacca gtcagttgta	5040
atgtacagcg ttcaccaacc gcttggataa actgccattc atccttcaag gcaaccacct	5100
tcccggaaac catgtgcctc tgcctcttgc agccatcttt gcctgctttc tgcacaggcg	5160
cctagacatt attcttgtgc ttgcccttca ggatggaacc tctccgatga ttctgtcaac	5220
tgtgtgagag gtgaccaacc tttcttgatg tccgtaagag acaatataat ttttggaaac	5280
tcccttgatc ctgaggtgaa gagcaatgat gccatgggtc ccatatcagg gatacagcat	5340
ggttatgatg ttgaatttga tgactctgag caattcatct actgggttga gaatccgggt	5400
gaaattcaca gagtgaagac tgatggcagc aacaggacag tgtttgcctc tctgtccctg	5460
ctggggctct ttttaggcct ggccttgac tgggtatcaa ggaacattta ttataccact	5520
cctgcaagtc ggtccattga ggtgttgacg ctcaaggag atacagggtg tggaaaaacc	5580
ctgattgcca atgacggcac cccctcgga gttggtttcc ccgttggcat agctgttgat	5640
cctgcacgtg ggaaactata ttggtcagac cacgggacgg acagtggggg tcctgccaag	5700
atcgaagtg ctaatatgga tggaaacatct ttaaaaattc tcttactgga gaacctgcag	5760
catctggagg ttgtcacctt ggacattcag gagcagaagc tgtactgggc agtcaccagc	5820
agaggcgtga ttgagagagg aaatgtggac ggtacagaga ggatgatcct ggtgcaccat	5880
ctggcccacc catggggcct tgtggtctat ggctccttcc ttactactc tgatgaacag	5940
tatgaggtca ttgagagagt tgacaagtcc tctgggaata acaaagtcgt cctcagagat	6000
aacgtrccgt acctgagggg tcttcggggt taccaccgcc gcaatgccgc tgactcttcc	6060
aatggctgta gcaacaaccc caacgcttgc cagcagatct gcctgcccgt gccagggtga	6120

Nonprovisional IP-017.ST25.txt

atgtttctcct gcgcctgtgc cagtggcttt aagctcagcc ctgacggtcg ctcctgttct	6180
ccatataact cgttcatggt cgtttccatg ctgcccgcag ttagaggctt tagcttggag	6240
ttgtctgac actcggaggc catggtgccc gtagctggcc aaggacgaaa tgttctgcat	6300
gcggacgtgg atgttgccaa cggctttatt tactggtgtg attttagcag ctctgtaaga	6360
tcctctaag gaattcgtag aatcaaacc gacgggtcta attttaccaa cgctgttacc	6420
tatggcattg gggcaaatgg aatccggggt gttgactgg actgggcagc aggaaatctt	6480
tattttacca atgcctttgt gtacgaaacc ctgatagaag tgttacggat caataccacg	6540
taccgccgtg tactcctcaa agtctcagtg gatatgcccc ggcatattat tgttgacccc	6600
aagcatagat atctcttctg ggccgactat gggcagaagc caaagatcga acgctctttt	6660
cttgactgta ccaatcgaac tgtccttggt tccgaaggca ttgtcacccc tcggggcttg	6720
gccatggacc atgacactgg ctatatattat tgggttgatg actccttaga ttttaattgcc	6780
aggatccatc ttgatggagg agaactctag gtggttcgct atggcagccg ttacccaact	6840
ccctatggca tcactgtggt tggagagtct atcatttggg tggatagaaa cttgaaaaaa	6900
gtcttccaag ccagcaagca accagggaat acagatccac ccgtagtgat aagagataag	6960
atcaacctgc tccgtgacgt gaccatcttt gacgagcacg cccagcccct ctcaccagca	7020
gagcttaaca ataacccttg tctgcaaagc aatgggtgggt gttccactt ttgctttgcc	7080
ttacctgagt tgcctactcc cagatgtgga tgtgcttttg ggactctggg aaatgatggc	7140
aagagctgtg ctacctcca agaagatttc ctcactatt ccttaaataa ttccctgaga	7200
agtttacact ttgaccctag agaccatagc ctacctttcc aagtgataag tgtggcggga	7260
actgccattg cactggatta tgaccgtaga aacaatagaa tcttcttcac acaaaagcta	7320
aactctctcc gtggccagat ttcttatgtc agcctgtatt caggagcag ctctccaact	7380
gtcctgctgt caaatatagg ggtgactgat ggcattgcct ttgattggat aaatagaaga	7440
atttattaca gtgacttttc aaatcagaca ataaattcca tggctgaaga tggatccaat	7500
cgtgctgtga ttgccgtgt ttccaaacc agagctattg tattagatcc ttgccgagg	7560
tacatgtatt ggactgactg gggtagcaac gccaaaatcg agagagccac actgggagga	7620
aacttccggg tccccattgt gaacaccagc ttggtttggc ccaatggact cgctttggac	7680
cttgagactg accttctgta ctgggcagat gctagcttgc agaaaataga acgcagtact	7740
ctcacgggca cgaaccgaga agtcgttgtc agcactgcct ttcattcctt tggcttgact	7800
gtctatggcc agtacattta ctggacagac ttgtacacca gaaaaatcta ccgggctaac	7860
aagtacgacg ggtcagacct ggtagcaatg accacacgtt tgcccacca gcctagtgg	7920
atttccacag tggcctaaac ccagcggcag cagtgtagca atccttgtga ccagttcaac	7980
ggaggatgca gccatatctg tgtccagggt ccaaatggag ctgagtgtca gtgtcctcac	8040
gaaggcaact ggtatctggc caacgataac aagtactgcg ttgtggacac ggggacccgc	8100
tgtaatcaac tccagttcac ctgcctcaat gggcattgta ttaatcagga ttggaaatgt	8160

Nonprovisional IP-017.ST25.txt

gacaatgaca acgactgtgg tgatggcagt gatgagcttc ctacagtctg tgcctttcac	8220
acctgccgat caacagcctt cacttgtggc aacgggcat gtgtgccata ccactatcgc	8280
tgtgattact acaatgactg cggggacaac agcgacgagg caggttgcct gttcagaaac	8340
tgcaacagca ccacagagtt cacgtgcagc aatgggaggc gcataccgct cagttatgtc	8400
tgcaatggca taaacaattg ccatgacaat gacacctcg atgagaaaaa ctgccctccc	8460
cacacttgcc cgccggattt cacaaaatgc cagaccacga atatttgtgt tccccgagct	8520
ttcttgtgtg atggagacaa tgactgtgga gacgggagt acgagaaccc catttactgc	8580
gcctcacaca catgccgcag caacgagttc cagtgcctct cccctcagcg gtgtattcca	8640
agctattggt tctgtgacgg tgaagccgac tgtgcagatg gtcggatga acctgacact	8700
tgtgggcatt ctgtgaacac ctgcagggcc agtcagttcc agtgtgataa tggcagggtgc	8760
atctcaggca attgggtctg tgatggtgat aacgactgtg gggacatgag tgacgaggac	8820
cagcggcatc actgtgagct tcagaactgt tccagcactc agtttacctg tgtcaacagc	8880
agacctccca acaggagggt catcccacag tactgggtct gtgacggtga tgcggactgc	8940
tgggacgccc tggacgagct gcagaattgc accatgagaa cctgctctgc aggggagttc	9000
agctgtgcaa atggacgatg tgtcaggcag tcattcaggt gtgatcggcg caatgactgt	9060
ggagactaca gtgatgagag gggctgctcg taccaccct gccatgcaaa tcaatttacg	9120
tgtcagaacg ggcggtgtat ccctaggttc tttgtttgtg atgaggacaa tgactgtgga	9180
gatggttctg atgagcagga gcacctgtgt cacaccccag aaccacatg ccccttcat	9240
caattccggt gtgacaacgg gactgcacg gagatggggc gagtctgtaa ccatgtggac	9300
gactgctcag acaacagcga tgagaaaggc tgtggcatta acgagtgcct agattcttca	9360
atcagtcgct gtgaccacaa ctgtacagat accataacta gtttctactg ttcctgtctc	9420
cctggctaca agctcatgtc tgacaaacgc tcttgctgg atattgacga atgcaaggag	9480
tcacccagc tctgtagcca gaagtgtgag aatgtggtag gctcctatat ttgcaagtgt	9540
gcccctggct acatccgtga gccagatggg aagagctgcc ggcagaatag taacatcgag	9600
ccctatctca tctttagcaa ccgttactat ataagaaact taactacaga tggctcatct	9660
tactccctga ttttgcaagg attgggcaat gttgtggccc tggactttga tagagtagaa	9720
aagaggctgt attggattga tgcagagaag caaatcattg agaggatgtt tttgaataag	9780
aaaaccggg agaccatcat aaaccacagg ttaagacgtg ctgaaagtct ggctgtagac	9840
tgggtcagca gaaaactcta ttggttgat gccatcttgg actgcctgtt tgtctctgac	9900
cttgaaggct gacaccgcaa aatgatagcc cagcactgtg tggatgctaa caataccttc	9960
tgctttgaac atcccagggg aattgtcctt catcctcaaa gagggcatgt ctactgggca	10020
gattggggtg ttcacgcata cattggaagg attggcatgg atggaaccaa taagtctgtg	10080
atcatctcta ccaagataga atggccaat gccatcacca ttgactacac caacgatctc	10140
ttgtactggg cagatgctca cctgggttat atcagtttct ctgatttgga aggtcaccac	10200

Nonprovisional IP-017.ST25.txt

cgacacacgg tgtacgatgg atcactgcct cacccttttg ctcttacgat ttttgaagac 10260
actgtttttt ggacagattg gaatacacgg acggttgaaa agggaaacaa atatgatggg 10320
tcaggctgag tgggtgctggt gaacacaacg cacaaccct tcgacatcca cgtgtaccat 10380
ccataccggc agccgattat gagcaatccc tgtggtacca acaacggtgg ctgttctcat 10440
ctgtgcctca tcaaagcggg ggggagagga ttcacctgcg cgtgtcccga tgacttcag 10500
accgttcagc ttcgagacag aacactctgc atgcccattg gctccagcac gcagttcctg 10560
tgtggcaaca atgaaaagtg tatccccata tgggtgaaat gtgatggcca gaaagactgc 10620
tctgatgggt ctgatgaacc agacctgtgc ccacaccgct tctgccgtct ggggcagttc 10680
cagtgccggg atggcaactg cagcagcccc caggctctgt gcaatgctcg ccaggattgt 10740
gctgatggct ctgatgaaga ccgtgttctc tgtgagcatc accggtgtga gtccaacgag 10800
tggcagtcg ccaacaagcg ttgcatcca cagtcctggc agtgtgactc agtgaacgac 10860
tgcttgata actcagatga ggacacttcg cactgcgcca gcaggacctg caggccccggc 10920
cagttcaagt gtaacaatgg tcgctgtatc ccgagagct ggaagtgtga cgtagacaat 10980
gattgtggag actactccga tgagcccatc gacgagtga cgaccgctgc ttacaactgt 11040
gacaaccaca cagaattcag ctgcaagact aactaccgtt gcatcccgca gtgggcgggtg 11100
tgcaatgggt ttgatgactg cagggacaac agtgatgaac aaggctgtga atcgggtgcca 11160
tgccatcctt ctggggattt ccggtgtgcg aatcaccact gcatccctct ccgctggaag 11220
tgtgacggca ctgacgactg tggagataac tcggatgagg aaaactgctg tcctcgggag 11280
tgctcagaga gcgagtttcg atgtgctgat cagcaatgca tcccctctcg atgggtctgt 11340
gaccaagaaa atgactgtgg agacaactcg gatgaacggg actgtgagat gaagacctgc 11400
catcctgaac attttcagtg tacgagtggg cactgtgtgc ccaaggcgtt ggcattgcat 11460
gggagggcag actgtctgga tgcgtctgat gaatctgctt gtcctactcg ctttcccaac 11520
ggcacctact gccagccgc catgttcgaa tgtaaaaacc acgtgtgcat ccagtcgttt 11580
tggatatgtg atggggaaaa tgactgtgtc gacggttcg atgaggagat ccacctgtgc 11640
ttcaacattc cgtgtgaatc accacagcga ttccggtgtg acaacagccg ctgtgtttat 11700
ggccatcagc tgtgcaatgg tgtggatgac tgcggagatg gaagtgaag gaaagaagag 11760
cactgtagaa aaccaacca caaacctgc acagacactg aatataagt tagcaatggg 11820
aactgcattt cgcagacta cgtgtgtgat aatgtgaatg actgaggaga cttttctgat 11880
gaaactggtt gcaatctagg agataacaga acgtgtgctg aaaacatatg tgaacagaac 11940
tgtaccagc tgagcagcg aggtttatc tgctcctgca gacccgggtt caaacctagt 12000
acttcggaca aaaattcctg tcaagacatc aatgaatgtg aggagtttg catctgcccc 12060
cagagctgtc gaaacagcaa aggaagtat gaatgtttct gtgtcgatgg cttcaagtct 12120
atgagtacc attatggaga acggtgtgca gctgatggaa gccctcctct cttgctcctg 12180
cctgagaatg tccgaatccg gaagtacaat acctcctctg agaagttctc agagtatctg 12240

Nonprovisional IP-017.ST25.txt

```

gaagaggagg agcatatcca aactattgac tatgactggg atccccgagca cataggcctc 12300
agtgttgtct attacactgt gctggcacag ggctctcaat tcggtgctat caaacgtgcc 12360
tacattccca actttgaatc tggtagtaac aatcccatac gtgaagttga cctgggcttg 12420
aaatatttaa tgcagccaga tggattagcc gtggactggg tcggaaggca tatttactgg 12480
tcagatgcta agagccaacg gattgaggtg gctaccctcg atggaaggta ccggaagtgg 12540
ctgatcacca cccaactgga tcagccagct gccattgctg tgaatcctaa gctagggctt 12600
atgttctgga ctgaccaggg aaaacagccc aaaatcgagt ctgcctggat gaacggggaa 12660
catcgcagcg ttctggtttc tgagaacctt ggctggccaa acggtctttc catagattac 12720
ctgaatgatg accgggtcta ctggagcgac tccaaagaag atgtcattga agccataaaa 12780
tatgatggga ctgacaggag acttatcata aatgaagcga tgaagccctt cagtctggac 12840
atcttcgaag acaagctata ctgggtagct aaggaaaagg gagaagtgtg gagacaaaat 12900
aaattcggga aagagaacaa agagaaagtg ctggtggtga acccgtaggt cactcaagtt 12960
cgaatcttcc atcaactgag atacaatcag tcagtgtcca acccttgcaa gcaggctctgt 13020
agtcacctct gcctgctgag accaggaggc tacagctgtg cctgtcccca aggctccgac 13080
ttcgtaactg gcagcactgt ccagtgtgat gcagccagtg aacttcccgt caccatgcct 13140
cccccatgca ggtgcatgca cggaggaaat tgctattttg atgagaatga actccccaaa 13200
tgcaagtgtt ccagtggcta tagcggagaa tactgtgagg ttgggtcttc gagaggcatc 13260
cctccaggga cgacaatggc tgttctgttg accttcgtga tagtcatcat tgttgagct 13320
ctggtgcttg ttggactctt tcaactacag aaaactggct ccctcttacc cactctgccc 13380
aagctgcaa gcctaagcag ccttgccaaa ccctctgaaa atggaaatgg ggtgacgttc 13440
aggtcggggg ctgatgtgaa catggacatc ggtgtgtctc ctttcggccc tgagacaatt 13500
attgacagat ccatggcgat gaatgaacac tttgtcatgg aggtgggcaa gcagcctgtg 13560
atatttgaaa acccaatgta tgcagccaag gacaacactt ccaaagtggc cctggcagtt 13620
cagggggccat caacaggcgc acaggtgact gtaccagaaa atgtggaaaa ccagaattat 13680
ggaaggccca tagatccttc tgagatagtt ccagagccaa agccagcctc ccctggagct 13740
gatgaaattc agggcaaaaa atggaacatc ttcaaagcaa aacccaaaca gacaacgaac 13800
tttgagaacc caatctacgc agagatggac agtgaggtaa aggatgctgt ggctgtggcc 13860
ccccctccgt ctcttctctt ccctgcaaaa gcttcaaaaa gaaatttgac tccaggctac 13920
actgccacag aagacacctt taaagacact gcaaactctg ttaaagaaga ttccgacgta 13980
tag 13983

```

```

<210> 35
<211> 2313
<212> DNA
<213> HOMO SAPIENS

```

```

<400> 35

```

Nonprovisional IP-017.ST25.txt

atggagaagc gcgcggccgc ggggctggag ggcgcgccgg gcgcccgggc gcagctggcc	60
gtcgtctgtc tggatgaacat ctttctcacc gggagactca gcagtgcggg tcctgcctta	120
gcggcctgca gtgggaagct ggagcagcac acggagcggc gtgggggcat ctacagcccc	180
gcctggcccc tcaactaccc gccaggcacc aactgcagct ggtacatcca gggcgaccgt	240
ggtgacatga ttaccatcag cttccgcaac tttgacgtgg aggagtcca ccagtgtctc	300
ctggactggc tcctgctggg cccagcagcc ccacccgcc aggaggcctt ccgcctctgt	360
ggctccgcca tcccacctgc cttcatctct gcccgcgacc atgtctggat tttcttcac	420
tcagacgcct ccagctccgg ccaggcccag ggcttccgtc tgtcttacat ccgagggag	480
ctggggcagg catcctgcca ggcagatgag ttccgctgtg acaacggcaa gtgcctgccc	540
ggccccgtggc agtgcaacac ggtggacgag tgtggagacg gctctgatga gggcaactgc	600
tcggcgcccc cctccgagcc tccaggcagc ctgtgccccg gggggacctt cccatgcagc	660
ggggcgcgct ccacgcgctg cctgcctgtg gagcggcgct gtgacggctt gcaggactgc	720
ggcgacggct cggatgaggc gggctgcccc gacctggcgt gcggccggcg gctgggcagc	780
ttctacggct cttttgcctc cccagacctg ttccggcgcc ctcgcgggcc ctcagacctt	840
cactgcacgt ggctggtgga cacacaggac tcccggcggg tgtgtgtgca gctggaactg	900
cggctgggct atgacgacta cgtgcaggtg tacgagggcc tgggcgagcg cggggaccgc	960
ctgtgtcaga cgctgtccta ccgcagcaac caccggcccc tgagcctgga ggccgcccag	1020
ggccgcctca ctgtggccta ccacgcgcgc gcccgagcg ccggccacgg cttcaatgcc	1080
acctaccagg tgaagggcta ttgcctcccc tgggagcagc cgtgcgggag cagtagtgac	1140
agtgacgggg gcagcctggg cgaccagggc tgcttctcag agccacagcg ctgtgatggc	1200
tgggtggcatt gtgccagcgg ccgagacgag cagggtgtgc ctgcctgccc gcccgaccag	1260
taccctgcg aggggtggcag tggctgtgtc tacacgcctg ccgaccgctg caacaaccag	1320
aaaagctgtc ccgacggcgc cgacgagaag aactgttctt cctgccagcc cggcaccttc	1380
cactgcggta ccaacctgtg catcttcgag acgtggcgct gtgacggcca ggaagactgc	1440
caggacggca gcgatgagca tgggtgcctg gccgccgtgc cccgcaaggc catcacggcg	1500
gcgctcattg gcagcctggg gtgtggcctg ctgctggtca tcgcgtggg ctgcgccttc	1560
aagctctact cactgcgcac gcaggaatac agggccttcg agaccagat gacgcgcctg	1620
gaggctgagt tcgtgcggcg ggaggcacc ccacctatg gtcagctcat cggccagggc	1680
ctcattccac ccgtggagga ctttcctgtc tacagtgcgt cccaggcctc tgtgtgcag	1740
aatcttcgca cagccatgcg gagacagatg cgtcggcacg cctcccgcg ggggcccctc	1800
cggcgccgc tcggccgcct ctggaaccgg ctctttcacc ggccgcgggc gccccgaggc	1860
cagatcccac tgtgaccgc agcacgcccc tcacagaccg tgctgggca tggcttcctc	1920
cagcctgtc caggggctgc ccccgacccc ccagaccgc tcatggacac aggcagcacc	1980
agggcgggcg gagacaggcc cccagtgcc cccggccgtg caccggaggc gggaccttca	2040

Nonprovisional IP-017.ST25.txt

gggccaccct tgccctcggg cctgcgagac ccagagtga ggcccgtgga caaggacaga 2100
 aaggctctga gggagccact ggtagacggc ccagctcctg cagatgcacc tcgggagccc 2160
 tgctcagccc aggaccgca cccccaggtc tccactgcca gcagaccct gggccccac 2220
 tcgccagagc cactgggggt ctgcaggaac cccccgccc cctgctccc aatgctggag 2280
 gccagcgatg atgaggccct gttggtctgt tga 2313

<210> 36
 <211> 2313
 <212> DNA
 <213> RAT

<400> 36
 atggagaagc gcgcggccgc ggggcccggag ggggcgcgg gcgccagggc gccgctcgca 60
 gtcgtctgcc tggtaacct ctttctcact gggagactca gcagtgcagt tctgcctta 120
 gctgcctga gttggaagtt ggaacagcac actgaacggc gaggggttat ctacagccca 180
 gcctggcccc tcaactaccc tccaggcacc aactgcagct ggtacattca aggtgaccgt 240
 ggtgacatga tcaccatcag tttccgaaac ttgatgtag aggagtctca ccagtgttcc 300
 ctggactggc tctgctggg cccagcagct cccctcgcc aggaggcctt ccgcctctgt 360
 ggttcagcca tcccaccagc cttcatctct gccctgacc acgtctggat cttcttcac 420
 tcagacgcct ccagttccgg ccaggccag ggttttcgcc tctcctatat ccgagggag 480
 ctgggtcagg catcctgcca gacagatgag ttccgctgtg acaacggtaa atgcttgctt 540
 ggtccttggc agtgcaacat ggtggatgag tgtggagatg gctcggatga ggtaactgt 600
 tcggcacctg cctcagagcc accaggcagc ctgtgcccc ggggcacctt cccgtgcagc 660
 ggagctcgct ccacacgctg cctgccggtg gagcggcgct gcgacggcac ccaggactgc 720
 ggtgatggct ctgatgaggc tggctgcccc gacctagcat gtggccggcg gctaggcagt 780
 ttctacgggt ccttcgcctc cccagacctg tttggtgccc cccgtgggcc ttcggacctt 840
 cactgcacat ggctggtgga cacgcaggac ccgaggcgtg tgctgctgca gctggagcta 900
 cgactgggtt atgatgacta tgtccagggt tatgaaggcc tgggcgagcg tggggaccgt 960
 ctgctgcaaa cgctttccta ccgagcaac caccggcctg tgagcctgga agcagcgag 1020
 ggccgcctca ctgtggccta ccagtctgc gcccgagtg ctggtcacgg cttcaacgcc 1080
 acataccagg tgaagggtta ctgcctcca tgggagcagc cgtgtgggag cagcagcgag 1140
 ggagatgacg gcagcacagg ggaacagggc tgcttctcag agccacagcg ctgtgatggc 1200
 tgggtggcatt gtgcgagcgg ccgggatgag cagggctgtc cagcatgccc tccggaccag 1260
 tatccctgtg aggggtgtag cggcctgtgc tatgcacctg ccgatcgttg caacaaccag 1320
 aaaagctgcc ccgatggcgc cgatgaaaag aactgctttt cctgccagcc gggcaccttc 1380
 cactgtggta cgaacctgtg catctttgag acatggcgct gtgacggtca ggaggactgc 1440
 caagatggca gcgatgagca cggctgcctg gctgccgtgc cccgcaaggc catcaccgcc 1500
 gccctcattg gtagcctagt atgcggactg ctgcttgta ttgccctagg ctgtgccttc 1560

Nonprovisional IP-017.ST25.txt

aaactctact	ccctgcgcac	gcaggagtag	agggcctttg	agacccaaat	gacacgttta	1620
gaggctgagt	ttgtgcggcg	cgaggcgccc	ccatcctacg	gtcagctcat	cgcacagggc	1680
ctcataccac	ccgttgagga	ttttcctgtc	tacagtgcac	cccaggcttc	agtgtctacg	1740
aaccttcgca	cagccatgcg	acgacagatg	cgctcggcatg	cctcccgag	ggggccatct	1800
cgctgcagac	tggggcgctt	ctggaacagg	ctcttcacc	ggccacgggc	acctcgaggc	1860
cagatccac	tgctgactgc	cgcccgtagc	tcacagaccg	tgctgggtga	tgggtctctc	1920
caggcagcac	cagggcctgt	accagacccc	ccagtgcaca	atacagacac	aggcagcccc	1980
agggaggctg	gagatgggac	tcctagtggc	tctggccatg	caccagaagt	ggggccttca	2040
gtgccgcccc	cgcccttgaa	ccttcgagac	ccagagtaca	ggccagagga	caaggagaga	2100
aaggcctgtg	tggaccctct	ggaagacagt	ccagcccctg	tggacacacc	tccagagccc	2160
tgcttgcccc	aagaccccca	ccccagact	cccactgcca	gtggcatcca	agatccccac	2220
tcagcagagc	cactgggggt	ctgcaggagc	cctccaccaa	cctgctcccc	aatattggag	2280
gctagtgatg	atgaggccct	gctggtctgc	tga			2313

<210> 37
 <211> 2580
 <212> DNA
 <213> HOMO SAPIENS

<400> 37						
atgaacagtt	tcctcatctt	cgccaggagg	atagacattc	gcatggtctc	cctggacatc	60
ccttattttg	ctgatgtggt	ggtaccaatc	aacattacca	tgaagaacac	cattgccatt	120
ggagtagacc	cccaggaagg	aaaggtgtac	tggcttgaca	gcacactgca	caggatcagt	180
cgtagcaatc	tggatggctc	acagcatgag	gacatcatca	ccacagggct	acagaccaca	240
gatgggctcg	cggttgatgc	cattggccgg	aaagtatact	ggacagacac	gggaacaaac	300
cggattgaag	tgggcaacct	ggacgggtcc	atgcggaaag	tggttggtgtg	gcagaacctt	360
gacagtcccc	gggcatcgt	actgtaccat	gagatggggt	ttatgtactg	gacagactgg	420
ggggagaatg	ccaagttaga	gcgggtccga	atggatggct	cagaccgcgc	ggtgctcatc	480
aacaacaacc	taggatggcc	caatggactg	actgtggaca	aggccagctc	ccaactgcta	540
tgggccgatg	cccacaccga	gcgaattgag	gctgctgacc	tgaatggtgc	caatcgcat	600
acattggtgt	caccgggtga	gcacccatat	ggcctcacc	tgctcgactc	ctatatctac	660
tggactgact	ggcagactcg	gagcatccac	cgtagtgaca	agggtactgg	cagcaatgtc	720
atcctcgtga	ggtccaacct	gccaggcctc	atggacatgc	aggctgtgga	ccgggcacag	780
ccactaggtt	ttaacaagtg	cggtctgaga	aatggcggct	gctccacact	ctgcttgctt	840
cggccttctg	gcttctctg	tgcttcccc	actggcatcc	agctgaaggg	agatgggaag	900
acctgtgatc	cctctctga	gacctacctg	ctcttctcca	gccgtggctc	catccggcgt	960
atctcactgg	acaccagtga	ccacaccgat	gtgcatgtcc	ctgttcctga	gctcaacaat	1020

Nonprovisional IP-017.ST25.txt

gtcatctccc tggactatga cagcgtggat ggaaaggctt attacacaga tgtgttcctg 1080
 gatgttatca ggcgagcaga cctgaacggc agcaacatgg agacagtgat cgggagagg 1140
 ctgaagacca ctgacgggct ggcagtggac tgggtggcca ggaacctgta ctggacagac 1200
 acaggctgaa ataccattga ggcgtccagg ctggatgggt cctgccgcaa agtactgatc 1260
 aacaatagcc tggatgagcc ccgggccatt gctgttttcc ccaggaagggt gtacctcttc 1320
 tggacagact gggggccacat tgccaagatc gaacgggcaa acttggatgg ttctgagcgg 1380
 aaggctctca tcaacacaga cctgggttgg cccaatggcc ttaccctgga ctatgatacc 1440
 cgcaggatct actgggtgga tgcgcatctg gaccggatcg agagtgtga cctcaatggg 1500
 aaactgcggc aggtcttggc cagccatgtg tccaccctt ttgccctcac acagcaagac 1560
 aggtggatct actggacaga ctggcagacc aagtcaatcc agcgtgttga caaatactca 1620
 ggccggaaca aggagacagt gctggcaaat gtggaaggac tcatggatat catcgtgggt 1680
 tcccctcagc ggcagacagg gaccaatgcc tgtggtgtga acaatggtgg ctgcaccac 1740
 ctctgctttg ccagagcctc ggacttcgta tgtgcctgtc ctgacgaacc tgatagccgg 1800
 ccctgctccc ttgtgcctgg cctggtacca ccagctccta gggctactgg catgagtga 1860
 aagagcccag tgctacccaa cacaccacct accaccttgt attcttcaac caccggacc 1920
 cgcacgtctc tggaggaggt ggaaggaaga tgctctgaaa gggatgccag gctgggcctc 1980
 tgtgcacgtt ccaatgacgc tgttcctgct gctccagggg aaggacttca tatcagctac 2040
 gccattggtg gactcctcag tattctgctg attttggtgg tgattgcagc tttgatgctg 2100
 tacagacaca aaaaatccaa gtactctgat cctggaatgg ggaacctcac ctacagcaac 2160
 cctcctacc gaacatccac acaggaagtg aagattgaag caatcccaa accagccatg 2220
 tacaaccagc tgtgctataa gaaagaggga gggcctgacc ataactacac caaggagaag 2280
 atcaagatcg tagagggaat ctgcctcctg tctggggatg atgctgagtg ggatgacctc 2340
 aagcaactgc gaagctcacg ggggggcctc ctccgggac atgtatgcat gaagacagac 2400
 acggtgtcca tccaggccag ctctggctcc ctggatgaca cagagacgga gcagctgtta 2460
 caggaagagc agtctgagtg tagcagcgtc catactgcag ccactccaga aagacgaggc 2520
 tctctgccag acacgggctg gaaacatgaa cgcaagctct cctcagagag ccaggtctaa 2580

<210> 38
 <211> 4842
 <212> DNA
 <213> MOUSE

<400> 38
 atgggggccc tgctgaggag cctcctggcc tgcagcttct gcgtgctgct gagagcggcc 60
 cctttgttgc tttatgcaaa cagacgggac ttgagattgg ttgatgctac aaatggcaaa 120
 gagaatgcaa cgattgtagt tggaggcttg gaggatgcag ctgcgggtgga ctttgtgttt 180
 ggtcatggct tgatatactg gagtgatgtc agcgaagaag ccattaaacg aacagaattt 240
 aacaaaagtg aaagtgtaca gaatgttgtt gtttctggat tattgtcccc ggatgggctg 300

Nonprovisional IP-017.ST25.txt

gcatgtgatt ggcttgaga aaaattgtac tggacagatt ctgaaactaa tcgtattgaa	360
gtttctaatt tagatggatc ttacgaaaa gttttathtt ggcaagagtt ggatcaaccc	420
agagctattg ccttagatcc atcaagtggg ttcatgtact ggacagactg gggagaagtg	480
ccaaagatag aacgggctgg gatggatggc tcaagtcgct tcgttataat aaacacggag	540
attractggc caaacggact gactctggat tatcaggagc ggaagcttta ctgggccgat	600
gcaaaactta atttcatcca taaatcaaac ctggatggaa caaacggca ggcagtgggt	660
aaaggttccc ttccacatcc ttttgcttg acgttathtt aggacacatt gtactggact	720
gactggaata cacactctat tttggcttgc aacaaatata ctggcgaggg tctgcgtgaa	780
attcattcta acatcttctc tcccatggat atacatgctt tcagccaaca gaggcagcca	840
aatgctacaa atccatgtgg aattgataat ggtggttgtt cccatttggt tttgatgtct	900
ccagtcaagc ctttttatca gtgtgcttgc ccaactgggg tcaagctgat ggagaatgga	960
aagacctgca aagatggtgc cactgaacta ttgctgttag cccgacggac agacttgagg	1020
cgaatttctt tggatacacc cgattttact gacattgttc tgcagttaga agatatccgg	1080
catgccattg ccatagacta tgaccctgta gaaggctaca tatactggac agatgacgaa	1140
gtgagggcta tccgtcgctc cttcatagat ggatctggca gtcagtttgt ggtcacggcc	1200
cagattgctc atcctgatgg tattgtgtgt gactgggttg caaggaacct gtactggaca	1260
gacactggca cggatcgat agaagtgaca aggtcaatg ggaccatgag gaagatcttg	1320
atttcagagg acttagagga gccccgggct atcgtgttag atcccatggg tgggtacatg	1380
tattggacag actggggaga aatcccaaaa atagagcgag ctgctctgga cggatctgac	1440
cgagtagttc ttgtcaacac ttcccttggt tggccaaacg gcttagccct ggattatgat	1500
gaaggcacia tatactgggg agatgccaaa acagacaaa ttgaggttat gaataccgat	1560
ggcaccggga ggcgagtgtt ggtggaagac aagatccctc acatatttggt gtttaccttg	1620
ctgggtgact atgtttactg gactgactgg cagaggcgga gcatcgagag agtacacaaa	1680
cggagcgag agagggaagt catcatagac cagctgccag acctcatggg actgaaggcc	1740
acaagtgttc acagagtcac tggttcraac ccctgtgctg aggacaatgg aggatgtagc	1800
catctttgcc tgtacaggcc tcaggggctt cgatgcgcct gtcccattgg ctttgagctc	1860
atcggtgaca tgaagacatg cattgtcccc gaggtttcc ttctgttctc gaggagagcg	1920
gatatcagac gcatactttt ggaaacaaac aacaacaatg tggccattcc tctactgggt	1980
gtcaaagaag cctctgcttt ggattttgat gtcacagaca acaggattta ctggactgat	2040
atatcactga agactattag cagagccttt atgaatggca gtgcactgga acatgtggta	2100
gagtttggct tagattatcc agaaggcatg gcagtggact ggcttgggaa gaacttatac	2160
tgggcagaca caggaacaaa tcgcattgag gtatcaaagt tggacggaca gcaccgacag	2220
gttttggtat ggaaagacct tgacagtcct cgagctctgg cactggatcc tgctgaaggg	2280
tttatgtatt ggactgagtg gggaggcaag cctaagattg acagggctgc tatggatgga	2340

Nonprovisional IP-017.ST25.txt

agtgaacgca ctacattagt tccaaatgta ggccgagcaa atggtctcac catcgactat	2400
gctaaaaggc ggctttactg gacagacctg gacactaacc taatagaatc ctcagatatg	2460
ctcggactca accgtgaagt tatagcagat gacttgccctc atccttttgg cttaactcag	2520
taccaagatt acatctactg gacagactgg agccgacgca gcattgaacg tgccaacaaa	2580
accagtgggc aaaaccgcac catcatccag ggccatttgg actatgtgat ggacatcctg	2640
gtcttccact cttcccggca ggcagggtgg aatgagtgtg cctccagcaa cgggcactgc	2700
tcccacctct gcttggctgt gcccgtcgga ggttttgtgt gtggatgccc tgcccactac	2760
tccctgaatg ctgacaacag gacctgcagt gctcccagca ccttcctgct cttcagtcag	2820
aagagcgcca tcaaccgcat ggtgattgat gaacaacaga gccctgacat catccttcct	2880
atccacagcc ttcggaacgt ccgggccatt gactatgacc ctttggaaca gcagctctac	2940
tggattgact ctcgacaaaa ctccatacga aaggcacatg aagatggtgg ccagggtttt	3000
aatgtagttg caaactcggc cgcaaatcag aacctgaaa tacagcccta tgatctcagc	3060
attgatattt atagccgtta catctactgg acctgtgaag ctaccaatgt cattgatgtg	3120
acgagattag atggacgac agttggagtg gttctaaaag gcgagcaaga cagacctcga	3180
gccattgtgg taaaccccga gaaagggat atgtatttta ccaatcttca ggaaagatct	3240
cctaaaattg aacgggctgc attggatggt acagaacgag aggtcctctt tttcagtggc	3300
ttaagtaaac caattgcttt ggctcttgat agcaagctgg gcaagctctt ctgggctgac	3360
tcagatctcc ggcaattga aagcagtgat ctctcagggtg ccaacaggat cgtgctagaa	3420
gactctaata tattacagcc tgtgggcctg accgtgtttg aaaactggct ctattggatt	3480
gataaacagc agcagatgat tgaaaaaatt gacatgactg gtcgagaagg aagaaccaag	3540
gtccaggctc gaattgctca gctgagtgc atccatgcag taaaggagct gaaccttcag	3600
gagtacagac agcacccttg tgcccaggat aatgggtggc gttcacatat ctgccttgta	3660
aaaggagatg gtacgacaag atgctcctgc cccatgcact tagttctgct tcaggatgag	3720
ctgtcctgtg gagagctcc aacgtgttct cctcagcagt ttacctgctt cactggggac	3780
attgactgca tccctgtggc ttggcgggtg gatgggttca ctgagtgcga agaccacagc	3840
gatgaactca attgtccgt gtgctcagag tctcagttcc agtgtgccag cgggcagtgc	3900
attgatggtg cccttcgatg caatggcgat gcgaactgcc aggacaaatc agatgagaag	3960
aactgtgaag tgctttgttt aattgatcag ttccgctgtg ccaatggtca gtgcgttggg	4020
aagcacaaga aatgtgacca cagtgtggac tgcagtgaca gatctgacga gctggactgt	4080
tatccaactg aggagccagc accacaagcc accaacacag ttggttccgt tattggagta	4140
attgtcacca tttttgtgtc tggaaaccata tactttatct gccagaggat gctgtgtcct	4200
cgtatgaagg gagacgggga gaccatgact aacgactatg tggttcacag cccggcgtct	4260
gtgccccctg gttatgttcc tcaccaagc tctctctctg gatctcttcc aggaatgtct	4320
cgaggcaaat caatgatcag ttcctcagc atcatggggg gaagcagtgg gccccctat	4380

Nonprovisional IP-017.ST25.txt

gatcgagcgc acgtcacggg agcctcctca agcagttctt ccagtaccaa aggcacttat 4440
ttccctgcaa ttttgaaccc accaccatcc cctgccacag aaagatccca ttataccatg 4500
gaatttggtt attcttccaa cagtccttcc acacataggt cctacagcta taggccgtac 4560
agctaccggc actttgcacc gccaccaca ccctgcagca ctgatgtctg tgacagtgc 4620
tatgtcctta gccggaggat gacctcgggt gcaacagcca agggctacac cagtgcgtg 4680
aactatgact cagaacctgt gccccaccg cccacacccc gaagccagta cttgtcagcg 4740
gaggagaact atgaaagctg ccccccttcc ccatacacgg agaggagtta ctcccaccac 4800
ctctaccgc caccaccctc cccctgcacg gactcctcct ga 4842

<210> 39
<211> 4842
<212> DNA
<213> HOMO SAPIENS

<400> 39
atggggggccg tcctgaggag cctcctggcc tgcagttct gtgtgctcct gagagcggcc 60
cctttgttgc tttatgcaa cagacgggac ttgcgattgg ttgatgctac aaatggcaaa 120
gagaatgcta cgattgtagt tggaggcttg gaggatgcag ctgcggtgga ctttgtgttt 180
agtcattggct tgatatactg gagtgatgtc agcgaagaag ccattaaacg aacagaattt 240
aacaaaactg agagtgtgca gaatgtgtgt gtttctggat tattgtcccc cgatgggctg 300
gcatgtgatt ggcttgaga aaaattgtac tggacagatt ctgaaactaa tcgattgaa 360
gtttctaatt tagatggatc ttacgaaaa gttttatttt ggcaagagtt ggatcaaccc 420
agagctattg ccttagatcc ttcaagtggg ttcattgtact ggacagactg gggagaagtg 480
ccaaagatag aacgtgctgg aatggatggt tcaagtcgct tcattataat aaacagtga 540
atttactggc caaatggact gactttggat tatgaagaac aaaagcttta ttgggcagat 600
gcaaaactta atttcatcca caaatcaaat ctggatggaa caaatcggca ggcagtgggt 660
aaaggttccc ttccacatcc ttttgcttg acgttatttg aggacatatt gtactggact 720
gactggagca cacactccat tttggcttg aacaagtata ctggtgaggg tctgctgaa 780
atccattctg acatcttctc tccatggat atacatgcct tcagccaaca gaggcagcca 840
aatgccacaa atccatgtgg aattgacaat gggggtgtt cccatttctg ttgatgtct 900
ccagtcaagc ctttttatca gtgtgcttg cccactggg tcaaaactcct ggagaatgga 960
aaaacctgca aagatgggtg cacagaatta ttgcttttag ctggaaggac agacttgaga 1020
cgcatttctt tggatacacc agattttaca gacattgttc tgcagttaga agacatccgt 1080
catgccattg ccatagatta cgatcctgtg gaaggctaca tctactggac tgatgatgaa 1140
gtgagggcca tacgccgttc atttatagat ggatctggca gtcagttgt ggtcactgct 1200
caaattgccc atcctgatgg tattgtctgt gactgggttg cagcaaatct ttattggaca 1260
gacactggca ctgatcgaat agaagtgaca aggtcaatg ggaccatgag gaagatcttg 1320

Nonprovisional IP-017.ST25.txt

atttcagagg acttagagga accccgggct attgtgttag atcccatggt tgggtacatg 1380
 tattggactg actggggaga aattccgaaa attgagcgag cagctctgga tggttctgac 1440
 cgtgtagtat tggttaacac ttctcttgggt tggccaaatg gtttagcctt ggattatgat 1500
 gaaggcaaaa tatactgggg agatgccaaa acagacaaga ttgaggttat gaatactgat 1560
 ggcactggga gacgagtact agtggaagac aaaattcctc acatatttgg atttactttg 1620
 ttgggtgact atgtttactg gactgactgg cagaggcgta gcattgaaag agttcataaa 1680
 cgaagtgcag agagggaagt gatcatagat cagctgcctg acctcatggg cctaaaggct 1740
 acaaatgttc atcgagtgat tggttccaac ccctgtgctg aggaaaacgg gggatgtagc 1800
 catctctgcc tctatagacc tcagggcctt cgctgtgctt gccctattgg ctttgaactc 1860
 atcagtgaca tgaagacctg cattgtccca gaggctttcc ttttgttttc acggagagca 1920
 gatatcagac gaatttctct ggaaacaaac aataataatg tggctattcc actcactggt 1980
 gtcaaagaag cttctgcttt ggattttgat gtgacagaca accgaattta ttggactgat 2040
 atatcactca agaccatcag cagagccttt atgaatggca gtgcactgga acatgtggta 2100
 gaattcggct tagattatcc agaaggcatg gcagtagact ggcttgggaa gaacttgtac 2160
 tgggcagaca caggaaacgaa tcgaattgag gtgtcaaagt tggatgggca gcaccgacaa 2220
 gttttggtgt ggaaagacct agatagtccc agagctctcg cgttggaccc tgccgaagga 2280
 tttatgtatt ggactgaatg gggtgaaaa cctaagatag acagagctgc aatggatgga 2340
 agtgaacgta ctaccttagt tccaaatgtg gggcgggcaa acggcctaac tattgattat 2400
 gctaaaagga ggctttattg gacagacctg gacaccaact taatagaatc ttcaaatatg 2460
 cttgggctca accgtgaagt tatagcagat gacttgccctc atccttttgg cttaactcag 2520
 taccaagatt atatctactg gacggactgg agccgacgca gcattgagcg tgccaacaaa 2580
 accagtggcc aaaaccgcac catcattcag ggccatttgg attatgtgat ggacatcctc 2640
 gtctttcact catctcgaca gtcaggggtg aatgaatgtg cttccagcaa tgggcaactgc 2700
 tcccacctct gcttggctgt gccagttggg ggttttgttt gtggatgccc tgcccactac 2760
 tctcttaatg ctgacaacag gacttgtagt gctcctacga ctttcctgct cttcagtcaa 2820
 aagagtgcc acaaccgat ggtgattgat gaacaacaga gccccgacat catccttccc 2880
 atccacagcc ttcggaatgt ccgggccatt gactatgacc cactggacaa gcaactctat 2940
 tggattgact cagcagaaaa catgatccga aaggcacaag aagatggcag ccagggtttt 3000
 actgtgggtg tgagctcagt tccgagtcag aacctggaaa tacaacccta tgacctcagc 3060
 attgatattt acagccgcta catctactgg acttgtgagg ctaccaatgt cattaatgtg 3120
 acaagattag atgggagatc agttggagtg gtgctgaaag gcgagcagga cagacctcga 3180
 gccattgtgg taaaccaga gaaagggat atgtatttta ccaatcttca ggaaaggtct 3240
 cctaaaattg aacgggctgc tttggatggg acagaacggg aggtcctctt tttcagtggc 3300
 ttaagtaaac caattgcttt agcccttgat agcaggctgg gcaagctctt ttgggctgat 3360

Nonprovisional IP-017.ST25.txt

tcagatctcc ggcgaattga aagcagtgat ctctcagggtg ctaaccggat agtattagaa 3420
 gactccaata tcttgagcc tgtgggactt actgtgtttg aaaactggct ctattggatt 3480
 gataaacagc agcaaatgat tgaaaaaatt gacatgacag gtcgagaggg tagaaccaaa 3540
 gtccaagctc gaattgccca gcttagtgac attcatgcag taaaggagct gaaccttcaa 3600
 gaatacagac agcacccttg tgctcaggat aatggtggct gttcacatat ttgtcttgta 3660
 aagggggatg gtactacaag gtgttcttg cccatgcacc tggttctact tcaagatgag 3720
 ctatcatgtg gagaacctcc aacatgttct cctcagcagt ttacttgttt cacgggggaa 3780
 attgactgta tccctgtggc ttggcgggtg gatgggttta ctgaatgtga agaccacagt 3840
 gatgaactca attgtcctgt atgctcagag tcccagttcc agtgtgccag tgggcagtgt 3900
 attgatggtg ccctccgatg caatggagat gcaaactgcc aggacaaatc agatgagaag 3960
 aactgtgaag tgctttgttt aattgatcag ttccgctgtg ccaatggtca gtgcattgga 4020
 aagcacaaga agtgtgatca taatgtggat tgcagtgaca agtcagatga actggattgt 4080
 tatccgactg aagaaccagc accacaggcc accaatacag ttggttctgt tattggcgta 4140
 attgtcacca tttttgtgtc tggaactgta tactttatct gccagaggat gttgtgtcca 4200
 cgtatgaagg gagatgggga aactatgact aatgactatg tagttcatgg accagcttct 4260
 gtgcctcttg gttatgtgcc acaccaagt tctttgtcag gatctcttcc aggaatgtct 4320
 cgaggtaaat caatgatcag ctccctcagt atcatggggg gaagcagtgg acccccctat 4380
 gaccgagccc atgttacagg agcatcatca agtagttctt caagcaccaa aggcacttac 4440
 ttccctgcaa ttttgaacct tccaccatcc ccagccacag agcgatcaca ttacactatg 4500
 gaatttggat attcttcaaa cagtccttcc actcataggt catacagcta caggccatat 4560
 agctaccggc actttgcacc ccccaccaca ccttgacga cagatgtttg tgacagtgc 4620
 tatgtccta gtcggagaat gacctcagt gcaacagcca agggctatac cagtgcattg 4680
 aactatgatt cagaacctgt gccccacct cccacacccc gaagccaata cttgtcagca 4740
 gaggagaact atgaaagctg cccaccttct ccatacacag agaggagcta ttctcatcac 4800
 ctctaccac cgccaccctc tcctgtaca gactcctcct ga 4842

<210> 40
 <211> 643
 <212> DNA
 <213> XENOPUS

<400> 40
 cggattcacg gagtgtgttg atcacagcga cgagcagaac tgcccatgt gtcagacat 60
 gcagtaccaa tgcaccagcg gccagtgcag cgactcctct ctacgctgta acggagagga 120
 caactgtcag gacaagtctg atgagaagaa ctgcaatgaa gtctgtgcac ctgaccagtt 180
 tcaactgcggc aatggacaat gcatcgggaa gcaccggcgt tgtgatctca gcccgcactg 240
 cagtgcagc tcagatgagc aagcttgcta tccacagaa gaaccacctc ctccgtcgac 300
 caacaccatt ggctccatca ttggagtgt cctcacagta tttgtggtag ggggggtgta 360

Nonprovisional IP-017.ST25.txt

tttcatctgt cagcgagttt tgtgccgtcg catgaaaggc gatggagaga ccatgaccaa	420
tgactatgtg gtgcatggac ctgcctcggc cccattggct tacgtcccgc acccgagctc	480
cctcactgga tccttgccctg gtatgtcacg tggcaaatcc gttatcagca ctctcagcat	540
tatggctgga agcagtgggc caccgtatga cggggtcat gtcactggag cgatcatccag	600
cagctcctcc agcaccaaag gaacttattt tccaccaatc tta	643

<210> 41
 <211> 2892
 <212> DNA
 <213> HOMO SAPIENS

<400> 41	
atgggcctcc ccgagccggg ccctctccgg cttctggcgc tgctgctgct gctgctgctg	60
ctgctgctgc tgcggctcca gcattcttgcg gcggcagcgg ctgatccgct gctcggcggc	120
caagggcccg ccaaggagtg cgaaaaggac caattccagt gccggaacga gcgctgcatc	180
ccctctgtgt ggagatgcga cgaggacgat gactgcttag accacagcga cgaggacgac	240
tgccccaaaga agacctgtgc agacagtgc ttcacctgtg acaacggcca ctgcatccac	300
gaacgggtgga agtgtgacgg cgaggaggag tgtctgatg gctccgatga gtccgaggcc	360
acttgacca agcagggtgtg tcctgcagag aagctgagct gtggaccac cagccacaag	420
tgtgtacctg cctcgtggcg ctgcgacggg gagaaggact gcgagggtgg agcggatgag	480
gccggctgtg ctacctgtg cgccccgcac gattccagt gcggcaaccg ctcgtgcctg	540
gccgccgtgt tcgtgtgcga cggcgatgac gactgtggtg acggcagcga tgagcgcggc	600
tgtgcagacc cggcctgcgg gccccgcgag ttccgctgcg gcggcgatgg cggcggcgcc	660
tgcatcccgg agcgtgggt ctgcgaccgc cagtttgact gcgaggaccg ctcggacgag	720
gcagccgagc tctgcggccg cccgggcccc ggggccacgt ccgcgcccgc cgcctgcgcc	780
accgtctccc agttcgctg ccgcagcggc gattgcgtgc acctgggctg gcgctgcgac	840
ggcgaccgag actgcaaaga caaatcggac gaggccgact gccactggg cacctgccgt	900
ggggacgagt tccagtgtgg ggatgggaca tgtgtccttg caatcaagca ctgcaaccag	960
gagcaggact gtccagatgg gagtgatgaa gctggctgcc tacaggggct gaacgagtgt	1020
ctgcacaaca atggcggctg ctcacacatc tgcactgacc tcaagattgg ctttgaatgc	1080
acgtgcccag caggcttcca gtcctggac cagaagacct gtggcgacat tgatgagtgc	1140
aaggaccag atgcctgcag ccagatctgt gtcaattaca agggctattt taagtgtgag	1200
tgctaccctg gctacgagat ggacctactg accaagaact gcaaggctgc tgggtggaaag	1260
agcccatccc taatcttcac caaccgtac gagggtgcga ggatcgacct ggtgaagcgg	1320
aactattcac gcctcatccc catgctcaag aatgtcgtgg cactagatgt ggaagttgcc	1380
accaatcgca tctactggtg tgacctctcc taccgtaaga tctatagcgc ctacatggac	1440
aaggccagtg acccgaaaga gcaggaggtc ctcatgacg agcagttgca ctctccagag	1500

Nonprovisional IP-017.ST25.txt

ggcttgccag tggactgggt ccacaagcac atctactgga ctgactcggg caataagacc 1560
 atctcagtgg ccacagttga tgggtggccgc cgacgcactc tcttcagccg taacctcagt 1620
 gaaccccggg ccacgcgtgt tgacccctg cgagggttca tgtattggtc tgactggggg 1680
 gaccaggcca agattgagaa atctgggctc aacgggtgtg accggcaaac actggtgtca 1740
 gacaatattg aatggcccaa cggaatcacc ctggatctgc tgagccagcg cttgtactgg 1800
 gtagactcca agctacacca actgtccagc attgacttca gtggaggcaa cagaaagacg 1860
 ctgatctcct ccactgactt cctgagccac ccttttggga tagctgtgtt tgaggacaag 1920
 gtgttctgga cagacctgga gaacgaggcc attttcagtg caaatcggct caatggcctg 1980
 gaaatctcca tcctgggtga gaacctcaac aaccacatg acattgtcat cttccatgag 2040
 ctgaagcagc caagagctcc agatgcctgt gagctgagtg tccagcctaa tggaggctgt 2100
 gaatacctgt gccttcctgc tcctcagatc tccagccact ctcccaagta cacatgtgcc 2160
 tgtcctgaca caatgtggct ggggtccagac atgaagaggt gctaccgagc acctcaatct 2220
 acctcaacta cgacgttagc ttctaccatg acgaggacag tacctgccac cacaagagcc 2280
 cccgggacca ccgtccacag atccacctac cagaaccaca gcacagagac accaagcctg 2340
 acagctgcag tcccaagctc agttagtgtc cccagggtc ccagcatcag cccgtctacc 2400
 ctaagccctg caaccagcaa ccactcccag cactatgcaa atgaagacag taagatgggc 2460
 tcaacagtca ctgccgctgt tatcgggatc atcgtgccca tagtggtgat agccctcctg 2520
 tgcagtgtg gatacctgat ctgggaaac tggaaaggga agaaccacaa aagcatgaat 2580
 ttgacaacc cagtctacag gaaaacaaca gaagaagaag atgaagatga gctccatata 2640
 gggagaactg ctgagattgg ccattgtctat cctgcagcaa tcagcagctt tgatcgccca 2700
 ctgtgggcag agccctgtct tggggagacc agagaaccgg aagaccagc ccctgccctc 2760
 aaggagcttt ttgtcttgcc gggggaacca aggtcacagc tgcaccaact cccgaagaac 2820
 cctctttccg agctgcctgt cgtcaaatcc aagcgagtgg cattaagcct tgaagatgat 2880
 ggactaccct ga 2892

<210> 42
 <211> 2142
 <212> DNA
 <213> MOUSE

<400> 42
 atgctatcgg ccctccctct tcttttctc ctccctcggag gtgctctggc ccgcccagac 60
 cggatcactt tcccacgttc tgcttgtag gcgccccag cagtgtctc agaagtacaa 120
 ggcactttac agaggcctct aggccgggac agccgaagct cccctgcaa ctgcacctg 180
 gttatcctgg gcagcaagga tcagacagta actgtcaggt tccagaagct gcatctggcc 240
 tgtggctcag agcatttaac cctgcactcc cctctacagc caccaatctc cctgtgtgag 300
 gcccttctg gccctttgca gctaccaggg ggcaatgtca ccattacata cagctargct 360
 ggggcccagag caccatggg ccagggttc ttgctgactt acagtcaaga ttggctactg 420

Nonprovisional IP-017.ST25.txt

```

tgcctgcaag aagaattcca gtgcctgaac caccgctgca ttccagctgc tcagcgctgt 480
gatgggattg atgcctgcgg ggatggctca gacgaggcag gctgcagctc agatccattc 540
cctaacctga acccagcccc cgcaccaact ctggcctgca atctcacctt ggaggacttt 600
tatgggggtct tttcttcccc tggatattca cacctggcct cagtctccca cccccagtcc 660
tgcctgtggc tgctggaccc ccatgatggc cggaggctgg cagtgcgctt cacagccctg 720
gacttgagtt acggagatgc agtgcattgt tatgatgggt ctggaccccc cgagaccctt 780
cgactgctac gtagcctcac ccacttcagc aatggcaagg ctgtcactgt ggagaccctg 840
tctggtcagg ctgttgtgtc ctaccacaca gttgcttgga gcagtggccg gggctttaat 900
gctacctacc atgtccgggg ctactgttta ccttgggaca gaccctgtgg cttgggctct 960
ggcctggggg ctagttagaa cctaggtgag cgttgctata gcgaggcaca gcgctgtgat 1020
ggctcatggg actgtgccga tggcacagat gaggagggtt gccctggctg cccaccaggg 1080
cacttcccct gtggagctgc aggcaccctt ggtgccacag cctgtacct gcctgctgac 1140
cgctgcaact accagacgtt ctgcgccgat ggagcgatg agaggcgctg ccggcattgc 1200
cagcccgga acttccggtg ccgggatgag aagtgtgtgt atgagacatg ggtgtgtgat 1260
gggcagccag actgtactga cggcagtgat gagtgggact gctcctacgc cctgccccga 1320
aaagtcatca cagcagcagt cattggcagc ctggtgtgtg gcctgttgcct ggtcatcgct 1380
ctcggtgca cctgcaaaact ctatgccatc cgcaccagc aatacagcat ctttgcctcg 1440
ctctcccgga tggaggctga gattgtgcag caacaggcac ccccttccca tgggcagctc 1500
attgcccagg gtgccatccc gcctgtggaa gacttccca cagagaacc taacgataac 1560
tctgtgctgg gaaacctacg ttctctgctt cagatcttac gccaggatat gactccaggt 1620
ggcacttcag ggggcccgcg tcgccagcgt ggacgctccg tccgccgtct ggttcgccgt 1680
ctccgtcgtt ggggcctgct tcctcgaact aatacccccag ctcgggcccc tgaaaccaga 1740
tcccagggtc caccctctgt tccctctgag gccctggatg acagcacagg ccatgcctgt 1800
gaggggtggg cagtaggggg gcaagatggg gacgaggctc ctccactgcc catcaagacc 1860
cccatcccaa cccaagcac acttcctgcc cttgtactg tctctgagac cccagggcc 1920
ctaccctcag tgcctgtaga atcatcactg ttgtctggag ttgtccaggt cctacgaggc 1980
cgcctcctac ccagcctgtg gtccccaggc cccacttgga cccaaactgg aactcacaca 2040
acagtcctgt cccagagga tgaggacgat gtattgttat tgccactggc tgagccagaa 2100
gtctgggtgg tggaggcaga ggatgaacca ttgcttcct ga 2142

```

```

<210> 43
<211> 2142
<212> DNA
<213> MOUSE

```

```

<400> 43
atgctatcgg ccctccctct tcttttctc ctccctcgag gtgctctggc ccgcccagac 60

```

Nonprovisional IP-017.ST25.txt

cggatcactt tcccacgttc tgcttgtgag gcgccccag ctgtgctctc agaagtacaa	120
ggcactttac agaggcctct aggccgggac agccgaagct cccctgccaa ctgcacctgg	180
gttatecttg gcagcaagga tcagacagta actgtcaggt tccagaagct gcatctggcc	240
tgtggctcag agcatttaat cctgcactcc cctctacagc caccaatctc cctgtgtgag	300
gccccctctg gccctttgca gctaccaggg ggcaatgtca ccattacata cagctatgct	360
ggggccagag caccatggg ccagggttc ttgtgactt acagtcaaga ttggctactg	420
tgcttgaag aagaattcca gtgcctgaac caccgctgca ttccagctgc tcagcgctgt	480
gatgggattg atgcctgcgg ggatggctca gacgaggcag gctgcagctc agatccattc	540
cctaacctga acccagcccc cgcaccaact ctggcctgca atctcacctt ggaggacttt	600
tatggggtct tttcttcccc tggatattca cacctggcct cagtctcca ccccagctcc	660
tgcttgggct tgctggacct ccattgatggc cggaggctgg cagtgcgctt cacagccctg	720
gacttgagtt acggagatgc agtgcattgt tatgatgggt ctggaccccc cgagaccctt	780
cgactgtctac gtagcctcac ccacttcagc aatggcaagg ctgtcactgt ggagaccctg	840
tctggtcagg ctgttgtgtc ctaccacaca gttgcttggg gcagtggccg gggctttaat	900
gctacctacc atgtccgggg ctactgttta ccttgggaca gaccctgtgg cttgggctct	960
ggcctggggg ctagtggaga cctagggtgag cgttgctata gcgaggcaca gcgctgtgat	1020
ggctcatggg actgtgccga tggcacagat gaggagggtt gccctggctg cccaccaggg	1080
cacttccccct gtggagctgc aggcacccct ggtgccacag cctgctacct gcctgtgac	1140
cgctgcaact accagacgtt ctgcgccgat ggagcggatg agaggcgctg ccggcattgc	1200
cagccccgga acttccggtg ccgggatgag aagtgtgtgt atgagacatg ggtgtgtgat	1260
gggcagccag actgtactga cggcagtgat gagtgggact gctcctacgc cctgccccga	1320
aaagtcatca cagcagcagt cattggcagc ctgggtgtgtg gcctgttgcct ggtcatcgct	1380
ctcggctgca cctgcaaact ctatgccatc cgcaccagg aatacagcat ctttggccccg	1440
ctctcccga tggaggctga gattgtgcag caacaggcac ccccttccta tgggcagctc	1500
attgcccagg gtgccatccc gcctgtggaa gacttcccca cagagaacct taacgataac	1560
tctgtgctgg gaaacctacg ttctctgctt cagatcttac gccaggatat gactccaggt	1620
ggtacttcag ggggcccgcg tcgccagcgt ggacgctcca tccgccgtct ggttcgccgt	1680
ctccgtcggt ggggcctgct tcctcgaact aatacccag ctcgggcccc tgagaccaga	1740
tcccaggcca caccctctgt tccctctgag gccctggatg acagcacagg ccaagcctgt	1800
gaggggtggg cagtaggggg gcaagatggg gagcaggctc ctccactgcc catcaagacc	1860
cccatcccaa cccaagcac acttcctgcc cttgtactg tctctgagcc ccaggggcca	1920
ctaccctcag tgctgtaga atcatcactg ttgtctggag ttgtccaggt cctacgaggc	1980
cgctcctac ccagcctgtg gtccccaggc cccacttggg cccaaactgg aactcacaca	2040
acagtcctgt cccagagga tgaggacgat gtattgttat tgccactggc tgagccagaa	2100

Nonprovisional IP-017.ST25.txt

gtctgggtgg tggaggcaga ggatgaacca ttgcttgccct ga 2142

<210> 44
<211> 6645
<212> DNA
<213> HOMO SAPIENS

<400> 44
atggcgacac ggagcagcag gagggagtcg cgactcccgt tcctattcac cctggtcgca 60
ctgctgccgc ccggagctct ctgcaagtc tggacgcaga ggctgcacgg cggcagcgcg 120
cccttgcccc aggaccgggg cttcctcgtg gtgcaggggc acccgcgca gctgcggctg 180
tgggcgcgcg gggatgccag gggggcgagc cgcgcgagc agaagccgct ccggaggaaa 240
cggagcgctg ccctgcagcc cgagcccatc aagggtgtacg gacaggttag tctgaatgat 300
tcccacaatc agatggtggt gcactgggct ggagagaaaa gcaacgtgat cgtggccttg 360
gcccagata gcctggcatt ggcgaggccc aagagcagtg atgtgtacgt gtcttacgac 420
tatggaaaat cattcaagaa aatttcagac aagttaaact ttggcttggg aaataggagt 480
gaagctgtta tcgccagtt ctaccacagc cctgcggaca acaagcggta catctttgca 540
gacgcttatg ccagtacct ctggatcacg tttgacttct gcaacactct tcaaggcttt 600
tccatcccat ttcgggcagc tgatctcctc ctacacagta aggcctcaa ctttctcttg 660
ggctttgaca ggtcccaccc caacaagcag ctgtggaagt cagatgactt tggccagacc 720
tggatcatga ttcaggaaca tgtcaagtcc ttttcttggg gaattgatcc ctatgacaaa 780
ccaaatacca tctacattga acgacacgaa ccctctggct actccactgt cttccgaagt 840
acagatttct tccagtcccg ggaaaaccag gaagtgatcc ttgaggaagt gagagatttt 900
cagcttcggg acaagtacat gtttgctaca aagggtgtgc atctcttggg cagtgaacag 960
cagtcttctg tccagctctg ggtctccttt ggccggaagc ccatgagagc agcccagttt 1020
gtcacaagac atcctattaa tgaatattac atcgagatg cctccgagga ccaggtgttt 1080
gtgtgtgtca gccacagtaa caaccgcacc aatttataca tctcagaggc agaggggctg 1140
aagttctccc tgtccttgga gaacgtgctc tattacagcc caggaggggc cggcagtgac 1200
accttgggtga ggtattttgc aaatgaacca tttgtgact tccaccgagt ggaaggattg 1260
caaggagtct acattgtac tctgattaat ggttctatga atgaggagaa catgagatcg 1320
gtcatcacct ttgacaaagg gggaacctgg gaggttcttc aggcctcagc cttcacggga 1380
tatggagaga aaatcaattg tgagctttcc cagggtgtt cccttcatct ggctcagcgc 1440
ctcagtcagc tectcaacct ccagctccgg agaatgccca tcctgtccaa ggagtcggct 1500
ccaggcctca tcatcgccac tggctcagtg ggaaagaact tggctagcaa gacaaacgtg 1560
tacatctcta gcagtgttg agccaggtgg cgagaggcac ttcttgacc tctactactac 1620
acatggggag accacggcgg aatcatcacg gccattgcc agggcatgga aaccaacgag 1680
ctaaaataca gtaccaatga aggggagacc tggaaaacat tcatcttctc tgagaagcca 1740
gtgtttgtgt atggcctcct cacagaacct ggggagaaga gcactgtctt caccatcttt 1800

Nonprovisional IP-017.ST25.txt

ggctcgaaca aagagaatgt ccacagctgg ctgacccctcc aggtcaatgc cacggatgcc 1860
 ttgggagttc cctgcacaga gaatgactac aagctgtggt caccatctga tgagcggggg 1920
 aatgagtgtt tgctgggaca caagactgtt ttcaaacggc ggacccccca tgccacatgc 1980
 ttcaatggag aggactttga caggccggtg gtcgtgtcca actgctcctg caccggggag 2040
 gactatgagt gtgacttcgg tttcaagatg agtgaagatt tgtcattaga ggtttgtgtt 2100
 ccagatccgg aattttcttg aaagtcatac tccccctctg tgccttgccc tgtgggttct 2160
 acttacagga gaacgagagg ctaccggaag atttctgggg acacttgtag cggaggagat 2220
 gttgaagcgc gactggaagg agagctggtc ccctgtcccc tggcagaaga gaacgagttc 2280
 attctgtatg ctgtgaggaa atccatctac cgctatgacc tggcctcggg agccaccgag 2340
 cagttgcctc tcaccgggct acgggcagca gtggccctgg actttgacta tgagcacaac 2400
 tgtttgtatt ggtccgacct ggccttgga gtcattccagc gcctctgttt gaatggaagc 2460
 acagggcaag aggtgatcat caattctggc ctggagacag tagaagcttt ggcttttgaa 2520
 cccctcagcc agctgcttta ctgggtagat gcaggcttca aaaagattga ggtagctaat 2580
 ccagatggcg acttccgact cacaatcgct aattcctctg tgcctgatcg tcccagggct 2640
 ctggtcctcg tgccccaaga gggggtgatg ttctggacag actggggaga cctgaagcct 2700
 gggatttatc ggagcaatat ggatgggtct gctgcctatc acctggtgtc tgaggatgtg 2760
 aagtggccca atggcatctc tgtggacgac cagtggattt actggacgga tgcctacctg 2820
 gagtgcatag agcggatcac gttcagtggc cagcagcgct ctgtattctt ggacaacctc 2880
 ccgcaccctt atgccattgc tgtctttaag aatgaaatct actgggatga ctggtcacag 2940
 ctacagatat tccgagcttc caaatacagt ggggtcccaga tggagattct ggcaaaccag 3000
 ctacaggggc tcatggacat gaagattttc tacaagggga agaactgga aagcaatgcc 3060
 tgtgtgcca ggccatgcag cctgctgtgc ctgcccagg ccaacaacag tagaagctgc 3120
 aggtgtccag aggatgtgtc cagcagtgtg cttccatcag gggacctgat gtgtgactgc 3180
 cctcagggct atcagctcaa gaacaatacc tgtgtcaaag aagagaacac ctgtcttcgc 3240
 aaccagtatc gctgcagcaa cgggaactgt atcaacagca tttggtggtg tgactttgac 3300
 aacgactgtg gagacatgag cgatgagaga aactgcccta ccaccatctg tgacctggac 3360
 acccagtttc gttgccagga gtctgggact tgtatccac tgcctataa atgtgacctt 3420
 gaggatgact gtggagacaa cagtgatgaa agtcattgtg aaatgcacca gtgccggagt 3480
 gacgagtaca actgcagttc cggcatgtgc atccgctcct cctgggtatg tgacggggac 3540
 aacgactgca gggactggtc tgatgaagcc aactgtaccg ccatctatca cacctgtgag 3600
 gcctccaact tccagtgccg aaacgggcac tgcattcccc agcgggtggc gtgtgacggg 3660
 gatacggact gccaggatgg ttccgatgag gatccagtca actgtgagaa gaagtgcaat 3720
 ggattccgct gcccaaacgg cacttgcatc ccatccagca aacattgtga tggctctgct 3780
 gattgctctg atggctccga tgaacagcac tgcagacccc tctgtacgca cttcatggac 3840

Nonprovisional IP-017.ST25.txt

tttgtgtgta agaaccgcca gcagtgcctg ttccaticca tggctgtgta cggaatcatc	3900
cagtgccgcg acgggtccga tgaggatgcg gcgtttgag gatgctcca agatcctgag	3960
ttccacaagg tatgtgatga gttcggtttc cagtgtcaga atggagtgtg catcagtttg	4020
atttggaagt gcgacgggat ggatgattgc ggcgattatt ctgatgaagc caactgcgaa	4080
aacccccacag aagccccaaa ctgctccgc tacttccagt ttcggtgtga gaatggccac	4140
tgcacccca acagatggaa atgtgacagg gagaacgact gtggggactg gtctgatgag	4200
aaggattgtg gagattcaca tattcttccc ttctcgactc ctgggccctc cacgtgtctg	4260
cccaattact accgctgcag cagtgggacc tgcgtgatgg acacctgggt gtgcgacggg	4320
taccgagatt gtgcagatgg ctctgacgag gaagcctgcc ctttgcttgc aaacgtcact	4380
gctgcctcca ctcccacca acttgggcga tgtgaccgat ttgagttcga atgccaccaa	4440
ccgaagacgt gtattcccaa ctggaagcgc tgtgacggcc accaagattg ccaggatggc	4500
cgggacgagg ccaattgccc cacacacagc accttgactt gcatgagcag ggagttccag	4560
tgcgaggacg gggaggcctg catttgtctc tcggagcgct gcgacggctt cctggactgc	4620
tcggacgaga gcgatgaaaa ggcctgcagt gatgagttga ctgtgtacaa agtacagaat	4680
cttcagtga cagctgactt ctctggggat gtgactttga cctggatgag gccccaaaaa	4740
atgccctctg ctcttgtgt atataatgtc tactacaggg tggttggaga gagcatatgg	4800
aagactctgg agaccacag caataagaca aacactgtat taaaagtctt gaaaccagat	4860
accacgtatc aggttaaagt acaggttcag tgtctcagca aggcacacaa caccaatgac	4920
tttgtgaccc tgaggacccc agagggattg ccagatgccc ctcgaaatct ccagctgtca	4980
ctccccaggg aagcagaagg tgtgattgta ggccactggg ctctctccat ccacacccat	5040
ggcctcatcc gtgagtacat tgtagaatac agcaggagtg gttccaagat gtgggcctcc	5100
cagagggctg ctagtaactt tacagaaatc aagaacttat tggtaaacac tctataacc	5160
gtcagagtgg ctgcggtgac tagtcgtgga ataggaaact ggagcgattc taaatccatt	5220
accaccataa aaggaaaagt gatccacca ccagatatcc acattgacag ctatggtgaa	5280
aattatctaa gcttcaccct gaccatggag agtgatatca aggtgaatgg ctatgtggtg	5340
aaccttttct gggcatttga caccacaag caagagagga gaactttgaa ctccgagga	5400
agcatattgt cacacaaagt tggcaatctg acagctcata catcctatga gatttctgcc	5460
tgggccaaga ctgacttggg ggatagccct ctggcatttg agcatgttat gaccagaggg	5520
gttcgcccac ctgcacctag cctcaaggcc aaagccatca accagactgc agtggaatgt	5580
acctggaccg gccccggaa tgtggtttat ggtattttct atgccacgtc ctttcttgac	5640
ctctatcgca acccgaagag cttgactact tactccaca acaagacggg cattgtcagt	5700
aaggatgagc agtatttgtt tctggtccgt gtagtggtac cctaccaggg gccatcctct	5760
gactacgttg tagtgaagat gatcccgac agcaggcttc caccctgtca cctgcatgtg	5820
gttcatacgg gcaaacctc cgtggtcatc aagtgggaat caccgtatga ctctcctgac	5880

Nonprovisional IP-017.ST25.txt

caggacttgt tgtatgcaat tgcagtcaaa gatctcataa gaaagactga caggagctac 5940
 aaagtaaaat cccgtaacag cactgtggaa tacaccctta acaagttgga gcctggcggg 6000
 aaataccaca tcattgtcca actggggaac atgagcaaag attccagcat aaaaattacc 6060
 acagtttcat tatcagcacc tgatgcctta aaaatcataa cagaaaatga tcatgttctt 6120
 ctgttttggga aaagcctggc tttaaaggaa aagcatttta atgaaagcag gggctatgag 6180
 atacacatgt ttgatagtgc catgaatatac acagcttacc ttgggaatac tactgacaat 6240
 ttcttttaaaa ttccaacct gaagatgggt cataattaca cgttcaccgt ccaagcaaga 6300
 tgcctttttg gcaaccagat ctgtggggag cctgccatcc tgctgtacga tgagctgggg 6360
 tctgggtgcag atgcatctgc aacgcaggct gccagatcta cggatgttgc tgctgtggtg 6420
 gtgcccctct tattcctgat actgtgagc ctgggggtgg ggtttgccat cctgtacag 6480
 aagcaccgga ggctgcagag cagcttcacc gccttcgcca acagccacta cagctccagg 6540
 ctgggggtccg caatcttctc ctctggggat gacctggggg aagatgatga agatgccctt 6600
 atgataactg gattttcaga tgacgtcccc atggtgatag cctga 6645

<210> 45
 <211> 206
 <212> PRT
 <213> MOUSE

<220>
 <221> misc_feature
 <222> (95)..(95)
 <223> Xaa can be any naturally occurring amino acid

<220>
 <221> misc_feature
 <222> (128)..(128)
 <223> Xaa can be any naturally occurring amino acid

<400> 45

Met Leu Pro Pro Ala Ile His Leu Ser Leu Ile Pro Leu Leu Cys Ile
1 5 10 15

Leu Met Arg Asn Cys Leu Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
20 25 30

Tyr Ser His Val Val Lys Pro Val Pro Ala His Pro Ser Ser Asn Ser
35 40 45

Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Phe Ser Ser Thr Gly
50 55 60

Leu Asp Arg Asn Ser Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
65 70 75 80

Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Ser Pro Xaa Lys
85 90 95

Nonprovisional IP-017.ST25.txt

Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Val Leu Pro Asn
100 105 110

Trp Ile Gly Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Xaa
115 120 125

Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
130 135 140

Leu Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val
145 150 155 160

Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
165 170 175

His Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His Arg
180 185 190

Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
195 200 205

<210> 46
<211> 211
<212> PRT
<213> MOUSE

<400> 46

Met Gln Pro Ser Leu Ala Pro Cys Leu Ile Cys Leu Leu Val His Ala
1 5 10 15

Ala Phe Cys Ala Val Glu Gly Gln Gly Trp Gln Ala Phe Arg Asn Asp
20 25 30

Ala Thr Glu Val Ile Pro Gly Leu Gly Glu Tyr Pro Glu Pro Pro Pro
35 40 45

Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg Pro Pro
50 55 60

His His Pro Tyr Asp Ala Lys Gly Val Ser Glu Tyr Ser Cys Arg Glu
65 70 75 80

Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys Arg Ser Ala Lys
85 90 95

Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala Arg Leu
100 105 110

Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn Gly Pro
115 120 125

Nonprovisional IP-017.ST25.txt

Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu
 130 135 140

Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val
 145 150 155 160

Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu
 165 170 175

Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg Lys
 180 185 190

Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu Leu Glu
 195 200 205

Asn Ala Tyr
 210

<210> 47
 <211> 211
 <212> PRT
 <213> MOUSE

<400> 47

Met Gln Pro Ser Leu Ala Pro Cys Leu Ile Cys Leu Leu Val His Ala
 1 5 10 15

Ala Phe Cys Ala Val Glu Gly Gln Gly Trp Gln Ala Phe Arg Asn Asp
 20 25 30

Ala Thr Glu Val Ile Pro Gly Leu Gly Glu Tyr Pro Glu Pro Pro Pro
 35 40 45

Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg Pro Pro
 50 55 60

His His Pro Tyr Asp Ala Lys Asp Val Ser Glu Tyr Ser Cys Arg Glu
 65 70 75 80

Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys Arg Ser Ala Lys
 85 90 95

Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala Arg Leu
 100 105 110

Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn Gly Pro
 115 120 125

Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu
 130 135 140

Nonprovisional IP-017.ST25.txt
 Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val
 145 150 155 160

Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu
 165 170 175

Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg Lys
 180 185 190

Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu Leu Glu
 195 200 205

Asn Ala Tyr
 210

<210> 48
 <211> 211
 <212> PRT
 <213> MOUSE

<400> 48

Met Gln Pro Ser Leu Ala Pro Cys Leu Ile Cys Leu Leu Val His Ala
 1 5 10 15

Ala Phe Cys Ala Val Glu Gly Gln Gly Trp Gln Ala Phe Arg Asn Asp
 20 25 30

Ala Thr Glu Val Ile Pro Gly Leu Gly Glu Tyr Pro Glu Pro Pro Pro
 35 40 45

Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg Pro Pro
 50 55 60

His His Pro Tyr Asp Ala Lys Gly Val Ser Glu Tyr Ser Cys Arg Glu
 65 70 75 80

Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys Arg Ser Ala Lys
 85 90 95

Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala Arg Leu
 100 105 110

Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn Gly Pro
 115 120 125

Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu
 130 135 140

Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val
 145 150 155 160

Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu
 Page 79

Nonprovisional IP-017.ST25.txt

165

170

175

Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg Lys
 180 185 190

Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu Leu Glu
 195 200 205

Asn Ala Tyr
 210

<210> 49
 <211> 205
 <212> PRT
 <213> MOUSE

<400> 49

Met Gln Pro Ser Leu Ala Pro Cys Leu Ile Cys Leu Leu Val His Ala
 1 5 10 15

Ala Phe Cys Ala Val Glu Gly Gln Gly Trp Gln Ala Phe Arg Asn Asp
 20 25 30

Ala Thr Glu Val Ile Pro Gly Leu Gly Glu Tyr Pro Glu Pro Thr Pro
 35 40 45

Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg Pro Pro
 50 55 60

His His Pro Tyr Asp Ala Lys Asp Val Ser Glu Tyr Ser Cys Arg Glu
 65 70 75 80

Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys Arg Ser Ala Lys
 85 90 95

Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala Arg Leu
 100 105 110

Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn Gly Pro
 115 120 125

Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu
 130 135 140

Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val
 145 150 155 160

Ala Ser Cys Lys Cys Lys Arg Pro Thr Arg Phe His Asn Gln Ser Glu
 165 170 175

Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg Lys
 180 185 190

Nonprovisional IP-017.ST25.txt

Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala
 195 200 205

<210> 50
 <211> 213
 <212> PRT
 <213> HOMO SAPIENS

<400> 50

Met Gln Leu Pro Leu Ala Leu Cys Leu Val Cys Leu Leu Val His Thr
 1 5 10 15

Ala Phe Arg Val Val Glu Gly Gln Gly Trp Gln Ala Phe Lys Asn Asp
 20 25 30

Ala Thr Glu Ile Ile Pro Glu Leu Gly Glu Tyr Pro Glu Pro Pro Pro
 35 40 45

Glu Leu Glu Asn Asn Lys Thr Met Asn Arg Ala Glu Asn Gly Gly Arg
 50 55 60

Pro Pro His His Pro Phe Glu Thr Lys Asp Val Ser Glu Tyr Ser Cys
 65 70 75 80

Arg Glu Leu His Phe Thr Arg Tyr Val Thr Asp Gly Pro Cys Arg Ser
 85 90 95

Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala
 100 105 110

Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser
 115 120 125

Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val
 130 135 140

Gln Leu Leu Cys Pro Gly Gly Glu Ala Pro Arg Ala Arg Lys Val Arg
 145 150 155 160

Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln
 165 170 175

Ser Glu Leu Lys Asp Phe Gly Thr Glu Ala Ala Arg Pro Gln Lys Gly
 180 185 190

Arg Lys Pro Arg Pro Arg Ala Arg Ser Ala Lys Ala Asn Gln Ala Glu
 195 200 205

Leu Glu Asn Ala Tyr
 210

Nonprovisional IP-017.ST25.txt

<210> 51
 <211> 213
 <212> PRT
 <213> HOMO SAPIENS

<400> 51

Met Gln Leu Pro Leu Ala Leu Cys Leu Val Cys Leu Leu Val His Thr
 1 5 10 15

Ala Phe Arg Val Val Glu Gly Gln Gly Trp Gln Ala Phe Lys Asn Asp
 20 25 30

Ala Thr Glu Ile Ile Pro Glu Leu Gly Glu Tyr Pro Glu Pro Pro Pro
 35 40 45

Glu Leu Glu Asn Asn Lys Thr Met Asn Arg Ala Glu Asn Gly Gly Arg
 50 55 60

Pro Pro His His Pro Phe Glu Thr Lys Gly Val Ser Glu Tyr Ser Cys
 65 70 75 80

Arg Glu Leu His Phe Thr Arg Tyr Val Thr Asp Gly Pro Cys Arg Ser
 85 90 95

Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala
 100 105 110

Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser
 115 120 125

Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val
 130 135 140

Gln Leu Leu Cys Pro Gly Gly Glu Ala Pro Arg Ala Arg Lys Val Arg
 145 150 155 160

Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln
 165 170 175

Ser Glu Leu Lys Asp Phe Gly Thr Glu Ala Ala Arg Pro Gln Lys Gly
 180 185 190

Arg Lys Pro Arg Pro Arg Ala Arg Ser Ala Lys Ala Asn Gln Ala Glu
 195 200 205

Leu Glu Asn Ala Tyr
 210

<210> 52
 <211> 206
 <212> PRT
 <213> CHICK

Nonprovisional IP-017.ST25.txt

<400> 52

Met Leu Leu Ser Ala Ile His Phe Tyr Gly Leu Leu Leu Ala Cys Thr
 1 5 10 15

Phe Thr Arg Ser Tyr Ser Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
 20 25 30

Tyr Ser His Val Val Lys Pro Ala Pro Ala Ser Pro Ser Ser Asn Ser
 35 40 45

Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Tyr Ala Gly Thr Gly
 50 55 60

Ser Asp Arg Asn Asn Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
 65 70 75 80

Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Asn Pro Leu Lys
 85 90 95

Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Leu Leu Pro Asn
 100 105 110

Trp Ile Gly Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Ser
 115 120 125

Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
 130 135 140

Leu Gln Cys Gln Asp Gly Ser Ile Arg Thr Tyr Lys Ile Thr Val Val
 145 150 155 160

Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
 165 170 175

His Asn Phe Glu Gly Thr Ser Gln Ala Lys Pro Val Gln His His Lys
 180 185 190

Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Thr Ser
 195 200 205

<210> 53

<211> 213

<212> PRT

<213> RAT

<400> 53

Met Gln Leu Ser Leu Ala Pro Cys Leu Ala Cys Leu Leu Val His Ala
 1 5 10 15

Ala Phe Val Ala Val Glu Ser Gln Gly Trp Gln Ala Phe Lys Asn Asp
 20 25 30

Nonprovisional IP-017.ST25.txt

Ala Thr Glu Ile Ile Pro Gly Leu Arg Glu Tyr Pro Glu Pro Pro Gln
 35 40 45
 Glu Leu Glu Asn Asn Gln Thr Met Asn Arg Ala Glu Asn Gly Gly Arg
 50 55 60
 Pro Pro His His Pro Tyr Asp Thr Lys Asp Val Ser Glu Tyr Ser Cys
 65 70 75 80
 Arg Glu Leu His Tyr Thr Arg Phe Val Thr Asp Gly Pro Cys Arg Ser
 85 90 95
 Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala
 100 105 110
 Arg Leu Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg Pro Asn
 115 120 125
 Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val
 130 135 140
 Gln Leu Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg
 145 150 155 160
 Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln
 165 170 175
 Ser Glu Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly
 180 185 190
 Arg Lys Pro Arg Pro Arg Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu
 195 200 205
 Leu Glu Asn Ala Tyr
 210

<210> 54
 <211> 348
 <212> PRT
 <213> MOUSE

<400> 54

Met Leu Ala Ser Val Ala Gly Pro Ile Ser Leu Ala Leu Val Leu Leu
 1 5 10 15
 Ala Leu Cys Thr Arg Pro Ala Thr Gly Gln Asp Cys Ser Ala Gln Cys
 20 25 30
 Gln Cys Ala Ala Glu Ala Ala Pro His Cys Pro Ala Gly Val Ser Leu
 35 40 45

Nonprovisional IP-017.ST25.txt

Val Leu Asp Gly Cys Gly Cys Cys Arg Val Cys Ala Lys Gln Leu Gly
 50 55 60
 Glu Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu Phe
 65 70 75 80
 Cys Asp Phe Gly Ser Pro Ala Asn Arg Lys Ile Gly Val Cys Thr Ala
 85 90 95
 Lys Asp Gly Ala Pro Cys Val Phe Gly Gly Ser Val Tyr Arg Ser Gly
 100 105 110
 Glu Ser Phe Gln Ser Ser Cys Lys Tyr Gln Cys Thr Cys Leu Asp Gly
 115 120 125
 Ala Val Gly Cys Val Pro Leu Cys Ser Met Asp Val Arg Leu Pro Ser
 130 135 140
 Pro Asp Cys Pro Phe Pro Arg Arg Val Lys Leu Pro Gly Lys Cys Cys
 145 150 155 160
 Lys Glu Trp Val Cys Asp Glu Pro Lys Asp Arg Thr Ala Val Gly Pro
 165 170 175
 Ala Leu Ala Ala Tyr Arg Leu Glu Asp Thr Phe Gly Pro Asp Pro Thr
 180 185 190
 Met Met Arg Ala Asn Cys Leu Val Gln Thr Thr Glu Trp Ser Ala Cys
 195 200 205
 Ser Lys Thr Cys Gly Met Gly Ile Ser Thr Arg Val Thr Asn Asp Asn
 210 215 220
 Thr Phe Cys Arg Leu Glu Lys Gln Ser Arg Leu Cys Met Val Arg Pro
 225 230 235 240
 Cys Glu Ala Asp Leu Glu Glu Asn Ile Lys Lys Gly Lys Lys Cys Ile
 245 250 255
 Arg Thr Pro Lys Ile Ala Lys Pro Val Lys Phe Glu Leu Ser Gly Cys
 260 265 270
 Thr Ser Val Lys Thr Tyr Arg Ala Lys Phe Cys Gly Val Cys Thr Asp
 275 280 285
 Gly Arg Cys Cys Thr Pro His Arg Thr Thr Thr Leu Pro Val Glu Phe
 290 295 300
 Lys Cys Pro Asp Gly Glu Ile Met Lys Lys Asn Met Met Phe Ile Lys
 305 310 315 320

Nonprovisional IP-017.ST25.txt

Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe Glu
 325 330 335

Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
 340 345

<210> 55
 <211> 349
 <212> PRT
 <213> HOMO SAPIENS

<400> 55

Met Thr Ala Ala Ser Met Gly Pro Val Arg Val Ala Phe Val Val Leu
 1 5 10 15

Leu Ala Leu Cys Ser Arg Pro Ala Val Gly Gln Asn Cys Ser Gly Pro
 20 25 30

Cys Arg Cys Pro Asp Glu Pro Ala Pro Arg Cys Pro Ala Gly Val Ser
 35 40 45

Leu Val Leu Asp Gly Cys Gly Cys Cys Arg Val Cys Ala Lys Gln Leu
 50 55 60

Gly Glu Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu
 65 70 75 80

Phe Cys Asp Phe Gly Ser Pro Ala Asn Arg Lys Ile Gly Val Cys Thr
 85 90 95

Ala Lys Asp Gly Ala Pro Cys Ile Phe Gly Gly Thr Val Tyr Arg Ser
 100 105 110

Gly Glu Ser Phe Gln Ser Ser Cys Lys Tyr Gln Cys Thr Cys Leu Asp
 115 120 125

Gly Ala Val Gly Cys Met Pro Leu Cys Ser Met Asp Val Arg Leu Pro
 130 135 140

Ser Pro Asp Cys Pro Phe Pro Arg Arg Val Lys Leu Pro Gly Lys Cys
 145 150 155 160

Cys Glu Glu Trp Val Cys Asp Glu Pro Lys Asp Gln Thr Val Val Gly
 165 170 175

Pro Ala Leu Ala Ala Tyr Arg Leu Glu Asp Thr Phe Gly Pro Asp Pro
 180 185 190

Thr Met Ile Arg Ala Asn Cys Leu Val Gln Thr Thr Glu Trp Ser Ala
 195 200 205

Nonprovisional IP-017.ST25.txt

Cys Ser Lys Thr Cys Gly Met Gly Ile Ser Thr Arg Val Thr Asn Asp
 210 215 220

Asn Ala Ser Cys Arg Leu Glu Lys Gln Ser Arg Leu Cys Met Val Arg
 225 230 235 240

Pro Cys Glu Ala Asp Leu Glu Glu Asn Ile Lys Lys Gly Lys Lys Cys
 245 250 255

Ile Arg Thr Pro Lys Ile Ser Lys Pro Ile Lys Phe Glu Leu Ser Gly
 260 265 270

Cys Thr Ser Met Lys Thr Tyr Arg Ala Lys Phe Cys Gly Val Cys Thr
 275 280 285

Asp Gly Arg Cys Cys Thr Pro His Arg Thr Thr Thr Leu Pro Val Glu
 290 295 300

Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Asn Met Met Phe Ile
 305 310 315 320

Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe
 325 330 335

Glu Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
 340 345

<210> 56

<211> 347

<212> PRT

<213> RAT

<400> 56

Met Leu Ala Ser Val Ala Gly Pro Val Ser Leu Ala Leu Val Leu Leu
 1 5 10 15

Leu Cys Thr Arg Pro Ala Thr Gly Gln Asp Cys Ser Ala Gln Cys Gln
 20 25 30

Cys Ala Ala Glu Ala Ala Pro Arg Cys Pro Ala Gly Val Ser Leu Val
 35 40 45

Leu Asp Gly Cys Gly Cys Cys Arg Val Cys Ala Lys Gln Leu Gly Glu
 50 55 60

Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu Phe Cys
 65 70 75 80

Asp Phe Gly Ser Pro Ala Asn Arg Lys Ile Gly Val Cys Thr Ala Lys
 85 90 95

Asp Gly Ala Pro Cys Val Phe Gly Gly Ser Val Tyr Arg Ser Gly Glu
 Page 87

Nonprovisional IP-017.ST25.txt

100

105

110

Ser Phe Gln Ser Ser Cys Lys Tyr Gln Cys Thr Cys Leu Asp Gly Ala
 115 120 125

Val Gly Cys Val Pro Leu Cys Ser Met Asp Val Arg Leu Pro Ser Pro
 130 135 140

Asp Cys Pro Phe Pro Arg Arg Val Lys Leu Pro Gly Lys Cys Cys Glu
 145 150 155 160

Glu Trp Val Cys Asp Glu Pro Lys Asp Arg Thr Val Val Gly Pro Ala
 165 170 175

Leu Ala Ala Tyr Arg Leu Glu Asp Thr Phe Gly Pro Asp Pro Thr Met
 180 185 190

Met Arg Ala Asn Cys Leu Val Gln Thr Thr Glu Trp Ser Ala Cys Ser
 195 200 205

Lys Thr Cys Gly Met Gly Ile Ser Thr Arg Val Thr Asn Asp Asn Thr
 210 215 220

Phe Cys Arg Leu Glu Lys Gln Ser Arg Leu Cys Met Val Arg Pro Cys
 225 230 235 240

Glu Ala Asp Leu Glu Glu Asn Ile Lys Lys Gly Lys Lys Cys Ile Arg
 245 250 255

Thr Pro Lys Ile Ala Lys Pro Val Lys Phe Glu Leu Ser Gly Cys Thr
 260 265 270

Ser Val Lys Thr Tyr Arg Ala Lys Phe Cys Gly Val Cys Thr Asp Gly
 275 280 285

Arg Cys Cys Thr Pro His Arg Thr Thr Thr Leu Pro Val Glu Phe Lys
 290 295 300

Cys Pro Asp Gly Glu Ile Met Lys Lys Asn Met Met Phe Ile Lys Thr
 305 310 315 320

Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe Glu Ser
 325 330 335

Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
 340 345

<210> 57
 <211> 349
 <212> PRT
 <213> BOVINE

Nonprovisional IP-017.ST25.txt

<400> 57

```

Met Ser Ala Thr Gly Leu Gly Pro Val Arg Cys Ala Phe Val Leu Leu
1      5      10      15
Leu Ala Leu Cys Ser Arg Pro Ala Ser Ser Gln Asp Cys Cys Ser Ala
20      25      30
Pro Cys Gln Cys Pro Ala Gly Pro Ala Pro Arg Cys Pro Ala Gly Val
35      40      45
Ser Leu Val Leu Asp Gly Cys Gly Cys Cys Val Cys Ala Lys Gln Leu
50      55      60
Ser Glu Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu
65      70      75      80
Phe Cys Asp Phe Gly Ser Pro Thr Asn Arg Lys Ile Gly Val Cys Thr
85      90      95
Ala Lys Asp Gly Ala Pro Tyr Ile Phe Gly Gly Thr Val Tyr Gln Ser
100     105     110
Gly Glu Ser Phe Gln Ser Ser Cys Lys Tyr Gln Cys Thr Cys Leu Asp
115     120     125
Gly Ser Val Gly Cys Val Pro Leu Cys Ser Val Asp Val Arg Leu Pro
130     135     140
Ser Pro Asp Cys Pro Phe Pro Arg Arg Val Lys Leu Pro Gly Lys Cys
145     150     155     160
Cys Glu Glu Trp Val Ser Arg Asp Glu Lys Glu His Thr Val Val Gly
165     170     175
Pro Ala Leu Ala Ala Tyr Arg Leu Glu Asp Thr Phe Gly Pro Asp Pro
180     185     190
Thr Met Ile Arg Ala Asn Cys Gln Val Gln Thr Thr Glu Trp Ser Ala
195     200     205
Tyr Ser Lys Thr Cys Gly Met Gly Ile Ser Thr Arg Val Thr Asn Asp
210     215     220
Asn Ala Phe Cys Arg Leu Glu Lys Gln Ser Arg Leu Cys Met Val Arg
225     230     235     240
Pro Cys Glu Ala Asp Leu Glu Glu Asn Ile Lys Lys Gly Lys Lys Cys
245     250     255
Ile Arg Thr Pro Lys Ile Ser Lys Pro Ile Lys Phe Gln Leu Ser Gly
260     265     270

```

Nonprovisional IP-017.ST25.txt

Cys Thr Ser Met Lys Thr Tyr Arg Ala Lys Phe Phe Gly Val Cys Thr
275 280 285

Asp Gly Arg Cys Cys Thr Pro His Arg Thr Thr Thr Leu Pro Val Glu
290 295 300

Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Ser Met Met Phe Ile
305 310 315 320

Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe
325 330 335

Glu Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
340 345

<210> 58
<211> 354
<212> PRT
<213> MOUSE

<400> 58

Met Ser Leu Phe Leu Arg Lys Arg Cys Leu Cys Leu Gly Phe Leu Leu
1 5 10 15

Phe His Leu Leu Ser Gln Val Ser Ala Ser Leu Arg Cys Pro Ser Arg
20 25 30

Cys Pro Pro Lys Cys Pro Ser Ile Ser Pro Thr Cys Ala Pro Gly Val
35 40 45

Arg Ser Val Leu Asp Gly Cys Ser Cys Cys Pro Val Cys Ala Arg Gln
50 55 60

Arg Gly Glu Ser Cys Ser Glu Met Arg Pro Cys Asp Gln Ser Ser Gly
65 70 75 80

Leu Tyr Cys Asp Arg Ser Ala Asp Pro Asn Asn Gln Thr Gly Ile Cys
85 90 95

Met Val Pro Glu Gly Asp Asn Cys Val Phe Asp Gly Val Ile Tyr Arg
100 105 110

Asn Gly Glu Lys Phe Glu Pro Asn Cys Gln Tyr Phe Cys Thr Cys Arg
115 120 125

Asp Gly Gln Ile Gly Cys Leu Pro Arg Cys Gln Leu Asp Val Leu Leu
130 135 140

Pro Gly Pro Asp Cys Pro Ala Pro Arg Lys Val Ala Val Pro Gly Glu
145 150 155 160

Nonprovisional IP-017.ST25.txt

Cys Cys Glu Lys Trp Thr Cys Gly Ser Asp Glu Gln Gly Thr Gln Gly
 165 170 175
 Thr Leu Gly Gly Leu Ala Leu Pro Ala Tyr Arg Pro Glu Ala Thr Val
 180 185 190
 Gly Val Glu Val Ser Asp Ser Ser Ile Asn Cys Ile Glu Gln Thr Thr
 195 200 205
 Glu Trp Ser Ala Cys Ser Lys Ser Cys Gly Met Gly Val Ser Thr Arg
 210 215 220
 Val Thr Asn Arg Asn Arg Gln Cys Glu Met Val Lys Gln Thr Arg Leu
 225 230 235 240
 Cys Ile Val Arg Pro Cys Glu Gln Glu Pro Glu Glu Val Thr Asp Lys
 245 250 255
 Lys Gly Lys Lys Cys Leu Arg Thr Lys Lys Ser Leu Lys Ala Ile His
 260 265 270
 Leu Gln Phe Glu Asn Cys Thr Ser Leu Tyr Thr Tyr Lys Pro Arg Phe
 275 280 285
 Cys Gly Val Cys Ser Asp Gly Arg Cys Cys Thr Pro His Asn Thr Lys
 290 295 300
 Thr Ile Gln Val Glu Phe Gln Cys Leu Pro Gly Glu Ile Ile Lys Lys
 305 310 315 320
 Pro Val Met Val Ile Gly Thr Cys Thr Cys Tyr Ser Asn Cys Pro Gln
 325 330 335
 Asn Asn Glu Ala Phe Leu Gln Asp Leu Glu Leu Lys Thr Ser Arg Gly
 340 345 350

Glu Ile

<210> 59
 <211> 357
 <212> PRT
 <213> HOMO SAPIENS

<400> 59

Met Gln Ser Val Gln Ser Thr Ser Phe Cys Leu Arg Lys Gln Cys Leu
 1 5 10 15
 Cys Leu Thr Phe Leu Leu Leu His Leu Leu Gly Gln Val Ala Ala Thr
 20 25 30

Nonprovisional IP-017.ST25.txt

Gln Arg Cys Pro Pro Gln Cys Pro Gly Arg Cys Pro Ala Thr Pro Pro
 35 40 45

Thr Cys Ala Pro Gly Val Arg Ala Val Leu Asp Gly Cys Ser Cys Cys
 50 55 60

Leu Val Cys Ala Arg Gln Arg Gly Glu Ser Cys Ser Asp Leu Glu Pro
 65 70 75 80

Cys Asp Glu Ser Ser Gly Leu Tyr Cys Asp Arg Ser Ala Asp Pro Ser
 85 90 95

Asn Gln Thr Gly Ile Cys Thr Ala Val Glu Gly Asp Asn Cys Val Phe
 100 105 110

Asp Gly Val Ile Tyr Arg Ser Gly Glu Lys Phe Gln Pro Ser Cys Lys
 115 120 125

Phe Gln Cys Thr Cys Arg Asp Gly Gln Ile Gly Cys Val Pro Arg Cys
 130 135 140

Gln Leu Asp Val Leu Leu Pro Glu Pro Asn Cys Pro Ala Pro Arg Lys
 145 150 155 160

Val Glu Val Pro Gly Glu Cys Cys Glu Lys Trp Ile Cys Gly Pro Asp
 165 170 175

Glu Glu Asp Ser Leu Gly Gly Leu Thr Leu Ala Ala Tyr Arg Pro Glu
 180 185 190

Ala Thr Leu Gly Val Glu Val Ser Asp Ser Ser Val Asn Cys Ile Glu
 195 200 205

Gln Thr Thr Glu Trp Thr Ala Cys Ser Lys Ser Cys Gly Met Gly Phe
 210 215 220

Ser Thr Arg Val Thr Asn Arg Asn Arg Gln Cys Glu Met Leu Lys Gln
 225 230 235 240

Thr Arg Leu Cys Met Val Arg Pro Cys Glu Gln Glu Pro Glu Gln Pro
 245 250 255

Thr Asp Lys Lys Gly Lys Lys Cys Leu Arg Thr Lys Lys Ser Leu Lys
 260 265 270

Ala Ile His Leu Gln Phe Lys Asn Cys Thr Ser Leu His Thr Tyr Lys
 275 280 285

Pro Arg Phe Cys Gly Val Cys Ser Asp Gly Arg Cys Cys Thr Pro His
 290 295 300

Nonprovisional IP-017.ST25.txt

Asn Thr Lys Thr Ile Gln Ala Glu Phe Gln Cys Ser Pro Gly Gln Ile
 305 310 315 320

Val Lys Lys Pro Val Met Val Ile Gly Thr Cys Thr Cys His Thr Asn
 325 330 335

Cys Pro Lys Asn Asn Glu Ala Phe Leu Gln Glu Leu Glu Leu Lys Thr
 340 345 350

Thr Arg Gly Lys Met
 355

<210> 60
 <211> 379
 <212> PRT
 <213> MOUSE

<400> 60

Met Ser Ser Ser Thr Phe Arg Thr Leu Ala Val Ala Val Thr Leu Leu
 1 5 10 15

His Leu Thr Arg Leu Ala Leu Ser Thr Cys Pro Ala Ala Cys His Cys
 20 25 30

Pro Leu Glu Ala Pro Lys Cys Ala Pro Gly Val Gly Leu Val Arg Asp
 35 40 45

Gly Cys Gly Cys Cys Lys Val Cys Ala Lys Gln Leu Asn Glu Asp Cys
 50 55 60

Ser Lys Thr Gln Pro Cys Asp His Thr Lys Gly Leu Glu Cys Asn Phe
 65 70 75 80

Gly Ala Ser Ser Thr Ala Leu Lys Gly Ile Cys Arg Ala Gln Ser Glu
 85 90 95

Gly Arg Pro Cys Glu Tyr Asn Ser Arg Ile Tyr Gln Asn Gly Glu Ser
 100 105 110

Phe Gln Pro Asn Cys Lys His Gln Cys Thr Cys Ile Asp Gly Ala Val
 115 120 125

Gly Cys Ile Pro Leu Cys Pro Gln Glu Leu Ser Leu Pro Asn Leu Gly
 130 135 140

Cys Pro Asn Pro Arg Leu Val Lys Val Ser Gly Gln Cys Cys Glu Glu
 145 150 155 160

Trp Val Cys Asp Glu Asp Ser Ile Lys Asp Ser Leu Asp Asp Gln Asp
 165 170 175

Asp Leu Leu Gly Leu Asp Ala Ser Glu Val Glu Leu Thr Arg Asn Asn
 Page 93

Nonprovisional IP-017.ST25.txt

180

185

190

Glu Leu Ile Ala Ile Gly Lys Gly Ser Ser Leu Lys Arg Leu Pro Val
 195 200 205

Phe Gly Thr Glu Pro Arg Val Leu Phe Asn Pro Leu His Ala His Gly
 210 215 220

Gln Lys Cys Ile Val Gln Thr Thr Ser Trp Ser Gln Cys Ser Lys Ser
 225 230 235 240

Cys Gly Thr Gly Ile Ser Thr Arg Val Thr Asn Asp Asn Pro Glu Cys
 245 250 255

Arg Leu Val Lys Glu Thr Arg Ile Cys Glu Val Arg Pro Cys Gly Gln
 260 265 270

Pro Val Tyr Ser Ser Leu Lys Lys Gly Lys Lys Cys Ser Lys Thr Lys
 275 280 285

Lys Ser Pro Glu Pro Val Arg Phe Thr Tyr Ala Gly Cys Ser Ser Val
 290 295 300

Lys Lys Tyr Arg Pro Lys Tyr Cys Gly Ser Cys Val Asp Gly Arg Cys
 305 310 315 320

Cys Thr Pro Leu Gln Thr Arg Thr Val Lys Met Arg Phe Arg Cys Glu
 325 330 335

Asp Gly Glu Met Phe Ser Lys Asn Val Met Met Ile Gln Ser Cys Lys
 340 345 350

Cys Asn Tyr Asn Cys Pro His Pro Asn Glu Ala Ser Phe Arg Leu Tyr
 355 360 365

Ser Leu Phe Asn Asp Ile His Lys Phe Arg Asp
 370 375

<210> 61
 <211> 381
 <212> PRT
 <213> HOMO SAPIENS

<400> 61

Met Ser Ser Arg Ile Ala Arg Ala Leu Ala Leu Val Val Thr Leu Leu
 1 5 10 15

His Leu Thr Arg Leu Ala Leu Ser Thr Cys Pro Ala Ala Cys His Cys
 20 25 30

Pro Leu Glu Ala Pro Lys Cys Ala Pro Gly Val Gly Leu Val Arg Asp
 35 40 45

Nonprovisional IP-017.ST25.txt

Gly Cys Gly Cys Cys Lys Val Cys Ala Lys Gln Leu Asn Glu Asp Cys
 50 55 60
 Ser Lys Thr Gln Pro Cys Asp His Thr Lys Gly Leu Glu Cys Asn Phe
 65 70 75 80
 Gly Ala Ser Ser Thr Ala Leu Lys Gly Ile Cys Arg Ala Gln Ser Glu
 85 90 95
 Gly Arg Pro Cys Glu Tyr Asn Ser Arg Ile Tyr Gln Asn Gly Glu Ser
 100 105 110
 Phe Gln Pro Asn Cys Lys His Gln Cys Thr Cys Ile Asp Gly Ala Val
 115 120 125
 Gly Cys Ile Pro Leu Cys Pro Gln Glu Leu Ser Leu Pro Asn Leu Gly
 130 135 140
 Cys Pro Asn Pro Arg Leu Val Lys Val Thr Gly Gln Cys Cys Glu Glu
 145 150 155 160
 Trp Val Cys Asp Glu Asp Ser Ile Lys Asp Pro Met Glu Asp Gln Asp
 165 170 175
 Gly Leu Leu Gly Lys Glu Leu Gly Phe Asp Ala Ser Glu Val Glu Leu
 180 185 190
 Thr Arg Asn Asn Glu Leu Ile Ala Val Gly Lys Gly Ser Ser Leu Lys
 195 200 205
 Arg Leu Pro Val Phe Gly Met Glu Pro Arg Ile Leu Tyr Asn Pro Leu
 210 215 220
 Gln Gly Gln Lys Cys Ile Val Gln Thr Thr Ser Trp Ser Gln Cys Ser
 225 230 235 240
 Lys Thr Cys Gly Thr Gly Ile Ser Thr Arg Val Thr Asn Asp Asn Pro
 245 250 255
 Glu Cys Arg Leu Val Lys Glu Thr Arg Ile Cys Glu Val Arg Pro Cys
 260 265 270
 Gly Gln Pro Val Tyr Ser Ser Leu Lys Lys Gly Lys Lys Cys Ser Lys
 275 280 285
 Thr Lys Lys Ser Pro Glu Pro Val Arg Phe Thr Tyr Ala Gly Cys Leu
 290 295 300
 Ser Val Lys Lys Tyr Arg Pro Lys Tyr Cys Gly Ser Cys Val Asp Gly
 305 310 315 320

Nonprovisional IP-017.ST25.txt

Arg Cys Cys Thr Pro Gln Leu Thr Arg Thr Val Lys Met Arg Phe Arg
325 330 335

Cys Glu Asp Gly Glu Thr Phe Ser Lys Asn Val Met Met Ile Gln Ser
340 345 350

Cys Lys Cys Asn Tyr Asn Cys Pro His Ala Asn Glu Ala Ala Phe Pro
355 360 365

Phe Tyr Arg Leu Phe Asn Asp Ile His Lys Phe Arg Asp
370 375 380

<210> 62

<211> 379

<212> PRT

<213> RAT

<400> 62

Met Ser Ser Ser Thr Ile Lys Thr Leu Ala Val Ala Val Thr Leu Leu
1 5 10 15

His Leu Thr Arg Leu Ala Leu Ser Thr Cys Pro Ala Ser Cys His Cys
20 25 30

Pro Leu Glu Ala Pro Lys Cys Ala Pro Gly Val Gly Leu Val Arg Asp
35 40 45

Gly Cys Gly Cys Cys Lys Val Cys Ala Lys Gln Leu Asn Glu Asp Cys
50 55 60

Ser Lys Thr Gln Pro Cys Asp His Thr Lys Gly Leu Glu Cys Asn Phe
65 70 75 80

Gly Ala Asn Ser Thr Ala Leu Lys Gly Ile Cys Arg Ala Gln Ser Glu
85 90 95

Gly Arg Pro Cys Glu Tyr Asn Ser Arg Ile Tyr Gln Asn Gly Glu Ser
100 105 110

Phe Gln Pro Asn Cys Lys His Gln Cys Thr Cys Ile Asp Gly Ala Val
115 120 125

Gly Cys Ile Pro Leu Cys Pro Gln Glu Leu Ser Leu Pro Asn Leu Gly
130 135 140

Cys Pro Asn Pro Arg Leu Val Lys Val Ser Gly Gln Cys Cys Glu Glu
145 150 155 160

Trp Val Cys Asp Glu Asp Ser Ile Lys Asp Ser Leu Asp Asp Gln Asp
165 170 175

Nonprovisional IP-017.ST25.txt

Asp Leu Leu Gly Phe Asp Ala Ser Glu Val Glu Leu Thr Arg Asn Asn
 180 185 190

Glu Leu Ile Ala Thr Gly Lys Gly Ser Ser Leu Lys Arg Leu Pro Val
 195 200 205

Phe Gly Thr Glu Pro Arg Val Leu Tyr Asn Pro Leu His Ala His Gly
 210 215 220

Gln Lys Cys Ile Val Gln Thr Thr Ser Trp Ser Gln Cys Ser Lys Ser
 225 230 235 240

Cys Gly Thr Gly Ile Ser Thr Arg Val Thr Asn Asp Asn Pro Glu Cys
 245 250 255

Arg Leu Val Lys Glu Thr Arg Ile Cys Glu Val Arg Pro Cys Gly Gln
 260 265 270

Pro Val Tyr Ser Ser Leu Lys Lys Gly Lys Lys Cys Ser Lys Thr Lys
 275 280 285

Lys Ser Pro Glu Pro Val Arg Phe Thr Tyr Ala Gly Cys Ser Ser Val
 290 295 300

Lys Lys Tyr Arg Pro Lys Tyr Cys Gly Ser Cys Val Asp Gly Arg Cys
 305 310 315 320

Cys Thr Pro Leu Gln Thr Arg Thr Val Lys Met Arg Phe Arg Cys Glu
 325 330 335

Asp Gly Glu Met Phe Ser Lys Asn Val Met Met Ile Gln Ser Cys Lys
 340 345 350

Cys Asn Tyr Asn Cys Pro His Pro Asn Glu Ala Ser Phe Arg Leu Tyr
 355 360 365

Ser Leu Phe Asn Asp Ile His Lys Phe Arg Asp
 370 375

<210> 63
 <211> 375
 <212> PRT
 <213> XENOPUS

<400> 63

Met Ser Phe Leu Ala Leu Asn Pro Val Leu Ala Ile Ala Leu Leu Ser
 1 5 10 15

Gly Phe Ile Asp Leu Ala Val Ser Ser Cys Pro Ala Val Cys Gln Cys
 20 25 30

Nonprovisional IP-017.ST25.txt

Pro Val Glu Val Pro Lys Cys Ala Pro Gly Val Gly Leu Val Leu Asp
 35 40 45
 Gly Cys Gly Cys Cys Lys Ile Cys Ala Lys Gln Leu Asn Glu Asp Cys
 50 55 60
 Ser Lys Thr His Pro Cys Asp His Thr Lys Gly Leu Glu Cys Asn Phe
 65 70 75 80
 Gly Ala Ser Ser Arg Ala Ile Lys Gly Ile Cys Arg Ala Lys Ser Glu
 85 90 95
 Gly Arg Pro Cys Glu Tyr Asn Ser Lys Ile Tyr Gln Asn Gly Glu Ser
 100 105 110
 Phe Gln Pro Asn Cys Lys His Gln Cys Thr Cys Ile Asp Gly Ala Val
 115 120 125
 Gly Cys Leu Pro Leu Cys Pro Gln Glu Leu Ser Leu Pro Asn Leu Gly
 130 135 140
 Cys Pro Asn Pro Arg Leu Val Lys Val Pro Gly Gln Cys Cys Glu Glu
 145 150 155 160
 Trp Val Cys Asp Glu Ala Lys Asp Pro Val Asp Glu Met Asp Asp Phe
 165 170 175
 Phe Asn Lys Glu Phe Gly Met Asp Thr Asn Glu Gly Glu Leu Thr Arg
 180 185 190
 Lys Asn Glu Phe Val Ala Val Ile Lys Gly Gly Leu Lys Met Leu Pro
 195 200 205
 Val Phe Gly Ser Asp Pro Gln Ser His Val Val Glu Asn Ser Lys Cys
 210 215 220
 Ile Val Gln Thr Thr Ser Trp Ser Gln Cys Ser Lys Thr Cys Gly Thr
 225 230 235 240
 Gly Ile Ser Thr Arg Val Thr Asn Asp Asn Ser Asn Cys Arg Leu Val
 245 250 255
 Arg Glu Thr Arg Ile Cys Glu Val Arg Pro Cys Gly Gln Pro Ser Tyr
 260 265 270
 Thr Ser Leu Lys Lys Gly Lys Lys Cys Thr Lys Thr Lys Lys Ser Gln
 275 280 285
 Ala Pro Val Arg Tyr Thr Tyr Ala Gly Cys Ser Ser Val Lys Lys Tyr
 290 295 300

Nonprovisional IP-017.ST25.txt

Arg Pro Lys Tyr Cys Gly Ser Cys Val Asp Gly Arg Cys Cys Thr Pro
 305 310 315 320

Gln Gln Thr Arg Thr Val Lys Ile Arg Phe Arg Cys Glu Asp Gly Glu
 325 330 335

Thr Phe Thr Lys Asn Val Met Met Ile Gln Ser Cys Arg Cys Asn Tyr
 340 345 350

Asn Cys Pro His Thr Asn Glu Ala Tyr Pro Tyr Tyr Arg Leu Phe Asn
 355 360 365

Asp Ile His Lys Phe Arg Asp
 370 375

<210> 64
 <211> 184
 <212> PRT
 <213> MOUSE

<400> 64

Met Asn Arg Thr Ala Tyr Thr Val Gly Ala Leu Leu Leu Leu Leu Gly
 1 5 10 15

Thr Leu Leu Pro Thr Ala Glu Gly Lys Lys Lys Gly Ser Gln Gly Ala
 20 25 30

Ile Pro Pro Pro Asp Lys Ala Gln His Asn Asp Ser Glu Gln Thr Gln
 35 40 45

Ser Pro Pro Gln Pro Gly Ser Arg Thr Arg Gly Arg Gly Gln Gly Arg
 50 55 60

Gly Thr Ala Met Pro Gly Glu Glu Val Leu Glu Ser Ser Gln Glu Ala
 65 70 75 80

Leu His Val Thr Glu Arg Lys Tyr Leu Lys Arg Asp Trp Cys Lys Thr
 85 90 95

Gln Pro Leu Lys Gln Thr Ile His Glu Glu Gly Cys Asn Ser Arg Thr
 100 105 110

Ile Ile Asn Arg Phe Cys Tyr Gly Gln Cys Asn Ser Phe Tyr Ile Pro
 115 120 125

Arg His Ile Arg Lys Glu Glu Gly Ser Phe Gln Ser Cys Ser Phe Cys
 130 135 140

Lys Pro Lys Lys Phe Thr Thr Met Met Val Thr Leu Asn Cys Pro Glu
 145 150 155 160

Leu Gln Pro Pro Thr Lys Lys Lys Arg Val Thr Arg Val Lys Gln Cys
 Page 99

Nonprovisional IP-017.ST25.txt

165

170

175

Arg Cys Ile Ser Ile Asp Leu Asp
180

<210> 65
<211> 184
<212> PRT
<213> MOUSE
<400> 65

Met Asn Arg Thr Ala Tyr Thr Val Gly Ala Leu Leu Leu Leu Leu Gly
1 5 10 15

Thr Leu Leu Pro Thr Ala Glu Gly Lys Lys Lys Gly Ser Gln Gly Ala
20 25 30

Ile Pro Pro Pro Asp Lys Ala Gln His Asn Asp Ser Glu Gln Thr Gln
35 40 45

Ser Pro Pro Gln Pro Gly Ser Arg Thr Arg Gly Arg Gly Gln Gly Arg
50 55 60

Gly Thr Ala Met Pro Gly Glu Glu Val Leu Glu Ser Ser Gln Glu Ala
65 70 75 80

Leu His Val Thr Glu Arg Lys Tyr Leu Lys Arg Asp Trp Cys Lys Thr
85 90 95

Gln Pro Leu Lys Gln Thr Ile His Glu Glu Gly Cys Asn Ser Arg Thr
100 105 110

Ile Ile Asn Arg Phe Cys Tyr Gly Gln Cys Asn Ser Phe Tyr Ile Pro
115 120 125

Arg His Ile Arg Lys Glu Glu Gly Ser Phe Gln Ser Cys Ser Phe Cys
130 135 140

Lys Pro Lys Lys Phe Thr Thr Met Met Val Thr Leu Asn Cys Pro Glu
145 150 155 160

Leu Gln Pro Pro Thr Lys Lys Lys Arg Val Thr Arg Val Lys Gln Cys
165 170 175

Arg Cys Ile Ser Ile Asp Leu Asp
180

<210> 66
<211> 184
<212> PRT
<213> HOMO SAPIENS
<400> 66

Nonprovisional IP-017.ST25.txt

Met Ser Arg Thr Ala Tyr Thr Val Gly Ala Leu Leu Leu Leu Gly
 1 5 10 15
 Thr Leu Leu Pro Ala Ala Glu Gly Lys Lys Lys Gly Ser Gln Gly Ala
 20 25 30
 Ile Pro Pro Pro Asp Lys Ala Gln His Asn Asp Ser Glu Gln Thr Gln
 35 40 45
 Ser Pro Gln Gln Pro Gly Ser Arg Asn Arg Gly Arg Gly Gln Gly Arg
 50 55 60
 Gly Thr Ala Met Pro Gly Glu Glu Val Leu Glu Ser Ser Gln Glu Ala
 65 70 75 80
 Leu His Val Thr Glu Arg Lys Tyr Leu Lys Arg Asp Trp Cys Lys Thr
 85 90 95
 Gln Pro Leu Lys Gln Thr Ile His Glu Glu Gly Cys Asn Ser Arg Thr
 100 105 110
 Ile Ile Asn Arg Phe Cys Tyr Gly Gln Cys Asn Ser Phe Tyr Ile Pro
 115 120 125
 Arg His Ile Arg Lys Glu Glu Gly Ser Phe Gln Ser Cys Ser Phe Cys
 130 135 140
 Lys Pro Lys Lys Phe Thr Thr Met Met Val Thr Leu Asn Cys Pro Glu
 145 150 155 160
 Leu Gln Pro Pro Thr Lys Lys Lys Arg Val Thr Arg Val Lys Gln Cys
 165 170 175
 Arg Cys Ile Ser Ile Asp Leu Asp
 180

<210> 67
 <211> 4545
 <212> PRT
 <213> MOUSE

<400> 67

Met Leu Thr Pro Pro Leu Leu Leu Leu Pro Leu Leu Ser Ala Leu
 1 5 10 15
 Val Ser Gly Ala Thr Met Asp Ala Pro Lys Thr Cys Ser Pro Lys Gln
 20 25 30
 Phe Ala Cys Arg Asp Gln Ile Thr Cys Ile Ser Lys Gly Trp Arg Cys
 35 40 45

Nonprovisional IP-017.ST25.txt

Asp Gly Glu Arg Asp Cys Pro Asp Gly Ser Asp Glu Ala Pro Glu Ile
 50 55 60

Cys Pro Gln Ser Lys Ala Gln Arg Cys Pro Pro Asn Glu His Ser Cys
 65 70 75 80

Leu Gly Thr Glu Leu Cys Val Pro Met Ser Arg Leu Cys Asn Gly Ile
 85 90 95

Gln Asp Cys Met Asp Gly Ser Asp Glu Gly Ala His Cys Arg Glu Leu
 100 105 110

Arg Ala Asn Cys Ser Arg Met Gly Cys Gln His His Cys Val Pro Thr
 115 120 125

Pro Ser Gly Pro Thr Cys Tyr Cys Asn Ser Ser Phe Gln Leu Gln Ala
 130 135 140

Asp Gly Lys Thr Cys Lys Asp Phe Asp Glu Cys Ser Val Tyr Gly Thr
 145 150 155 160

Cys Ser Gln Leu Cys Thr Asn Thr Asp Gly Ser Phe Thr Cys Gly Cys
 165 170 175

Val Glu Gly Tyr Leu Leu Gln Pro Asp Asn Arg Ser Cys Lys Ala Lys
 180 185 190

Asn Glu Pro Val Asp Arg Pro Pro Val Leu Leu Ile Ala Asn Ser Gln
 195 200 205

Asn Ile Leu Ala Thr Tyr Leu Ser Gly Ala Gln Val Ser Thr Ile Thr
 210 215 220

Pro Thr Ser Thr Arg Gln Thr Thr Ala Met Asp Phe Ser Tyr Ala Asn
 225 230 235 240

Glu Thr Val Cys Trp Val His Val Gly Asp Ser Ala Ala Gln Thr Gln
 245 250 255

Leu Lys Cys Ala Arg Met Pro Gly Leu Lys Gly Phe Val Asp Glu His
 260 265 270

Thr Ile Asn Ile Ser Leu Ser Leu His His Val Glu Gln Met Ala Ile
 275 280 285

Asp Trp Leu Thr Gly Asn Phe Tyr Phe Val Asp Asp Ile Asp Asp Arg
 290 295 300

Ile Phe Val Cys Asn Arg Asn Gly Asp Thr Cys Val Thr Leu Leu Asp
 305 310 315 320

Nonprovisional IP-017.ST25.txt

Leu Glu Leu Tyr Asn Pro Lys Gly Ile Ala Leu Asp Pro Ala Met Gly
 325 330 335

Lys Val Phe Phe Thr Asp Tyr Gly Gln Ile Pro Lys Val Glu Arg Cys
 340 345 350

Asp Met Asp Gly Gln Asn Arg Thr Lys Leu Val Asp Ser Lys Ile Val
 355 360 365

Phe Pro His Gly Ile Thr Leu Asp Leu Val Ser Arg Leu Val Tyr Trp
 370 375 380

Ala Asp Ala Tyr Leu Asp Tyr Ile Glu Val Val Asp Tyr Glu Gly Lys
 385 390 395 400

Gly Arg Gln Thr Ile Ile Gln Gly Ile Leu Ile Glu His Leu Tyr Gly
 405 410 415

Leu Thr Val Phe Glu Asn Tyr Leu Tyr Ala Thr Asn Ser Asp Asn Ala
 420 425 430

Asn Thr Gln Gln Lys Thr Ser Val Ile Arg Val Asn Arg Phe Asn Ser
 435 440 445

Thr Glu Tyr Gln Val Val Thr Arg Val Asp Lys Gly Gly Ala Leu His
 450 455 460

Ile Tyr His Gln Arg Arg Gln Pro Arg Val Arg Ser His Ala Cys Glu
 465 470 475 480

Asn Asp Gln Tyr Gly Lys Pro Gly Gly Cys Ser Asp Ile Cys Leu Leu
 485 490 495

Ala Asn Ser His Lys Ala Arg Thr Cys Arg Cys Arg Ser Gly Phe Ser
 500 505 510

Leu Gly Ser Asp Gly Lys Ser Cys Lys Lys Pro Glu His Glu Leu Phe
 515 520 525

Leu Val Tyr Gly Lys Gly Arg Pro Gly Ile Ile Arg Gly Met Asp Met
 530 535 540

Gly Ala Lys Val Pro Asp Glu His Met Ile Pro Ile Glu Asn Leu Met
 545 550 555 560

Asn Pro Arg Ala Leu Asp Phe His Ala Glu Thr Gly Phe Ile Tyr Phe
 565 570 575

Ala Asp Thr Thr Ser Tyr Leu Ile Gly Arg Gln Lys Ile Asp Gly Thr
 580 585 590

Nonprovisional IP-017.ST25.txt

Glu Arg Glu Thr Ile Leu Lys Asp Gly Ile His Asn Val Glu Gly Val
 595 600 605

Ala Val Asp Trp Met Gly Asp Asn Leu Tyr Trp Thr Asp Asp Gly Pro
 610 615 620

Lys Lys Thr Ile Ser Val Ala Arg Leu Glu Lys Ala Ala Gln Thr Arg
 625 630 635 640

Lys Thr Leu Ile Glu Gly Lys Met Thr His Pro Arg Ala Ile Val Val
 645 650 655

Asp Pro Leu Asn Gly Trp Met Tyr Trp Thr Asp Trp Glu Glu Asp Pro
 660 665 670

Lys Asp Ser Arg Arg Gly Arg Leu Glu Arg Ala Trp Met Asp Gly Ser
 675 680 685

His Arg Asp Ile Phe Val Thr Ser Lys Thr Val Leu Trp Pro Asn Gly
 690 695 700

Leu Ser Leu Asp Ile Pro Ala Gly Arg Leu Tyr Trp Val Asp Ala Phe
 705 710 715 720

Tyr Asp Arg Ile Glu Thr Ile Leu Leu Asn Gly Thr Asp Arg Lys Ile
 725 730 735

Val Tyr Glu Gly Pro Glu Leu Asn His Ala Phe Gly Leu Cys His His
 740 745 750

Gly Asn Tyr Leu Phe Trp Thr Glu Tyr Arg Ser Gly Ser Val Tyr Arg
 755 760 765

Leu Glu Arg Gly Val Ala Gly Ala Pro Pro Thr Val Thr Leu Leu Arg
 770 775 780

Ser Glu Arg Pro Pro Ile Phe Glu Ile Arg Met Tyr Asp Ala Gln Gln
 785 790 795 800

Gln Gln Val Gly Thr Asn Lys Cys Arg Val Asn Asn Gly Gly Cys Ser
 805 810 815

Ser Leu Cys Leu Ala Thr Pro Gly Ser Arg Gln Cys Ala Cys Ala Glu
 820 825 830

Asp Gln Val Leu Asp Thr Asp Gly Val Thr Cys Leu Ala Asn Pro Ser
 835 840 845

Tyr Val Pro Pro Pro Gln Cys Gln Pro Gly Glu Phe Ala Cys Ala Asn
 850 855 860

Nonprovisional IP-017.ST25.txt

Asn Arg Cys Ile Gln Glu Arg Trp Lys Cys Asp Gly Asp Asn Asp Cys
 865 870 875 880
 Leu Asp Asn Ser Asp Glu Ala Pro Ala Leu Cys His Gln His Thr Cys
 885 890 895
 Pro Ser Asp Arg Phe Lys Cys Glu Asn Asn Arg Cys Ile Pro Asn Arg
 900 905 910
 Trp Leu Cys Asp Gly Asp Asn Asp Cys Gly Asn Ser Glu Asp Glu Ser
 915 920 925
 Asn Ala Thr Cys Ser Ala Arg Thr Cys Pro Pro Asn Gln Phe Ser Cys
 930 935 940
 Ala Ser Gly Arg Cys Ile Pro Ile Ser Trp Thr Cys Asp Leu Asp Asp
 945 950 955 960
 Asp Cys Gly Asp Arg Ser Asp Glu Ser Ala Ser Cys Ala Tyr Pro Thr
 965 970 975
 Cys Phe Pro Leu Thr Gln Phe Thr Cys Asn Asn Gly Arg Cys Ile Asn
 980 985 990
 Ile Asn Trp Arg Cys Asp Asn Asp Asn Asp Cys Gly Asp Asn Ser Asp
 995 1000 1005
 Glu Ala Gly Cys Ser His Ser Cys Ser Ser Thr Gln Phe Lys Cys
 1010 1015 1020
 Asn Ser Gly Arg Cys Ile Pro Glu His Trp Thr Cys Asp Gly Asp
 1025 1030 1035
 Asn Asp Cys Gly Asp Tyr Ser Asp Glu Thr His Ala Asn Cys Thr
 1040 1045 1050
 Asn Gln Ala Thr Arg Pro Pro Gly Gly Cys His Ser Asp Glu Phe
 1055 1060 1065
 Gln Cys Arg Leu Asp Gly Leu Cys Ile Pro Leu Arg Trp Arg Cys
 1070 1075 1080
 Asp Gly Asp Thr Asp Cys Met Asp Ser Ser Asp Glu Lys Ser Cys
 1085 1090 1095
 Glu Gly Val Thr His Val Cys Asp Pro Asn Val Lys Phe Gly Cys
 1100 1105 1110
 Lys Asp Ser Ala Arg Cys Ile Ser Lys Ala Trp Val Cys Asp Gly
 1115 1120 1125

Nonprovisional IP-017.ST25.txt

Asp¹ Ser¹ Asp Cys Glu Asp Asn¹ Ser Asp Glu Glu Asn¹ Cys Glu Ala¹
 1130 1135 1140
 Leu Ala Cys Arg Pro Pro Ser¹ His Pro Cys Ala Asn¹ Asn Thr Ser¹
 1145 1150 1155
 Val Cys¹ Leu Pro Pro Asp Lys¹ Leu Cys Asp Gly Lys¹ Asp Asp Cys¹
 1160 1165 1170
 Gly Asp¹ Gly Ser Asp Glu Gly¹ Glu Leu Cys Asp Gln¹ Cys Ser Leu¹
 1175 1180 1185
 Asn Asn¹ Gly Gly Cys Ser His¹ Asn Cys Ser Val Ala¹ Pro Gly Glu¹
 1190 1195 1200
 Gly Ile¹ Val Cys Ser Cys Pro¹ Leu Gly Met Glu Leu¹ Gly Ser Asp¹
 1205 1210 1215
 Asn His¹ Thr Cys Gln Ile Gln¹ Ser Tyr Cys Ala Lys¹ His Leu Lys¹
 1220 1225 1230
 Cys Ser¹ Gln Lys Cys Asp Gln¹ Asn Lys Phe Ser Val¹ Lys Cys Ser¹
 1235 1240 1245
 Cys Tyr¹ Glu Gly Trp Val Leu¹ Glu Pro Asp Gly Glu¹ Ser Cys Arg¹
 1250 1255 1260
 Ser Leu¹ Asp Pro Phe Lys Pro¹ Phe Ile Ile Phe Ser¹ Asn Arg His¹
 1265 1270 1275
 Glu Ile¹ Arg Arg Ile Asp Leu¹ His Lys Gly Asp Tyr¹ Ser Val Leu¹
 1280 1285 1290
 Val Pro¹ Gly Leu Arg Asn Thr¹ Ile Ala Leu Asp Phe¹ His Leu Ser¹
 1295 1300 1305
 Gln Ser¹ Ala Leu Tyr Trp Thr¹ Asp Val Val Glu Asp¹ Lys Ile Tyr¹
 1310 1315 1320
 Arg Gly¹ Lys Leu Leu Asp Asn¹ Gly Ala Leu Thr Ser¹ Phe Glu Val¹
 1325 1330 1335
 Val Ile¹ Gln Tyr Gly Leu Ala¹ Thr Pro Glu Gly Leu¹ Ala Val Asp¹
 1340 1345 1350
 Trp Ile¹ Ala Gly Asn Ile Tyr¹ Trp Val Glu Ser Asn¹ Leu Asp Gln¹
 1355 1360 1365
 Ile Glu¹ Val Ala Lys Leu Asp¹ Gly Thr Leu Arg Thr¹ Thr Leu Leu¹
 1370 1375 1380

Nonprovisional IP-017.ST25.txt

Ala Gly Asp Ile Glu His Pro Arg Ala Ile Ala Leu Asp Pro Arg
 1385 1390 1395
 Asp Gly Ile Leu Phe Trp Thr Asp Trp Asp Ala Ser Leu Pro Arg
 1400 1410
 Ile Glu Ala Ala Ser Met Ser Gly Ala Gly Arg Arg Thr Ile His
 1415 1420 1425
 Arg Glu Thr Gly Ser Gly Gly Trp Pro Asn Gly Leu Thr Val Asp
 1430 1435 1440
 Tyr Leu Glu Lys Arg Ile Leu Trp Ile Asp Ala Arg Ser Asp Ala
 1445 1450 1455
 Ile Tyr Ser Ala Arg Tyr Asp Gly Ser Gly His Met Glu Val Leu
 1460 1465 1470
 Arg Gly His Glu Phe Leu Ser His Pro Phe Ala Val Thr Leu Tyr
 1475 1480 1485
 Gly Gly Glu Val Tyr Trp Thr Asp Trp Arg Thr Asn Thr Leu Ala
 1490 1495 1500
 Lys Ala Asn Lys Trp Thr Gly His Asn Val Thr Val Val Gln Arg
 1505 1510 1515
 Thr Asn Thr Gln Pro Phe Asp Leu Gln Val Tyr His Pro Ser Arg
 1520 1525 1530
 Gln Pro Met Ala Pro Asn Pro Cys Glu Ala Asn Gly Gly Arg Gly
 1535 1540 1545
 Pro Cys Ser His Leu Cys Leu Ile Asn Tyr Asn Arg Thr Val Ser
 1550 1555 1560
 Cys Ala Cys Pro His Leu Met Lys Leu His Lys Asp Asn Thr Thr
 1565 1570 1575
 Cys Tyr Glu Phe Lys Lys Phe Leu Leu Tyr Ala Arg Gln Met Glu
 1580 1585 1590
 Ile Arg Gly Val Asp Leu Asp Ala Pro Tyr Tyr Asn Tyr Ile Ile
 1595 1600 1605
 Ser Phe Thr Val Pro Asp Ile Asp Asn Val Thr Val Leu Asp Tyr
 1610 1615 1620
 Asp Ala Arg Glu Gln Arg Val Tyr Trp Ser Asp Val Arg Thr Gln
 1625 1630 1635

Nonprovisional IP-017.ST25.txt

Ala Ile Lys Arg Ala Phe Ile Asn Gly Thr Gly Val Glu Thr Val
 1640 1645 1650
 Val Ser Ala Asp Leu Pro Asn Ala His Gly Leu Ala Val Asp Trp
 1655 1660 1665
 Val Ser Arg Asn Leu Phe Trp Thr Ser Tyr Asp Thr Asn Lys Lys
 1670 1675 1680
 Gln Ile Asn Val Ala Arg Leu Asp Gly Ser Phe Lys Asn Ala Val
 1685 1690 1695
 Val Gln Gly Leu Glu Gln Pro His Gly Leu Val Val His Pro Leu
 1700 1705 1710
 Arg Gly Lys Leu Tyr Trp Thr Asp Gly Asp Asn Ile Ser Met Ala
 1715 1720 1725
 Asn Met Asp Gly Ser Asn His Thr Leu Leu Phe Ser Gly Gln Lys
 1730 1735 1740
 Gly Pro Val Gly Leu Ala Ile Asp Phe Pro Glu Ser Lys Leu Tyr
 1745 1750 1755
 Trp Ile Ser Ser Gly Asn His Thr Ile Asn Arg Cys Asn Leu Asp
 1760 1765 1770
 Gly Ser Glu Leu Glu Val Ile Asp Thr Met Arg Ser Gln Leu Gly
 1775 1780 1785
 Lys Ala Thr Ala Leu Ala Ile Met Gly Asp Lys Leu Trp Trp Ala
 1790 1795 1800
 Asp Gln Val Ser Glu Lys Met Gly Thr Cys Asn Lys Ala Asp Gly
 1805 1810 1815
 Ser Gly Ser Val Val Leu Arg Asn Ser Thr Thr Leu Val Met His
 1820 1825 1830
 Met Lys Val Tyr Asp Glu Ser Ile Gln Leu Glu His Glu Gly Thr
 1835 1840 1845
 Asn Pro Cys Ser Val Asn Asn Gly Asp Cys Ser Gln Leu Cys Leu
 1850 1855 1860
 Pro Thr Ser Glu Thr Thr Arg Ser Cys Met Cys Thr Ala Gly Tyr
 1865 1870 1875
 Ser Leu Arg Ser Gly Gln Gln Ala Cys Glu Gly Val Gly Ser Phe
 1880 1885 1890

Nonprovisional IP-017.ST25.txt

Leu Leu Tyr Ser Val His Glu Gly Ile Arg Gly Ile Pro Leu Asp
 1895 1900 1905

Pro Asn Asp Lys Ser Asp Ala Leu Val Pro Val Ser Gly Thr Ser
 1910 1915 1920

Leu Ala Val Gly Ile Asp Phe His Ala Glu Asn Asp Thr Ile Tyr
 1925 1930 1935

Trp Val Asp Met Gly Leu Ser Thr Ile Ser Arg Ala Lys Arg Asp
 1940 1945 1950

Gln Thr Trp Arg Glu Asp Val Val Thr Asn Gly Ile Gly Arg Val
 1955 1965

Glu Gly Ile Ala Val Asp Trp Ile Ala Gly Asn Ile Tyr Trp Thr
 1970 1975 1980

Asp Gln Gly Phe Asp Val Ile Glu Val Ala Arg Leu Asn Gly Ser
 1985 1990 1995

Phe Arg Tyr Val Val Ile Ser Gln Gly Leu Asp Lys Pro Arg Ala
 2000 2005 2010

Ile Thr Val His Pro Glu Lys Gly Tyr Leu Phe Trp Thr Glu Trp
 2015 2020 2025

Gly His Tyr Pro Arg Ile Glu Arg Ser Arg Leu Asp Gly Thr Glu
 2030 2035 2040

Arg Val Val Leu Val Asn Val Ser Ile Ser Trp Pro Asn Gly Ile
 2045 2050 2055

Ser Val Asp Tyr Gln Gly Gly Lys Leu Tyr Trp Cys Asp Ala Arg
 2060 2065 2070

Met Asp Lys Ile Glu Arg Ile Asp Leu Glu Thr Gly Glu Asn Arg
 2075 2080 2085

Glu Val Val Leu Ser Ser Asn Asn Met Asp Met Phe Ser Val Ser
 2090 2095 2100

Val Phe Glu Asp Phe Ile Tyr Trp Ser Asp Arg Thr His Ala Asn
 2105 2110 2115

Gly Ser Ile Lys Arg Gly Cys Lys Asp Asn Ala Thr Asp Ser Val
 2120 2125 2130

Pro Leu Arg Thr Gly Ile Gly Val Gln Leu Lys Asp Ile Lys Val
 2135 2140 2145

Nonprovisional IP-017.ST25.txt

Phe Asn Arg Asp Arg Gln Lys Gly Thr Asn Val Cys Ala Val Ala
 2150 2155 2160

Asn Gly Gly Cys Gln Gln Leu Cys Leu Tyr Arg Gly Gly Gly Gln
 2165 2170 2175

Arg Ala Cys Ala Cys Ala His Gly Met Leu Ala Glu Asp Gly Ala
 2180 2185 2190

Ser Cys Arg Glu Tyr Ala Gly Tyr Leu Leu Tyr Ser Glu Arg Thr
 2195 2200 2205

Ile Leu Lys Ser Ile His Leu Ser Asp Glu Arg Asn Leu Asn Ala
 2210 2215 2220

Pro Val Gln Pro Phe Glu Asp Pro Glu His Met Lys Asn Val Ile
 2225 2230 2235

Ala Leu Ala Phe Asp Tyr Arg Ala Gly Thr Ser Pro Gly Thr Pro
 2240 2245 2250

Asn Arg Ile Phe Phe Ser Asp Ile His Phe Gly Asn Ile Gln Gln
 2255 2260 2265

Ile Asn Asp Asp Gly Ser Gly Arg Thr Thr Ile Val Glu Asn Val
 2270 2275 2280

Gly Ser Val Glu Gly Leu Ala Tyr His Arg Gly Trp Asp Thr Leu
 2285 2290 2295

Tyr Trp Thr Ser Tyr Thr Thr Ser Thr Ile Thr Arg His Thr Val
 2300 2305 2310

Asp Gln Thr Arg Pro Gly Ala Phe Glu Arg Glu Thr Val Ile Thr
 2315 2320 2325

Met Ser Gly Asp Asp His Pro Arg Ala Phe Val Leu Asp Glu Cys
 2330 2335 2340

Gln Asn Leu Met Phe Trp Thr Asn Trp Asn Glu Leu His Pro Ser
 2345 2350 2355

Ile Met Arg Ala Ala Leu Ser Gly Ala Asn Val Leu Thr Leu Ile
 2360 2365 2370

Glu Lys Asp Ile Arg Thr Pro Asn Gly Leu Ala Ile Asp His Arg
 2375 2380 2385

Ala Glu Lys Leu Tyr Phe Ser Asp Ala Thr Leu Asp Lys Ile Glu
 2390 2395 2400

Nonprovisional IP-017.ST25.txt

Arg Cys Glu Tyr Asp Gly Ser His Arg Tyr Val Ile Leu Lys Ser
 2405 2410 2415
 Glu Pro Val His Pro Phe Gly Leu Ala Val Tyr Gly Glu His Ile
 2420 2425 2430
 Phe Trp Thr Asp Trp Val Arg Arg Ala Val Gln Arg Ala Asn Lys
 2435 2440 2445
 Tyr Val Gly Ser Asp Met Lys Leu Leu Arg Val Asp Ile Pro Gln
 2450 2455 2460
 Gln Pro Met Gly Ile Ile Ala Val Ala Asn Asp Thr Asn Ser Cys
 2465 2470 2475
 Glu Leu Ser Pro Cys Arg Ile Asn Asn Gly Gly Cys Gln Asp Leu
 2480 2485 2490
 Cys Leu Leu Thr His Gln Gly His Val Asn Cys Ser Cys Arg Gly
 2495 2500 2505
 Gly Arg Ile Leu Gln Glu Asp Phe Thr Cys Arg Ala Val Asn Ser
 2510 2515 2520
 Ser Cys Arg Ala Gln Asp Glu Phe Glu Cys Ala Asn Gly Glu Cys
 2525 2530 2535
 Ile Ser Phe Ser Leu Thr Cys Asp Gly Val Ser His Cys Lys Asp
 2540 2545 2550
 Lys Ser Asp Glu Lys Pro Ser Tyr Cys Asn Ser Arg Arg Cys Lys
 2555 2560 2565
 Lys Thr Phe Arg Gln Cys Asn Asn Gly Arg Cys Val Ser Asn Met
 2570 2575 2580
 Leu Trp Cys Asn Gly Val Asp Asp Cys Gly Asp Gly Ser Asp Glu
 2585 2590 2595
 Ile Pro Cys Asn Lys Thr Ala Cys Gly Val Gly Glu Phe Arg Cys
 2600 2605 2610
 Arg Asp Gly Ser Cys Ile Gly Asn Ser Ser Arg Cys Asn Gln Phe
 2615 2620 2625
 Val Asp Cys Glu Asp Ala Ser Asp Glu Met Asn Cys Ser Ala Thr
 2630 2635 2640
 Asp Cys Ser Ser Tyr Phe Arg Leu Gly Val Lys Gly Val Leu Phe
 2645 2650 2655

Nonprovisional IP-017.ST25.txt

Gln Pro Cys Glu Arg Thr Ser Leu Cys Tyr Ala Pro Ser Trp Val
 2660 2665 2670

Cys Asp Gly Ala Asn Asp Cys Gly Asp Tyr Ser Asp Glu Arg Asp
 2675 2680 2685

Cys Pro Gly Val Lys Arg Pro Arg Cys Pro Leu Asn Tyr Phe Ala
 2690 2695 2700

Cys Pro Ser Gly Arg Cys Ile Pro Met Ser Trp Thr Cys Asp Lys
 2705 2710 2715

Glu Asp Asp Cys Glu Asn Gly Glu Asp Glu Thr His Cys Asn Lys
 2720 2725 2730

Phe Cys Ser Glu Ala Gln Phe Glu Cys Gln Asn His Arg Cys Ile
 2735 2740 2745

Ser Lys Gln Trp Leu Cys Asp Gly Ser Asp Asp Cys Gly Asp Gly
 2750 2755 2760

Ser Asp Glu Ala Ala His Cys Glu Gly Lys Thr Cys Gly Pro Ser
 2765 2770 2775

Ser Phe Ser Cys Pro Gly Thr His Val Cys Val Pro Glu Arg Trp
 2780 2785 2790

Leu Cys Asp Gly Asp Lys Asp Cys Thr Asp Gly Ala Asp Glu Ser
 2795 2800 2805

Val Thr Ala Gly Cys Leu Tyr Asn Ser Thr Cys Asp Asp Arg Glu
 2810 2815 2820

Phe Met Cys Gln Asn Arg Leu Cys Ile Pro Lys His Phe Val Cys
 2825 2830 2835

Asp His Asp Arg Asp Cys Ala Asp Gly Ser Asp Glu Ser Pro Glu
 2840 2845 2850

Cys Glu Tyr Pro Thr Cys Gly Pro Asn Glu Phe Arg Cys Ala Asn
 2855 2860 2865

Gly Arg Cys Leu Ser Ser Arg Gln Trp Glu Cys Asp Gly Glu Asn
 2870 2875 2880

Asp Cys His Asp His Ser Asp Glu Ala Pro Lys Asn Pro His Cys
 2885 2890 2895

Thr Ser Pro Glu His Lys Cys Asn Ala Ser Ser Gln Phe Leu Cys
 2900 2905 2910

Nonprovisional IP-017.ST25.txt

Ser Ser Gly Arg Cys Val Ala Glu Ala Leu Leu Cys Asn Gly Gln
 2915 2920 2925
 Asp Asp Cys Gly Asp Gly Ser Asp Glu Arg Gly Cys His Val Asn
 2930 2935 2940
 Glu Cys Leu Ser Arg Lys Leu Ser Gly Cys Ser Gln Asp Cys Glu
 2945 2950 2955
 Asp Leu Lys Ile Gly Phe Lys Cys Arg Cys Arg Pro Gly Phe Arg
 2960 2965 2970
 Leu Lys Asp Asp Gly Arg Thr Cys Ala Asp Leu Asp Glu Cys Ser
 2975 2980 2985
 Thr Thr Phe Pro Cys Ser Gln Leu Cys Ile Asn Thr His Gly Ser
 2990 2995 3000
 Tyr Lys Cys Leu Cys Val Glu Gly Tyr Ala Pro Arg Gly Gly Asp
 3005 3010 3015
 Pro His Ser Cys Lys Ala Val Thr Asp Glu Glu Pro Phe Leu Ile
 3020 3025 3030
 Phe Ala Asn Arg Tyr Tyr Leu Arg Lys Leu Asn Leu Asp Gly Ser
 3035 3040 3045
 Asn Tyr Thr Leu Leu Lys Gln Gly Leu Asn Asn Ala Val Ala Leu
 3050 3055 3060
 Asp Phe Asp Tyr Arg Glu Gln Met Ile Tyr Trp Thr Asp Val Thr
 3065 3070 3075
 Thr Gln Gly Ser Met Ile Arg Arg Met His Leu Asn Gly Ser Asn
 3080 3085 3090
 Val Gln Val Leu His Arg Thr Gly Leu Ser Asn Pro Asp Gly Leu
 3095 3100 3105
 Ala Val Asp Trp Val Gly Gly Asn Leu Tyr Trp Cys Asp Lys Gly
 3110 3115 3120
 Arg Asp Thr Ile Glu Val Ser Lys Leu Asn Gly Ala Tyr Arg Thr
 3125 3130 3135
 Val Leu Val Ser Ser Gly Leu Arg Glu Pro Arg Ala Leu Val Val
 3140 3145 3150
 Asp Val Gln Asn Gly Tyr Leu Tyr Trp Thr Asp Trp Gly Asp His
 3155 3160 3165

Nonprovisional IP-017.ST25.txt

Ser Leu Ile Gly Arg Ile Gly Met Asp Gly Ser Gly Arg Ser Ile
 3170 3175 3180
 Ile Val Asp Thr Lys Ile Thr Trp Pro Asn Gly Leu Thr Val Asp
 3185 3190 3195
 Tyr Val Thr Glu Arg Ile Tyr Trp Ala Asp Ala Arg Glu Asp Tyr
 3200 3205 3210
 Ile Glu Phe Ala Ser Leu Asp Gly Ser Asn Arg His Val Val Leu
 3215 3220 3225
 Ser Gln Asp Ile Pro His Ile Phe Ala Leu Thr Leu Phe Glu Asp
 3230 3235 3240
 Tyr Val Tyr Trp Thr Asp Trp Glu Thr Lys Ser Ile Asn Arg Ala
 3245 3250 3255
 His Lys Thr Thr Gly Ala Asn Lys Thr Leu Leu Ile Ser Thr Leu
 3260 3265 3270
 His Arg Pro Met Asp Leu His Val Phe His Ala Leu Arg Gln Pro
 3275 3280 3285
 Asp Val Pro Asn His Pro Cys Lys Val Asn Asn Gly Gly Cys Ser
 3290 3295 3300
 Asn Leu Cys Leu Leu Ser Pro Gly Gly Gly His Lys Cys Ala Cys
 3305 3310 3315
 Pro Thr Asn Phe Tyr Leu Gly Gly Asp Gly Arg Thr Cys Val Ser
 3320 3325 3330
 Asn Cys Thr Ala Ser Gln Phe Val Cys Lys Asn Asp Lys Cys Ile
 3335 3340 3345
 Pro Phe Trp Trp Lys Cys Asp Thr Glu Asp Asp Cys Gly Asp His
 3350 3355 3360
 Ser Asp Glu Pro Pro Asp Cys Pro Glu Phe Lys Cys Arg Pro Gly
 3365 3370 3375
 Gln Phe Gln Cys Ser Thr Gly Ile Cys Thr Asn Pro Ala Phe Ile
 3380 3385 3390
 Cys Asp Gly Asp Asn Asp Cys Gln Asp Asn Ser Asp Glu Ala Asn
 3395 3400 3405
 Cys Asp Ile His Val Cys Leu Pro Ser Gln Phe Lys Cys Thr Asn
 3410 3415 3420

Nonprovisional IP-017.ST25.txt

Thr Asn Arg Cys Ile Pro Gly Ile Phe Arg Cys Asn Gly Gln Asp
 3425 3430 3435
 Asn Cys Gly Asp Gly Glu Asp Glu Arg Asp Cys Pro Glu Val Thr
 3440 3445 3450
 Cys Ala Pro Asn Gln Phe Gln Cys Ser Ile Thr Lys Arg Cys Ile
 3455 3460 3465
 Pro Arg Val Trp Val Cys Asp Arg Asp Asn Asp Cys Val Asp Gly
 3470 3475 3480
 Ser Asp Glu Pro Ala Asn Cys Thr Gln Met Thr Cys Gly Val Asp
 3485 3490 3495
 Glu Phe Arg Cys Lys Asp Ser Gly Arg Cys Ile Pro Ala Arg Trp
 3500 3505 3510
 Lys Cys Asp Gly Glu Asp Asp Cys Gly Asp Gly Ser Asp Glu Pro
 3515 3520 3525
 Lys Glu Glu Cys Asp Glu Arg Thr Cys Glu Pro Tyr Gln Phe Arg
 3530 3535 3540
 Cys Lys Asn Asn Arg Cys Val Pro Gly Arg Trp Gln Cys Asp Tyr
 3545 3550 3555
 Asp Asn Asp Cys Gly Asp Asn Ser Asp Glu Glu Ser Cys Thr Pro
 3560 3565 3570
 Arg Pro Cys Ser Glu Ser Glu Phe Ser Cys Ala Asn Gly Arg Cys
 3575 3580 3585
 Ile Ala Gly Arg Trp Lys Cys Asp Gly Asp His Asp Cys Ala Asp
 3590 3595 3600
 Gly Ser Asp Glu Lys Asp Cys Thr Pro Arg Cys Asp Met Asp Gln
 3605 3610 3615
 Phe Gln Cys Lys Ser Gly His Cys Ile Pro Leu Arg Trp Arg Cys
 3620 3625 3630
 Asp Ala Asp Ala Asp Cys Met Asp Gly Ser Asp Glu Glu Ala Cys
 3635 3640 3645
 Gly Thr Gly Val Arg Thr Cys Pro Leu Asp Glu Phe Gln Cys Asn
 3650 3655 3660
 Asn Thr Leu Cys Lys Pro Leu Ala Trp Lys Cys Asp Gly Glu Asp
 3665 3670 3675

Nonprovisional IP-017.ST25.txt

Asp Cys Gly Asp Asn Ser Asp Glu Asn Pro Glu Glu Cys Ala Arg
 3680 3685 3690
 Phe Ile Cys Pro Pro Asn Arg Pro Phe Arg Cys Lys Asn Asp Arg
 3695 3700 3705
 Val Cys Leu Trp Ile Gly Arg Gln Cys Asp Gly Val Asp Asn Cys
 3710 3715 3720
 Gly Asp Gly Thr Asp Glu Glu Asp Cys Glu Pro Pro Thr Ala Gln
 3725 3730 3735
 Asn Pro His Cys Lys Asp Lys Lys Glu Phe Leu Cys Arg Asn Gln
 3740 3745 3750
 Arg Cys Leu Ser Ser Ser Leu Arg Cys Asn Met Phe Asp Asp Cys
 3755 3760 3765
 Gly Asp Gly Ser Asp Glu Glu Asp Cys Ser Ile Asp Pro Lys Leu
 3770 3775 3780
 Thr Ser Cys Ala Thr Asn Ala Ser Met Cys Gly Asp Glu Ala Arg
 3785 3790 3795
 Cys Val Arg Thr Glu Lys Ala Ala Tyr Cys Ala Cys Arg Ser Gly
 3800 3805 3810
 Phe His Thr Val Pro Gly Gln Pro Gly Cys Gln Asp Ile Asn Glu
 3815 3820 3825
 Cys Leu Arg Phe Gly Thr Cys Ser Gln Leu Cys Asn Asn Thr Lys
 3830 3835 3840
 Gly Gly His Leu Cys Ser Cys Ala Arg Asn Phe Met Lys Thr His
 3845 3850 3855
 Asn Thr Cys Lys Ala Glu Gly Ser Glu Tyr Gln Val Leu Tyr Ile
 3860 3865 3870
 Ala Asp Asp Asn Glu Ile Arg Ser Leu Phe Pro Gly His Pro His
 3875 3880 3885
 Ser Ala Tyr Glu Gln Thr Phe Gln Gly Asp Glu Ser Val Arg Ile
 3890 3895 3900
 Asp Ala Met Asp Val His Val Lys Ala Gly Arg Val Tyr Trp Thr
 3905 3910 3915
 Asn Trp His Thr Gly Thr Ile Ser Tyr Arg Ser Leu Pro Pro Ala
 3920 3925 3930

Nonprovisional IP-017.ST25.txt

Ala Pro Pro Thr Thr Ser Asn Arg His Arg Arg Gln Ile Asp Arg
 3935 3940 3945
 Gly Val Thr His Leu Asn Ile Ser Gly Leu Lys Met Pro Arg Gly
 3950 3955 3960
 Ile Ala Ile Asp Trp Val Ala Gly Asn Val Tyr Trp Thr Asp Ser
 3965 3970 3975
 Gly Arg Asp Val Ile Glu Val Ala Gln Met Lys Gly Glu Asn Arg
 3980 3985 3990
 Lys Thr Leu Ile Ser Gly Met Ile Asp Glu Pro His Ala Ile Val
 3995 4000 4005
 Val Asp Pro Leu Arg Gly Thr Met Tyr Trp Ser Asp Trp Gly Asn
 4010 4015 4020
 His Pro Lys Ile Glu Thr Ala Ala Met Asp Gly Thr Leu Arg Glu
 4025 4030 4035
 Thr Leu Val Gln Asp Asn Ile Gln Trp Pro Thr Gly Leu Ala Val
 4040 4045 4050
 Asp Tyr His Asn Glu Arg Leu Tyr Trp Ala Asp Ala Lys Leu Ser
 4055 4060 4065
 Val Ile Gly Ser Ile Arg Leu Asn Gly Thr Asp Pro Ile Val Ala
 4070 4075 4080
 Ala Asp Ser Lys Arg Gly Leu Ser His Pro Phe Ser Ile Asp Val
 4085 4090 4095
 Phe Glu Asp Tyr Ile Tyr Gly Val Thr Tyr Ile Asn Asn Arg Val
 4100 4105 4110
 Phe Lys Ile His Lys Phe Gly His Ser Pro Leu Ile Asn Leu Thr
 4115 4120 4125
 Gly Gly Leu Ser His Ala Ser Asp Val Val Leu Tyr His Gln His
 4130 4135 4140
 Lys Gln Pro Glu Val Thr Asn Pro Cys Asp Arg Lys Lys Cys Glu
 4145 4150 4155
 Trp Leu Cys Leu Leu Ser Pro Ser Gly Pro Val Cys Thr Cys Pro
 4160 4165 4170
 Asn Gly Lys Arg Leu Asp Asn Gly Thr Cys Val Pro Val Pro Ser
 4175 4180 4185

Nonprovisional IP-017.ST25.txt

Pro Thr Pro Pro Pro Asp Ala Pro Arg Pro Gly Thr Cys Thr Leu
 4190 4195 4200

 Gln Cys Phe Asn Gly Gly Ser Cys Phe Leu Asn Ala Arg Arg Gln
 4205 4210 4215

 Pro Lys Cys Arg Cys Gln Pro Arg Tyr Thr Gly Asp Lys Cys Glu
 4220 4225 4230

 Leu Asp Gln Cys Trp Glu Tyr Cys His Asn Gly Gly Thr Cys Ala
 4235 4240 4245

 Ala Ser Pro Ser Gly Met Pro Thr Cys Arg Cys Pro Thr Gly Phe
 4250 4255 4260

 Thr Gly Pro Lys Cys Thr Ala Gln Val Cys Ala Gly Tyr Cys Ser
 4265 4270 4275

 Asn Asn Ser Thr Cys Thr Val Asn Gln Gly Asn Gln Pro Gln Cys
 4280 4285 4290

 Arg Cys Leu Pro Gly Phe Leu Gly Asp Arg Cys Gln Tyr Arg Gln
 4295 4300 4305

 Cys Ser Gly Phe Cys Glu Asn Phe Gly Thr Cys Gln Met Ala Ala
 4310 4315 4320

 Asp Gly Ser Arg Gln Cys Arg Cys Thr Val Tyr Phe Glu Gly Pro
 4325 4330 4335

 Arg Cys Glu Val Asn Lys Cys Ser Arg Cys Leu Gln Gly Ala Cys
 4340 4345 4350

 Val Val Asn Lys Gln Thr Gly Asp Val Thr Cys Asn Cys Thr Asp
 4355 4360 4365

 Gly Arg Val Ala Pro Ser Cys Leu Thr Cys Ile Asp His Cys Ser
 4370 4375 4380

 Asn Gly Gly Ser Cys Thr Met Asn Ser Lys Met Met Pro Glu Cys
 4385 4390 4395

 Gln Cys Pro Pro His Met Thr Gly Pro Arg Cys Glu Glu Gln Val
 4400 4405 4410

 Val Ser Gln Gln Gln Pro Gly His Met Ala Ser Ile Leu Ile Pro
 4415 4420 4425

 Leu Leu Leu Leu Leu Leu Leu Leu Val Ala Gly Val Val Phe
 4430 4435 4440

Nonprovisional IP-017.ST25.txt

Trp Tyr Lys Arg Arg Val Arg Gly Ala Lys Gly Phe Gln His Gln
 4445 4450 4455

Arg Met Thr Asn Gly Ala Met Asn Val Glu Ile Gly Asn Pro Thr
 4460 4465 4470

Tyr Lys Met Tyr Glu Gly Gly Glu Pro Asp Asp Val Gly Gly Leu
 4475 4480 4485

Leu Asp Ala Asp Phe Ala Leu Asp Pro Asp Lys Pro Thr Asn Phe
 4490 4495 4500

Thr Asn Pro Val Tyr Ala Thr Leu Tyr Met Gly Gly His Gly Ser
 4505 4510 4515

Arg His Ser Leu Ala Ser Thr Asp Glu Lys Arg Glu Leu Leu Gly
 4520 4525 4530

Arg Gly Pro Glu Asp Glu Ile Gly Asp Pro Leu Ala
 4535 4540 4545

<210> 68
 <211> 4544

<212> PRT
 <213> HOMO SAPIENS

<400> 68

Met Leu Thr Pro Pro Leu Leu Leu Leu Pro Leu Leu Ser Ala Leu
 1 5 10 15

Val Ala Ala Ala Ile Asp Ala Pro Lys Thr Cys Ser Pro Lys Gln Phe
 20 25 30

Ala Cys Arg Asp Gln Ile Thr Cys Ile Ser Lys Gly Trp Arg Cys Asp
 35 40 45

Gly Glu Arg Asp Cys Pro Asp Gly Ser Asp Glu Ala Pro Glu Ile Cys
 50 55 60

Pro Gln Ser Lys Ala Gln Arg Cys Gln Pro Asn Glu His Asn Cys Leu
 65 70 75 80

Gly Thr Glu Leu Cys Val Pro Met Ser Arg Leu Cys Asn Gly Val Gln
 85 90 95

Asp Cys Met Asp Gly Ser Asp Glu Gly Pro His Cys Arg Glu Leu Gln
 100 105 110

Gly Asn Cys Ser Arg Leu Gly Cys Gln His His Cys Val Pro Thr Leu
 115 120 125

Asp Gly Pro Thr Cys Tyr Cys Asn Ser Ser Phe Gln Leu Gln Ala Asp
 Page 119

Nonprovisional IP-017.ST25.txt

130
 135
 140
 Gly Lys Thr Cys Lys Asp Phe Asp Glu Cys Ser Val Tyr Gly Thr Cys
 145 150 155 160
 Ser Gln Leu Cys Thr Asn Thr Asp Gly Ser Phe Ile Cys Gly Cys Val
 165 170 175
 Glu Gly Tyr Leu Leu Gln Pro Asp Asn Arg Ser Cys Lys Ala Lys Asn
 180 185 190
 Glu Pro Val Asp Arg Pro Pro Val Leu Leu Ile Ala Asn Ser Gln Asn
 195 200 205
 Ile Leu Ala Thr Tyr Leu Ser Gly Ala Gln Val Ser Thr Ile Thr Pro
 210 215 220
 Thr Ser Thr Arg Gln Thr Thr Ala Met Asp Phe Ser Tyr Ala Asn Glu
 225 230 235 240
 Thr Val Cys Trp Val His Val Gly Asp Ser Ala Ala Gln Thr Gln Leu
 245 250 255
 Lys Cys Ala Arg Met Pro Gly Leu Lys Gly Phe Val Asp Glu His Thr
 260 265 270
 Ile Asn Ile Ser Leu Ser Leu His His Val Glu Gln Met Ala Ile Asp
 275 280 285
 Trp Leu Thr Gly Asn Phe Tyr Phe Val Asp Asp Ile Asp Asp Arg Ile
 290 295 300
 Phe Val Cys Asn Arg Asn Gly Asp Thr Cys Val Thr Leu Leu Asp Leu
 305 310 315 320
 Glu Leu Tyr Asn Pro Lys Gly Ile Ala Leu Asp Pro Ala Met Gly Lys
 325 330 335
 Val Phe Phe Thr Asp Tyr Gly Gln Ile Pro Lys Val Glu Arg Cys Asp
 340 345 350
 Met Asp Gly Gln Asn Arg Thr Lys Leu Val Asp Ser Lys Ile Val Phe
 355 360 365
 Pro His Gly Ile Thr Leu Asp Leu Val Ser Arg Leu Val Tyr Trp Ala
 370 375 380
 Asp Ala Tyr Leu Asp Tyr Ile Glu Val Val Asp Tyr Glu Gly Lys Gly
 385 390 395 400
 Arg Gln Thr Ile Ile Gln Gly Ile Leu Ile Glu His Leu Tyr Gly Leu

Nonprovisional IP-017.ST25.txt

405

410

415

Thr Val Phe Glu Asn Tyr Leu Tyr Ala Thr Asn Ser Asp Asn Ala Asn
 420 425 430

Ala Gln Gln Lys Thr Ser Val Ile Arg Val Asn Arg Phe Asn Ser Thr
 435 440 445

Glu Tyr Gln Val Val Thr Arg Val Asp Lys Gly Gly Ala Leu His Ile
 450 455 460

Tyr His Gln Arg Arg Gln Pro Arg Val Arg Ser His Ala Cys Glu Asn
 465 470 475 480

Asp Gln Tyr Gly Lys Pro Gly Gly Cys Ser Asp Ile Cys Leu Leu Ala
 485 490 495

Asn Ser His Lys Ala Arg Thr Cys Arg Cys Arg Ser Gly Phe Ser Leu
 500 505 510

Gly Ser Asp Gly Lys Ser Cys Lys Lys Pro Glu His Glu Leu Phe Leu
 515 520 525

Val Tyr Gly Lys Gly Arg Pro Gly Ile Ile Arg Gly Met Asp Met Gly
 530 535 540

Ala Lys Val Pro Asp Glu His Met Ile Pro Ile Glu Asn Leu Met Asn
 545 550 555 560

Pro Arg Ala Leu Asp Phe His Ala Glu Thr Gly Phe Ile Tyr Phe Ala
 565 570 575

Asp Thr Thr Ser Tyr Leu Ile Gly Arg Gln Lys Ile Asp Gly Thr Glu
 580 585 590

Arg Glu Thr Ile Leu Lys Asp Gly Ile His Asn Val Glu Gly Val Ala
 595 600 605

Val Asp Trp Met Gly Asp Asn Leu Tyr Trp Thr Asp Asp Gly Pro Lys
 610 615 620

Lys Thr Ile Ser Val Ala Arg Leu Glu Lys Ala Ala Gln Thr Arg Lys
 625 630 635 640

Thr Leu Ile Glu Gly Lys Met Thr His Pro Arg Ala Ile Val Val Asp
 645 650 655

Pro Leu Asn Gly Trp Met Tyr Trp Thr Asp Trp Glu Glu Asp Pro Lys
 660 665 670

Asp Ser Arg Arg Gly Arg Leu Glu Arg Ala Trp Met Asp Gly Ser His
 Page 121

Nonprovisional IP-017.ST25.txt

675

680

685

Arg Asp Ile Phe Val Thr Ser Lys Thr Val Leu Trp Pro Asn Gly Leu
 690 695 700
 Ser Leu Asp Ile Pro Ala Gly Arg Leu Tyr Trp Val Asp Ala Phe Tyr
 705 710 715 720
 Asp Arg Ile Glu Thr Ile Leu Leu Asn Gly Thr Asp Arg Lys Ile Val
 725 730 735
 Tyr Glu Gly Pro Glu Leu Asn His Ala Phe Gly Leu Cys His His Gly
 740 745 750
 Asn Tyr Leu Phe Trp Thr Glu Tyr Arg Ser Gly Ser Val Tyr Arg Leu
 755 760 765
 Glu Arg Gly Val Gly Gly Ala Pro Pro Thr Val Thr Leu Leu Arg Ser
 770 775 780
 Glu Arg Pro Pro Ile Phe Glu Ile Arg Met Tyr Asp Ala Gln Gln Gln
 785 790 795 800
 Gln Val Gly Thr Asn Lys Cys Arg Val Asn Asn Gly Gly Cys Ser Ser
 805 810 815
 Leu Cys Leu Ala Thr Pro Gly Ser Arg Gln Cys Ala Cys Ala Glu Asp
 820 825 830
 Gln Val Leu Asp Ala Asp Gly Val Thr Cys Leu Ala Asn Pro Ser Tyr
 835 840 845
 Val Pro Pro Pro Gln Cys Gln Pro Gly Glu Phe Ala Cys Ala Asn Ser
 850 855 860
 Arg Cys Ile Gln Glu Arg Trp Lys Cys Asp Gly Asp Asn Asp Cys Leu
 865 870 875 880
 Asp Asn Ser Asp Glu Ala Pro Ala Leu Cys His Gln His Thr Cys Pro
 885 890 895
 Ser Asp Arg Phe Lys Cys Glu Asn Asn Arg Cys Ile Pro Asn Arg Trp
 900 905 910
 Leu Cys Asp Gly Asp Asn Asp Cys Gly Asn Ser Glu Asp Glu Ser Asn
 915 920 925
 Ala Thr Cys Ser Ala Arg Thr Cys Pro Pro Asn Gln Phe Ser Cys Ala
 930 935 940
 Ser Gly Arg Cys Ile Pro Ile Ser Trp Thr Cys Asp Leu Asp Asp Asp

Nonprovisional IP-017.ST25.txt

945					950					955					960
Cys Gly Asp Arg Ser	Asp Glu Ser Ala Ser Cys Ala Tyr Pro Thr Cys	965							970						975
Phe Pro Leu Thr Gln Phe Thr Cys Asn Asn Gly Arg Cys Ile Asn Ile		980						985							990
Asn Trp Arg Cys Asp Asn Asp Asn Asp Cys Gly Asp Asn Ser Asp Glu		995					1000					1005			
Ala Gly Cys ser His Ser Cys Ser Ser Thr Gln Phe Lys Cys Asn		1010				1015						1020			
Ser Gly Arg Cys Ile Pro Glu His Trp Thr Cys Asp Gly Asp Asn		1025				1030						1035			
Asp Cys Gly Asp Tyr Ser Asp Glu Thr His Ala Asn Cys Thr Asn		1040				1045						1050			
Gln Ala Thr Arg Pro Pro Gly Gly Cys His Thr Asp Glu Phe Gln		1055				1060						1065			
Cys Arg Leu Asp Gly Leu Cys Ile Pro Leu Arg Trp Arg Cys Asp		1070				1075						1080			
Gly Asp Thr Asp Cys Met Asp Ser Ser Asp Glu Lys Ser Cys Glu		1085				1090						1095			
Gly Val Thr His Val Cys Asp Pro Ser Val Lys Phe Gly Cys Lys		1100				1105						1110			
Asp Ser Ala Arg Cys Ile Ser Lys Ala Trp Val Cys Asp Gly Asp		1115				1120						1125			
Asn Asp Cys Glu Asp Asn Ser Asp Glu Glu Asn Cys Glu Ser Leu		1130				1135						1140			
Ala Cys Arg Pro Pro Ser His Pro Cys Ala Asn Asn Thr Ser Val		1145				1150						1155			
Cys Leu Pro Pro Asp Lys Leu Cys Asp Gly Asn Asp Asp Cys Gly		1160				1165						1170			
Asp Gly Ser Asp Glu Gly Glu Leu Cys Asp Gln Cys Ser Leu Asn		1175				1180						1185			
Asn Gly Gly Cys Ser His Asn Cys Ser Val Ala Pro Gly Glu Gly		1190				1195						1200			
Ile Val Cys Ser Cys Pro Leu Gly Met Glu Leu Gly Pro Asp Asn															

Page 123

Nonprovisional IP-017.ST25.txt

1205
 1210 1215
 His Thr Cys Gln Ile Gln Ser Tyr Cys Ala Lys His Leu Lys Cys
 1220 1225 1230
 Ser Gln Lys Cys Asp Gln Asn Lys Phe Ser Val Lys Cys Ser Cys
 1235 1240 1245
 Tyr Glu Gly Trp Val Leu Glu Pro Asp Gly Glu Ser Cys Arg Ser
 1250 1255 1260
 Leu Asp Pro Phe Lys Pro Phe Ile Ile Phe Ser Asn Arg His Glu
 1265 1270 1275
 Ile Arg Arg Ile Asp Leu His Lys Gly Asp Tyr Ser Val Leu Val
 1280 1285 1290
 Pro Gly Leu Arg Asn Thr Ile Ala Leu Asp Phe His Leu Ser Gln
 1295 1300 1305
 Ser Ala Leu Tyr Trp Thr Asp Val Val Glu Asp Lys Ile Tyr Arg
 1310 1315 1320
 Gly Lys Leu Leu Asp Asn Gly Ala Leu Thr Ser Phe Glu Val Val
 1325 1330 1335
 Ile Gln Tyr Gly Leu Ala Thr Pro Glu Gly Leu Ala Val Asp Trp
 1340 1345 1350
 Ile Ala Gly Asn Ile Tyr Trp Val Glu Ser Asn Leu Asp Gln Ile
 1355 1360 1365
 Glu Val Ala Lys Leu Asp Gly Thr Leu Arg Thr Thr Leu Leu Ala
 1370 1375 1380
 Gly Asp Ile Glu His Pro Arg Ala Ile Ala Leu Asp Pro Arg Asp
 1385 1390 1395
 Gly Ile Leu Phe Trp Thr Asp Trp Asp Ala Ser Leu Pro Arg Ile
 1400 1405 1410
 Glu Ala Ala Ser Met Ser Gly Ala Gly Arg Arg Thr Val His Arg
 1415 1420 1425
 Glu Thr Gly Ser Gly Gly Trp Pro Asn Gly Leu Thr Val Asp Tyr
 1430 1435 1440
 Leu Glu Lys Arg Ile Leu Trp Ile Asp Ala Arg Ser Asp Ala Ile
 1445 1450 1455
 Tyr Ser Ala Arg Tyr Asp Gly Ser Gly His Met Glu Val Leu Arg
 Page 124

Nonprovisional IP-017.ST25.txt

1460
 1465
 1470
 Gly His Glu Phe Leu Ser His Pro Phe Ala Val Thr Leu Tyr Gly
 1475 1480 1485
 Gly Glu Val Tyr Trp Thr Asp Trp Arg Thr Asn Thr Leu Ala Lys
 1490 1495 1500
 Ala Asn Lys Trp Thr Gly His Asn Val Thr Val Val Gln Arg Thr
 1505 1510 1515
 Asn Thr Gln Pro Phe Asp Leu Gln Val Tyr His Pro Ser Arg Gln
 1520 1525 1530
 Pro Met Ala Pro Asn Pro Cys Glu Ala Asn Gly Gly Gln Gly Pro
 1535 1540 1545
 Cys Ser His Leu Cys Leu Ile Asn Tyr Asn Arg Thr Val Ser Cys
 1550 1555 1560
 Ala Cys Pro His Leu Met Lys Leu His Lys Asp Asn Thr Thr Cys
 1565 1570 1575
 Tyr Glu Phe Lys Lys Phe Leu Leu Tyr Ala Arg Gln Met Glu Ile
 1580 1585 1590
 Arg Gly Val Asp Leu Asp Ala Pro Tyr Tyr Asn Tyr Ile Ile Ser
 1595 1600 1605
 Phe Thr Val Pro Asp Ile Asp Asn Val Thr Val Leu Asp Tyr Asp
 1610 1615 1620
 Ala Arg Glu Gln Arg Val Tyr Trp Ser Asp Val Arg Thr Gln Ala
 1625 1630 1635
 Ile Lys Arg Ala Phe Ile Asn Gly Thr Gly Val Glu Thr Val Val
 1640 1645 1650
 Ser Ala Asp Leu Pro Asn Ala His Gly Leu Ala Val Asp Trp Val
 1655 1660 1665
 Ser Arg Asn Leu Phe Trp Thr Ser Tyr Asp Thr Asn Lys Lys Gln
 1670 1675 1680
 Ile Asn Val Ala Arg Leu Asp Gly Ser Phe Lys Asn Ala Val Val
 1685 1690 1695
 Gln Gly Leu Glu Gln Pro His Gly Leu Val Val His Pro Leu Arg
 1700 1705 1710
 Gly Lys Leu Tyr Trp Thr Asp Gly Asp Asn Ile Ser Met Ala Asn
 Page 125

Nonprovisional IP-017.ST25.txt

1715
 1720
 1725
 Met Asp Gly Ser Asn Arg Thr Leu Leu Phe Ser Gly Gln Lys Gly
 1730 1735 1740
 Pro Val Gly Leu Ala Ile Asp Phe Pro Glu Ser Lys Leu Tyr Trp
 1745 1750 1755
 Ile Ser Ser Gly Asn His Thr Ile Asn Arg Cys Asn Leu Asp Gly
 1760 1765 1770
 Ser Gly Leu Glu Val Ile Asp Ala Met Arg Ser Gln Leu Gly Lys
 1775 1780 1785
 Ala Thr Ala Leu Ala Ile Met Gly Asp Lys Leu Trp Trp Ala Asp
 1790 1795 1800
 Gln Val Ser Glu Lys Met Gly Thr Cys Ser Lys Ala Asp Gly Ser
 1805 1810 1815
 Gly Ser Val Val Leu Arg Asn Ser Thr Thr Leu Val Met His Met
 1820 1825 1830
 Lys Val Tyr Asp Glu Ser Ile Gln Leu Asp His Lys Gly Thr Asn
 1835 1840 1845
 Pro Cys Ser Val Asn Asn Gly Asp Cys Ser Gln Leu Cys Leu Pro
 1850 1855 1860
 Thr Ser Glu Thr Thr Arg Ser Cys Met Cys Thr Ala Gly Tyr Ser
 1865 1870 1875
 Leu Arg Ser Gly Gln Gln Ala Cys Glu Gly Val Gly Ser Phe Leu
 1880 1885 1890
 Leu Tyr Ser Val His Glu Gly Ile Arg Gly Ile Pro Leu Asp Pro
 1895 1900 1905
 Asn Asp Lys Ser Asp Ala Leu Val Pro Val Ser Gly Thr Ser Leu
 1910 1915 1920
 Ala Val Gly Ile Asp Phe His Ala Glu Asn Asp Thr Ile Tyr Trp
 1925 1930 1935
 Val Asp Met Gly Leu Ser Thr Ile Ser Arg Ala Lys Arg Asp Gln
 1940 1945 1950
 Thr Trp Arg Glu Asp Val Val Thr Asn Gly Ile Gly Arg Val Glu
 1955 1960 1965
 Gly Ile Ala Val Asp Trp Ile Ala Gly Asn Ile Tyr Trp Thr Asp
 Page 126

Nonprovisional IP-017.ST25.txt

1970	1975	1980
Gln Gly Phe Asp Val Ile	Glu Val Ala Arg Leu	Asn Gly Ser Phe
1985	1990	1995
Arg Tyr Val Val Ile Ser	Gln Gly Leu Asp Lys	Pro Arg Ala Ile
2000	2005	2010
Thr Val His Pro Glu Lys	Gly Tyr Leu Phe Trp	Thr Glu Trp Gly
2015	2020	2025
Gln Tyr Pro Arg Ile Glu	Arg Ser Arg Leu Asp	Gly Thr Glu Arg
2030	2035	2040
Val Val Leu Val Asn Val	Ser Ile Ser Trp Pro	Asn Gly Ile Ser
2045	2050	2055
Val Asp Tyr Gln Asp Gly	Lys Leu Tyr Trp Cys	Asp Ala Arg Thr
2060	2065	2070
Asp Lys Ile Glu Arg Ile	Asp Leu Glu Thr Gly	Glu Asn Arg Glu
2075	2080	2085
Val Val Leu Ser Ser Asn	Asn Met Asp Met Phe	Ser Val Ser Val
2090	2095	2100
Phe Glu Asp Phe Ile Tyr	Trp Ser Asp Arg Thr	His Ala Asn Gly
2105	2110	2115
Ser Ile Lys Arg Gly Ser	Lys Asp Asn Ala Thr	Asp Ser Val Pro
2120	2125	2130
Leu Arg Thr Gly Ile Gly	Val Gln Leu Lys Asp	Ile Lys Val Phe
2135	2140	2145
Asn Arg Asp Arg Gln Lys	Gly Thr Asn Val Cys	Ala Val Ala Asn
2150	2155	2160
Gly Gly Cys Gln Gln Leu	Cys Leu Tyr Arg Gly	Arg Gly Gln Arg
2165	2170	2175
Ala Cys Ala Cys Ala His	Gly Met Leu Ala Glu	Asp Gly Ala Ser
2180	2185	2190
Cys Arg Glu Tyr Ala Gly	Tyr Leu Leu Tyr Ser	Glu Arg Thr Ile
2195	2200	2205
Leu Lys Ser Ile His Leu	Ser Asp Glu Arg Asn	Leu Asn Ala Pro
2210	2215	2220
Val Gln Pro Phe Glu Asp	Pro Glu His Met Lys	Asn Val Ile Ala

Nonprovisional IP-017.ST25.txt

2225
 2230 2235
 Leu Ala Phe Asp Tyr Arg Ala Gly Thr Ser Pro Gly Thr Pro Asn
 2240 2245 2250
 Arg Ile Phe Phe Ser Asp Ile His Phe Gly Asn Ile Gln Gln Ile
 2255 2260 2265
 Asn Asp Asp Gly Ser Arg Arg Ile Thr Ile Val Glu Asn Val Gly
 2270 2275 2280
 Ser Val Glu Gly Leu Ala Tyr His Arg Gly Trp Asp Thr Leu Tyr
 2285 2290 2295
 Trp Thr Ser Tyr Thr Thr Ser Thr Ile Thr Arg His Thr Val Asp
 2300 2305 2310
 Gln Thr Arg Pro Gly Ala Phe Glu Arg Glu Thr Val Ile Thr Met
 2315 2320 2325
 Ser Gly Asp Asp His Pro Arg Ala Phe Val Leu Asp Glu Cys Gln
 2330 2335 2340
 Asn Leu Met Phe Trp Thr Asn Trp Asn Glu Gln His Pro Ser Ile
 2345 2350 2355
 Met Arg Ala Ala Leu Ser Gly Ala Asn Val Leu Thr Leu Ile Glu
 2360 2365 2370
 Lys Asp Ile Arg Thr Pro Asn Gly Leu Ala Ile Asp His Arg Ala
 2375 2380 2385
 Glu Lys Leu Tyr Phe Ser Asp Ala Thr Leu Asp Lys Ile Glu Arg
 2390 2395 2400
 Cys Glu Tyr Asp Gly Ser His Arg Tyr Val Ile Leu Lys Ser Glu
 2405 2410 2415
 Pro Val His Pro Phe Gly Leu Ala Val Tyr Gly Glu His Ile Phe
 2420 2425 2430
 Trp Thr Asp Trp Val Arg Arg Ala Val Gln Arg Ala Asn Lys His
 2435 2440 2445
 Val Gly Ser Asn Met Lys Leu Leu Arg Val Asp Ile Pro Gln Gln
 2450 2455 2460
 Pro Met Gly Ile Ile Ala Val Ala Asn Asp Thr Asn Ser Cys Glu
 2465 2470 2475
 Leu Ser Pro Cys Arg Ile Asn Asn Gly Gly Cys Gln Asp Leu Cys
 Page 128

Nonprovisional IP-017.ST25.txt

2480
 2485
 2490
 Leu Leu Thr His Gln Gly His Val Asn Cys Ser Cys Arg Gly Gly
 2495 2500 2505
 Arg Ile Leu Gln Asp Asp Leu Thr Cys Arg Ala Val Asn Ser Ser
 2510 2515 2520
 Cys Arg Ala Gln Asp Glu Phe Glu Cys Ala Asn Gly Glu Cys Ile
 2525 2530 2535
 Asn Phe Ser Leu Thr Cys Asp Gly Val Pro His Cys Lys Asp Lys
 2540 2545 2550
 Ser Asp Glu Lys Pro Ser Tyr Cys Asn Ser Arg Arg Cys Lys Lys
 2555 2560 2565
 Thr Phe Arg Gln Cys Ser Asn Gly Arg Cys Val Ser Asn Met Leu
 2570 2575 2580
 Trp Cys Asn Gly Ala Asp Asp Cys Gly Asp Gly Ser Asp Glu Ile
 2585 2590 2595
 Pro Cys Asn Lys Thr Ala Cys Gly Val Gly Glu Phe Arg Cys Arg
 2600 2605 2610
 Asp Gly Thr Cys Ile Gly Asn Ser Ser Arg Cys Asn Gln Phe Val
 2615 2620 2625
 Asp Cys Glu Asp Ala Ser Asp Glu Met Asn Cys Ser Ala Thr Asp
 2630 2635 2640
 Cys Ser Ser Tyr Phe Arg Leu Gly Val Lys Gly Val Leu Phe Gln
 2645 2650 2655
 Pro Cys Glu Arg Thr Ser Leu Cys Tyr Ala Pro Ser Trp Val Cys
 2660 2665 2670
 Asp Gly Ala Asn Asp Cys Gly Asp Tyr Ser Asp Glu Arg Asp Cys
 2675 2680 2685
 Pro Gly Val Lys Arg Pro Arg Cys Pro Leu Asn Tyr Phe Ala Cys
 2690 2695 2700
 Pro Ser Gly Arg Cys Ile Pro Met Ser Trp Thr Cys Asp Lys Glu
 2705 2710 2715
 Asp Asp Cys Glu His Gly Glu Asp Glu Thr His Cys Asn Lys Phe
 2720 2725 2730
 Cys Ser Glu Ala Gln Phe Glu Cys Gln Asn His Arg Cys Ile Ser
 Page 129

Nonprovisional IP-017.ST25.txt
2740 2745

2735

Lys Gln Trp Leu Cys Asp Gly Ser Asp Asp Cys Gly Asp Gly Ser
 2750 2755 2760
 Asp Glu Ala Ala His Cys Glu Gly Lys Thr Cys Gly Pro Ser Ser
 2765 2770 2775
 Phe Ser Cys Pro Gly Thr His Val Cys Val Pro Glu Arg Trp Leu
 2780 2785 2790
 Cys Asp Gly Asp Lys Asp Cys Ala Asp Gly Ala Asp Glu Ser Ile
 2795 2800 2805
 Ala Ala Gly Cys Leu Tyr Asn Ser Thr Cys Asp Asp Arg Glu Phe
 2810 2815 2820
 Met Cys Gln Asn Arg Gln Cys Ile Pro Lys His Phe Val Cys Asp
 2825 2830 2835
 His Asp Arg Asp Cys Ala Asp Gly Ser Asp Glu Ser Pro Glu Cys
 2840 2845 2850
 Glu Tyr Pro Thr Cys Gly Pro Ser Glu Phe Arg Cys Ala Asn Gly
 2855 2860 2865
 Arg Cys Leu Ser Ser Arg Gln Trp Glu Cys Asp Gly Glu Asn Asp
 2870 2875 2880
 Cys His Asp Gln Ser Asp Glu Ala Pro Lys Asn Pro His Cys Thr
 2885 2890 2895
 Ser Pro Glu His Lys Cys Asn Ala Ser Ser Gln Phe Leu Cys Ser
 2900 2905 2910
 Ser Gly Arg Cys Val Ala Glu Ala Leu Leu Cys Asn Gly Gln Asp
 2915 2920 2925
 Asp Cys Gly Asp Ser Ser Asp Glu Arg Gly Cys His Ile Asn Glu
 2930 2935 2940
 Cys Leu Ser Arg Lys Leu Ser Gly Cys Ser Gln Asp Cys Glu Asp
 2945 2950 2955
 Leu Lys Ile Gly Phe Lys Cys Arg Cys Arg Pro Gly Phe Arg Leu
 2960 2965 2970
 Lys Asp Asp Gly Arg Thr Cys Ala Asp Val Asp Glu Cys Ser Thr
 2975 2980 2985
 Thr Phe Pro Cys Ser Gln Arg Cys Ile Asn Thr His Gly Ser Tyr
 Page 130

Nonprovisional IP-017.ST25.txt

2990

2995

3000

Lys Cys Leu Cys Val Glu Gly Tyr Ala Pro Arg Gly Gly Asp Pro
 3005 3010 3015
 His Ser Cys Lys Ala Val Thr Asp Glu Glu Pro Phe Leu Ile Phe
 3020 3025 3030
 Ala Asn Arg Tyr Tyr Leu Arg Lys Leu Asn Leu Asp Gly Ser Asn
 3035 3040 3045
 Tyr Thr Leu Leu Lys Gln Gly Leu Asn Asn Ala Val Ala Leu Asp
 3050 3055 3060
 Phe Asp Tyr Arg Glu Gln Met Ile Tyr Trp Thr Asp Val Thr Thr
 3065 3070 3075
 Gln Gly Ser Met Ile Arg Arg Met His Leu Asn Gly Ser Asn Val
 3080 3085 3090
 Gln Val Leu His Arg Thr Gly Leu Ser Asn Pro Asp Gly Leu Ala
 3095 3100 3105
 Val Asp Trp Val Gly Gly Asn Leu Tyr Trp Cys Asp Lys Gly Arg
 3110 3115 3120
 Asp Thr Ile Glu Val Ser Lys Leu Asn Gly Ala Tyr Arg Thr Val
 3125 3130 3135
 Leu Val Ser Ser Gly Leu Arg Glu Pro Arg Ala Leu Val Val Asp
 3140 3145 3150
 Val Gln Asn Gly Tyr Leu Tyr Trp Thr Asp Trp Gly Asp His Ser
 3155 3160 3165
 Leu Ile Gly Arg Ile Gly Met Asp Gly Ser Ser Arg Ser Val Ile
 3170 3175 3180
 Val Asp Thr Lys Ile Thr Trp Pro Asn Gly Leu Thr Leu Asp Tyr
 3185 3190 3195
 Val Thr Glu Arg Ile Tyr Trp Ala Asp Ala Arg Glu Asp Tyr Ile
 3200 3205 3210
 Glu Phe Ala Ser Leu Asp Gly Ser Asn Arg His Val Val Leu Ser
 3215 3220 3225
 Gln Asp Ile Pro His Ile Phe Ala Leu Thr Leu Phe Glu Asp Tyr
 3230 3235 3240
 Val Tyr Trp Thr Asp Trp Glu Thr Lys Ser Ile Asn Arg Ala His
 Page 131

Nonprovisional IP-017.ST25.txt
3250 3255

3245

Lys Thr Thr Gly Thr Asn Lys Thr Leu Leu Ile Ser Thr Leu His
3260 3265 3270

Arg Pro Met Asp Leu His Val Phe His Ala Leu Arg Gln Pro Asp
3275 3280 3285

Val Pro Asn His Pro Cys Lys Val Asn Asn Gly Gly Cys Ser Asn
3290 3295 3300

Leu Cys Leu Leu Ser Pro Gly Gly Gly His Lys Cys Ala Cys Pro
3305 3310 3315

Thr Asn Phe Tyr Leu Gly Ser Asp Gly Arg Thr Cys Val Ser Asn
3320 3325 3330

Cys Thr Ala Ser Gln Phe Val Cys Lys Asn Asp Lys Cys Ile Pro
3335 3340 3345

Phe Trp Trp Lys Cys Asp Thr Glu Asp Asp Cys Gly Asp His Ser
3350 3355 3360

Asp Glu Pro Pro Asp Cys Pro Glu Phe Lys Cys Arg Pro Gly Gln
3365 3370 3375

Phe Gln Cys Ser Thr Gly Ile Cys Thr Asn Pro Ala Phe Ile Cys
3380 3385 3390

Asp Gly Asp Asn Asp Cys Gln Asp Asn Ser Asp Glu Ala Asn Cys
3395 3400 3405

Asp Ile His Val Cys Leu Pro Ser Gln Phe Lys Cys Thr Asn Thr
3410 3415 3420

Asn Arg Cys Ile Pro Gly Ile Phe Arg Cys Asn Gly Gln Asp Asn
3425 3430 3435

Cys Gly Asp Gly Glu Asp Glu Arg Asp Cys Pro Glu Val Thr Cys
3440 3445 3450

Ala Pro Asn Gln Phe Gln Cys Ser Ile Thr Lys Arg Cys Ile Pro
3455 3460 3465

Arg Val Trp Val Cys Asp Arg Asp Asn Asp Cys Val Asp Gly Ser
3470 3475 3480

Asp Glu Pro Ala Asn Cys Thr Gln Met Thr Cys Gly Val Asp Glu
3485 3490 3495

Phe Arg Cys Lys Asp Ser Gly Arg Cys Ile Pro Ala Arg Trp Lys
Page 132

Nonprovisional IP-017.ST25.txt

3500
 Cys Asp Gly Glu Asp Asp Cys Gly Asp Gly Ser Asp Glu Pro Lys
 3515 3520 3525
 Glu Glu Cys Asp Glu Arg Thr Cys Glu Pro Tyr Gln Phe Arg Cys
 3530 3535 3540
 Lys Asn Asn Arg Cys Val Pro Gly Arg Trp Gln Cys Asp Tyr Asp
 3545 3550 3555
 Asn Asp Cys Gly Asp Asn Ser Asp Glu Glu Ser Cys Thr Pro Arg
 3560 3565 3570
 Pro Cys Ser Glu Ser Glu Phe Ser Cys Ala Asn Gly Arg Cys Ile
 3575 3580 3585
 Ala Gly Arg Trp Lys Cys Asp Gly Asp His Asp Cys Ala Asp Gly
 3590 3595 3600
 Ser Asp Glu Lys Asp Cys Thr Pro Arg Cys Asp Met Asp Gln Phe
 3605 3610 3615
 Gln Cys Lys Ser Gly His Cys Ile Pro Leu Arg Trp Arg Cys Asp
 3620 3625 3630
 Ala Asp Ala Asp Cys Met Asp Gly Ser Asp Glu Glu Ala Cys Gly
 3635 3640 3645
 Thr Gly Val Arg Thr Cys Pro Leu Asp Glu Phe Gln Cys Asn Asn
 3650 3655 3660
 Thr Leu Cys Lys Pro Leu Ala Trp Lys Cys Asp Gly Glu Asp Asp
 3665 3670 3675
 Cys Gly Asp Asn Ser Asp Glu Asn Pro Glu Glu Cys Ala Arg Phe
 3680 3685 3690
 Val Cys Pro Pro Asn Arg Pro Phe Arg Cys Lys Asn Asp Arg Val
 3695 3700 3705
 Cys Leu Trp Ile Gly Arg Gln Cys Asp Gly Thr Asp Asn Cys Gly
 3710 3715 3720
 Asp Gly Thr Asp Glu Glu Asp Cys Glu Pro Pro Thr Ala His Thr
 3725 3730 3735
 Thr His Cys Lys Asp Lys Lys Glu Phe Leu Cys Arg Asn Gln Arg
 3740 3745 3750
 Cys Leu Ser Ser Ser Leu Arg Cys Asn Met Phe Asp Asp Cys Gly
 Page 133

Nonprovisional IP-017.ST25.txt
3760 3765

3755

Asp Gly Ser Asp Glu Glu Asp Cys Ser Ile Asp Pro Lys Leu Thr
 3770 3775 3780
 Ser Cys Ala Thr Asn Ala Ser Ile Cys Gly Asp Glu Ala Arg Cys
 3785 3790 3795
 Val Arg Thr Glu Lys Ala Ala Tyr Cys Ala Cys Arg Ser Gly Phe
 3800 3805 3810
 His Thr Val Pro Gly Gln Pro Gly Cys Gln Asp Ile Asn Glu Cys
 3815 3820 3825
 Leu Arg Phe Gly Thr Cys Ser Gln Leu Cys Asn Asn Thr Lys Gly
 3830 3835 3840
 Gly His Leu Cys Ser Cys Ala Arg Asn Phe Met Lys Thr His Asn
 3845 3850 3855
 Thr Cys Lys Ala Glu Gly Ser Glu Tyr Gln Val Leu Tyr Ile Ala
 3860 3865 3870
 Asp Asp Asn Glu Ile Arg Ser Leu Phe Pro Gly His Pro His Ser
 3875 3880 3885
 Ala Tyr Glu Gln Ala Phe Gln Gly Asp Glu Ser Val Arg Ile Asp
 3890 3895 3900
 Ala Met Asp Val His Val Lys Ala Gly Arg Val Tyr Trp Thr Asn
 3905 3910 3915
 Trp His Thr Gly Thr Ile Ser Tyr Arg Ser Leu Pro Pro Ala Ala
 3920 3925 3930
 Pro Pro Thr Thr Ser Asn Arg His Arg Arg Gln Ile Asp Arg Gly
 3935 3940 3945
 Val Thr His Leu Asn Ile Ser Gly Leu Lys Met Pro Arg Gly Ile
 3950 3955 3960
 Ala Ile Asp Trp Val Ala Gly Asn Val Tyr Trp Thr Asp Ser Gly
 3965 3970 3975
 Arg Asp Val Ile Glu Val Ala Gln Met Lys Gly Glu Asn Arg Lys
 3980 3985 3990
 Thr Leu Ile Ser Gly Met Ile Asp Glu Pro His Ala Ile Val Val
 3995 4000 4005
 Asp Pro Leu Arg Gly Thr Met Tyr Trp Ser Asp Trp Gly Asn His

Nonprovisional IP-017.ST25.txt
4015 4020

4010
 Pro Lys Ile Glu Thr Ala Ala Met Asp Gly Thr Leu Arg Glu Thr
 4025 4030 4035
 Leu Val Gln Asp Asn Ile Gln Trp Pro Thr Gly Leu Ala Val Asp
 4040 4045 4050
 Tyr His Asn Glu Arg Leu Tyr Trp Ala Asp Ala Lys Leu Ser Val
 4055 4060 4065
 Ile Gly Ser Ile Arg Leu Asn Gly Thr Asp Pro Ile Val Ala Ala
 4070 4075 4080
 Asp Ser Lys Arg Gly Leu Ser His Pro Phe Ser Ile Asp Val Phe
 4085 4090 4095
 Glu Asp Tyr Ile Tyr Gly Val Thr Tyr Ile Asn Asn Arg Val Phe
 4100 4105 4110
 Lys Ile His Lys Phe Gly His Ser Pro Leu Val Asn Leu Thr Gly
 4115 4120 4125
 Gly Leu Ser His Ala Ser Asp Val Val Leu Tyr His Gln His Lys
 4130 4135 4140
 Gln Pro Glu Val Thr Asn Pro Cys Asp Arg Lys Lys Cys Glu Trp
 4145 4150 4155
 Leu Cys Leu Leu Ser Pro Ser Gly Pro Val Cys Thr Cys Pro Asn
 4160 4165 4170
 Gly Lys Arg Leu Asp Asn Gly Thr Cys Val Pro Val Pro Ser Pro
 4175 4180 4185
 Thr Pro Pro Pro Asp Ala Pro Arg Pro Gly Thr Cys Asn Leu Gln
 4190 4195 4200
 Cys Phe Asn Gly Gly Ser Cys Phe Leu Asn Ala Arg Arg Gln Pro
 4205 4210 4215
 Lys Cys Arg Cys Gln Pro Arg Tyr Thr Gly Asp Lys Cys Glu Leu
 4220 4225 4230
 Asp Gln Cys Trp Glu His Cys Arg Asn Gly Gly Thr Cys Ala Ala
 4235 4240 4245
 Ser Pro Ser Gly Met Pro Thr Cys Arg Cys Pro Thr Gly Phe Thr
 4250 4255 4260
 Gly Pro Lys Cys Thr Gln Gln Val Cys Ala Gly Tyr Cys Ala Asn
 Page 135

Nonprovisional IP-017.ST25.txt

4265
 4270 4275
 Asn Ser Thr Cys Thr Val Asn Gln Gly Asn Gln Pro Gln Cys Arg
 4280 4285 4290
 Cys Leu Pro Gly Phe Leu Gly Asp Arg Cys Gln Tyr Arg Gln Cys
 4295 4300 4305
 Ser Gly Tyr Cys Glu Asn Phe Gly Thr Cys Gln Met Ala Ala Asp
 4310 4315 4320
 Gly Ser Arg Gln Cys Arg Cys Thr Ala Tyr Phe Glu Gly Ser Arg
 4325 4330 4335
 Cys Glu Val Asn Lys Cys Ser Arg Cys Leu Glu Gly Ala Cys Val
 4340 4345 4350
 Val Asn Lys Gln Ser Gly Asp Val Thr Cys Asn Cys Thr Asp Gly
 4355 4360 4365
 Arg Val Ala Pro Ser Cys Leu Thr Cys Val Gly His Cys Ser Asn
 4370 4375 4380
 Gly Gly Ser Cys Thr Met Asn Ser Lys Met Met Pro Glu Cys Gln
 4385 4390 4395
 Cys Pro Pro His Met Thr Gly Pro Arg Cys Glu Glu His Val Phe
 4400 4405 4410
 Ser Gln Gln Gln Pro Gly His Ile Ala Ser Ile Leu Ile Pro Leu
 4415 4420 4425
 Leu Leu Leu Leu Leu Val Leu Val Ala Gly Val Val Phe Trp
 4430 4435 4440
 Tyr Lys Arg Arg Val Gln Gly Ala Lys Gly Phe Gln His Gln Arg
 4445 4450 4455
 Met Thr Asn Gly Ala Met Asn Val Glu Ile Gly Asn Pro Thr Tyr
 4460 4465 4470
 Lys Met Tyr Glu Gly Gly Glu Pro Asp Asp Val Gly Gly Leu Leu
 4475 4480 4485
 Asp Ala Asp Phe Ala Leu Asp Pro Asp Lys Pro Thr Asn Phe Thr
 4490 4495 4500
 Asn Pro Val Tyr Ala Thr Leu Tyr Met Gly Gly His Gly Ser Arg
 4505 4510 4515
 His Ser Leu Ala Ser Thr Asp Glu Lys Arg Glu Leu Leu Gly Arg
 Page 136

4520 Nonprovisional IP-017.ST25.txt
4525 4530

Gly Pro Glu Asp Glu Ile Gly Asp Pro Leu Ala
4535 4540

<210> 69
<211> 4599
<212> PRT
<213> MOUSE

<400> 69

Met Ser Gln Leu Leu Leu Ala Ile Leu Thr Leu Ser Gly Leu Leu Pro
1 5 10 15

Asn Ala Glu Val Leu Ile Val Gly Ala Asn Gln Asp Gln His Leu Cys
20 25 30

Asp Pro Gly Glu Phe Leu Cys His Asp His Val Thr Cys Val Ser Gln
35 40 45

Ser Trp Leu Cys Asp Gly Asp Pro Asp Cys Pro Asp Gln Ser Asp Glu
50 55 60

Ser Leu Asp Thr Cys Pro Glu Glu Val Glu Ile Lys Cys Pro Leu Asn
65 70 75 80

His Ile Ala Cys His Gly Ser Ser Ala Cys Val His Leu Ser Lys Leu
85 90 95

Cys Asn Gly Val Val Asp Cys Pro Asp Gly Phe Asp Glu Gly Gly His
100 105 110

Cys Gln Glu Leu Leu Pro Ser Cys Gln Gln Leu Asn Cys Gln Phe Lys
115 120 125

Cys Ala Met Val Arg Asn Ala Thr Arg Cys Tyr Cys Glu Asp Gly Phe
130 135 140

Glu Val Ala Glu Asp Gly Arg Ser Cys Lys Asp Gln Asp Glu Cys Ser
145 150 155 160

Ile Tyr Gly Ile Cys Ser Gln Thr Cys Lys Asn Thr Tyr Gly Ser Tyr
165 170 175

Ala Cys Ser Cys Val Glu Gly Tyr Ile Met Gln Ser Asp Asn Arg Ser
180 185 190

Cys Lys Val Lys His Glu Pro Thr Asp Lys Ala Pro Met Leu Leu Ile
195 200 205

Ser Ser Leu Glu Thr Ile Glu Leu Phe Tyr Ile Asn Gly Ser Lys Met
210 215 220

Nonprovisional IP-017.ST25.txt

Thr Thr Leu Ser Ser Ala Asn Arg Asn Glu Ile His Thr Leu Asp Phe
 225 230 235 240
 Ile Tyr Ser Glu Glu Met Ile Cys Trp Ile Glu Ser Arg Glu Ser Ser
 245 250 255
 Asn Gln Leu Lys Cys Gly Gln Ile Thr Lys Ala Gly Arg Leu Thr Asp
 260 265 270
 Gln Arg Ile Ile Asn Ser Leu Gln Ser Phe Gln Asn Val Glu Gln Met
 275 280 285
 Ala Phe Asp Trp Leu Thr Arg Asn Ile Tyr Phe Val Asp His Val Ser
 290 295 300
 Asp Arg Ile Phe Val Cys Asn Phe Asn Gly Ser Val Cys Val Thr Leu
 305 310 315 320
 Ile Glu Ser Glu Leu His Asn Pro Lys Ala Ile Ala Ala Asp Pro Ile
 325 330 335
 Ala Gly Lys Leu Phe Phe Thr Asp Tyr Gly Asn Val Pro Lys Ile Glu
 340 345 350
 Arg Cys Asp Leu Asp Gly Met Asn Arg Thr Arg Ile Val Tyr Ser Lys
 355 360 365
 Ala Glu Gln Pro Ser Ala Leu Ala Leu Asp Leu Val Asn Arg Leu Val
 370 375 380
 Tyr Trp Val Asp Leu Tyr Leu Asp Tyr Val Gly Val Val Asp Tyr Gln
 385 390 395 400
 Gly Lys Asn Arg His Thr Ile Val Gln Gly Arg Gln Val Lys His Leu
 405 410 415
 Tyr Gly Ile Thr Val Phe Glu Asp Tyr Leu Tyr Ala Thr Ser Ser Asp
 420 425 430
 Asn Phe Asn Ile Ile Arg Ile Asn Arg Phe Asn Gly Thr Asp Ile His
 435 440 445
 Ser Ile Ile Lys Met Glu Ser Ala Arg Gly Ile Arg Thr Tyr Gln Lys
 450 455 460
 Arg Thr Gln Pro Thr Val Arg Ser His Ala Cys Glu Val Asp Ala Tyr
 465 470 475 480
 Gly Met Pro Gly Gly Cys Ser His Ile Cys Leu Leu Ser Ser Ser Tyr
 485 490 495

Nonprovisional IP-017.ST25.txt

Lys Thr Arg Thr Cys Arg Cys Arg Thr Gly Phe Asn Met Gly Ser Asp
 500 505 510
 Gly Arg Ser Cys Lys Arg Pro Lys Asn Glu Leu Phe Leu Phe Tyr Gly
 515 520 525
 Lys Gly Arg Pro Gly Ile Val Arg Gly Met Asp Leu Asn Thr Lys Ile
 530 535 540
 Ala Asp Glu Cys Met Ile Pro Ile Glu Asn Leu Val Asn Pro Arg Ala
 545 550 555 560
 Leu Asp Phe His Ala Glu Ala Asn Tyr Ile Tyr Phe Ala Asp Thr Thr
 565 570 575
 Ser Phe Leu Ile Gly Arg Gln Lys Ile Asp Gly Thr Glu Arg Glu Thr
 580 585 590
 Ile Leu Lys Asp Asp Leu Asp Asn Val Glu Gly Ile Ala Val Asp Trp
 595 600 605
 Ile Gly Asn Asn Leu Tyr Trp Thr Asn Asp Gly His Arg Lys Thr Ile
 610 615 620
 Asn Val Ala Arg Leu Glu Lys Ala Ser Gln Ser Arg Lys Thr Leu Leu
 625 630 635 640
 Glu Gly Gly Met Ser His Pro Arg Ala Ile Val Val Asp Pro Val Asn
 645 650 655
 Gly Trp Met Tyr Trp Thr Asp Trp Lys Glu Asp Lys Ile Asp Asp Ser
 660 665 670
 Val Gly Arg Ile Glu Lys Ala Trp Met Asp Gly Val Asn Arg Gln Val
 675 680 685
 Phe Val Thr Ser Lys Met Leu Trp Pro Asn Gly Leu Thr Leu Asp Phe
 690 695 700
 His Thr Ser Thr Leu Tyr Trp Cys Asp Ala Tyr Tyr Asp His Ile Glu
 705 710 715 720
 Lys Val Phe Leu Asn Gly Thr His Arg Lys Val Val Tyr Ser Gly Lys
 725 730 735
 Glu Leu Asn His Pro Phe Gly Leu Ser His His Gly Asn Tyr Val Phe
 740 745 750
 Trp Thr Asp Tyr Met Asn Gly Ser Ile Phe Gln Leu Asp Leu Met Thr
 755 760 765

Nonprovisional IP-017.ST25.txt

Asn Glu Val Thr Leu Leu Arg His Glu Arg Ala Pro Leu Phe Gly Leu
 770 775 780
 Gln Ile Tyr Asp Pro Arg Lys Gln Gln Gly Asp Asn Met Cys Arg Ile
 785 790 795 800
 Asn Asn Gly Gly Cys Gly Thr Leu Cys Leu Ala Ile Pro Ala Gly Arg
 805 810 815
 Val Cys Ala Cys Ala Asp Asn Gln Leu Leu Asp Glu Asn Gly Thr Thr
 820 825 830
 Cys Thr Phe Asn Pro Glu Glu Ile Arg Phe His Ile Cys Lys Pro Gly
 835 840 845
 Glu Phe Arg Cys Lys Asn Lys His Cys Ile Gln Ala Arg Trp Lys Cys
 850 855 860
 Asp Gly Asp Asp Asp Cys Leu Asp Gly Ser Asp Glu Asp Ser Val Thr
 865 870 875 880
 Cys Phe Asn His Ser Cys Pro Asp Asp Gln Phe Lys Cys Gln Asn Asn
 885 890 895
 Arg Cys Ile Pro Lys Arg Trp Leu Cys Asp Gly Ala Asn Asp Cys Gly
 900 905 910
 Ser Asn Glu Asp Glu Ser Asn Gln Thr Cys Thr Ala Arg Thr Cys Gln
 915 920 925
 Ala Asp Gln Phe Ser Cys Gly Asn Gly Arg Cys Ile Pro Thr Ala Trp
 930 935 940
 Leu Cys Asp Arg Glu Asp Asp Cys Gly Asp Gln Thr Asp Glu Val Ala
 945 950 955 960
 Ser Cys Glu Phe Pro Thr Cys Glu Pro Leu Thr Gln Phe Ile Cys Lys
 965 970 975
 Ser Gly Arg Cys Ile Ser Asn Lys Trp His Cys Asp Thr Asp Asp Asp
 980 985 990
 Cys Gly Asp Arg Ser Asp Glu Val Gly Cys Val His Ser Cys Leu Asp
 995 1000 1005
 Asp Gln Phe Arg Cys Ser Ser Gly Arg Cys Ile Pro Gly His Trp
 1010 1015 1020
 Ala Cys Asp Gly Asp Asn Asp Cys Gly Asp Phe Ser Asp Glu Thr
 1025 1030 1035

Nonprovisional IP-017.ST25.txt

His Ile Asn Cys Thr Lys Glu Glu Ala Arg Ser Pro Ala Gly Cys
 1040 1045 1050
 Ile Gly Asn Glu Phe Gln Cys Arg Pro Asp Gly Asn Cys Ile Pro
 1055 1060 1065
 Asp Leu Trp Arg Cys Asp Gly Glu Lys Asp Cys Glu Asp Gly Ser
 1070 1075 1080
 Asp Glu Lys Gly Cys Asn Gly Thr Ile Arg Leu Cys Asp His Lys
 1085 1090 1095
 Thr Lys Phe Ser Cys Arg Ser Thr Gly Arg Cys Ile Asn Asn Ala
 1100 1105 1110
 Trp Val Cys Asp Gly Asp Val Asp Cys Glu Asp Gln Ser Asp Glu
 1115 1120 1125
 Glu Asp Cys Asp Ser Phe Leu Cys Gly Pro Pro Lys Tyr Pro Cys
 1130 1135 1140
 Ala Asn Asp Thr Ser Val Cys Leu Gln Pro Glu Lys Leu Cys Asn
 1145 1150 1155
 Gly Arg Lys Asp Cys Pro Asp Gly Ser Asp Glu Gly Asp Leu Cys
 1160 1165 1170
 Asp Glu Cys Ser Leu Asn Asn Gly Gly Cys Ser Asn His Cys Ser
 1175 1180 1185
 Val Val Pro Gly Arg Gly Ile Val Cys Ser Cys Pro Glu Gly His
 1190 1195 1200
 Gln Leu Lys Lys Asp Asn Arg Thr Cys Glu Ile Val Asp Tyr Cys
 1205 1210 1215
 Ala Ser His Leu Arg Cys Ser Gln Val Cys Glu Gln Gln Lys His
 1220 1225 1230
 Met Val Lys Cys Ser Cys Tyr Glu Gly Trp Ala Leu Gly Thr Asp
 1235 1240 1245
 Gly Glu Ser Cys Thr Ser Val Asp Ser Phe Glu Ala Phe Ile Ile
 1250 1255 1260
 Phe Ser Ile Arg His Glu Ile Arg Arg Ile Asp Leu His Lys Gly
 1265 1270 1275
 Asp Tyr Ser Leu Leu Val Pro Gly Leu Arg Asn Thr Ile Ala Leu
 1280 1285 1290

Nonprovisional IP-017.ST25.txt

Asp Phe His Phe Asn Gln Ser Leu Leu Tyr Trp Thr Asp Val Val
 1295 1300 1305
 Glu Asp Arg Ile Tyr Arg Gly Lys Leu Ser Glu Ser Gly Gly Val
 1310 1315 1320
 Ser Ala Ile Glu Val Val Val Glu His Gly Leu Ala Thr Pro Glu
 1325 1330 1335
 Gly Leu Thr Val Asp Trp Ile Ala Gly Asn Ile Tyr Trp Ile Asp
 1340 1345 1350
 Ser Asn Leu Asp Gln Ile Glu Val Ser Lys Leu Asp Gly Ser Leu
 1355 1360 1365
 Arg Ala Thr Leu Ile Ala Gly Ala Met Glu His Pro Arg Ala Ile
 1370 1375 1380
 Ala Leu Asp Pro Arg Tyr Gly Ile Leu Phe Trp Thr Asp Trp Asp
 1385 1390 1395
 Ala Asn Phe Pro Arg Ile Glu Ser Ala Ser Met Ser Gly Ala Gly
 1400 1405 1410
 Arg Lys Thr Ile Tyr Lys Asp Met Lys Thr Gly Ala Trp Pro Asn
 1415 1420 1425
 Gly Leu Thr Val Asp His Phe Glu Arg Arg Ile Val Trp Thr Asp
 1430 1435 1440
 Ala Arg Ser Asp Ala Ile Tyr Ser Ala Phe Tyr Asp Gly Thr Asn
 1445 1450 1455
 Met Ile Glu Ile Ile Arg Gly His Glu Tyr Leu Ser His Pro Phe
 1460 1465 1470
 Ala Val Ser Leu Tyr Gly Ser Glu Val Tyr Trp Thr Asp Trp Arg
 1475 1480 1485
 Thr Asn Thr Leu Ala Lys Ala Asn Lys Trp Thr Gly Gln Asn Val
 1490 1495 1500
 Ser Val Ile Gln Lys Thr Ser Ala Gln Pro Phe Asp Leu Gln Ile
 1505 1510 1515
 Tyr His Pro Ser Arg Gln Pro Gln Ala Pro Asn Pro Cys Ala Ala
 1520 1525 1530
 Asn Glu Gly Arg Gly Pro Cys Ser His Leu Cys Leu Ile Asn His
 1535 1540 1545

Nonprovisional IP-017.ST25.txt

Asn Arg Ser Ala Ala Cys Ala Cys Pro His Leu Met Lys Leu Ser
 1550 1555 1560
 Ser Asp Lys Lys Thr Cys Tyr Glu Met Lys Lys Phe Leu Leu Tyr
 1565 1570 1575
 Ala Arg Arg Ser Glu Ile Arg Gly Val Asp Ile Asp Asn Pro Tyr
 1580 1585 1590
 Val Asn Phe Ile Thr Ala Phe Thr Val Pro Asp Ile Asp Asp Val
 1595 1600 1605
 Ala Val Ile Asp Phe Asp Ala Ser Glu Glu Arg Leu Tyr Trp Thr
 1610 1615 1620
 Asp Ile Lys Thr Gln Thr Ile Thr Arg Ala Phe Ile Asn Gly Thr
 1625 1630 1635
 Gly Leu Glu Thr Val Ile Ser Arg Asp Ile Gln Ser Ile Arg Gly
 1640 1645 1650
 Leu Ala Val Asp Trp Val Ser Arg Asn Leu Tyr Trp Ile Ser Ser
 1655 1660 1665
 Glu Phe Asp Glu Thr Gln Ile Asn Val Ala Arg Leu Asp Gly Ser
 1670 1675 1680
 Leu Lys Thr Ser Ile Ile His Gly Ile Asp Lys Pro Gln Cys Leu
 1685 1690 1695
 Ala Ala His Pro Val Arg Gly Lys Leu Tyr Trp Thr Asp Gly Asn
 1700 1705 1710
 Thr Ile Asn Met Ala Asn Met Asp Gly Ser Asn Ser Lys Ile Leu
 1715 1720 1725
 Phe Gln Asn Gln Lys Glu Pro Val Gly Leu Ser Ile Asp Tyr Val
 1730 1735 1740
 Glu Asn Lys Leu Tyr Trp Ile Ser Ser Gly Asn Gly Thr Ile Asn
 1745 1750 1755
 Arg Cys Asn Leu Asp Gly Gly Asn Leu Glu Val Ile Glu Ser Met
 1760 1765 1770
 Lys Glu Glu Leu Thr Lys Ala Thr Ala Leu Thr Ile Met Asp Lys
 1775 1780 1785
 Lys Leu Trp Trp Ala Asp Gln Asn Leu Ala Gln Leu Gly Thr Cys
 1790 1795 1800

Nonprovisional IP-017.ST25.txt

Asn Lys Arg Asp Gly Arg Asn Pro Ser Ile Leu Arg Asn Lys Thr
 1805 1810 1815
 Ser Gly Val Val His Met Lys Val Tyr Asp Lys Glu Ala Gln Gln
 1820 1825 1830
 Gly Ser Asn Ser Cys Gln Val Asn Asn Gly Gly Cys Ser Gln Leu
 1835 1840 1845
 Cys Leu Pro Thr Ser Glu Thr Thr Arg Thr Cys Met Cys Thr Val
 1850 1855 1860
 Gly Tyr Tyr Leu Gln Lys Asn Arg Met Ser Cys Gln Gly Ile Glu
 1865 1870 1875
 Ser Phe Leu Met Tyr Ser Val His Glu Gly Ile Arg Gly Ile Pro
 1880 1885 1890
 Leu Glu Pro Arg Asp Lys Val Asp Ala Leu Met Pro Ile Ser Gly
 1895 1900 1905
 Ala Ala Phe Ala Val Gly Ile Asp Phe His Ala Glu Asn Asp Thr
 1910 1915 1920
 Ile Tyr Trp Thr Asp Met Gly Leu Asn Lys Ile Ser Arg Ala Lys
 1925 1930 1935
 Arg Asp Gln Thr Trp Lys Glu Asp Val Val Thr Asn Gly Leu Gly
 1940 1945 1950
 Arg Val Glu Gly Ile Ala Val Asp Trp Ile Ala Gly Asn Ile Tyr
 1955 1960 1965
 Trp Thr Asp His Gly Phe Asn Leu Ile Glu Val Ala Arg Leu Asn
 1970 1975 1980
 Gly Ser Phe Arg Tyr Val Ile Ile Ser Gln Gly Leu Asp Gln Pro
 1985 1990 1995
 Arg Ser Ile Ala Val His Pro Glu Lys Gly Phe Leu Phe Trp Thr
 2000 2005 2010
 Glu Trp Gly Gln Val Pro Cys Ile Gly Lys Ala Arg Leu Asp Gly
 2015 2020 2025
 Ser Glu Lys Val Met Ile Val Ser Val Gly Ile Thr Trp Pro Asn
 2030 2035 2040
 Gly Ile Ser Ile Asp Tyr Glu Glu Asn Lys Leu Tyr Trp Cys Asp
 2045 2050 2055

Nonprovisional IP-017.ST25.txt

Ala Arg Ser Asp Lys Ile Glu Arg Ile Asp Leu Asp Thr Gly Ala
 2060 2065 2070
 Asn Arg Glu Val Leu Leu Ser Gly Ser Asn Val Asp Leu Phe Ser
 2075 2080 2085
 Val Ala Val Phe Gly Ala Tyr Ile Tyr Trp Ser Asp Arg Ala His
 2090 2095 2100
 Ala Asn Gly Ser Val Arg Arg Gly His Lys Asn Asp Ala Thr Glu
 2105 2110 2115
 Thr Val Thr Met Arg Thr Gly Leu Gly Val Asn Leu Lys Glu Ile
 2120 2125 2130
 Lys Ile Phe Asn Arg Val Arg Glu Lys Gly Thr Asn Val Cys Ala
 2135 2140 2145
 Lys Glu Asn Gly Gly Cys Gln Gln Leu Cys Leu Tyr Arg Gly Asn
 2150 2155 2160
 Ser Arg Arg Thr Cys Ala Cys Ala His Gly Tyr Leu Ala Gly Asp
 2165 2170 2175
 Gly Val Thr Cys Leu Arg His Glu Gly Tyr Leu Leu Tyr Ser Gly
 2180 2185 2190
 Arg Thr Ile Leu Lys Ser Ile His Leu Ser Asp Glu Thr Asn Leu
 2195 2200 2205
 Asn Ser Pro Val Arg Pro Tyr Glu Asn Pro Asn Tyr Phe Lys Asn
 2210 2215 2220
 Ile Ile Ala Leu Ala Phe Asp Tyr Asn Gln Arg Arg Glu Gly Thr
 2225 2230 2235
 Asn Arg Ile Phe Tyr Ser Asp Ala His Phe Gly Asn Ile Gln Leu
 2240 2245 2250
 Ile Lys Asp Asn Trp Glu Asp Arg Gln Val Ile Val Glu Asn Val
 2255 2260 2265
 Gly Ser Val Glu Gly Leu Ala Tyr His Arg Ala Trp Asp Thr Leu
 2270 2275 2280
 Tyr Trp Thr Ser Ser Ser Thr Ser Ser Ile Thr Arg His Thr Val
 2285 2290 2295
 Asp Gln Thr Arg Pro Gly Ala Ile Asp Arg Glu Ala Val Ile Thr
 2300 2305 2310

Nonprovisional IP-017.ST25.txt

Met Ser Glu Asp Asp His Pro His Val Leu Ala Leu Asp Glu Cys
 2315 2320 2325
 Gln Asn Leu Met Phe Trp Thr Asn Trp Asn Glu Gln His Pro Ser
 2330 2335 2340
 Ile Met Arg Ala Thr Leu Thr Gly Lys Asn Ala His Val Val Val
 2345 2350 2355
 Ser Thr Asp Ile Leu Thr Pro Asn Gly Leu Thr Ile Asp His Arg
 2360 2365 2370
 Ala Glu Lys Leu Tyr Phe Ser Asp Gly Ser Leu Gly Lys Ile Glu
 2375 2380 2385
 Arg Cys Glu Tyr Asp Gly Ser Gln Arg His Val Ile Val Lys Ser
 2390 2395 2400
 Gly Pro Gly Thr Phe Leu Ser Leu Ala Val Tyr Asp Ser Tyr Ile
 2405 2410 2415
 Phe Trp Ser Asp Trp Gly Arg Arg Ala Ile Leu Arg Ser Asn Lys
 2420 2425 2430
 Tyr Thr Gly Gly Glu Thr Lys Ile Leu Arg Ser Asp Ile Pro His
 2435 2440 2445
 Gln Pro Met Gly Ile Ile Ala Val Ala Asn Asp Thr Asn Ser Cys
 2450 2455 2460
 Glu Leu Ser Pro Cys Ala Leu Leu Asn Gly Gly Cys His Asp Leu
 2465 2470 2475
 Cys Leu Leu Thr Pro Asp Gly Arg Val Asn Cys Ser Cys Arg Gly
 2480 2485 2490
 Asp Arg Val Leu Leu Ala Asn Asn Arg Cys Val Thr Lys Asn Ser
 2495 2500 2505
 Ser Cys Asn Ile Tyr Ser Glu Phe Glu Cys Gly Asn Gly Asp Cys
 2510 2515 2520
 Val Asp Tyr Val Leu Thr Cys Asp Gly Ile Pro His Cys Lys Asp
 2525 2530 2535
 Lys Ser Asp Glu Lys Leu Leu Tyr Cys Glu Asn Arg Ser Cys Arg
 2540 2545 2550
 Ser Gly Phe Lys Pro Cys Tyr Asn Arg Arg Cys Val Pro His Gly
 2555 2560 2565

Nonprovisional IP-017.ST25.txt

Lys Leu Cys Asp Gly Thr Asn Asp Cys Gly Asp Ser Ser Asp Glu
 2570 2575 2580
 Leu Asp Cys Lys Val Ser Thr Cys Ser Thr Val Glu Phe Arg Cys
 2585 2590 2595
 Ala Asp Gly Thr Cys Ile Pro Arg Ser Ala Arg Cys Asn Gln Asn
 2600 2605 2610
 Met Asp Cys Ser Asp Ala Ser Asp Glu Lys Gly Cys Asn Asn Thr
 2615 2620 2625
 Asp Cys Thr His Phe Tyr Lys Leu Gly Val Lys Ser Thr Gly Phe
 2630 2635 2640
 Ile Arg Cys Asn Ser Thr Ser Leu Cys Val Leu Pro Ser Trp Ile
 2645 2650 2655
 Cys Asp Gly Ser Asn Asp Cys Gly Asp Tyr Ser Asp Glu Leu Lys
 2660 2665 2670
 Cys Pro Val Gln Asn Lys His Lys Cys Glu Glu Asn Tyr Phe Gly
 2675 2680 2685
 Cys Pro Ser Gly Arg Cys Ile Leu Asn Thr Trp Val Cys Asp Gly
 2690 2695 2700
 Gln Lys Asp Cys Glu Asp Gly Leu Asp Glu Leu His Cys Asp Ser
 2705 2710 2715
 Ser Cys Ser Trp Asn Gln Phe Ala Cys Ser Val Lys Lys Cys Ile
 2720 2725 2730
 Ser Lys His Trp Ile Cys Asp Gly Glu Asp Asp Cys Gly Asp Ser
 2735 2740 2745
 Leu Asp Glu Ser Asp Ser Ile Cys Gly Ala Val Thr Cys Ala Ala
 2750 2755 2760
 Asp Met Phe Ser Cys Gln Gly Ser His Ala Cys Val Pro Gln His
 2765 2770 2775
 Trp Leu Cys Asp Gly Glu Arg Asp Cys Pro Asp Gly Ser Asp Glu
 2780 2785 2790
 Leu Ser Ser Ala Gly Cys Ala Pro Asn Asn Thr Cys Asp Glu Asn
 2795 2800 2805
 Ala Phe Met Cys His Asn Lys Val Cys Ile Pro Lys Gln Phe Val
 2810 2815 2820

Nonprovisional IP-017.ST25.txt

Cys Asp His Asp Asp Asp Cys Gly Asp Gly Ser Asp Glu Phe Leu
 2825 2830 2835
 Gln Cys Gly Tyr Arg Gln Cys Gly Pro Glu Glu Phe Arg Cys Ala
 2840 2845 2850
 Asp Gly Arg Cys Leu Val Asn Thr Leu Trp Gln Cys Asp Gly Asp
 2855 2860 2865
 Phe Asp Cys Pro Asp Ser Ser Asp Glu Ala Pro Ile Asn Pro Arg
 2870 2875 2880
 Cys Arg Ser Ala Glu His Ser Cys Asn Ser Ser Phe Phe Met Cys
 2885 2890 2895
 Lys Asn Gly Arg Cys Ile Pro Ser Asp Gly Leu Cys Asp Ile Arg
 2900 2905 2910
 Asp Asp Cys Gly Asp Gly Ser Asp Glu Thr Asn Cys His Ile Asn
 2915 2920 2925
 Glu Cys Leu Ser Lys Lys Ile Ser Gly Cys Ser Gln Asp Cys Gln
 2930 2935 2940
 Asp Leu Pro Val Ser Tyr Lys Cys Lys Cys Trp Pro Gly Phe Gln
 2945 2950 2955
 Leu Lys Asp Asp Gly Lys Thr Cys Val Asp Ile Asp Glu Cys Ser
 2960 2965 2970
 Ser Gly Phe Pro Cys Ser Gln Gln Cys Ile Asn Thr Tyr Gly Thr
 2975 2980 2985
 Tyr Lys Cys His Cys Ala Glu Gly Tyr Glu Thr Gln Pro Asp Asn
 2990 2995 3000
 Pro Asn Gly Cys Arg Ser Leu Ser Asp Glu Glu Pro Phe Leu Ile
 3005 3010 3015
 Leu Ala Asp Gln His Glu Ile Arg Lys Ile Ser Thr Asp Gly Ser
 3020 3025 3030
 Asn Tyr Thr Leu Leu Lys Gln Gly Leu Asn Asn Val Ile Ala Leu
 3035 3040 3045
 Asp Phe Asp Tyr Arg Glu Glu Phe Ile Tyr Trp Ile Asp Ser Ser
 3050 3055 3060
 Arg Pro Asn Gly Ser Arg Ile Asn Arg Met Cys Leu Asn Gly Ser
 3065 3070 3075

Nonprovisional IP-017.ST25.txt

Asp Ile Lys Val Val His Asn Thr Ala Val Pro Asn Ala Leu Ala
 3080 3085 3090
 Val Asp Trp Ile Gly Lys Asn Leu Tyr Trp Ser Asp Thr Glu Lys
 3095 3100 3105
 Arg Ile Ile Glu Val Ser Lys Leu Asn Gly Leu Tyr Pro Thr Val
 3110 3115 3120
 Leu Val Ser Lys Arg Leu Lys Phe Pro Arg Asp Leu Ser Leu Asp
 3125 3130 3135
 Pro Arg Ala Gly Asn Leu Tyr Trp Ile Asp Cys Cys Glu Tyr Pro
 3140 3145 3150
 His Ile Gly Arg Val Gly Met Asp Gly Thr Asn Gln Ser Val Val
 3155 3160 3165
 Ile Glu Thr Lys Ile Ser Arg Pro Met Ala Leu Thr Ile Asp Tyr
 3170 3175 3180
 Val Asn His Arg Leu Tyr Trp Ala Asp Glu Asn His Ile Glu Phe
 3185 3190 3195
 Ser Asn Met Asp Gly Ser His Arg His Lys Val Pro Asn Gln Asp
 3200 3205 3210
 Ile Pro Gly Val Ile Ala Leu Thr Leu Phe Glu Asp Tyr Ile Tyr
 3215 3220 3225
 Trp Thr Asp Gly Lys Thr Lys Ser Leu Ser Arg Val His Lys Thr
 3230 3235 3240
 Ser Gly Ala Asp Arg Leu Ser Leu Ile Asn Ser Trp His Ala Ile
 3245 3250 3255
 Thr Asp Ile Gln Val Tyr His Ser Tyr Arg Gln Pro Asp Val Ser
 3260 3265 3270
 Lys His Leu Cys Thr Val Asn Asn Gly Gly Cys Ser His Leu Cys
 3275 3280 3285
 Leu Leu Gly Pro Gly Lys Thr His Thr Cys Ala Cys Pro Thr Asn
 3290 3295 3300
 Phe Tyr Leu Ala Ala Asp Asn Arg Thr Cys Leu Ser Asn Cys Thr
 3305 3310 3315
 Ala Ser Gln Phe Arg Cys Lys Thr Asp Lys Cys Ile Pro Phe Trp
 3320 3325 3330

Nonprovisional IP-017.ST25.txt

Trp Lys Cys Asp Thr Val Asp Asp Cys Gly Asp Gly Ser Asp Glu
 3335 3340 3345
 Pro Asp Asp Cys Pro Glu Phe Lys Cys Gln Pro Gly Arg Phe Gln
 3350 3355 3360
 Cys Gly Thr Gly Leu Cys Ala Leu Pro Ala Phe Ile Cys Asp Gly
 3365 3370 3375
 Glu Asn Asp Cys Gly Asp Asn Ser Asp Glu Leu Asn Cys Asp Thr
 3380 3385 3390
 His Val Cys Leu Ala Gly Gln Phe Lys Cys Thr Lys Asn Lys Lys
 3395 3400 3405
 Cys Ile Pro Val Asn Leu Arg Cys Asn Gly Gln Asp Asp Cys Gly
 3410 3415 3420
 Asp Glu Glu Asp Glu Lys Asp Cys Pro Glu Asn Ser Cys Ser Pro
 3425 3430 3435
 Asp Tyr Phe Gln Cys Lys Thr Thr Lys His Cys Ile Ser Lys Leu
 3440 3445 3450
 Trp Val Cys Asp Glu Asp Pro Asp Cys Ala Asp Ala Ser Asp Glu
 3455 3460 3465
 Ala Asn Cys Asp Lys Lys Thr Cys Gly Pro His Glu Phe Gln Cys
 3470 3475 3480
 Lys Asn Asn Asn Cys Ile Pro Asp His Trp Arg Cys Asp Asn Gln
 3485 3490 3495
 Asn Asp Cys Ser Asp Asn Ser Asp Glu Asp Asn Cys Lys Pro Gln
 3500 3505 3510
 Thr Cys Thr Leu Lys Asp Phe Leu Cys Ser Asn Gly Asp Cys Val
 3515 3520 3525
 Ser Ser Arg Phe Trp Cys Asp Gly Glu Phe Asp Cys Ala Asp Gly
 3530 3535 3540
 Ser Asp Glu Lys Asn Cys Glu Thr Ser Cys Ser Lys Asp Gln Phe
 3545 3550 3555
 Gln Cys Ser Asn Gly Gln Cys Leu Ser Ala Lys Trp Lys Cys Asp
 3560 3565 3570
 Gly His Glu Asp Cys Lys Tyr Gly Glu Asp Glu Lys Asn Cys Glu
 3575 3580 3585

Nonprovisional IP-017.ST25.txt

Pro Ala Phe Pro Val Cys Ser Ser Ser Glu Tyr Met Cys Ala Ser
 3590 3595 3600
 Gly Gly Cys Leu Ser Ala Ser Leu Lys Cys Asn Gly Glu Pro Asp
 3605 3610 3615
 Cys Val Asp Gly Ser Asp Glu Met Asp Cys Val Ile Glu Cys Lys
 3620 3625 3630
 Glu Asp Gln Phe Gln Cys Lys Asn Lys Ala Tyr Cys Ile Pro Ile
 3635 3640 3645
 Arg Trp Leu Cys Asp Gly Ile Tyr Asp Cys Val Asp Gly Ser Asp
 3650 3655 3660
 Glu Glu Thr Cys Gly Arg Gly Gly Ser Ile Cys Arg Asp Asp Glu
 3665 3670 3675
 Phe Leu Cys Asn Asn Ser Leu Cys Lys Leu His Phe Trp Val Cys
 3680 3685 3690
 Asp Gly Glu Asp Asp Cys Gly Asp Asn Ser Asp Glu Ala Pro Asp
 3695 3700 3705
 Met Cys Val Lys Phe Leu Cys Pro Pro Thr Arg Pro Tyr Arg Cys
 3710 3715 3720
 Arg Asn Asp Arg Ile Cys Leu Gln Leu Glu Lys Ile Cys Asn Gly
 3725 3730 3735
 Ile Asn Asp Cys Gly Asp Asn Ser Asp Glu Glu His Cys Ser Gly
 3740 3745 3750
 Lys Leu Ser Leu Lys Ser Lys Pro Cys Lys Lys Asp Glu Phe Thr
 3755 3760 3765
 Cys Ser Asn Arg Asn Cys Ile Pro Met Glu Leu Gln Cys Asp Ser
 3770 3775 3780
 Leu Asp Asp Cys Gly Asp Gly Ser Asp Glu Gln Gly Cys Leu Lys
 3785 3790 3795
 Thr Pro Ile Glu His Thr Cys Glu Asn Asn Gly Asn Pro Cys Gly
 3800 3805 3810
 Asp Asp Ala Tyr Cys Asn Gln Ile Lys Thr Ser Val Phe Cys Arg
 3815 3820 3825
 Cys Lys Pro Gly Phe Gln Arg Asn Met Lys Gly Arg Glu Cys Ala
 3830 3835 3840

Nonprovisional IP-017.ST25.txt

Asp Leu Asn Glu Cys Leu Leu Phe Gly Ile Cys Ser His His Cys
 3845 3850 3855
 Leu Asn Thr Arg Gly Ser Tyr Lys Cys Val Cys Asp Gln Asn Phe
 3860 3865 3870
 Gln Glu Lys Asn Asn Ser Cys Ile Ala Lys Gly Ser Glu Asp Gln
 3875 3880 3885
 Ala Leu Tyr Ile Ala Asn Asp Thr Asp Ile Leu Gly Phe Val Tyr
 3890 3895 3900
 Pro Phe Asn Tyr Ser Gly Gly His Gln Gln Ile Ser His Val Glu
 3905 3910 3915
 His Asn Ser Arg Ile Thr Gly Met Asp Val His Tyr Gln Arg Asn
 3920 3925 3930
 Val Ile Val Trp Ser Thr Gln Phe Asn Pro Gly Gly Ile Phe Tyr
 3935 3940 3945
 Lys Met Ile Asp Ala Arg Glu Lys Arg Gln Ala Asn Ser Gly Leu
 3950 3955 3960
 Ile Cys Pro Glu Phe Lys Arg Pro Arg Asp Ile Ala Val Asp Trp
 3965 3970 3975
 Val Ala Gly Asn Val Tyr Trp Thr Asp His Ser Arg Met His Trp
 3980 3985 3990
 Phe Ser Tyr Tyr Thr Thr His Trp Thr Ser Leu Arg Tyr Ser Ile
 3995 4000 4005
 Asn Val Gly Gln Leu Asn Gly Pro Asn Cys Thr Arg Leu Leu Thr
 4010 4015 4020
 Asn Met Ala Gly Glu Pro Tyr Ala Ile Ala Val Asn Pro Lys Arg
 4025 4030 4035
 Gly Met Met Tyr Trp Thr Val Ile Gly Asp His Ser His Ile Glu
 4040 4045 4050
 Glu Ala Ala Met Asp Gly Thr Leu Arg Arg Val Leu Val Gln Lys
 4055 4060 4065
 Asn Leu Gln Arg Pro Thr Gly Leu Thr Val Asp His Phe Gly Glu
 4070 4075 4080
 Arg Ile Tyr Trp Ala Asp Phe Glu Leu Ser Ile Ile Gly Ser Val
 4085 4090 4095

Nonprovisional IP-017.ST25.txt

Leu Tyr Asp Gly Ser Ser Pro Val Val Ser Val Ser Ser Lys Gln
 4100 4105 4110
 Gly Leu Leu His Pro His Arg Ile Asp Val Phe Glu Asp Tyr Ile
 4115 4120 4125
 Tyr Gly Ala Gly Pro Lys Asn Gly Ile Phe Arg Val Gln Lys Phe
 4130 4135 4140
 Gly His Gly Ser Val Glu Val Leu Ala Leu Gly Val Asp Lys Thr
 4145 4150 4155
 Lys Ser Ile Leu Val Ser His Arg Tyr Lys Gln Leu Asn Leu Pro
 4160 4165 4170
 Asn Pro Cys Leu Asp Leu Ser Cys Asp Phe Leu Cys Leu Leu Asn
 4175 4180 4185
 Pro Ser Gly Ala Thr Cys Ile Cys Pro Glu Gly Lys Tyr Met Met
 4190 4195 4200
 Asn Gly Thr Cys His Asp Asp Ser Leu Leu Asp Asp Ser Cys Lys
 4205 4210 4215
 Leu Thr Cys Glu Asn Gly Gly Arg Cys Ile Leu Asn Glu Lys Gly
 4220 4225 4230
 Asp Leu Arg Cys His Cys Trp Pro Ser Tyr Ser Gly Gly Arg Cys
 4235 4240 4245
 Glu Val Asn His Cys Ser Asn Tyr Cys Gln Asn Gly Gly Thr Cys
 4250 4255 4260
 Ile Pro Ser Thr Leu Gly Arg Pro Thr Cys Ile Cys Ala Leu Gly
 4265 4270 4275
 Phe Thr Gly Pro Asn Cys Gly Lys Ala Val Cys Glu Asp Ser Cys
 4280 4285 4290
 His Asn Gly Gly Ser Cys Val Val Thr Ala Gly Asn Gln Pro Tyr
 4295 4300 4305
 Cys His Cys Gln Ala Asp Tyr Thr Gly Asp Arg Cys Gln Tyr Tyr
 4310 4315 4320
 Val Cys His His Tyr Cys Val Asn Ser Glu Ser Cys Thr Ile Gly
 4325 4330 4335
 Asn Asp Gly Ser Val Glu Cys Val Cys Pro Thr Arg Tyr Glu Gly
 4340 4345 4350

Nonprovisional IP-017.ST25.txt

Pro Lys Cys Glu Ile Asp Lys Cys Val Arg Cys His Gly Gly His
 4355 4360 4365
 Cys Ile Ile Asn Lys Asp Asn Glu Asp Ile Phe Cys Asn Cys Thr
 4370 4375 4380
 Asn Gly Lys Ile Ala Ser Ser Cys Gln Leu Cys Asp Gly Tyr Cys
 4385 4390 4395
 Tyr Asn Gly Gly Thr Cys Gln Leu Asp Pro Glu Thr Ser Ile Pro
 4400 4405 4410
 Val Cys Val Cys Ser Thr Asn Trp Ser Gly Thr Gln Cys Glu Arg
 4415 4420 4425
 Pro Ala Pro Lys Ser Ser Lys Ser Glu His Ile Ser Thr Arg Ser
 4430 4435 4440
 Ile Ala Ile Ile Val Pro Leu Val Leu Leu Val Thr Leu Val Thr
 4445 4450 4455
 Thr Leu Val Ile Gly Leu Val Val Cys Lys Arg Lys Arg Arg Thr
 4460 4465 4470
 Lys Thr Ile Arg Arg Gln Pro Ile Ile Asn Gly Gly Ile Asn Val
 4475 4480 4485
 Glu Ile Gly Asn Pro Ser Tyr Asn Met Tyr Glu Val Asp His Asp
 4490 4495 4500
 His Ser Asp Gly Gly Leu Leu Glu Pro Ser Phe Met Ile Asp Pro
 4505 4510 4515
 Val Lys Ser Arg Tyr Ile Gly Gly Gly Ser Ser Ala Phe Lys Leu
 4520 4525 4530
 Pro His Thr Ala Pro Pro Ile Tyr Leu Asn Ser Asp Leu Lys Gly
 4535 4540 4545
 Pro Leu Thr Phe Gly Pro Thr Asn Tyr Ser Asn Pro Val Tyr Ala
 4550 4555 4560
 Lys Leu Tyr Met Asp Gly Gln Asn Cys Arg Asn Ser Leu Ala Ser
 4565 4570 4575
 Val Asp Glu Arg Lys Glu Leu Leu Pro Lys Lys Ile Glu Ile Gly
 4580 4585 4590
 Ile Arg Glu Thr Val Ala
 4595

Nonprovisional IP-017.ST25.txt

<210> 70
 <211> 4599
 <212> PRT
 <213> MOUSE

<400> 70

Met Ser Gln Leu Leu Leu Ala Ile Leu Thr Leu Ser Gly Leu Leu Pro
 1 5 10 15
 Asn Ala Glu Val Leu Ile Val Gly Ala Asn Gln Asp Gln His Leu Cys
 20 25 30
 Asp Pro Gly Glu Phe Leu Cys His Asp His Val Thr Cys-Val Ser Gln
 35 40 45
 Ser Trp Leu Cys Asp Gly Asp Pro Asp Cys Pro Asp Gln Ser Asp Glu
 50 55 60
 Ser Leu Asp Thr Cys Pro Glu Glu Val Glu Ile Lys Cys Pro Leu Asn
 65 70 75 80
 His Ile Ala Cys His Gly Ser Ser Ala Cys Val His Leu Ser Lys Leu
 85 90 95
 Cys Asn Gly Val Val Asp Cys Pro Asp Gly Phe Asp Glu Gly Gly His
 100 105 110
 Cys Gln Glu Leu Leu Pro Ser Cys Gln Gln Leu Asn Cys Gln Phe Lys
 115 120 125
 Cys Ala Met Val Arg Asn Ala Thr Arg Cys Tyr Cys Glu Asp Gly Phe
 130 135 140
 Glu Val Ala Glu Asp Gly Arg Ser Cys Lys Asp Gln Asp Glu Cys Ser
 145 150 155 160
 Ile Tyr Gly Ile Cys Ser Gln Thr Cys Lys Asn Thr Tyr Gly Ser Tyr
 165 170 175
 Ala Cys Ser Cys Val Glu Gly Tyr Ile Met Gln Ser Asp Asn Arg Ser
 180 185 190
 Cys Lys Val Lys His Glu Pro Thr Asp Lys Ala Pro Met Leu Leu Ile
 195 200 205
 Ser Ser Leu Glu Thr Ile Glu Leu Phe Tyr Ile Asn Gly Ser Lys Met
 210 215 220
 Thr Thr Leu Ser Ser Ala Asn Arg Asn Glu Ile His Thr Leu Asp Phe
 225 230 235 240

Nonprovisional IP-017.ST25.txt

Ile Tyr Ser Glu Glu Met Ile Cys Trp Ile Glu Ser Arg Glu Ser Ser
 245 250 255
 Asn Gln Leu Lys Cys Gly Gln Ile Thr Lys Ala Gly Arg Leu Thr Asp
 260 265 270
 Gln Arg Ile Ile Asn Ser Leu Gln Ser Phe Gln Asn Val Glu Gln Met
 275 280 285
 Ala Phe Asp Trp Leu Thr Arg Asn Ile Tyr Phe Val Asp His Val Ser
 290 295 300
 Asp Arg Ile Phe Val Cys Asn Phe Asn Gly Ser Val Cys Val Thr Leu
 305 310 315 320
 Ile Glu Ser Glu Leu His Asn Pro Lys Ala Ile Ala Ala Asp Pro Ile
 325 330 335
 Ala Gly Lys Leu Phe Phe Thr Asp Tyr Gly Asn Val Pro Lys Ile Glu
 340 345 350
 Arg Cys Asp Leu Asp Gly Met Asn Arg Thr Arg Ile Val Tyr Ser Lys
 355 360 365
 Ala Glu Gln Pro Ser Ala Leu Ala Leu Asp Leu Val Asn Arg Leu Val
 370 375 380
 Tyr Trp Val Asp Leu Tyr Leu Asp Tyr Val Gly Val Val Asp Tyr Gln
 385 390 395 400
 Gly Lys Asn Arg His Thr Ile Val Gln Gly Arg Gln Val Lys His Leu
 405 410 415
 Tyr Gly Ile Thr Val Phe Glu Asp Tyr Leu Tyr Ala Thr Ser Ser Asp
 420 425 430
 Asn Phe Asn Ile Ile Arg Ile Asn Arg Phe Asn Gly Thr Asp Ile His
 435 440 445
 Ser Ile Ile Lys Met Glu Ser Ala Arg Gly Ile Arg Thr Tyr Gln Lys
 450 455 460
 Arg Thr Gln Pro Thr Val Arg Ser His Ala Cys Glu Val Asp Ala Tyr
 465 470 475 480
 Gly Met Pro Gly Gly Cys Ser His Ile Cys Leu Leu Ser Ser Ser Tyr
 485 490 495
 Lys Thr Arg Thr Cys Arg Cys Arg Thr Gly Phe Asn Met Gly Ser Asp
 500 505 510

Nonprovisional IP-017.ST25.txt

Gly Arg Ser Cys Lys Arg Pro Lys Asn Glu Leu Phe Leu Phe Tyr Gly
 515 520 525
 Lys Gly Arg Pro Gly Ile Val Arg Gly Met Asp Leu Asn Thr Lys Ile
 530 535 540
 Ala Asp Glu Cys Met Ile Pro Ile Glu Asn Leu Val Asn Pro Arg Ala
 545 550 555 560
 Leu Asp Phe His Ala Glu Ala Asn Tyr Ile Tyr Phe Ala Asp Thr Thr
 565 570 575
 Ser Phe Leu Ile Gly Arg Gln Lys Ile Asp Gly Thr Glu Arg Glu Thr
 580 585 590
 Ile Leu Lys Asp Asp Leu Asp Asn Val Glu Gly Ile Ala Val Asp Trp
 595 600 605
 Ile Gly Asn Asn Leu Tyr Trp Thr Asn Asp Gly His Arg Lys Thr Ile
 610 615 620
 Asn Val Ala Arg Leu Glu Lys Ala Ser Gln Ser Arg Lys Thr Leu Leu
 625 630 635 640
 Glu Gly Gly Met Ser His Pro Arg Ala Ile Val Val Asp Pro Val Asn
 645 650 655
 Gly Trp Met Tyr Trp Thr Asp Trp Lys Glu Asp Lys Ile Asp Asp Ser
 660 665 670
 Val Gly Arg Ile Glu Lys Ala Trp Met Asp Gly Val Asn Arg Gln Val
 675 680 685
 Phe Val Thr Ser Lys Met Leu Trp Pro Asn Gly Leu Thr Leu Asp Phe
 690 695 700
 His Thr Ser Thr Leu Tyr Trp Cys Asp Ala Tyr Tyr Asp His Ile Glu
 705 710 715 720
 Lys Val Phe Leu Asn Gly Thr His Arg Lys Val Val Tyr Ser Gly Lys
 725 730 735
 Glu Leu Asn His Pro Phe Gly Leu Ser His His Gly Asn Tyr Val Phe
 740 745 750
 Trp Thr Asp Tyr Met Asn Gly Ser Ile Phe Gln Leu Asp Leu Met Thr
 755 760 765
 Asn Glu Val Thr Leu Leu Arg His Glu Arg Ala Pro Leu Phe Gly Leu
 770 775 780

Nonprovisional IP-017.ST25.txt

Gln Ile Tyr Asp Pro Arg Lys Gln Gln Gly Asp Asn Met Cys Arg Ile
 785 790 795 800
 Asn Asn Gly Gly Cys Gly Thr Leu Cys Leu Ala Ile Pro Ala Gly Arg
 805 810 815
 Val Cys Ala Cys Ala Asp Asn Gln Leu Leu Asp Glu Asn Gly Thr Thr
 820 825 830
 Cys Thr Phe Asn Pro Glu Glu Ile Arg Phe His Ile Cys Lys Pro Gly
 835 840 845
 Glu Phe Arg Cys Lys Asn Lys His Cys Ile Gln Ala Arg Trp Lys Cys
 850 855 860
 Asp Gly Asp Asp Asp Cys Leu Asp Gly Ser Asp Glu Asp Ser Val Thr
 865 870 875 880
 Cys Phe Asn His Ser Cys Pro Asp Asp Gln Phe Lys Cys Gln Asn Asn
 885 890 895
 Arg Cys Ile Pro Lys Arg Trp Leu Cys Asp Gly Ala Asn Asp Cys Gly
 900 905 910
 Ser Asn Glu Asp Glu Ser Asn Gln Thr Cys Thr Ala Arg Thr Cys Gln
 915 920 925
 Ala Asp Gln Phe Ser Cys Gly Asn Gly Arg Cys Ile Pro Thr Ala Trp
 930 935 940
 Leu Cys Asp Arg Glu Asp Asp Cys Gly Asp Gln Thr Asp Glu Val Ala
 945 950 955 960
 Ser Cys Glu Phe Pro Thr Cys Glu Pro Leu Thr Gln Phe Ile Cys Lys
 965 970 975
 Ser Gly Arg Cys Ile Ser Asn Lys Trp His Cys Asp Thr Asp Asp Asp
 980 985 990
 Cys Gly Asp Arg Ser Asp Glu Val Gly Cys Val His Ser Cys Leu Asp
 995 1000 1005
 Asp Gln Phe Arg Cys Ser Ser Gly Arg Cys Ile Pro Gly His Trp
 1010 1015 1020
 Ala Cys Asp Gly Asp Asn Asp Cys Gly Asp Phe Ser Asp Glu Thr
 1025 1030 1035
 His Ile Asn Cys Thr Lys Glu Glu Ala Arg Ser Pro Ala Gly Cys
 1040 1045 1050

Nonprovisional IP-017.ST25.txt

Ile Gly Asn Glu Phe Gln Cys Arg Pro Asp Gly Asn Cys Ile Pro
 1055 1060 1065
 Asp Leu Trp Arg Cys Asp Gly Glu Lys Asp Cys Glu Asp Gly Ser
 1070 1075 1080
 Asp Glu Lys Gly Cys Asn Gly Thr Ile Arg Leu Cys Asp His Lys
 1085 1090 1095
 Thr Lys Phe Ser Cys Arg Ser Thr Gly Arg Cys Ile Asn Asn Ala
 1100 1105 1110
 Trp Val Cys Asp Gly Asp Val Asp Cys Glu Asp Gln Ser Asp Glu
 1115 1120 1125
 Glu Asp Cys Asp Ser Phe Leu Cys Gly Pro Pro Lys Tyr Pro Cys
 1130 1135 1140
 Ala Asn Asp Thr Ser Val Cys Leu Gln Pro Glu Lys Leu Cys Asn
 1145 1150 1155
 Gly Arg Lys Asp Cys Pro Asp Gly Ser Asp Glu Gly Asp Leu Cys
 1160 1165 1170
 Asp Glu Cys Ser Leu Asn Asn Gly Gly Cys Ser Asn His Cys Ser
 1175 1180 1185
 Val Val Pro Gly Arg Gly Ile Val Cys Ser Cys Pro Glu Gly His
 1190 1195 1200
 Gln Leu Lys Lys Asp Asn Arg Thr Cys Glu Ile Val Asp Tyr Cys
 1205 1210 1215
 Ala Ser His Leu Arg Cys Ser Gln Val Cys Glu Gln Gln Lys His
 1220 1225 1230
 Met Val Lys Cys Ser Cys Tyr Glu Gly Trp Ala Leu Gly Thr Asp
 1235 1240 1245
 Gly Glu Ser Cys Thr Ser Val Asp Ser Phe Glu Ala Phe Ile Ile
 1250 1255 1260
 Phe Ser Ile Arg His Glu Ile Arg Arg Ile Asp Leu His Lys Gly
 1265 1270 1275
 Asp Tyr Ser Leu Leu Val Pro Gly Leu Arg Asn Thr Ile Ala Leu
 1280 1285 1290
 Asp Phe His Phe Asn Gln Ser Leu Leu Tyr Trp Thr Asp Val Val
 1295 1300 1305

Nonprovisional IP-017.ST25.txt

Glu Asp Arg Ile Tyr Arg Gly Lys Leu Ser Glu Ser Gly Gly Val
 1310 1315 1320
 Ser Ala Ile Glu Val Val Val Glu His Gly Leu Ala Thr Pro Glu
 1325 1330 1335
 Gly Leu Thr Val Asp Trp Ile Ala Gly Asn Ile Tyr Trp Ile Asp
 1340 1345 1350
 Ser Asn Leu Asp Gln Ile Glu Val Ser Lys Leu Asp Gly Ser Leu
 1355 1360 1365
 Arg Ala Thr Leu Ile Ala Gly Ala Met Glu His Pro Arg Ala Ile
 1370 1375 1380
 Ala Leu Asp Pro Arg Tyr Gly Ile Leu Phe Trp Thr Asp Trp Asp
 1385 1390 1395
 Ala Asn Phe Pro Arg Ile Glu Ser Ala Ser Met Ser Gly Ala Gly
 1400 1405 1410
 Arg Lys Thr Ile Tyr Lys Asp Met Lys Thr Gly Ala Trp Pro Asn
 1415 1420 1425
 Gly Leu Thr Val Asp His Phe Glu Arg Arg Ile Val Trp Thr Asp
 1430 1435 1440
 Ala Arg Ser Asp Ala Ile Tyr Ser Ala Phe Tyr Asp Gly Thr Asn
 1445 1450 1455
 Met Ile Glu Ile Ile Arg Gly His Glu Tyr Leu Ser His Pro Phe
 1460 1465 1470
 Ala Val Ser Leu Tyr Gly Ser Glu Val Tyr Trp Thr Asp Trp Arg
 1475 1480 1485
 Thr Asn Thr Leu Ala Lys Ala Asn Lys Trp Thr Gly Gln Asn Val
 1490 1495 1500
 Ser Val Ile Gln Lys Thr Ser Ala Gln Pro Phe Asp Leu Gln Ile
 1505 1510 1515
 Tyr His Pro Ser Arg Gln Pro Gln Ala Pro Asn Pro Cys Ala Ala
 1520 1525 1530
 Asn Glu Gly Arg Gly Pro Cys Ser His Leu Cys Leu Ile Asn His
 1535 1540 1545
 Asn Arg Ser Ala Ala Cys Ala Cys Pro His Leu Met Lys Leu Ser
 1550 1555 1560

Nonprovisional IP-017.ST25.txt

Ser Asp Lys Lys Thr Cys Tyr Glu Met Lys Lys Phe Leu Leu Tyr
 1565 1570 1575
 Ala Arg Arg Ser Glu Ile Arg Gly Val Asp Ile Asp Asn Pro Tyr
 1580 1585 1590
 Val Asn Phe Ile Thr Ala Phe Thr Val Pro Asp Ile Asp Asp Val
 1595 1600 1605
 Ala Val Ile Asp Phe Asp Ala Ser Glu Glu Arg Leu Tyr Trp Thr
 1610 1615 1620
 Asp Ile Lys Thr Gln Thr Ile Thr Arg Ala Phe Ile Asn Gly Thr
 1625 1630 1635
 Gly Leu Glu Thr Val Ile Ser Arg Asp Ile Gln Ser Ile Arg Gly
 1640 1645 1650
 Leu Ala Val Asp Trp Val Ser Arg Asn Leu Tyr Trp Ile Ser Ser
 1655 1660 1665
 Glu Phe Asp Glu Thr Gln Ile Asn Val Ala Arg Leu Asp Gly Ser
 1670 1675 1680
 Leu Lys Thr Ser Ile Ile His Gly Ile Asp Lys Pro Gln Cys Leu
 1685 1690 1695
 Ala Ala His Pro Val Arg Gly Lys Leu Tyr Trp Thr Asp Gly Asn
 1700 1705 1710
 Thr Ile Asn Met Ala Asn Met Asp Gly Ser Asn Ser Lys Ile Leu
 1715 1720 1725
 Phe Gln Asn Gln Lys Glu Pro Val Gly Leu Ser Ile Asp Tyr Val
 1730 1735 1740
 Glu Asn Lys Leu Tyr Trp Ile Ser Ser Gly Asn Gly Thr Ile Asn
 1745 1750 1755
 Arg Cys Asn Leu Asp Gly Gly Asn Leu Glu Val Ile Glu Ser Met
 1760 1765 1770
 Lys Glu Glu Leu Thr Lys Ala Thr Ala Leu Thr Ile Met Asp Lys
 1775 1780 1785
 Lys Leu Trp Trp Ala Asp Gln Asn Leu Ala Gln Leu Gly Thr Cys
 1790 1795 1800
 Asn Lys Arg Asp Gly Arg Asn Pro Ser Ile Leu Arg Asn Lys Thr
 1805 1810 1815

Nonprovisional IP-017.ST25.txt

Ser Gly Val Val His Met Lys Val Tyr Asp Lys Glu Ala Gln Gln
 1820 1825 1830
 Gly Ser Asn Ser Cys Gln Val Asn Asn Gly Gly Cys Ser Gln Leu
 1835 1840 1845
 Cys Leu Pro Thr Ser Glu Thr Thr Arg Thr Cys Met Cys Thr Val
 1850 1855 1860
 Gly Tyr Tyr Leu Gln Lys Asn Arg Met Ser Cys Gln Gly Ile Glu
 1865 1870 1875
 Ser Phe Leu Met Tyr Ser Val His Glu Gly Ile Arg Gly Ile Pro
 1880 1885 1890
 Leu Glu Pro Arg Asp Lys Val Asp Ala Leu Met Pro Ile Ser Gly
 1895 1900 1905
 Ala Ala Phe Ala Val Gly Ile Asp Phe His Ala Glu Asn Asp Thr
 1910 1915 1920
 Ile Tyr Trp Thr Asp Met Gly Leu Asn Lys Ile Ser Arg Ala Lys
 1925 1930 1935
 Arg Asp Gln Thr Trp Lys Glu Asp Val Val Thr Asn Gly Leu Gly
 1940 1945 1950
 Arg Val Glu Gly Ile Ala Val Asp Trp Ile Ala Gly Asn Ile Tyr
 1955 1960 1965
 Trp Thr Asp His Gly Phe Asn Leu Ile Glu Val Ala Arg Leu Asn
 1970 1975 1980
 Gly Ser Phe Arg Tyr Val Ile Ile Ser Gln Gly Leu Asp Gln Pro
 1985 1990 1995
 Arg Ser Ile Ala Val His Pro Glu Lys Gly Phe Leu Phe Trp Thr
 2000 2005 2010
 Glu Trp Gly Gln Val Pro Cys Ile Gly Lys Ala Arg Leu Asp Gly
 2015 2020 2025
 Ser Glu Lys Val Met Ile Val Ser Val Gly Ile Thr Trp Pro Asn
 2030 2035 2040
 Gly Ile Ser Ile Asp Tyr Glu Glu Asn Lys Leu Tyr Trp Cys Asp
 2045 2050 2055
 Ala Arg Ser Asp Lys Ile Glu Arg Ile Asp Leu Asp Thr Gly Ala
 2060 2065 2070

Nonprovisional IP-017.ST25.txt

Asn Arg Glu Val Leu Leu Ser Gly Ser Asn Val Asp Leu Phe Ser
 2075 2080 2085
 Val Ala Val Phe Gly Ala Tyr Ile Tyr Trp Ser Asp Arg Ala His
 2090 2100
 Ala Asn Gly Ser Val Arg Arg Gly His Lys Asn Asp Ala Thr Glu
 2105 2110 2115
 Thr Val Thr Met Arg Thr Gly Leu Gly Val Asn Leu Lys Glu Ile
 2120 2125 2130
 Lys Ile Phe Asn Arg Val Arg Glu Lys Gly Thr Asn Val Cys Ala
 2135 2140 2145
 Lys Glu Asn Gly Gly Cys Gln Gln Leu Cys Leu Tyr Arg Gly Asn
 2150 2155 2160
 Ser Arg Arg Thr Cys Ala Cys Ala His Gly Tyr Leu Ala Gly Asp
 2165 2170 2175
 Gly Val Thr Cys Leu Arg His Glu Gly Tyr Leu Leu Tyr Ser Gly
 2180 2185 2190
 Arg Thr Ile Leu Lys Ser Ile His Leu Ser Asp Glu Thr Asn Leu
 2195 2200 2205
 Asn Ser Pro Val Arg Pro Tyr Glu Asn Pro Asn Tyr Phe Lys Asn
 2210 2215 2220
 Ile Ile Ala Leu Ala Phe Asp Tyr Asn Gln Arg Arg Glu Gly Thr
 2225 2230 2235
 Asn Arg Ile Phe Tyr Ser Asp Ala His Phe Gly Asn Ile Gln Leu
 2240 2245 2250
 Ile Lys Asp Asn Trp Glu Asp Arg Gln Val Ile Val Glu Asn Val
 2255 2260 2265
 Gly Ser Val Glu Gly Leu Ala Tyr His Arg Ala Trp Asp Thr Leu
 2270 2275 2280
 Tyr Trp Thr Ser Ser Ser Thr Ser Ser Ile Thr Arg His Thr Val
 2285 2290 2295
 Asp Gln Thr Arg Pro Gly Ala Ile Asp Arg Glu Ala Val Ile Thr
 2300 2305 2310
 Met Ser Glu Asp Asp His Pro His Val Leu Ala Leu Asp Glu Cys
 2315 2320 2325

Nonprovisional IP-017.ST25.txt

Gln Asn Leu Met Phe Trp Thr Asn Trp Asn Glu Gln His Pro Ser
 2330 2335 2340
 Ile Met Arg Ala Thr Leu Thr Gly Lys Asn Ala His Val Val Val
 2345 2350 2355
 Ser Thr Asp Ile Leu Thr Pro Asn Gly Leu Thr Ile Asp His Arg
 2360 2365 2370
 Ala Glu Lys Leu Tyr Phe Ser Asp Gly Ser Leu Gly Lys Ile Glu
 2375 2380 2385
 Arg Cys Glu Tyr Asp Gly Ser Gln Arg His Val Ile Val Lys Ser
 2390 2395 2400
 Gly Pro Gly Thr Phe Leu Ser Leu Ala Val Tyr Asp Ser Tyr Ile
 2405 2410 2415
 Phe Trp Ser Asp Trp Gly Arg Arg Ala Ile Leu Arg Ser Asn Lys
 2420 2425 2430
 Tyr Thr Gly Gly Glu Thr Lys Ile Leu Arg Ser Asp Ile Pro His
 2435 2440 2445
 Gln Pro Met Gly Ile Ile Ala Val Ala Asn Asp Thr Asn Ser Cys
 2450 2455 2460
 Glu Leu Ser Pro Cys Ala Leu Leu Asn Gly Gly Cys His Asp Leu
 2465 2470 2475
 Cys Leu Leu Thr Pro Asp Gly Arg Val Asn Cys Ser Cys Arg Gly
 2480 2485 2490
 Asp Arg Val Leu Leu Ala Asn Asn Arg Cys Val Thr Lys Asn Ser
 2495 2500 2505
 Ser Cys Asn Ile Tyr Ser Glu Phe Glu Cys Gly Asn Gly Asp Cys
 2510 2515 2520
 Val Asp Tyr Val Leu Thr Cys Asp Gly Ile Pro His Cys Lys Asp
 2525 2530 2535
 Lys Ser Asp Glu Lys Leu Leu Tyr Cys Glu Asn Arg Ser Cys Arg
 2540 2545 2550
 Ser Gly Phe Lys Pro Cys Tyr Asn Arg Arg Cys Val Pro His Gly
 2555 2560 2565
 Lys Leu Cys Asp Gly Thr Asn Asp Cys Gly Asp Ser Ser Asp Glu
 2570 2575 2580

Nonprovisional IP-017.ST25.txt

Leu Asp Cys Lys Val Ser Thr Cys Ser Thr Val Glu Phe Arg Cys
 2585 2590 2595
 Ala Asp Gly Thr Cys Ile Pro Arg Ser Ala Arg Cys Asn Gln Asn
 2600 2605 2610
 Met Asp Cys Ser Asp Ala Ser Asp Glu Lys Gly Cys Asn Asn Thr
 2615 2620 2625
 Asp Cys Thr His Phe Tyr Lys Leu Gly Val Lys Ser Thr Gly Phe
 2630 2635 2640
 Ile Arg Cys Asn Ser Thr Ser Leu Cys Val Leu Pro Ser Trp Ile
 2645 2650 2655
 Cys Asp Gly Ser Asn Asp Cys Gly Asp Tyr Ser Asp Glu Leu Lys
 2660 2665 2670
 Cys Pro Val Gln Asn Lys His Lys Cys Glu Glu Asn Tyr Phe Gly
 2675 2680 2685
 Cys Pro Ser Gly Arg Cys Ile Leu Asn Thr Trp Val Cys Asp Gly
 2690 2695 2700
 Gln Lys Asp Cys Glu Asp Gly Leu Asp Glu Leu His Cys Asp Ser
 2705 2710 2715
 Ser Cys Ser Trp Asn Gln Phe Ala Cys Ser Val Lys Lys Cys Ile
 2720 2725 2730
 Ser Lys His Trp Ile Cys Asp Gly Glu Asp Asp Cys Gly Asp Ser
 2735 2740 2745
 Leu Asp Glu Ser Asp Ser Ile Cys Gly Ala Val Thr Cys Ala Ala
 2750 2755 2760
 Asp Met Phe Ser Cys Gln Gly Ser His Ala Cys Val Pro Gln His
 2765 2770 2775
 Trp Leu Cys Asp Gly Glu Arg Asp Cys Pro Asp Gly Ser Asp Glu
 2780 2785 2790
 Leu Ser Ser Ala Gly Cys Ala Pro Asn Asn Thr Cys Asp Glu Asn
 2795 2800 2805
 Ala Phe Met Cys His Asn Lys Val Cys Ile Pro Lys Gln Phe Val
 2810 2815 2820
 Cys Asp His Asp Asp Asp Cys Gly Asp Gly Ser Asp Glu Phe Leu
 2825 2830 2835

Nonprovisional IP-017.ST25.txt

Gln Cys Gly Tyr Arg Gln Cys Gly Pro Glu Glu Phe Arg Cys Ala
 2840 2845 2850
 Asp Gly Arg Cys Leu Val Asn Thr Leu Trp Gln Cys Asp Gly Asp
 2855 2860 2865
 Phe Asp Cys Pro Asp Ser Ser Asp Glu Ala Pro Ile Asn Pro Arg
 2870 2875 2880
 Cys Arg Ser Ala Glu His Ser Cys Asn Ser Ser Phe Phe Met Cys
 2885 2890 2895
 Lys Asn Gly Arg Cys Ile Pro Ser Asp Gly Leu Cys Asp Ile Arg
 2900 2905 2910
 Asp Asp Cys Gly Asp Gly Ser Asp Glu Thr Asn Cys His Ile Asn
 2915 2920 2925
 Glu Cys Leu Ser Lys Lys Ile Ser Gly Cys Ser Gln Asp Cys Gln
 2930 2935 2940
 Asp Leu Pro Val Ser Tyr Lys Cys Lys Cys Trp Pro Gly Phe Gln
 2945 2950 2955
 Leu Lys Asp Asp Gly Lys Thr Cys Val Asp Ile Asp Glu Cys Ser
 2960 2965 2970
 Ser Gly Phe Pro Cys Ser Gln Gln Cys Ile Asn Thr Tyr Gly Thr
 2975 2980 2985
 Tyr Lys Cys His Cys Ala Glu Gly Tyr Glu Thr Gln Pro Asp Asn
 2990 2995 3000
 Pro Asn Gly Cys Arg Ser Leu Ser Asp Glu Glu Pro Phe Leu Ile
 3005 3010 3015
 Leu Ala Asp Gln His Glu Ile Arg Lys Ile Ser Thr Asp Gly Ser
 3020 3025 3030
 Asn Tyr Thr Leu Leu Lys Gln Gly Leu Asn Asn Val Ile Ala Leu
 3035 3040 3045
 Asp Phe Asp Tyr Arg Glu Glu Phe Ile Tyr Trp Ile Asp Ser Ser
 3050 3055 3060
 Arg Pro Asn Gly Ser Arg Ile Asn Arg Met Cys Leu Asn Gly Ser
 3065 3070 3075
 Asp Ile Lys Val Val His Asn Thr Ala Val Pro Asn Ala Leu Ala
 3080 3085 3090

Nonprovisional IP-017.ST25.txt

Val Asp Trp Ile Gly Lys Asn Leu Tyr Trp Ser Asp Thr Glu Lys
 3095 3100 3105
 Arg Ile Ile Glu Val Ser Lys Leu Asn Gly Leu Tyr Pro Thr Val
 3110 3115 3120
 Leu Val Ser Lys Arg Leu Lys Phe Pro Arg Asp Leu Ser Leu Asp
 3125 3130 3135
 Pro Arg Ala Gly Asn Leu Tyr Trp Ile Asp Cys Cys Glu Tyr Pro
 3140 3145 3150
 His Ile Gly Arg Val Gly Met Asp Gly Thr Asn Gln Ser Val Val
 3155 3160 3165
 Ile Glu Thr Lys Ile Ser Arg Pro Met Ala Leu Thr Ile Asp Tyr
 3170 3175 3180
 Val Asn His Arg Leu Tyr Trp Ala Asp Glu Asn His Ile Glu Phe
 3185 3190 3195
 Ser Asn Met Asp Gly Ser His Arg His Lys Val Pro Asn Gln Asp
 3200 3205 3210
 Ile Pro Gly Val Ile Ala Leu Thr Leu Phe Glu Asp Tyr Ile Tyr
 3215 3220 3225
 Trp Thr Asp Gly Lys Thr Lys Ser Leu Ser Arg Val His Lys Thr
 3230 3235 3240
 Ser Gly Ala Asp Arg Leu Ser Leu Ile Asn Ser Trp His Ala Ile
 3245 3250 3255
 Thr Asp Ile Gln Val Tyr His Ser Tyr Arg Gln Pro Asp Val Ser
 3260 3265 3270
 Lys His Leu Cys Thr Val Asn Asn Gly Gly Cys Ser His Leu Cys
 3275 3280 3285
 Leu Leu Gly Pro Gly Lys Thr His Thr Cys Ala Cys Pro Thr Asn
 3290 3295 3300
 Phe Tyr Leu Ala Ala Asp Asn Arg Thr Cys Leu Ser Asn Cys Thr
 3305 3310 3315
 Ala Ser Gln Phe Arg Cys Lys Thr Asp Lys Cys Ile Pro Phe Trp
 3320 3325 3330
 Trp Lys Cys Asp Thr Val Asp Asp Cys Gly Asp Gly Ser Asp Glu
 3335 3340 3345

Nonprovisional IP-017.ST25.txt

Pro Asp Asp Cys Pro Glu Phe Lys Cys Gln Pro Gly Arg Phe Gln
 3350 3355 3360
 Cys Gly Thr Gly Leu Cys Ala Leu Pro Ala Phe Ile Cys Asp Gly
 3365 3370 3375
 Glu Asn Asp Cys Gly Asp Asn Ser Asp Glu Leu Asn Cys Asp Thr
 3380 3385 3390
 His Val Cys Leu Ala Gly Gln Phe Lys Cys Thr Lys Asn Lys Lys
 3395 3400 3405
 Cys Ile Pro Val Asn Leu Arg Cys Asn Gly Gln Asp Asp Cys Gly
 3410 3415 3420
 Asp Glu Glu Asp Glu Lys Asp Cys Pro Glu Asn Ser Cys Ser Pro
 3425 3430 3435
 Asp Tyr Phe Gln Cys Lys Thr Thr Lys His Cys Ile Ser Lys Leu
 3440 3445 3450
 Trp Val Cys Asp Glu Asp Pro Asp Cys Ala Asp Ala Ser Asp Glu
 3455 3460 3465
 Ala Asn Cys Asp Lys Lys Thr Cys Gly Pro His Glu Phe Gln Cys
 3470 3475 3480
 Lys Asn Asn Asn Cys Ile Pro Asp His Trp Arg Cys Asp Asn Gln
 3485 3490 3495
 Asn Asp Cys Ser Asp Asn Ser Asp Glu Asp Asn Cys Lys Pro Gln
 3500 3505 3510
 Thr Cys Thr Leu Lys Asp Phe Leu Cys Ser Asn Gly Asp Cys Val
 3515 3520 3525
 Ser Ser Arg Phe Trp Cys Asp Gly Glu Phe Asp Cys Ala Asp Gly
 3530 3535 3540
 Ser Asp Glu Lys Asn Cys Glu Thr Ser Cys Ser Lys Asp Gln Phe
 3545 3550 3555
 Gln Cys Ser Asn Gly Gln Cys Leu Ser Ala Lys Trp Lys Cys Asp
 3560 3565 3570
 Gly His Glu Asp Cys Lys Tyr Gly Glu Asp Glu Lys Asn Cys Glu
 3575 3580 3585
 Pro Ala Phe Pro Val Cys Ser Ser Ser Glu Tyr Met Cys Ala Ser
 3590 3595 3600

Nonprovisional IP-017.ST25.txt

Gly Gly Cys Leu Ser Ala Ser Leu Lys Cys Asn Gly Glu Pro Asp
 3605 3610 3615
 Cys Val Asp Gly Ser Asp Glu Met Asp Cys Val Ile Glu Cys Lys
 3620 3625 3630
 Glu Asp Gln Phe Gln Cys Lys Asn Lys Ala Tyr Cys Ile Pro Ile
 3635 3640 3645
 Arg Trp Leu Cys Asp Gly Ile Tyr Asp Cys Val Asp Gly Ser Asp
 3650 3655 3660
 Glu Glu Thr Cys Gly Arg Gly Gly Ser Ile Cys Arg Asp Asp Glu
 3665 3670 3675
 Phe Leu Cys Asn Asn Ser Leu Cys Lys Leu His Phe Trp Val Cys
 3680 3685 3690
 Asp Gly Glu Asp Asp Cys Gly Asp Asn Ser Asp Glu Ala Pro Asp
 3695 3700 3705
 Met Cys Val Lys Phe Leu Cys Pro Pro Thr Arg Pro Tyr Arg Cys
 3710 3715 3720
 Arg Asn Asp Arg Ile Cys Leu Gln Leu Glu Lys Ile Cys Asn Gly
 3725 3730 3735
 Ile Asn Asp Cys Gly Asp Asn Ser Asp Glu Glu His Cys Ser Gly
 3740 3745 3750
 Lys Leu Ser Leu Lys Ser Lys Pro Cys Lys Lys Asp Glu Phe Thr
 3755 3760 3765
 Cys Ser Asn Arg Asn Cys Ile Pro Met Glu Leu Gln Cys Asp Ser
 3770 3775 3780
 Leu Asp Asp Cys Gly Asp Gly Ser Asp Glu Gln Gly Cys Leu Lys
 3785 3790 3795
 Thr Pro Ile Glu His Thr Cys Glu Asn Asn Gly Asn Pro Cys Gly
 3800 3805 3810
 Asp Asp Ala Tyr Cys Asn Gln Ile Lys Thr Ser Val Phe Cys Arg
 3815 3820 3825
 Cys Lys Pro Gly Phe Gln Arg Asn Met Lys Gly Arg Glu Cys Ala
 3830 3835 3840
 Asp Leu Asn Glu Cys Leu Leu Phe Gly Ile Cys Ser His His Cys
 3845 3850 3855

Nonprovisional IP-017.ST25.txt

Leu Asn Thr Arg Gly Ser Tyr Lys Cys Val Cys Asp Gln Asn Phe
 3860 3865 3870
 Gln Glu Lys Asn Asn Ser Cys Ile Ala Lys Gly Ser Glu Asp Gln
 3875 3880 3885
 Ala Leu Tyr Ile Ala Asn Asp Thr Asp Ile Leu Gly Phe Val Tyr
 3890 3895 3900
 Pro Phe Asn Tyr Ser Gly Gly His Gln Gln Ile Ser His Val Glu
 3905 3910 3915
 His Asn Ser Arg Ile Thr Gly Met Asp Val His Tyr Gln Arg Asn
 3920 3925 3930
 Val Ile Val Trp Ser Thr Gln Phe Asn Pro Gly Gly Ile Phe Tyr
 3935 3940 3945
 Lys Met Ile Asp Ala Arg Glu Lys Arg Gln Ala Asn Ser Gly Leu
 3950 3955 3960
 Ile Cys Pro Glu Phe Lys Arg Pro Arg Asp Ile Ala Val Asp Trp
 3965 3970 3975
 Val Ala Gly Asn Val Tyr Trp Thr Asp His Ser Arg Met His Trp
 3980 3985 3990
 Phe Ser Tyr Tyr Thr Thr His Trp Thr Ser Leu Arg Tyr Ser Ile
 3995 4000 4005
 Asn Val Gly Gln Leu Asn Gly Pro Asn Cys Thr Arg Leu Leu Thr
 4010 4015 4020
 Asn Met Ala Gly Glu Pro Tyr Ala Ile Ala Val Asn Pro Lys Arg
 4025 4030 4035
 Gly Met Met Tyr Trp Thr Val Ile Gly Asp His Ser His Ile Glu
 4040 4045 4050
 Glu Ala Ala Met Asp Gly Thr Leu Arg Arg Val Leu Val Gln Lys
 4055 4060 4065
 Asn Leu Gln Arg Pro Thr Gly Leu Thr Val Asp His Phe Gly Glu
 4070 4075 4080
 Arg Ile Tyr Trp Ala Asp Phe Glu Leu Ser Ile Ile Gly Ser Val
 4085 4090 4095
 Leu Tyr Asp Gly Ser Ser Pro Val Val Ser Val Ser Ser Lys Gln
 4100 4105 4110

Nonprovisional IP-017.ST25.txt

Gly Leu Leu His Pro His Arg Ile Asp Val Phe Glu Asp Tyr Ile
 4115 4120 4125
 Tyr Gly Ala Gly Pro Lys Asn Gly Ile Phe Arg Val Gln Lys Phe
 4130 4135 4140
 Gly His Gly Ser Val Glu Val Leu Ala Leu Gly Val Asp Lys Thr
 4145 4150 4155
 Lys Ser Ile Leu Val Ser His Arg Tyr Lys Gln Leu Asn Leu Pro
 4160 4165 4170
 Asn Pro Cys Leu Asp Leu Ser Cys Asp Phe Leu Cys Leu Leu Asn
 4175 4180 4185
 Pro Ser Gly Ala Thr Cys Ile Cys Pro Glu Gly Lys Tyr Met Met
 4190 4195 4200
 Asn Gly Thr Cys His Asp Asp Ser Leu Leu Asp Asp Ser Cys Lys
 4205 4210 4215
 Leu Thr Cys Glu Asn Gly Gly Arg Cys Ile Leu Asn Glu Lys Gly
 4220 4225 4230
 Asp Leu Arg Cys His Cys Trp Pro Ser Tyr Ser Gly Gly Arg Cys
 4235 4240 4245
 Glu Val Asn His Cys Ser Asn Tyr Cys Gln Asn Gly Gly Thr Cys
 4250 4255 4260
 Ile Pro Ser Thr Leu Gly Arg Pro Thr Cys Ile Cys Ala Leu Gly
 4265 4270 4275
 Phe Thr Gly Pro Asn Cys Gly Lys Ala Val Cys Glu Asp Ser Cys
 4280 4285 4290
 His Asn Gly Gly Ser Cys Val Val Thr Ala Gly Asn Gln Pro Tyr
 4295 4300 4305
 Cys His Cys Gln Ala Asp Tyr Thr Gly Asp Arg Cys Gln Tyr Tyr
 4310 4315 4320
 Val Cys His His Tyr Cys Val Asn Ser Glu Ser Cys Thr Ile Gly
 4325 4330 4335
 Asn Asp Gly Ser Val Glu Cys Val Cys Pro Thr Arg Tyr Glu Gly
 4340 4345 4350
 Pro Lys Cys Glu Ile Asp Lys Cys Val Arg Cys His Gly Gly His
 4355 4360 4365

Nonprovisional IP-017.ST25.txt

Cys Ile Ile Asn Lys Asp Asn Glu Asp Ile Phe Cys Asn Cys Thr
 4370 4375 4380
 Asn Gly Lys Ile Ala Ser Ser Cys Gln Leu Cys Asp Gly Tyr Cys
 4385 4390 4395
 Tyr Asn Gly Gly Thr Cys Gln Leu Asp Pro Glu Thr Ser Ile Pro
 4400 4405 4410
 Val Cys Val Cys Ser Thr Asn Trp Ser Gly Thr Gln Cys Glu Arg
 4415 4420 4425
 Pro Ala Pro Lys Ser Ser Lys Ser Glu His Ile Ser Thr Arg Ser
 4430 4435 4440
 Ile Ala Ile Ile Val Pro Leu Val Leu Leu Val Thr Leu Val Thr
 4445 4450 4455
 Thr Leu Val Ile Gly Leu Val Val Cys Lys Arg Lys Arg Arg Thr
 4460 4465 4470
 Lys Thr Ile Arg Arg Gln Pro Ile Ile Asn Gly Gly Ile Asn Val
 4475 4480 4485
 Glu Ile Gly Asn Pro Ser Tyr Asn Met Tyr Glu Val Asp His Asp
 4490 4495 4500
 His Ser Asp Gly Gly Leu Leu Glu Pro Ser Phe Met Ile Asp Pro
 4505 4510 4515
 Val Lys Ser Arg Tyr Ile Gly Gly Gly Ser Ser Ala Phe Lys Leu
 4520 4525 4530
 Pro His Thr Ala Pro Pro Ile Tyr Leu Asn Ser Asp Leu Lys Gly
 4535 4540 4545
 Pro Leu Thr Phe Gly Pro Thr Asn Tyr Ser Asn Pro Val Tyr Ala
 4550 4555 4560
 Lys Leu Tyr Met Asp Gly Gln Asn Cys Arg Asn Ser Leu Ala Ser
 4565 4570 4575
 Val Asp Glu Arg Lys Glu Leu Leu Pro Lys Lys Ile Glu Ile Gly
 4580 4585 4590
 Ile Arg Glu Thr Val Ala
 4595

<210> 71
 <211> 4545
 <212> PRT

Nonprovisional IP-017.ST25.txt

<213> MOUSE

<400> 71

Met Leu Thr Pro Pro Leu Leu Leu Leu Pro Leu Leu Ser Ala Leu
 1 5 10 15
 Val Ser Gly Ala Thr Met Asp Ala Pro Lys Thr Cys Ser Pro Lys Gln
 20 25 30
 Phe Ala Cys Arg Asp Gln Ile Thr Cys Ile Ser Lys Gly Trp Arg Cys
 35 40 45
 Asp Gly Glu Arg Asp Cys Pro Asp Gly Ser Asp Glu Ala Pro Glu Ile
 50 55 60
 Cys Pro Gln Ser Lys Ala Gln Arg Cys Pro Pro Asn Glu His Ser Cys
 65 70 75 80
 Leu Gly Thr Glu Leu Cys Val Pro Met Ser Arg Leu Cys Asn Gly Ile
 85 90 95
 Gln Asp Cys Met Asp Gly Ser Asp Glu Gly Ala His Cys Arg Glu Leu
 100 105 110
 Arg Ala Asn Cys Ser Arg Met Gly Cys Gln His His Cys Val Pro Thr
 115 120 125
 Pro Ser Gly Pro Thr Cys Tyr Cys Asn Ser Ser Phe Gln Leu Gln Ala
 130 135 140
 Asp Gly Lys Thr Cys Lys Asp Phe Asp Glu Cys Ser Val Tyr Gly Thr
 145 150 155 160
 Cys Ser Gln Leu Cys Thr Asn Thr Asp Gly Ser Phe Thr Cys Gly Cys
 165 170 175
 Val Glu Gly Tyr Leu Leu Gln Pro Asp Asn Arg Ser Cys Lys Ala Lys
 180 185 190
 Asn Glu Pro Val Asp Arg Pro Pro Val Leu Leu Ile Ala Asn Ser Gln
 195 200 205
 Asn Ile Leu Ala Thr Tyr Leu Ser Gly Ala Gln Val Ser Thr Ile Thr
 210 215 220
 Pro Thr Ser Thr Arg Gln Thr Thr Ala Met Asp Phe Ser Tyr Ala Asn
 225 230 235 240
 Glu Thr Val Cys Trp Val His Val Gly Asp Ser Ala Ala Gln Thr Gln
 245 250 255

Nonprovisional IP-017.ST25.txt

Leu Lys Cys Ala Arg Met Pro Gly Leu Lys Gly Phe Val Asp Glu His
 260 265 270
 Thr Ile Asn Ile Ser Leu Ser Leu His His Val Glu Gln Met Ala Ile
 275 280 285
 Asp Trp Leu Thr Gly Asn Phe Tyr Phe Val Asp Asp Ile Asp Asp Arg
 290 295 300
 Ile Phe Val Cys Asn Arg Asn Gly Asp Thr Cys Val Thr Leu Leu Asp
 305 310 315 320
 Leu Glu Leu Tyr Asn Pro Lys Gly Ile Ala Leu Asp Pro Ala Met Gly
 325 330 335
 Lys Val Phe Phe Thr Asp Tyr Gly Gln Ile Pro Lys Val Glu Arg Cys
 340 345 350
 Asp Met Asp Gly Gln Asn Arg Thr Lys Leu Val Asp Ser Lys Ile Val
 355 360 365
 Phe Pro His Gly Ile Thr Leu Asp Leu Val Ser Arg Leu Val Tyr Trp
 370 375 380
 Ala Asp Ala Tyr Leu Asp Tyr Ile Glu Val Val Asp Tyr Glu Gly Lys
 385 390 395 400
 Gly Arg Gln Thr Ile Ile Gln Gly Ile Leu Ile Glu His Leu Tyr Gly
 405 410 415
 Leu Thr Val Phe Glu Asn Tyr Leu Tyr Ala Thr Asn Ser Asp Asn Ala
 420 425 430
 Asn Thr Gln Gln Lys Thr Ser Val Ile Arg Val Asn Arg Phe Asn Ser
 435 440 445
 Thr Glu Tyr Gln Val Val Thr Arg Val Asp Lys Gly Gly Ala Leu His
 450 455 460
 Ile Tyr His Gln Arg Arg Gln Pro Arg Val Arg Ser His Ala Cys Glu
 465 470 475 480
 Asn Asp Gln Tyr Gly Lys Pro Gly Gly Cys Ser Asp Ile Cys Leu Leu
 485 490 495
 Ala Asn Ser His Lys Ala Arg Thr Cys Arg Cys Arg Ser Gly Phe Ser
 500 505 510
 Leu Gly Ser Asp Gly Lys Ser Cys Lys Lys Pro Glu His Glu Leu Phe
 515 520 525

Nonprovisional IP-017.ST25.txt

Leu Val Tyr Gly Lys Gly Arg Pro Gly Ile Ile Arg Gly Met Asp Met
 530 535 540

Gly Ala Lys Val Pro Asp Glu His Met Ile Pro Ile Glu Asn Leu Met
 545 550 555 560

Asn Pro Arg Ala Leu Asp Phe His Ala Glu Thr Gly Phe Ile Tyr Phe
 565 570 575

Ala Asp Thr Thr Ser Tyr Leu Ile Gly Arg Gln Lys Ile Asp Gly Thr
 580 585 590

Glu Arg Glu Thr Ile Leu Lys Asp Gly Ile His Asn Val Glu Gly Val
 595 600 605

Ala Val Asp Trp Met Gly Asp Asn Leu Tyr Trp Thr Asp Asp Gly Pro
 610 615 620

Lys Lys Thr Ile Ser Val Ala Arg Leu Glu Lys Ala Ala Gln Thr Arg
 625 630 635 640

Lys Thr Leu Ile Glu Gly Lys Met Thr His Pro Arg Ala Ile Val Val
 645 650 655

Asp Pro Leu Asn Gly Trp Met Tyr Trp Thr Asp Trp Glu Glu Asp Pro
 660 665 670

Lys Asp Ser Arg Arg Gly Arg Leu Glu Arg Ala Trp Met Asp Gly Ser
 675 680 685

His Arg Asp Ile Phe Val Thr Ser Lys Thr Val Leu Trp Pro Asn Gly
 690 695 700

Leu Ser Leu Asp Ile Pro Ala Gly Arg Leu Tyr Trp Val Asp Ala Phe
 705 710 715 720

Tyr Asp Arg Ile Glu Thr Ile Leu Leu Asn Gly Thr Asp Arg Lys Ile
 725 730 735

Val Tyr Glu Gly Pro Glu Leu Asn His Ala Phe Gly Leu Cys His His
 740 745 750

Gly Asn Tyr Leu Phe Trp Thr Glu Tyr Arg Ser Gly Ser Val Tyr Arg
 755 760 765

Leu Glu Arg Gly Val Ala Gly Ala Pro Pro Thr Val Thr Leu Leu Arg
 770 775 780

Ser Glu Arg Pro Pro Ile Phe Glu Ile Arg Met Tyr Asp Ala Gln Gln
 785 790 795 800

Nonprovisional IP-017.ST25.txt

Gln Gln Val Gly Thr Asn Lys Cys Arg Val Asn Asn Gly Gly Cys Ser
805 810 815

Ser Leu Cys Leu Ala Thr Pro Gly Ser Arg Gln Cys Ala Cys Ala Glu
820 825 830

Asp Gln Val Leu Asp Thr Asp Gly Val Thr Cys Leu Ala Asn Pro Ser
835 840 845

Tyr Val Pro Pro Pro Gln Cys Gln Pro Gly Glu Phe Ala Cys Ala Asn
850 855 860

Asn Arg Cys Ile Gln Glu Arg Trp Lys Cys Asp Gly Asp Asn Asp Cys
865 870 875 880

Leu Asp Asn Ser Asp Glu Ala Pro Ala Leu Cys His Gln His Thr Cys
885 890 895

Pro Ser Asp Arg Phe Lys Cys Glu Asn Asn Arg Cys Ile Pro Asn Arg
900 905 910

Trp Leu Cys Asp Gly Asp Asn Asp Cys Gly Asn Ser Glu Asp Glu Ser
915 920 925

Asn Ala Thr Cys Ser Ala Arg Thr Cys Pro Pro Asn Gln Phe Ser Cys
930 935 940

Ala Ser Gly Arg Cys Ile Pro Ile Ser Trp Thr Cys Asp Leu Asp Asp
945 950 955 960

Asp Cys Gly Asp Arg Ser Asp Glu Ser Ala Ser Cys Ala Tyr Pro Thr
965 970 975

Cys Phe Pro Leu Thr Gln Phe Thr Cys Asn Asn Gly Arg Cys Ile Asn
980 985 990

Ile Asn Trp Arg Cys Asp Asn Asp Asn Asp Cys Gly Asp Asn Ser Asp
995 1000 1005

Glu Ala Gly Cys Ser His Ser Cys Ser Ser Thr Gln Phe Lys Cys
1010 1015 1020

Asn Ser Gly Arg Cys Ile Pro Glu His Trp Thr Cys Asp Gly Asp
1025 1030 1035

Asn Asp Cys Gly Asp Tyr Ser Asp Glu Thr His Ala Asn Cys Thr
1040 1045 1050

Asn Gln Ala Thr Arg Pro Pro Gly Gly Cys His Ser Asp Glu Phe
1055 1060 1065

Nonprovisional IP-017.ST25.txt

Gln Cys Arg Leu Asp Gly 1070
 Leu Cys Ile Pro Leu Arg Trp Arg Cys 1075 1080
 Asp Gly 1085 Asp Thr Asp Cys Met 1090 Asp Ser Ser Asp Glu 1095 Lys Ser Cys
 Glu Gly 1100 Val Thr His Val Cys 1105 Asp Pro Asn Val Lys 1110 Phe Gly Cys
 Lys Asp 1115 Ser Ala Arg Cys Ile 1120 Ser Lys Ala Trp Val 1125 Cys Asp Gly
 Asp Ser 1130 Asp Cys Glu Asp Asn 1135 Ser Asp Glu Glu Asn 1140 Cys Glu Ala
 Leu Ala 1145 Cys Arg Pro Pro Ser 1150 His Pro Cys Ala Asn 1155 Asn Thr Ser
 Val Cys 1160 Leu Pro Pro Asp Lys 1165 Leu Cys Asp Gly Lys 1170 Asp Asp Cys
 Gly Asp 1175 Gly Ser Asp Glu Gly 1180 Glu Leu Cys Asp Gln 1185 Cys Ser Leu
 Asn Asn 1190 Gly Gly Cys Ser His 1195 Asn Cys Ser Val Ala 1200 Pro Gly Glu
 Gly Ile 1205 Val Cys Ser Cys Pro 1210 Leu Gly Met Glu Leu 1215 Gly Ser Asp
 Asn His 1220 Thr Cys Gln Ile Gln 1225 Ser Tyr Cys Ala Lys 1230 His Leu Lys
 Cys Ser 1235 Gln Lys Cys Asp Gln 1240 Asn Lys Phe Ser Val 1245 Lys Cys Ser
 Cys Tyr 1250 Glu Gly Trp Val Leu 1255 Glu Pro Asp Gly Glu 1260 Ser Cys Arg
 Ser Leu 1265 Asp Pro Phe Lys Pro 1270 Phe Ile Ile Phe Ser 1275 Asn Arg His
 Glu Ile 1280 Arg Arg Ile Asp Leu 1285 His Lys Gly Asp Tyr 1290 Ser Val Leu
 Val Pro 1295 Gly Leu Arg Asn Thr 1300 Ile Ala Leu Asp Phe 1305 His Leu Ser
 Gln Ser 1310 Ala Leu Tyr Trp Thr 1315 Asp Val Val Glu Asp 1320 Lys Ile Tyr

Nonprovisional IP-017.ST25.txt

Arg Gly Lys Leu Leu Asp Asn Gly Ala Leu Thr Ser Phe Glu Val
 1325 1330 1335
 Val Ile Gln Tyr Gly Leu Ala Thr Pro Glu Gly Leu Ala Val Asp
 1340 1345 1350
 Trp Ile Ala Gly Asn Ile Tyr Trp Val Glu Ser Asn Leu Asp Gln
 1355 1360 1365
 Ile Glu Val Ala Lys Leu Asp Gly Thr Leu Arg Thr Thr Leu Leu
 1370 1375 1380
 Ala Gly Asp Ile Glu His Pro Arg Ala Ile Ala Leu Asp Pro Arg
 1385 1390 1395
 Asp Gly Ile Leu Phe Trp Thr Asp Trp Asp Ala Ser Leu Pro Arg
 1400 1405 1410
 Ile Glu Ala Ala Ser Met Ser Gly Ala Gly Arg Arg Thr Ile His
 1415 1420 1425
 Arg Glu Thr Gly Ser Gly Gly Trp Pro Asn Gly Leu Thr Val Asp
 1430 1435 1440
 Tyr Leu Glu Lys Arg Ile Leu Trp Ile Asp Ala Arg Ser Asp Ala
 1445 1450 1455
 Ile Tyr Ser Ala Arg Tyr Asp Gly Ser Gly His Met Glu Val Leu
 1460 1465 1470
 Arg Gly His Glu Phe Leu Ser His Pro Phe Ala Val Thr Leu Tyr
 1475 1480 1485
 Gly Gly Glu Val Tyr Trp Thr Asp Trp Arg Thr Asn Thr Leu Ala
 1490 1495 1500
 Lys Ala Asn Lys Trp Thr Gly His Asn Val Thr Val Val Gln Arg
 1505 1510 1515
 Thr Asn Thr Gln Pro Phe Asp Leu Gln Val Tyr His Pro Ser Arg
 1520 1525 1530
 Gln Pro Met Ala Pro Asn Pro Cys Glu Ala Asn Gly Gly Arg Gly
 1535 1540 1545
 Pro Cys Ser His Leu Cys Leu Ile Asn Tyr Asn Arg Thr Val Ser
 1550 1555 1560
 Cys Ala Cys Pro His Leu Met Lys Leu His Lys Asp Asn Thr Thr
 1565 1570 1575

Nonprovisional IP-017.ST25.txt

Cys Tyr Glu Phe Lys Lys Phe Leu Leu Tyr Ala Arg Gln Met Glu
 1580 1585 1590

Ile Arg Gly Val Asp Leu Asp Ala Pro Tyr Tyr Asn Tyr Ile Ile
 1595 1600 1605

Ser Phe Thr Val Pro Asp Ile Asp Asn Val Thr Val Leu Asp Tyr
 1610 1615 1620

Asp Ala Arg Glu Gln Arg Val Tyr Trp Ser Asp Val Arg Thr Gln
 1625 1630 1635

Ala Ile Lys Arg Ala Phe Ile Asn Gly Thr Gly Val Glu Thr Val
 1640 1645 1650

Val Ser Ala Asp Leu Pro Asn Ala His Gly Leu Ala Val Asp Trp
 1655 1660 1665

Val Ser Arg Asn Leu Phe Trp Thr Ser Tyr Asp Thr Asn Lys Lys
 1670 1675 1680

Gln Ile Asn Val Ala Arg Leu Asp Gly Ser Phe Lys Asn Ala Val
 1685 1690 1695

Val Gln Gly Leu Glu Gln Pro His Gly Leu Val Val His Pro Leu
 1700 1705 1710

Arg Gly Lys Leu Tyr Trp Thr Asp Gly Asp Asn Ile Ser Met Ala
 1715 1720 1725

Asn Met Asp Gly Ser Asn His Thr Leu Leu Phe Ser Gly Gln Lys
 1730 1735 1740

Gly Pro Val Gly Leu Ala Ile Asp Phe Pro Glu Ser Lys Leu Tyr
 1745 1750 1755

Trp Ile Ser Ser Gly Asn His Thr Ile Asn Arg Cys Asn Leu Asp
 1760 1765 1770

Gly Ser Glu Leu Glu Val Ile Asp Thr Met Arg Ser Gln Leu Gly
 1775 1780 1785

Lys Ala Thr Ala Leu Ala Ile Met Gly Asp Lys Leu Trp Trp Ala
 1790 1795 1800

Asp Gln Val Ser Glu Lys Met Gly Thr Cys Asn Lys Ala Asp Gly
 1805 1810 1815

Ser Gly Ser Val Val Leu Arg Asn Ser Thr Thr Leu Val Met His
 1820 1825 1830

Nonprovisional IP-017.ST25.txt

Met Lys Val Tyr Asp Glu Ser Ile Gln Leu Glu His Glu Gly Thr
 1835 1840 1845
 Asn Pro Cys Ser Val Asn Asn Gly Asp Cys Ser Gln Leu Cys Leu
 1850 1855 1860
 Pro Thr Ser Glu Thr Thr Arg Ser Cys Met Cys Thr Ala Gly Tyr
 1865 1870 1875
 Ser Leu Arg Ser Gly Gln Gln Ala Cys Glu Gly Val Gly Ser Phe
 1880 1885 1890
 Leu Leu Tyr Ser Val His Glu Gly Ile Arg Gly Ile Pro Leu Asp
 1895 1900 1905
 Pro Asn Asp Lys Ser Asp Ala Leu Val Pro Val Ser Gly Thr Ser
 1910 1915 1920
 Leu Ala Val Gly Ile Asp Phe His Ala Glu Asn Asp Thr Ile Tyr
 1925 1930 1935
 Trp Val Asp Met Gly Leu Ser Thr Ile Ser Arg Ala Lys Arg Asp
 1940 1945 1950
 Gln Thr Trp Arg Glu Asp Val Val Thr Asn Gly Ile Gly Arg Val
 1955 1960 1965
 Glu Gly Ile Ala Val Asp Trp Ile Ala Gly Asn Ile Tyr Trp Thr
 1970 1975 1980
 Asp Gln Gly Phe Asp Val Ile Glu Val Ala Arg Leu Asn Gly Ser
 1985 1990 1995
 Phe Arg Tyr Val Val Ile Ser Gln Gly Leu Asp Lys Pro Arg Ala
 2000 2005 2010
 Ile Thr Val His Pro Glu Lys Gly Tyr Leu Phe Trp Thr Glu Trp
 2015 2020 2025
 Gly His Tyr Pro Arg Ile Glu Arg Ser Arg Leu Asp Gly Thr Glu
 2030 2035 2040
 Arg Val Val Leu Val Asn Val Ser Ile Ser Trp Pro Asn Gly Ile
 2045 2050 2055
 Ser Val Asp Tyr Gln Gly Gly Lys Leu Tyr Trp Cys Asp Ala Arg
 2060 2065 2070
 Met Asp Lys Ile Glu Arg Ile Asp Leu Glu Thr Gly Glu Asn Arg
 2075 2080 2085

Nonprovisional IP-017.ST25.txt

Glu Val Val Leu Ser Ser Asn Asn Met Asp Met Phe Ser Val Ser
 2090 2095 2100
 Val Phe Glu Asp Phe Ile Tyr Trp Ser Asp Arg Thr His Ala Asn
 2105 2110 2115
 Gly Ser Ile Lys Arg Gly Cys Lys Asp Asn Ala Thr Asp Ser Val
 2120 2125 2130
 Pro Leu Arg Thr Gly Ile Gly Val Gln Leu Lys Asp Ile Lys Val
 2135 2140 2145
 Phe Asn Arg Asp Arg Gln Lys Gly Thr Asn Val Cys Ala Val Ala
 2150 2155 2160
 Asn Gly Gly Cys Gln Gln Leu Cys Leu Tyr Arg Gly Gly Gly Gln
 2165 2170 2175
 Arg Ala Cys Ala Cys Ala His Gly Met Leu Ala Glu Asp Gly Ala
 2180 2185 2190
 Ser Cys Arg Glu Tyr Ala Gly Tyr Leu Leu Tyr Ser Glu Arg Thr
 2195 2200 2205
 Ile Leu Lys Ser Ile His Leu Ser Asp Glu Arg Asn Leu Asn Ala
 2210 2215 2220
 Pro Val Gln Pro Phe Glu Asp Pro Glu His Met Lys Asn Val Ile
 2225 2230 2235
 Ala Leu Ala Phe Asp Tyr Arg Ala Gly Thr Ser Pro Gly Thr Pro
 2240 2245 2250
 Asn Arg Ile Phe Phe Ser Asp Ile His Phe Gly Asn Ile Gln Gln
 2255 2260 2265
 Ile Asn Asp Asp Gly Ser Gly Arg Thr Thr Ile Val Glu Asn Val
 2270 2275 2280
 Gly Ser Val Glu Gly Leu Ala Tyr His Arg Gly Trp Asp Thr Leu
 2285 2290 2295
 Tyr Trp Thr Ser Tyr Thr Thr Ser Thr Ile Thr Arg His Thr Val
 2300 2305 2310
 Asp Gln Thr Arg Pro Gly Ala Phe Glu Arg Glu Thr Val Ile Thr
 2315 2320 2325
 Met Ser Gly Asp Asp His Pro Arg Ala Phe Val Leu Asp Glu Cys
 2330 2335 2340

Nonprovisional IP-017.ST25.txt

Gln Asn Leu Met Phe Trp Thr Asn Trp Asn Glu Leu His Pro Ser
 2345 2350 2355

Ile Met Arg Ala Ala Leu Ser Gly Ala Asn Val Leu Thr Leu Ile
 2360 2365 2370

Glu Lys Asp Ile Arg Thr Pro Asn Gly Leu Ala Ile Asp His Arg
 2375 2380 2385

Ala Glu Lys Leu Tyr Phe Ser Asp Ala Thr Leu Asp Lys Ile Glu
 2390 2395 2400

Arg Cys Glu Tyr Asp Gly Ser His Arg Tyr Val Ile Leu Lys Ser
 2405 2410 2415

Glu Pro Val His Pro Phe Gly Leu Ala Val Tyr Gly Glu His Ile
 2420 2425 2430

Phe Trp Thr Asp Trp Val Arg Arg Ala Val Gln Arg Ala Asn Lys
 2435 2440 2445

Tyr Val Gly Ser Asp Met Lys Leu Leu Arg Val Asp Ile Pro Gln
 2450 2455 2460

Gln Pro Met Gly Ile Ile Ala Val Ala Asn Asp Thr Asn Ser Cys
 2465 2470 2475

Glu Leu Ser Pro Cys Arg Ile Asn Asn Gly Gly Cys Gln Asp Leu
 2480 2485 2490

Cys Leu Leu Thr His Gln Gly His Val Asn Cys Ser Cys Arg Gly
 2495 2500 2505

Gly Arg Ile Leu Gln Glu Asp Phe Thr Cys Arg Ala Val Asn Ser
 2510 2515 2520

Ser Cys Arg Ala Gln Asp Glu Phe Glu Cys Ala Asn Gly Glu Cys
 2525 2530 2535

Ile Ser Phe Ser Leu Thr Cys Asp Gly Val Ser His Cys Lys Asp
 2540 2545 2550

Lys Ser Asp Glu Lys Pro Ser Tyr Cys Asn Ser Arg Arg Cys Lys
 2555 2560 2565

Lys Thr Phe Arg Gln Cys Asn Asn Gly Arg Cys Val Ser Asn Met
 2570 2575 2580

Leu Trp Cys Asn Gly Val Asp Asp Cys Gly Asp Gly Ser Asp Glu
 2585 2590 2595

Nonprovisional IP-017.ST25.txt

Ile Pro Cys Asn Lys Thr Ala Cys Gly Val Gly Glu Phe Arg Cys
 2600 2605 2610

Arg Asp Gly Ser Cys Ile Gly Asn Ser Ser Arg Cys Asn Gln Phe
 2615 2620 2625

Val Asp Cys Glu Asp Ala Ser Asp Glu Met Asn Cys Ser Ala Thr
 2630 2635 2640

Asp Cys Ser Ser Tyr Phe Arg Leu Gly Val Lys Gly Val Leu Phe
 2645 2650 2655

Gln Pro Cys Glu Arg Thr Ser Leu Cys Tyr Ala Pro Ser Trp Val
 2660 2665 2670

Cys Asp Gly Ala Asn Asp Cys Gly Asp Tyr Ser Asp Glu Arg Asp
 2675 2680 2685

Cys Pro Gly Val Lys Arg Pro Arg Cys Pro Leu Asn Tyr Phe Ala
 2690 2695 2700

Cys Pro Ser Gly Arg Cys Ile Pro Met Ser Trp Thr Cys Asp Lys
 2705 2710 2715

Glu Asp Asp Cys Glu Asn Gly Glu Asp Glu Thr His Cys Asn Lys
 2720 2725 2730

Phe Cys Ser Glu Ala Gln Phe Glu Cys Gln Asn His Arg Cys Ile
 2735 2740 2745

Ser Lys Gln Trp Leu Cys Asp Gly Ser Asp Asp Cys Gly Asp Gly
 2750 2755 2760

Ser Asp Glu Ala Ala His Cys Glu Gly Lys Thr Cys Gly Pro Ser
 2765 2770 2775

Ser Phe Ser Cys Pro Gly Thr His Val Cys Val Pro Glu Arg Trp
 2780 2785 2790

Leu Cys Asp Gly Asp Lys Asp Cys Thr Asp Gly Ala Asp Glu Ser
 2795 2800 2805

Val Thr Ala Gly Cys Leu Tyr Asn Ser Thr Cys Asp Asp Arg Glu
 2810 2815 2820

Phe Met Cys Gln Asn Arg Leu Cys Ile Pro Lys His Phe Val Cys
 2825 2830 2835

Asp His Asp Arg Asp Cys Ala Asp Gly Ser Asp Glu Ser Pro Glu
 2840 2845 2850

Nonprovisional IP-017.ST25.txt

Cys Glu Tyr Pro Thr Cys Gly Pro Asn Glu Phe Arg Cys Ala Asn
 2855 2860 2865
 Gly Arg Cys Leu Ser Ser Arg Gln Trp Glu Cys Asp Gly Glu Asn
 2870 2875 2880
 Asp Cys His Asp His Ser Asp Glu Ala Pro Lys Asn Pro His Cys
 2885 2890 2895
 Thr Ser Pro Glu His Lys Cys Asn Ala Ser Ser Gln Phe Leu Cys
 2900 2905 2910
 Ser Ser Gly Arg Cys Val Ala Glu Ala Leu Leu Cys Asn Gly Gln
 2915 2920 2925
 Asp Asp Cys Gly Asp Gly Ser Asp Glu Arg Gly Cys His Val Asn
 2930 2935 2940
 Glu Cys Leu Ser Arg Lys Leu Ser Gly Cys Ser Gln Asp Cys Glu
 2945 2950 2955
 Asp Leu Lys Ile Gly Phe Lys Cys Arg Cys Arg Pro Gly Phe Arg
 2960 2965 2970
 Leu Lys Asp Asp Gly Arg Thr Cys Ala Asp Leu Asp Glu Cys Ser
 2975 2980 2985
 Thr Thr Phe Pro Cys Ser Gln Leu Cys Ile Asn Thr His Gly Ser
 2990 2995 3000
 Tyr Lys Cys Leu Cys Val Glu Gly Tyr Ala Pro Arg Gly Gly Asp
 3005 3010 3015
 Pro His Ser Cys Lys Ala Val Thr Asp Glu Glu Pro Phe Leu Ile
 3020 3025 3030
 Phe Ala Asn Arg Tyr Tyr Leu Arg Lys Leu Asn Leu Asp Gly Ser
 3035 3040 3045
 Asn Tyr Thr Leu Leu Lys Gln Gly Leu Asn Asn Ala Val Ala Leu
 3050 3055 3060
 Asp Phe Asp Tyr Arg Glu Gln Met Ile Tyr Trp Thr Asp Val Thr
 3065 3070 3075
 Thr Gln Gly Ser Met Ile Arg Arg Met His Leu Asn Gly Ser Asn
 3080 3085 3090
 Val Gln Val Leu His Arg Thr Gly Leu Ser Asn Pro Asp Gly Leu
 3095 3100 3105

Nonprovisional IP-017.ST25.txt

Ala Val Asp Trp Val Gly Gly Asn Leu Tyr Trp Cys Asp Lys Gly
 3110 3115 3120

Arg Asp Thr Ile Glu Val Ser Lys Leu Asn Gly Ala Tyr Arg Thr
 3125 3130 3135

Val Leu Val Ser Ser Gly Leu Arg Glu Pro Arg Ala Leu Val Val
 3140 3145 3150

Asp Val Gln Asn Gly Tyr Leu Tyr Trp Thr Asp Trp Gly Asp His
 3155 3160 3165

Ser Leu Ile Gly Arg Ile Gly Met Asp Gly Ser Gly Arg Ser Ile
 3170 3175 3180

Ile Val Asp Thr Lys Ile Thr Trp Pro Asn Gly Leu Thr Val Asp
 3185 3190 3195

Tyr Val Thr Glu Arg Ile Tyr Trp Ala Asp Ala Arg Glu Asp Tyr
 3200 3205 3210

Ile Glu Phe Ala Ser Leu Asp Gly Ser Asn Arg His Val Val Leu
 3215 3220 3225

Ser Gln Asp Ile Pro His Ile Phe Ala Leu Thr Leu Phe Glu Asp
 3230 3235 3240

Tyr Val Tyr Trp Thr Asp Trp Glu Thr Lys Ser Ile Asn Arg Ala
 3245 3250 3255

His Lys Thr Thr Gly Ala Asn Lys Thr Leu Leu Ile Ser Thr Leu
 3260 3265 3270

His Arg Pro Met Asp Leu His Val Phe His Ala Leu Arg Gln Pro
 3275 3280 3285

Asp Val Pro Asn His Pro Cys Lys Val Asn Asn Gly Gly Cys Ser
 3290 3295 3300

Asn Leu Cys Leu Leu Ser Pro Gly Gly Gly His Lys Cys Ala Cys
 3305 3310 3315

Pro Thr Asn Phe Tyr Leu Gly Gly Asp Gly Arg Thr Cys Val Ser
 3320 3325 3330

Asn Cys Thr Ala Ser Gln Phe Val Cys Lys Asn Asp Lys Cys Ile
 3335 3340 3345

Pro Phe Trp Trp Lys Cys Asp Thr Glu Asp Asp Cys Gly Asp His
 3350 3355 3360

Nonprovisional IP-017.ST25.txt

Ser Asp Glu Pro Pro Asp Cys Pro Glu Phe Lys Cys Arg Pro Gly
 3365 3370 3375

Gln Phe Gln Cys Ser Thr Gly Ile Cys Thr Asn Pro Ala Phe Ile
 3380 3385 3390

Cys Asp Gly Asp Asn Asp Cys Gln Asp Asn Ser Asp Glu Ala Asn
 3395 3400 3405

Cys Asp Ile His Val Cys Leu Pro Ser Gln Phe Lys Cys Thr Asn
 3410 3415 3420

Thr Asn Arg Cys Ile Pro Gly Ile Phe Arg Cys Asn Gly Gln Asp
 3425 3430 3435

Asn Cys Gly Asp Gly Glu Asp Glu Arg Asp Cys Pro Glu Val Thr
 3440 3445 3450

Cys Ala Pro Asn Gln Phe Gln Cys Ser Ile Thr Lys Arg Cys Ile
 3455 3460 3465

Pro Arg Val Trp Val Cys Asp Arg Asp Asn Asp Cys Val Asp Gly
 3470 3475 3480

Ser Asp Glu Pro Ala Asn Cys Thr Gln Met Thr Cys Gly Val Asp
 3485 3490 3495

Glu Phe Arg Cys Lys Asp Ser Gly Arg Cys Ile Pro Ala Arg Trp
 3500 3505 3510

Lys Cys Asp Gly Glu Asp Asp Cys Gly Asp Gly Ser Asp Glu Pro
 3515 3520 3525

Lys Glu Glu Cys Asp Glu Arg Thr Cys Glu Pro Tyr Gln Phe Arg
 3530 3535 3540

Cys Lys Asn Asn Arg Cys Val Pro Gly Arg Trp Gln Cys Asp Tyr
 3545 3550 3555

Asp Asn Asp Cys Gly Asp Asn Ser Asp Glu Glu Ser Cys Thr Pro
 3560 3565 3570

Arg Pro Cys Ser Glu Ser Glu Phe Ser Cys Ala Asn Gly Arg Cys
 3575 3580 3585

Ile Ala Gly Arg Trp Lys Cys Asp Gly Asp His Asp Cys Ala Asp
 3590 3595 3600

Gly Ser Asp Glu Lys Asp Cys Thr Pro Arg Cys Asp Met Asp Gln
 3605 3610 3615

Nonprovisional IP-017.ST25.txt

Phe Gln Cys Lys Ser Gly His Cys Ile Pro Leu Arg Trp Arg Cys
 3620 3625 3630

Asp Ala Asp Ala Asp Cys Met Asp Gly Ser Asp Glu Glu Ala Cys
 3635 3640 3645

Gly Thr Gly Val Arg Thr Cys Pro Leu Asp Glu Phe Gln Cys Asn
 3650 3655 3660

Asn Thr Leu Cys Lys Pro Leu Ala Trp Lys Cys Asp Gly Glu Asp
 3665 3670 3675

Asp Cys Gly Asp Asn Ser Asp Glu Asn Pro Glu Glu Cys Ala Arg
 3680 3685 3690

Phe Ile Cys Pro Pro Asn Arg Pro Phe Arg Cys Lys Asn Asp Arg
 3695 3700 3705

Val Cys Leu Trp Ile Gly Arg Gln Cys Asp Gly Val Asp Asn Cys
 3710 3715 3720

Gly Asp Gly Thr Asp Glu Glu Asp Cys Glu Pro Pro Thr Ala Gln
 3725 3730 3735

Asn Pro His Cys Lys Asp Lys Lys Glu Phe Leu Cys Arg Asn Gln
 3740 3745 3750

Arg Cys Leu Ser Ser Ser Leu Arg Cys Asn Met Phe Asp Asp Cys
 3755 3760 3765

Gly Asp Gly Ser Asp Glu Glu Asp Cys Ser Ile Asp Pro Lys Leu
 3770 3775 3780

Thr Ser Cys Ala Thr Asn Ala Ser Met Cys Gly Asp Glu Ala Arg
 3785 3790 3795

Cys Val Arg Thr Glu Lys Ala Ala Tyr Cys Ala Cys Arg Ser Gly
 3800 3805 3810

Phe His Thr Val Pro Gly Gln Pro Gly Cys Gln Asp Ile Asn Glu
 3815 3820 3825

Cys Leu Arg Phe Gly Thr Cys Ser Gln Leu Cys Asn Asn Thr Lys
 3830 3835 3840

Gly Gly His Leu Cys Ser Cys Ala Arg Asn Phe Met Lys Thr His
 3845 3850 3855

Asn Thr Cys Lys Ala Glu Gly Ser Glu Tyr Gln Val Leu Tyr Ile
 3860 3865 3870

Nonprovisional IP-017.ST25.txt

Ala Asp Asp Asn Glu Ile Arg Ser Leu Phe Pro Gly His Pro His
 3875 3880 3885

Ser Ala Tyr Glu Gln Thr Phe Gln Gly Asp Glu Ser Val Arg Ile
 3890 3895 3900

Asp Ala Met Asp Val His Val Lys Ala Gly Arg Val Tyr Trp Thr
 3905 3910 3915

Asn Trp His Thr Gly Thr Ile Ser Tyr Arg Ser Leu Pro Pro Ala
 3920 3925 3930

Ala Pro Pro Thr Thr Ser Asn Arg His Arg Arg Gln Ile Asp Arg
 3935 3940 3945

Gly Val Thr His Leu Asn Ile Ser Gly Leu Lys Met Pro Arg Gly
 3950 3955 3960

Ile Ala Ile Asp Trp Val Ala Gly Asn Val Tyr Trp Thr Asp Ser
 3965 3970 3975

Gly Arg Asp Val Ile Glu Val Ala Gln Met Lys Gly Glu Asn Arg
 3980 3985 3990

Lys Thr Leu Ile Ser Gly Met Ile Asp Glu Pro His Ala Ile Val
 3995 4000 4005

Val Asp Pro Leu Arg Gly Thr Met Tyr Trp Ser Asp Trp Gly Asn
 4010 4015 4020

His Pro Lys Ile Glu Thr Ala Ala Met Asp Gly Thr Leu Arg Glu
 4025 4030 4035

Thr Leu Val Gln Asp Asn Ile Gln Trp Pro Thr Gly Leu Ala Val
 4040 4045 4050

Asp Tyr His Asn Glu Arg Leu Tyr Trp Ala Asp Ala Lys Leu Ser
 4055 4060 4065

Val Ile Gly Ser Ile Arg Leu Asn Gly Thr Asp Pro Ile Val Ala
 4070 4075 4080

Ala Asp Ser Lys Arg Gly Leu Ser His Pro Phe Ser Ile Asp Val
 4085 4090 4095

Phe Glu Asp Tyr Ile Tyr Gly Val Thr Tyr Ile Asn Asn Arg Val
 4100 4105 4110

Phe Lys Ile His Lys Phe Gly His Ser Pro Leu Ile Asn Leu Thr
 4115 4120 4125

Nonprovisional IP-017.ST25.txt

Gly Gly Leu Ser His Ala Ser Asp Val Val Leu Tyr His Gln His
 4130 4135 4140

Lys Gln Pro Glu Val Thr Asn Pro Cys Asp Arg Lys Lys Cys Glu
 4145 4150 4155

Trp Leu Cys Leu Leu Ser Pro Ser Gly Pro Val Cys Thr Cys Pro
 4160 4165 4170

Asn Gly Lys Arg Leu Asp Asn Gly Thr Cys Val Pro Val Pro Ser
 4175 4180 4185

Pro Thr Pro Pro Pro Asp Ala Pro Arg Pro Gly Thr Cys Thr Leu
 4190 4195 4200

Gln Cys Phe Asn Gly Gly Ser Cys Phe Leu Asn Ala Arg Arg Gln
 4205 4210 4215

Pro Lys Cys Arg Cys Gln Pro Arg Tyr Thr Gly Asp Lys Cys Glu
 4220 4225 4230

Leu Asp Gln Cys Trp Glu Tyr Cys His Asn Gly Gly Thr Cys Ala
 4235 4240 4245

Ala Ser Pro Ser Gly Met Pro Thr Cys Arg Cys Pro Thr Gly Phe
 4250 4255 4260

Thr Gly Pro Lys Cys Thr Ala Gln Val Cys Ala Gly Tyr Cys Ser
 4265 4270 4275

Asn Asn Ser Thr Cys Thr Val Asn Gln Gly Asn Gln Pro Gln Cys
 4280 4285 4290

Arg Cys Leu Pro Gly Phe Leu Gly Asp Arg Cys Gln Tyr Arg Gln
 4295 4300 4305

Cys Ser Gly Phe Cys Glu Asn Phe Gly Thr Cys Gln Met Ala Ala
 4310 4315 4320

Asp Gly Ser Arg Gln Cys Arg Cys Thr Val Tyr Phe Glu Gly Pro
 4325 4330 4335

Arg Cys Glu Val Asn Lys Cys Ser Arg Cys Leu Gln Gly Ala Cys
 4340 4345 4350

Val Val Asn Lys Gln Thr Gly Asp Val Thr Cys Asn Cys Thr Asp
 4355 4360 4365

Gly Arg Val Ala Pro Ser Cys Leu Thr Cys Ile Asp His Cys Ser
 4370 4375 4380

Nonprovisional IP-017.ST25.txt

Asn Gly Gly Ser Cys Thr Met Asn Ser Lys Met Met Pro Glu Cys
 4385 4390 4395

Gln Cys Pro Pro His Met Thr Gly Pro Arg Cys Glu Glu Gln Val
 4400 4405 4410

Val Ser Gln Gln Gln Pro Gly His Met Ala Ser Ile Leu Ile Pro
 4415 4420 4425

Leu Leu Leu Leu Leu Leu Leu Val Ala Gly Val Val Phe
 4430 4435 4440

Trp Tyr Lys Arg Arg Val Arg Gly Ala Lys Gly Phe Gln His Gln
 4445 4450 4455

Arg Met Thr Asn Gly Ala Met Asn Val Glu Ile Gly Asn Pro Thr
 4460 4465 4470

Tyr Lys Met Tyr Glu Gly Gly Glu Pro Asp Asp Val Gly Gly Leu
 4475 4480 4485

Leu Asp Ala Asp Phe Ala Leu Asp Pro Asp Lys Pro Thr Asn Phe
 4490 4495 4500

Thr Asn Pro Val Tyr Ala Thr Leu Tyr Met Gly Gly His Gly Ser
 4505 4510 4515

Arg His Ser Leu Ala Ser Thr Asp Glu Lys Arg Glu Leu Leu Gly
 4520 4525 4530

Arg Gly Pro Glu Asp Glu Ile Gly Asp Pro Leu Ala
 4535 4540 4545

<210> 72
 <211> 196
 <212> PRT
 <213> MOUSE

<400> 72

Leu Ser Ser Leu Ala Lys Pro Ser Glu Asn Gly Asn Gly Val Thr Phe
 1 5 10 15

Arg Ser Gly Ala Asp Val Asn Met Asp Ile Gly Val Ser Pro Phe Gly
 20 25 30

Pro Glu Thr Ile Ile Asp Arg Ser Met Ala Met Asn Glu Gln Phe Val
 35 40 45

Met Glu Val Gly Lys Gln Pro Val Ile Phe Glu Asn Pro Met Tyr Ala
 50 55 60

Ala Lys Asp Ser Thr Ser Lys Val Gly Leu Ala Val Gln Gly Pro Ser
 Page 190

Nonprovisional IP-017.ST25.txt

65 70 75 80

Val Ser Ser Gln Val Thr Val Pro Glu Asn Val Glu Asn Gln Asn Tyr
85 90 95

Gly Arg Ser Ile Asp Pro Ser Glu Ile Val Pro Glu Pro Lys Pro Ala
100 105 110

Ser Pro Gly Ala Asp Glu Thr Gln Gly Thr Lys Trp Asn Ile Phe Lys
115 120 125

Arg Lys Pro Lys Gln Thr Thr Asn Phe Glu Asn Pro Ile Tyr Ala Glu
130 135 140

Met Asp Thr Glu Gln Lys Glu Ala Val Ala Val Ala Pro Pro Pro Ser
145 150 155 160

Pro Ser Leu Pro Ala Lys Ala Ser Lys Arg Ser Ser Thr Pro Gly Tyr
165 170 175

Thr Ala Thr Glu Asp Thr Phe Lys Asp Thr Ala Asn Leu Val Lys Glu
180 185 190

Asp Ser Asp Val
195

<210> 73
 <211> 2867
 <212> PRT
 <213> HOMO SAPIENS
 <400> 73

Met Asp Arg Gly Pro Ala Ala Val Ala Cys Thr Leu Leu Leu Ala Leu
1 5 10 15

Val Ala Cys Leu Ala Pro Ala Ser Gly Gln Glu Cys Asp Ser Ala His
20 25 30

Phe Arg Cys Gly Ser Gly His Cys Ile Pro Ala Asp Trp Arg Cys Asp
35 40 45

Gly Thr Lys Asp Cys Ser Asp Asp Ala Asp Glu Ile Gly Cys Ala Val
50 55 60

Val Thr Cys Gln Gln Gly Tyr Phe Lys Cys Gln Ser Glu Gly Gln Cys
65 70 75 80

Ile Pro Asn Ser Trp Val Cys Asp Gln Asp Gln Asp Cys Asp Asp Gly
85 90 95

Ser Asp Glu Arg Gln Asp Cys Ser Gln Ser Thr Cys Ser Ser His Gln
100 105 110

Nonprovisional IP-017.ST25.txt

Ile Thr Cys Ser Asn Gly Gln Cys Ile Pro Ser Glu Tyr Arg Cys Asp
 115 120 125
 His Val Arg Asp Cys Pro Asp Gly Ala Asp Glu Asn Asp Cys Gln Tyr
 130 135 140
 Pro Thr Cys Glu Gln Leu Thr Cys Asp Asn Gly Ala Cys Tyr Asn Thr
 145 150 155 160
 Ser Gln Lys Cys Asp Trp Lys Val Asp Cys Arg Asp Ser Ser Asp Glu
 165 170 175
 Ile Asn Cys Thr Glu Ile Cys Leu His Asn Glu Phe Ser Cys Gly Asn
 180 185 190
 Gly Glu Cys Ile Pro Arg Ala Tyr Val Cys Asp His Asp Asn Asp Cys
 195 200 205
 Gln Asp Gly Ser Asp Glu His Ala Cys Asn Tyr Pro Thr Cys Gly Gly
 210 215 220
 Tyr Gln Phe Thr Cys Pro Ser Gly Arg Cys Ile Tyr Gln Asn Trp Val
 225 230 235 240
 Cys Asp Gly Glu Asp Asp Cys Lys Asp Asn Gly Asp Glu Asp Gly Cys
 245 250 255
 Glu Ser Gly Pro His Asp Val His Lys Cys Ser Pro Arg Glu Trp Ser
 260 265 270
 Cys Pro Glu Ser Gly Arg Cys Ile Ser Ile Tyr Lys Val Cys Asp Gly
 275 280 285
 Ile Leu Asp Cys Pro Gly Arg Glu Asp Glu Asn Asn Thr Ser Thr Gly
 290 295 300
 Lys Tyr Cys Ser Met Thr Leu Cys Ser Ala Leu Asn Cys Gln Tyr Gln
 305 310 315 320
 Cys His Glu Thr Pro Tyr Gly Gly Ala Cys Phe Cys Pro Pro Gly Tyr
 325 330 335
 Ile Ile Asn His Asn Asp Ser Arg Thr Cys Val Glu Phe Asp Asp Cys
 340 345 350
 Gln Ile Trp Gly Ile Cys Asp Gln Lys Cys Glu Ser Arg Pro Gly Arg
 355 360 365
 His Leu Cys His Cys Glu Glu Gly Tyr Ile Leu Glu Arg Gly Gln Tyr
 370 375 380

Nonprovisional IP-017.ST25.txt

Cys Lys Ala Asn Asp Ser Phe Gly Glu Ala Ser Ile Ile Phe Ser Asn
 385 390 395 400
 Gly Arg Asp Leu Leu Ile Gly Asp Ile His Gly Arg Ser Phe Arg Ile
 405 410 415
 Leu Val Glu Ser Gln Asn Arg Gly Val Ala Val Gly Val Ala Phe His
 420 425 430
 Tyr His Leu Gln Arg Val Phe Trp Thr Asp Thr Val Gln Asn Lys Val
 435 440 445
 Phe Ser Val Asp Ile Asn Gly Leu Asn Ile Gln Glu Val Leu Asn Val
 450 455 460
 Ser Val Glu Thr Pro Glu Asn Leu Ala Val Asp Trp Val Asn Asn Lys
 465 470 475 480
 Ile Tyr Leu Val Glu Thr Lys Val Asn Arg Ile Asp Met Val Asn Leu
 485 490 495
 Asp Gly Ser Tyr Arg Val Thr Leu Ile Thr Glu Asn Leu Gly His Pro
 500 505 510
 Arg Gly Ile Ala Val Asp Pro Thr Val Gly Tyr Leu Phe Phe Ser Asp
 515 520 525
 Trp Glu Ser Leu Ser Gly Glu Pro Lys Leu Glu Arg Ala Phe Met Asp
 530 535 540
 Gly Ser Asn Arg Lys Asp Leu Val Lys Thr Lys Leu Gly Trp Pro Ala
 545 550 555 560
 Gly Val Thr Leu Asp Met Ile Ser Lys Arg Val Tyr Trp Val Asp Ser
 565 570 575
 Arg Phe Asp Tyr Ile Glu Thr Val Thr Tyr Asp Gly Ile Gln Arg Lys
 580 585 590
 Thr Val Val His Gly Gly Ser Leu Ile Pro His Pro Phe Gly Val Ser
 595 600 605
 Leu Phe Glu Gly Gln Val Phe Phe Thr Asp Trp Thr Lys Met Ala Val
 610 615 620
 Leu Lys Ala Asn Lys Phe Thr Glu Thr Asn Pro Gln Val Tyr Tyr Gln
 625 630 635 640
 Ala Ser Leu Arg Pro Tyr Gly Val Thr Val Tyr His Ser Leu Arg Gln
 645 650 655

Nonprovisional IP-017.ST25.txt

Pro Tyr Ala Thr Asn Pro Cys Lys Asp Asn Asn Gly Gly Cys Glu Gln
 660 665 670
 Val Cys Val Leu Ser His Arg Thr Asp Asn Asp Gly Leu Gly Phe Arg
 675 680 685
 Cys Lys Cys Thr Phe Gly Phe Gln Leu Asp Thr Asp Glu Arg His Cys
 690 695 700
 Ile Ala Val Gln Asn Phe Leu Ile Phe Ser Ser Gln Val Ala Ile Arg
 705 710 715 720
 Gly Ile Pro Phe Thr Leu Ser Thr Gln Glu Asp Val Met Val Pro Val
 725 730 735
 Ser Gly Asn Pro Ser Phe Phe Val Gly Ile Asp Phe Asp Ala Gln Asp
 740 745 750
 Ser Thr Ile Phe Phe Ser Asp Met Ser Lys His Met Ile Phe Lys Gln
 755 760 765
 Lys Ile Asp Gly Thr Gly Arg Glu Ile Leu Ala Ala Asn Arg Val Glu
 770 775 780
 Asn Val Glu Ser Leu Ala Phe Asp Trp Ile Ser Lys Asn Leu Tyr Trp
 785 790 795 800
 Thr Asp Ser His Tyr Lys Ser Ile Ser Val Met Arg Leu Ala Asp Lys
 805 810 815
 Thr Arg Arg Thr Val Val Gln Tyr Leu Asn Asn Pro Arg Ser Val Val
 820 825 830
 Val His Pro Phe Ala Gly Tyr Leu Phe Phe Thr Asp Trp Phe Arg Pro
 835 840 845
 Ala Lys Ile Met Arg Ala Trp Ser Asp Gly Ser His Leu Leu Pro Val
 850 855 860
 Ile Asn Thr Thr Leu Gly Trp Pro Asn Gly Leu Ala Ile Asp Trp Ala
 865 870 875 880
 Ala Ser Arg Leu Tyr Trp Val Asp Ala Tyr Phe Asp Lys Ile Glu His
 885 890 895
 Ser Thr Phe Asp Gly Leu Asp Arg Arg Arg Leu Gly His Ile Glu Gln
 900 905 910
 Met Thr His Pro Phe Gly Leu Ala Ile Phe Gly Glu His Leu Phe Phe
 915 920 925

Nonprovisional IP-017.ST25.txt

Thr Asp Trp Arg Leu Gly Ala Ile Ile Arg Val Arg Lys Ala Asp Gly
 930 935 940
 Gly Glu Met Thr Val Ile Arg Ser Gly Ile Ala Tyr Ile Leu His Leu
 945 950 955 960
 Lys Ser Tyr Asp Val Asn Ile Gln Thr Gly Ser Asn Ala Cys Asn Gln
 965 970 975
 Pro Thr His Pro Asn Gly Asp Cys Ser His Phe Cys Phe Pro Val Pro
 980 985 990
 Asn Phe Gln Arg Val Cys Gly Cys Pro Tyr Gly Met Arg Leu Ala Ser
 995 1000 1005
 Asn His Leu Thr Cys Glu Gly Asp Pro Thr Asn Glu Pro Pro Thr
 1010 1015 1020
 Glu Gln Cys Gly Leu Phe Ser Phe Pro Cys Lys Asn Gly Arg Cys
 1025 1030 1035
 Val Pro Asn Tyr Tyr Leu Cys Asp Gly Val Asp Asp Cys His Asp
 1040 1045 1050
 Asn Ser Asp Glu Gln Leu Cys Gly Thr Leu Asn Asn Thr Cys Ser
 1055 1060 1065
 Ser Ser Ala Phe Thr Cys Gly His Gly Glu Cys Ile Pro Ala His
 1070 1075 1080
 Trp Arg Cys Asp Lys Arg Asn Asp Cys Val Asp Gly Ser Asp Glu
 1085 1090 1095
 His Asn Cys Pro Thr His Ala Pro Ala Ser Cys Leu Asp Thr Gln
 1100 1105 1110
 Tyr Thr Cys Asp Asn His Gln Cys Ile Ser Lys Asn Trp Val Cys
 1115 1120 1125
 Asp Thr Asp Asn Asp Cys Gly Asp Gly Ser Asp Glu Lys Asn Cys
 1130 1135 1140
 Asn Ser Thr Glu Thr Cys Gln Pro Ser Gln Phe Asn Cys Pro Asn
 1145 1150 1155
 His Arg Cys Ile Asp Leu Ser Phe Val Cys Asp Gly Asp Lys Asp
 1160 1165 1170
 Cys Val Asp Gly Ser Asp Glu Val Gly Cys Val Leu Asn Cys Thr
 1175 1180 1185

Nonprovisional IP-017.ST25.txt

Ala Ser Gln Phe Lys Cys Ala Ser Gly Asp Lys Cys Ile Gly Val
 1190 1195 1200
 Thr Asn Arg Cys Asp Gly Val Phe Asp Cys Ser Asp Asn Ser Asp
 1205 1210 1215
 Glu Ala Gly Cys Pro Thr Arg Pro Pro Gly Met Cys His Ser Asp
 1220 1225 1230
 Glu Phe Gln Cys Gln Glu Asp Gly Ile Cys Ile Pro Asn Phe Trp
 1235 1240 1245
 Glu Cys Asp Gly His Pro Asp Cys Leu Tyr Gly Ser Asp Glu His
 1250 1255 1260
 Asn Ala Cys Val Pro Lys Thr Cys Pro Ser Ser Tyr Phe His Cys
 1265 1270 1275
 Asp Asn Gly Asn Cys Ile His Arg Ala Trp Leu Cys Asp Arg Asp
 1280 1285 1290
 Asn Asp Cys Gly Asp Met Ser Asp Glu Lys Asp Cys Pro Thr Gln
 1295 1300 1305
 Pro Phe Arg Cys Pro Ser Trp Gln Trp Gln Cys Leu Gly His Asn
 1310 1315 1320
 Ile Cys Val Asn Leu Ser Val Val Cys Asp Gly Ile Phe Asp Cys
 1325 1330 1335
 Pro Asn Gly Thr Asp Glu Ser Pro Leu Cys Asn Gly Asn Ser Cys
 1340 1345 1350
 Ser Asp Phe Asn Gly Gly Cys Thr His Glu Cys Val Gln Glu Pro
 1355 1360 1365
 Phe Gly Ala Lys Cys Leu Cys Pro Leu Gly Phe Leu Leu Ala Asn
 1370 1375 1380
 Asp Ser Lys Thr Cys Glu Asp Ile Asp Glu Cys Asp Ile Leu Gly
 1385 1390 1395
 Ser Cys Ser Gln His Cys Tyr Asn Met Arg Gly Ser Phe Arg Cys
 1400 1405 1410
 Ser Cys Asp Thr Gly Tyr Met Leu Glu Ser Asp Gly Arg Thr Cys
 1415 1420 1425
 Lys Val Thr Ala Ser Glu Ser Leu Leu Leu Leu Val Ala Ser Gln
 1430 1435 1440

Nonprovisional IP-017.ST25.txt

Asn Lys Ile Ile Ala Asp Ser Val Thr Ser Gln Val His Asn Ile
 1445 1450 1455
 Tyr Ser Leu Val Glu Asn Gly Ser Tyr Ile, Val Ala Val Asp Phe
 1460 1465 1470
 Asp Ser Ile Ser Gly Arg Ile Phe Trp Ser Asp Ala Thr Gln Gly
 1475 1480 1485
 Lys Thr Trp Ser Ala Phe Gln Asn Gly Thr Asp Arg Arg Val Val
 1490 1495 1500
 Phe Asp Ser Ser Ile Ile Leu Thr Glu Thr Ile Ala Ile Asp Trp
 1505 1510 1515
 Val Gly Arg Asn Leu Tyr Trp Thr Asp Tyr Ala Leu Glu Thr Ile
 1520 1525 1530
 Glu Val Ser Lys Ile Asp Gly Ser His Arg Thr Val Leu Ile Ser
 1535 1540 1545
 Lys Asn Leu Thr Asn Pro Arg Gly Leu Ala Leu Asp Pro Arg Met
 1550 1555 1560
 Asn Glu His Leu Leu Phe Trp Ser Asp Trp Gly His His Pro Arg
 1565 1570 1575
 Ile Glu Arg Ala Ser Met Asp Gly Ser Met Arg Thr Val Ile Val
 1580 1585 1590
 Gln Asp Lys Ile Phe Trp Pro Cys Gly Leu Thr Ile Asp Tyr Pro
 1595 1600 1605
 Asn Arg Leu Leu Tyr Phe Met Asp Ser Tyr Leu Asp Tyr Met Asp
 1610 1615 1620
 Phe Cys Asp Tyr Asn Gly His His Arg Arg Gln Val Ile Ala Ser
 1625 1630 1635
 Asp Leu Ile Ile Arg His Pro Tyr Ala Leu Thr Leu Phe Glu Asp
 1640 1645 1650
 Ser Val Tyr Trp Thr Asp Arg Ala Thr Arg Arg Val Met Arg Ala
 1655 1660 1665
 Asn Lys Trp His Gly Gly Asn Gln Ser Val Val Met Tyr Asn Ile
 1670 1675 1680
 Gln Trp Pro Leu Gly Ile Val Ala Val His Pro Ser Lys Gln Pro
 1685 1690 1695

Nonprovisional IP-017.ST25.txt

Asn Ser Val Asn Pro Cys Ala Phe Ser Arg Cys Ser His Leu Cys
 1700 1705 1710
 Leu Leu Ser Ser Gln Gly Pro His Phe Tyr Ser Cys Val Cys Pro
 1715 1720 1725
 Ser Gly Trp Ser Leu Ser Pro Asp Leu Leu Asn Cys Leu Arg Asp
 1730 1735 1740
 Asp Gln Pro Phe Leu Ile Thr Val Arg Gln His Ile Ile phe Gly
 1745 1750 1755
 Ile Ser Leu Asn Pro Glu Val Lys Ser Asn Asp Ala Met Val Pro
 1760 1765 1770
 Ile Ala Gly Ile Gln Asn Gly Leu Asp Val Glu Phe Asp Asp Ala
 1775 1780 1785
 Glu Gln Tyr Ile Tyr Trp Val Glu Asn Pro Gly Glu Ile His Arg
 1790 1795 1800
 Val Lys Thr Asp Gly Thr Asn Arg Thr Val Phe Ala Ser Ile Ser
 1805 1810 1815
 Met Val Gly Pro Ser Met Asn Leu Ala Leu Asp Trp Ile Ser Arg
 1820 1825 1830
 Asn Leu Tyr Ser Thr Asn Pro Arg Thr Gln Ser Ile Glu Val Leu
 1835 1840 1845
 Thr Leu His Gly Asp Ile Arg Tyr Arg Lys Thr Leu Ile Ala Asn
 1850 1855 1860
 Asp Gly Thr Ala Leu Gly Val Gly Phe Pro Ile Gly Ile Thr Val
 1865 1870 1875
 Asp Pro Ala Arg Gly Lys Leu Tyr Trp Ser Asp Gln Gly Thr Asp
 1880 1885 1890
 Ser Gly Val Pro Ala Lys Ile Ala Ser Ala Asn Met Asp Gly Thr
 1895 1900 1905
 Ser Val Lys Thr Leu Phe Thr Gly Asn Leu Glu His Leu Glu Cys
 1910 1915 1920
 Val Thr Leu Asp Ile Glu Glu Gln Lys Leu Tyr Trp Ala Val Thr
 1925 1930 1935
 Gly Arg Gly Val Ile Glu Arg Gly Asn Val Asp Gly Thr Asp Arg
 1940 1945 1950

Nonprovisional IP-017.ST25.txt

Met Ile Leu Val His Gln Leu Ser His Pro Trp Gly Ile Ala Val
 1955 1960 1965
 His Asp Ser Phe Leu Tyr Tyr Thr Asp Glu Gln Tyr Glu Val Ile
 1970 1975 1980
 Glu Arg Val Asp Lys Ala Thr Gly Ala Asn Lys Ile Val Leu Arg
 1985 1990 1995
 Asp Asn Val Pro Asn Leu Arg Gly Leu Gln Val Tyr His Arg Arg
 2000 2005 2010
 Asn Ala Ala Glu Ser Ser Asn Gly Cys Ser Asn Asn Met Asn Ala
 2015 2020 2025
 Cys Gln Gln Ile Cys Leu Pro Val Pro Gly Gly Leu Phe Ser Cys
 2030 2035 2040
 Ala Cys Ala Thr Gly Phe Lys Leu Asn Pro Asp Asn Arg Ser Cys
 2045 2050 2055
 Ser Pro Tyr Asn Ser Phe Ile Val Val Ser Met Leu Ser Ala Ile
 2060 2065 2070
 Arg Gly Phe Ser Leu Glu Leu Ser Asp His Ser Glu Thr Met Val
 2075 2080 2085
 Pro Val Ala Gly Gln Gly Arg Asn Ala Leu His Val Asp Val Asp
 2090 2095 2100
 Val Ser Ser Gly Phe Ile Tyr Trp Cys Asp Phe Ser Ser Ser Val
 2105 2110 2115
 Ala Ser Asp Asn Ala Ile Arg Arg Ile Lys Pro Asp Gly Ser Ser
 2120 2125 2130
 Leu Met Asn Ile Val Thr His Gly Ile Gly Glu Asn Gly Val Arg
 2135 2140 2145
 Gly Ile Ala Val Asp Trp Val Ala Gly Asn Leu Tyr Phe Thr Asn
 2150 2155 2160
 Ala Phe Val Ser Glu Thr Leu Ile Glu Val Leu Arg Ile Asn Thr
 2165 2170 2175
 Thr Tyr Arg Arg Val Leu Leu Lys Val Thr Val Asp Met Pro Arg
 2180 2185 2190
 His Ile Val Val Asp Pro Lys Asn Arg Tyr Leu Phe Trp Ala Asp
 2195 2200 2205

Nonprovisional IP-017.ST25.txt

Tyr Gly Gln Arg Pro Lys Ile Glu Arg Ser Phe Leu Asp Cys Thr
 2210 2215 2220
 Asn Arg Thr Val Leu Val Ser Glu Gly Ile Val Thr Pro Arg Gly
 2225 2230 2235
 Leu Ala Val Asp Arg Ser Asp Gly Tyr Val Tyr Trp Val Asp Asp
 2240 2245 2250
 Ser Leu Asp Ile Ile Ala Arg Ile Arg Ile Asn Gly Glu Asn Ser
 2255 2260 2265
 Glu Val Ile Arg Tyr Gly Ser Arg Tyr Pro Thr Pro Tyr Gly Ile
 2270 2275 2280
 Thr Val Phe Glu Asn Ser Ile Ile Trp Val Asp Arg Asn Leu Lys
 2285 2290 2295
 Lys Ile Phe Gln Ala Ser Lys Glu Pro Glu Asn Thr Glu Pro Pro
 2300 2305 2310
 Thr Val Ile Arg Asp Asn Ile Asn Trp Leu Arg Asp Val Thr Ile
 2315 2320 2325
 Phe Asp Lys Gln Val Gln Pro Arg Ser Pro Ala Glu Val Asn Asn
 2330 2335 2340
 Asn Pro Cys Leu Glu Asn Asn Gly Gly Cys Ser His Leu Cys Phe
 2345 2350 2355
 Ala Leu Pro Gly Leu His Thr Pro Lys Cys Asp Cys Ala Phe Gly
 2360 2365 2370
 Thr Leu Gln Ser Asp Gly Lys Asn Cys Ala Ile Ser Thr Glu Asn
 2375 2380 2385
 Phe Leu Ile Phe Ala Leu Ser Asn Ser Leu Arg Ser Leu His Leu
 2390 2395 2400
 Asp Pro Glu Asn His Ser Pro Pro Phe Gln Thr Ile Asn Val Glu
 2405 2410 2415
 Arg Thr Val Met Ser Leu Asp Tyr Asp Ser Val Ser Asp Arg Ile
 2420 2425 2430
 Tyr Phe Thr Gln Asn Leu Ala Ser Gly Val Gly Gln Ile Ser Tyr
 2435 2440 2445
 Ala Thr Leu Ser Ser Gly Ile His Thr Pro Thr Val Ile Ala Ser
 2450 2455 2460

Nonprovisional IP-017.ST25.txt

Gly Ile Gly Thr Ala Asp Gly Ile Ala Phe Asp Trp Ile Thr Arg
 2465 2470 2475
 Arg Ile Tyr Tyr Ser Asp Tyr Leu Asn Gln Met Ile Asn Ser Met
 2480 2485 2490
 Ala Glu Asp Gly Ser Asn Arg Thr Val Ile Ala Arg Val Pro Lys
 2495 2500 2505
 Pro Arg Ala Ile Val Leu Asp Pro Cys Gln Gly Tyr Leu Tyr Trp
 2510 2515 2520
 Ala Asp Trp Asp Thr His Ala Lys Ile Glu Arg Ala Thr Leu Gly
 2525 2530 2535
 Gly Asn Phe Arg Val Pro Ile Val Asn Ser Ser Leu Val Met Pro
 2540 2545 2550
 Ser Gly Leu Thr Leu Asp Tyr Glu Glu Asp Leu Leu Tyr Trp Val
 2555 2560 2565
 Asp Ala Ser Leu Gln Arg Ile Glu Arg Ser Thr Leu Thr Gly Val
 2570 2575 2580
 Asp Arg Glu Val Ile Val Asn Ala Ala Val His Ala Phe Gly Leu
 2585 2590 2595
 Thr Leu Tyr Gly Gln Tyr Ile Tyr Trp Thr Asp Leu Tyr Thr Gln
 2600 2605 2610
 Arg Ile Tyr Arg Ala Asn Lys Tyr Asp Gly Ser Gly Gln Ile Ala
 2615 2620 2625
 Met Thr Thr Asn Leu Leu Ser Gln Pro Arg Gly Ile Asn Thr Val
 2630 2635 2640
 Val Lys Asn Gln Lys Gln Gln Cys Asn Asn Pro Cys Glu Gln Phe
 2645 2650 2655
 Asn Gly Gly Cys Ser His Ile Cys Ala Pro Gly Pro Asn Gly Ala
 2660 2665 2670
 Glu Cys Gln Cys Pro His Glu Gly Asn Trp Tyr Leu Ala Asn Asn
 2675 2680 2685
 Arg Lys His Cys Ile Val Asp Asn Gly Glu Arg Cys Gly Ala Ser
 2690 2695 2700
 Ser Phe Thr Cys Ser Asn Gly Arg Cys Ile Ser Glu Glu Trp Lys
 2705 2710 2715

Nonprovisional IP-017.ST25.txt

Cys Asp Asn Asp Asn Asp Cys Gly Asp Gly Ser Asp Glu Met Glu
 2720 2725 2730
 Ser Val Cys Ala Leu His Thr Cys Ser Pro Thr Ala Phe Thr Cys
 2735 2740 2745
 Ala Asn Gly Arg Cys Val Gln Tyr Ser Tyr Arg Cys Asp Tyr Tyr
 2750 2755 2760
 Asn Asp Cys Gly Asp Gly Ser Asp Glu Ala Gly Cys Leu Phe Arg
 2765 2770 2775
 Asp Cys Asn Ala Thr Thr Glu Phe Met Cys Asn Asn Arg Arg Cys
 2780 2785 2790
 Ile Pro Arg Glu Phe Ile Cys Asn Gly Val Asp Asn Cys His Asp
 2795 2800 2805
 Asn Asn Thr Ser Asp Glu Lys Asn Cys Pro Asp Arg Thr Cys Gln
 2810 2815 2820
 Ser Gly Tyr Thr Lys Cys His Asn Ser Asn Ile Cys Ile Pro Arg
 2825 2830 2835
 Val Tyr Leu Cys Asp Gly Asp Asn Asp Cys Gly Asp Asn Ser Asp
 2840 2845 2850
 Glu Asn Pro Thr Tyr Cys Ser His Ser His Val Gln Gln Gln
 2855 2860 2865
 <210> 74
 <211> 4660
 <212> PRT
 <213> RAT
 <400> 74
 Met Glu Arg Gly Ala Ala Ala Ala Ala Trp Met Leu Leu Leu Ala Ile
 1 5 10 15
 Ala Ala Cys Leu Glu Pro Val Ser Ser Gln Glu Cys Gly Ser Gly Asn
 20 25 30
 Phe Arg Cys Asp Asn Gly Tyr Cys Ile Pro Ala Ser Trp Arg Cys Asp
 35 40 45
 Gly Thr Arg Asp Cys Leu Asp Asp Thr Asp Glu Ile Gly Cys Pro Pro
 50 55 60
 Arg Ser Cys Glu Ser Gly Leu Phe Leu Cys Pro Ala Glu Gly Thr Cys
 65 70 75 80

Nonprovisional IP-017.ST25.txt

Ile Pro Ser Ser Trp Val Cys Asp Glu Asp Lys Asp Cys Ser Asp Gly
 85 90 95
 Ala Asp Glu Gln Gln Asn Cys Ala Gly Thr Thr Cys Ser Ala Gln Gln
 100 105 110
 Met Thr Cys Ser Asn Gly Gln Cys Ile Pro Ser Glu Tyr Arg Cys Asp
 115 120 125
 His Val Ser Asp Cys Pro Asp Gly Ser Asp Glu Arg Asn Cys His Tyr
 130 135 140
 Pro Thr Cys Asp Gln Leu Thr Cys Ala Asn Gly Ala Cys Tyr Asn Thr
 145 150 155 160
 Ser Gln Arg Cys Asp Gln Lys Val Asp Cys Arg Asp Ser Ser Asp Glu
 165 170 175
 Ala Asn Cys Thr Thr Leu Cys Ser Gln Lys Glu Phe Glu Cys Gly Ser
 180 185 190
 Gly Glu Cys Ile Leu Arg Ala Tyr Val Cys Asp His Asp Asn Asp Cys
 195 200 205
 Glu Asp Asn Ser Asp Glu Arg Asn Cys Asn Tyr Asp Thr Cys Gly Gly
 210 215 220
 His Gln Phe Thr Cys Ser Asn Gly Gln Cys Ile Asn Gln Asn Trp Val
 225 230 235 240
 Cys Asp Gly Asp Asp Asp Cys Gln Asp Ser Gly Asp Glu Asp Gly Cys
 245 250 255
 Glu Ser Asn Gln Ser His His Arg Cys Tyr Pro Arg Glu Trp Ala Cys
 260 265 270
 Pro Gly Ser Gly Arg Cys Ile Ser Ile Asp Lys Val Cys Asp Gly Val
 275 280 285
 Pro Asp Cys Pro Glu Gly Asp Asp Glu Asn Asn Val Thr Ser Gly Arg
 290 295 300
 Thr Cys Gly Met Gly Val Cys Ser Val Leu Asn Cys Glu Tyr Gln Cys
 305 310 315 320
 His Gln Thr Pro Phe Gly Gly Glu Cys Phe Cys Pro Pro Gly His Ile
 325 330 335
 Ile Asn Ser Asn Asp Ser Arg Thr Cys Ile Asp Phe Asp Asp Cys Gln
 340 345 350

Nonprovisional IP-017.ST25.txt

Ile Trp Gly Ile Cys Asp Gln Lys Cys Glu Asn Arg Gln Gly Arg His
 355 360 365
 Gln Cys Leu Cys Glu Glu Gly Tyr Ile Leu Glu Arg Gly Gln His Cys
 370 375 380
 Lys Ser Ser Asp Ser Phe Ser Ala Ala Ser Val Ile Phe Ser Asn Gly
 385 390 395 400
 Arg Asp Leu Leu Val Gly Asp Leu His Gly Arg Asn Phe Arg Ile Leu
 405 410 415
 Ala Glu Ser Lys Asn Arg Gly Met Val Met Gly Val Asp Phe His Tyr
 420 425 430
 Gln Lys His Arg Val Phe Trp Thr Asp Pro Met Gln Glu Lys Val Phe
 435 440 445
 Ser Thr Asp Ile Asn Gly Leu Asn Thr Gln Glu Ile Leu Asn Val Ser
 450 455 460
 Val Asp Thr Pro Glu Asn Leu Ala Val Asp Trp Ile Asn Asn Lys Leu
 465 470 475 480
 Tyr Leu Val Glu Thr Lys Val Asn Arg Ile Asp Val Val Asn Leu Glu
 485 490 495
 Gly Asn Gln Arg Val Thr Leu Ile Thr Glu Asn Leu Gly His Pro Arg
 500 505 510
 Gly Ile Ala Leu Asp Pro Thr Val Gly Tyr Leu Phe Phe Ser Asp Trp
 515 520 525
 Gly Ser Leu Ser Gly Gln Pro Lys Val Glu Arg Ala Phe Met Asp Gly
 530 535 540
 Ser Asn Arg Lys Asp Leu Val Thr Thr Lys Val Gly Trp Pro Ala Gly
 545 550 555 560
 Ile Thr Leu Asp Leu Val Ser Lys Arg Val Tyr Trp Val Asp Ser Arg
 565 570 575
 Tyr Asp Tyr Ile Glu Thr Val Thr Tyr Asp Gly Ile Gln Arg Lys Thr
 580 585 590
 Val Ala Arg Gly Gly Ser Leu Val Pro His Pro Phe Gly Ile Ser Leu
 595 600 605
 Phe Glu Glu His Val Phe Phe Thr Asp Trp Thr Lys Met Ala Val Met
 610 615 620

Nonprovisional IP-017.ST25.txt

Lys Ala Ser Lys Phe Thr Glu Thr Asn Pro Gln Val Tyr His Gln Ser
 625 630 635 640
 Ser Leu Arg Pro His Gly Val Thr Val Tyr His Ala Leu Arg Gln Pro
 645 650 655
 Asn Ala Thr Asn Pro Cys Gly Ser Asn Asn Gly Gly Cys Ala Gln Val
 660 665 670
 Cys Val Leu Ser His Arg Thr Asp Asn Gly Gly Leu Gly Tyr Arg Cys
 675 680 685
 Lys Cys Glu Phe Gly Phe Glu Leu Asp Asp Asp Glu His Arg Cys Val
 690 695 700
 Ala Val Lys Asn Phe Leu Leu Phe Ser Ser Lys Thr Ala Val Arg Gly
 705 710 715 720
 Ile Pro Phe Thr Leu Ser Thr Gln Glu Asp Val Met Val Pro Val Thr
 725 730 735
 Gly Ser Pro Ser Phe Phe Val Gly Ile Asp Phe Asp Ala Gln His Ser
 740 745 750
 Thr Val Phe Tyr Ser Asp Leu Ser Lys Asp Ile Ile Tyr Lys Gln Lys
 755 760 765
 Ile Asp Gly Thr Gly Lys Glu Val Ile Thr Ala Asn Arg Leu Glu Ser
 770 775 780
 Val Glu Cys Leu Thr Phe Asp Trp Ile Ser Arg Asn Leu Tyr Trp Thr
 785 790 795 800
 Asp Gly Gly Leu Lys Ser Val Thr Val Leu Arg Leu Ala Asp Lys Ser
 805 810 815
 Arg Arg Gln Ile Ile Ser Asn Leu Asn Asn Pro Arg Ser Ile Val Val
 820 825 830
 His Pro Thr Ala Gly Tyr Met Phe Leu Ser Asp Trp Phe Arg Pro Ala
 835 840 845
 Lys Ile Met Arg Ala Trp Ser Asp Gly Ser His Leu Met Pro Ile Val
 850 855 860
 Asn Thr Ser Leu Gly Trp Pro Asn Gly Leu Ala Ile Asp Trp Ser Ala
 865 870 875 880
 Ser Arg Leu Tyr Trp Val Asp Ala Phe Phe Asp Lys Ile Glu His Ser
 885 890 895

Nonprovisional IP-017.ST25.txt

Thr Leu Asp Gly Leu Asp Arg Lys Arg Leu Gly His Val Asp Gln Met
 900 905 910
 Thr His Pro Phe Gly Leu Thr Val Phe Lys Asp Asn Val Phe Ile Thr
 915 920 925
 Asp Trp Arg Leu Gly Ala Ile Ile Arg Val Arg Lys Ser Asp Gly Gly
 930 935 940
 Asp Met Thr Val Ile Arg Arg Gly Ile Ser Ser Val Met His Val Lys
 945 950 955 960
 Ala Tyr Asp Ala Asp Leu Gln Thr Gly Ser Asn Tyr Cys Ser Gln Thr
 965 970 975
 Thr His Ala Asn Gly Asp Cys Ser His Phe Cys Phe Pro Val Pro Asn
 980 985 990
 Phe Gln Arg Val Cys Gly Cys Pro Tyr Gly Met Lys Leu Gln Arg Asp
 995 1000 1005
 Gln Met Thr Cys Glu Gly Asp Pro Ala Arg Glu Pro Pro Thr Gln
 1010 1015 1020
 Gln Cys Gly Ser Leu Ser Phe Pro Cys Asn Asn Gly Lys Cys Val
 1025 1030 1035
 Pro Ser Phe Phe Arg Cys Asp Gly Val Asp Asp Cys His Asp Asn
 1040 1045 1050
 Ser Asp Glu His Gln Cys Gly Val Phe Asn Asn Thr Cys Ser Pro
 1055 1060 1065
 Ser Ala Phe Ala Cys Val Arg Gly Gly Gln Cys Ile Pro Gly Gln
 1070 1075 1080
 Trp His Cys Asp Arg Gln Asn Asp Cys Leu Asp Gly Ser Asp Glu
 1085 1090 1095
 Gln Asn Cys Pro Thr His Ala Thr Ser Ser Thr Cys Pro Ser Thr
 1100 1105 1110
 Ser Phe Thr Cys Asp Asn His Val Cys Ile Pro Lys Asp Trp Val
 1115 1120 1125
 Cys Asp Thr Asp Asn Asp Cys Ser Asp Gly Ser Asp Glu Lys Asn
 1130 1135 1140
 Cys Gln Ala Ser Gly Thr Cys Gln Pro Thr Gln Phe Arg Cys Pro
 1145 1150 1155

Nonprovisional IP-017.ST25.txt

Asp His Arg Cys Ile Ser Pro Leu Tyr Val Cys Asp Gly Asp Lys
 1160 1165 1170
 Asp Cys Ala Asp Gly Ser Asp Glu Ala Gly Cys Val Leu Asn Cys
 1175 1180 1185
 Thr Ser Ala Gln Phe Lys Cys Ala Asp Gly Ser Ser Cys Ile Asn
 1190 1195 1200
 Ser Arg Tyr Arg Cys Asp Gly Val Tyr Asp Cys Arg Asp Asn Ser
 1205 1210 1215
 Asp Glu Ala Gly Cys Pro Thr Arg Pro Pro Gly Met Cys His Pro
 1220 1225 1230
 Asp Glu Phe Gln Cys Gln Gly Asp Gly Thr Cys Ile Pro Asn Thr
 1235 1240 1245
 Trp Glu Cys Asp Gly His Pro Asp Cys Ile His Gly Ser Asp Glu
 1250 1255 1260
 His Thr Gly Cys Val Pro Lys Thr Cys Ser Pro Thr His Phe Leu
 1265 1270 1275
 Cys Asp Asn Gly Asn Cys Ile Tyr Lys Ala Trp Ile Cys Asp Gly
 1280 1285 1290
 Asp Asn Asp Cys Arg Asp Met Ser Asp Glu Lys Asp Cys Pro Thr
 1295 1300 1305
 Gln Pro Phe His Cys Pro Ser Thr Gln Trp Gln Cys Pro Gly Tyr
 1310 1315 1320
 Ser Thr Cys Ile Asn Leu Ser Ala Leu Cys Asp Gly Val Phe Asp
 1325 1330 1335
 Cys Pro Asn Gly Thr Asp Glu Ser Pro Leu Cys Asn Gln Asp Ser
 1340 1345 1350
 Cys Ser His Phe Asn Gly Gly Cys Thr His Gln Cys Met Gln Gly
 1355 1360 1365
 Pro Phe Gly Ala Thr Cys Leu Cys Pro Leu Gly Tyr Gln Leu Ala
 1370 1375 1380
 Asn Asp Thr Lys Thr Cys Glu Asp Ile Asn Glu Cys Asp Ile Pro
 1385 1390 1395
 Gly Phe Cys Ser Gln His Cys Val Asn Met Arg Gly Ser Phe Arg
 1400 1405 1410

Nonprovisional IP-017.ST25.txt

Cys Ala Cys Asp Pro Glu Tyr Thr Leu Glu Ser Asp Gly Arg Thr
 1415 1420 1425
 Cys Lys Val Thr Gly Ser Glu Asn Pro Leu Leu Val Val Ala Ser
 1430 1435 1440
 Arg Asp Lys Ile Ile Val Asp Asn Ile Thr Ala His Thr His Asn
 1445 1450 1455
 Leu Tyr Ser Leu Val Gln Asp Val Ser Phe Val Val Ala Leu Asp
 1460 1465 1470
 Phe Asp Ser Val Thr Gly Arg Val Phe Trp Ser Asp Leu Leu Gln
 1475 1480 1485
 Gly Lys Thr Trp Ser Val Phe Gln Asn Gly Thr Asp Lys Arg Val
 1490 1495 1500
 Val His Asp Ser Gly Leu Ser Val Thr Glu Met Ile Ala Val Asp
 1505 1510 1515
 Trp Ile Gly Arg Asn Leu Tyr Trp Thr Asp Tyr Ala Leu Glu Thr
 1520 1525 1530
 Ile Glu Val Ser Lys Ile Asp Gly Ser His Arg Thr Val Leu Ile
 1535 1540 1545
 Ser Lys Asn Val Thr Lys Pro Arg Gly Leu Ala Leu Asp Pro Arg
 1550 1555 1560
 Met Gly Asp Asn Val Met Phe Trp Ser Asp Trp Gly His His Pro
 1565 1570 1575
 Arg Ile Glu Arg Ala Ser Met Asp Gly Thr Met Arg Thr Val Ile
 1580 1585 1590
 Val Gln Glu Lys Ile Tyr Trp Pro Cys Gly Leu Ser Ile Asp Tyr
 1595 1600 1605
 Pro Asn Arg Leu Ile Tyr Phe Met Asp Ala Tyr Leu Asp Tyr Ile
 1610 1615 1620
 Glu Phe Cys Asp Tyr Asp Gly His Asn Arg Arg Gln Val Ile Ala
 1625 1630 1635
 Ser Asp Leu Val Leu His His Pro His Ala Leu Thr Leu Phe Glu
 1640 1645 1650
 Asp Phe Val Tyr Trp Thr Asp Arg Gly Thr Arg Gln Val Met Gln
 1655 1660 1665

Nonprovisional IP-017.ST25.txt

Ala Asn Lys Trp His Gly Gly Asn Gln Ser Val Val Met Tyr Ser
 1670 1675 1680
 Val His Gln Pro Leu Gly Ile Thr Ala Ile His Pro Ser Arg Gln
 1685 1690 1695
 Pro Pro Ser Arg Asn Pro Cys Ala Ser Ala Ser Cys Ser His Leu
 1700 1705 1710
 Cys Leu Leu Ser Ala Gln Ala Pro Arg His Tyr Ser Cys Ala Cys
 1715 1720 1725
 Pro Ser Gly Trp Asn Leu Ser Asp Asp Ser Val Asn Cys Val Arg
 1730 1735 1740
 Gly Asp Gln Pro Phe Leu Met Ser Val Arg Asp Asn Ile Ile Phe
 1745 1750 1755
 Gly Ile Ser Leu Asp Pro Glu Val Lys Ser Asn Asp Ala Met Val
 1760 1765 1770
 Pro Ile Ser Gly Ile Gln His Gly Tyr Asp Val Glu Phe Asp Asp
 1775 1780 1785
 Ser Glu Gln Phe Ile Tyr Trp Val Glu Asn Pro Gly Glu Ile His
 1790 1795 1800
 Arg Val Lys Thr Asp Gly Ser Asn Arg Thr Val Phe Ala Pro Leu
 1805 1810 1815
 Ser Leu Leu Gly Ser Ser Leu Gly Leu Ala Leu Asp Trp Val Ser
 1820 1825 1830
 Arg Asn Ile Tyr Tyr Thr Thr Pro Ala Ser Arg Ser Ile Glu Val
 1835 1840 1845
 Leu Thr Leu Lys Gly Asp Thr Arg Tyr Gly Lys Thr Leu Ile Ala
 1850 1855 1860
 Asn Asp Gly Thr Pro Leu Gly Val Gly Phe Pro Val Gly Ile Ala
 1865 1870 1875
 Val Asp Pro Ala Arg Gly Lys Leu Tyr Trp Ser Asp His Gly Thr
 1880 1885 1890
 Asp Ser Gly Val Pro Ala Lys Ile Ala Ser Ala Asn Met Asp Gly
 1895 1900 1905
 Thr Ser Leu Lys Ile Leu Phe Thr Gly Asn Leu Gln His Leu Glu
 1910 1915 1920

Nonprovisional IP-017.ST25.txt

Val Val Thr Leu Asp Ile Gln Glu Gln Lys Leu Tyr Trp Ala Val
 1925 1930 1935
 Thr Ser Arg Gly Val Ile Glu Arg Gly Asn Val Asp Gly Thr Glu
 1940 1945 1950
 Arg Met Ile Leu Val His His Leu Ala His Pro Trp Gly Leu Val
 1955 1960 1965
 Val Tyr Gly Ser Phe Leu Tyr Tyr Ser Asp Glu Gln Tyr Glu Val
 1970 1975 1980
 Ile Glu Arg Val Asp Lys Ser Ser Gly Asn Asn Lys Val Val Leu
 1985 1990 1995
 Arg Asp Asn Val Pro Tyr Leu Arg Gly Leu Arg Val Tyr His Arg
 2000 2005 2010
 Arg Asn Ala Ala Asp Ser Ser Asn Gly Cys Ser Asn Asn Pro Asn
 2015 2020 2025
 Ala Cys Gln Gln Ile Cys Leu Pro Val Pro Gly Gly Met Phe Ser
 2030 2035 2040
 Cys Ala Cys Ala Ser Gly Phe Lys Leu Ser Pro Asp Gly Arg Ser
 2045 2050 2055
 Cys Ser Pro Tyr Asn Ser Phe Met Val Val Ser Met Leu Pro Ala
 2060 2065 2070
 Val Arg Gly Phe Ser Leu Glu Leu Ser Asp His Ser Glu Ala Met
 2075 2080 2085
 Val Pro Val Ala Gly Gln Gly Arg Asn Val Leu His Ala Asp Val
 2090 2095 2100
 Asp Val Ala Asn Gly Phe Ile Tyr Trp Cys Asp Phe Ser Ser Ser
 2105 2110 2115
 Val Arg Ser Ser Asn Gly Ile Arg Arg Ile Lys Pro Asp Gly Ser
 2120 2125 2130
 Asn Phe Thr Asn Val Val Thr Tyr Gly Ile Gly Ala Asn Gly Ile
 2135 2140 2145
 Arg Gly Val Ala Leu Asp Trp Ala Ala Gly Asn Leu Tyr Phe Thr
 2150 2155 2160
 Asn Ala Phe Val Tyr Glu Thr Leu Ile Glu Val Leu Arg Ile Asn
 2165 2170 2175

Nonprovisional IP-017.ST25.txt

Thr Thr Tyr Arg Arg Val Leu Leu Lys Val Ser Val Asp Met Pro
 2180 2185 2190
 Arg His Ile Ile Val Asp Pro Lys His Arg Tyr Leu Phe Trp Ala
 2195 2200 2205
 Asp Tyr Gly Gln Lys Pro Lys Ile Glu Arg Ser Phe Leu Asp Cys
 2210 2215 2220
 Thr Asn Arg Thr Val Leu Val Ser Glu Gly Ile Val Thr Pro Arg
 2225 2230 2235
 Gly Leu Ala Met Asp His Asp Thr Gly Tyr Ile Tyr Trp Val Asp
 2240 2245 2250
 Asp Ser Leu Asp Leu Ile Ala Arg Ile His Leu Asp Gly Gly Glu
 2255 2260 2265
 Ser Gln Val Val Arg Tyr Gly Ser Arg Tyr Pro Thr Pro Tyr Gly
 2270 2275 2280
 Ile Thr Val Phe Gly Glu Ser Ile Ile Trp Val Asp Arg Asn Leu
 2285 2290 2295
 Lys Lys Val Phe Gln Ala Ser Lys Gln Pro Gly Asn Thr Asp Pro
 2300 2305 2310
 Pro Val Val Ile Arg Asp Lys Ile Asn Leu Leu Arg Asp Val Thr
 2315 2320 2325
 Ile Phe Asp Glu His Ala Gln Pro Leu Ser Pro Ala Glu Leu Asn
 2330 2335 2340
 Asn Asn Pro Cys Leu Gln Ser Asn Gly Gly Cys Ser His Phe Cys
 2345 2350 2355
 Phe Ala Leu Pro Glu Leu Pro Thr Pro Arg Cys Gly Cys Ala Phe
 2360 2365 2370
 Gly Thr Leu Gly Asn Asp Gly Lys Ser Cys Ala Thr Ser Gln Glu
 2375 2380 2385
 Asp Phe Leu Ile Tyr Ser Leu Asn Asn Ser Leu Arg Ser Leu His
 2390 2395 2400
 Phe Asp Pro Arg Asp His Ser Leu Pro Phe Gln Val Ile Ser Val
 2405 2410 2415
 Ala Gly Thr Ala Ile Ala Leu Asp Tyr Asp Arg Arg Asn Asn Arg
 2420 2425 2430

Nonprovisional IP-017.ST25.txt

Ile Phe Phe Thr Gln Lys Leu Asn Ser Leu Arg Gly Gln Ile Ser
 2435 2440 2445
 Tyr Val Ser Leu Tyr Ser Gly Ser Ser Ser Pro Thr Val Leu Leu
 2450 2455 2460
 Ser Asn Ile Gly Val Thr Asp Gly Ile Ala Phe Asp Trp Ile Asn
 2465 2470 2475
 Arg Arg Ile Tyr Tyr Ser Asp Phe Ser Asn Gln Thr Ile Asn Ser
 2480 2485 2490
 Met Ala Glu Asp Gly Ser Asn Arg Ala Val Ile Ala Arg Val Ser
 2495 2500 2505
 Lys Pro Arg Ala Ile Val Leu Asp Pro Cys Arg Gly Tyr Met Tyr
 2510 2515 2520
 Trp Thr Asp Trp Gly Thr Asn Ala Lys Ile Glu Arg Ala Thr Leu
 2525 2530 2535
 Gly Gly Asn Phe Arg Val Pro Ile Val Asn Thr Ser Leu Val Trp
 2540 2545 2550
 Pro Asn Gly Leu Ala Leu Asp Leu Glu Thr Asp Leu Leu Tyr Trp
 2555 2560 2565
 Ala Asp Ala Ser Leu Gln Lys Ile Glu Arg Ser Thr Leu Thr Gly
 2570 2575 2580
 Thr Asn Arg Glu Val Val Val Ser Thr Ala Phe His Ser Phe Gly
 2585 2590 2595
 Leu Thr Val Tyr Gly Gln Tyr Ile Tyr Trp Thr Asp Leu Tyr Thr
 2600 2605 2610
 Arg Lys Ile Tyr Arg Ala Asn Lys Tyr Asp Gly Ser Asp Leu Val
 2615 2620 2625
 Ala Met Thr Thr Arg Leu Pro Thr Gln Pro Ser Gly Ile Ser Thr
 2630 2635 2640
 Val Val Lys Thr Gln Arg Gln Gln Cys Ser Asn Pro Cys Asp Gln
 2645 2650 2655
 Phe Asn Gly Gly Cys Ser His Ile Cys Ala Pro Gly Pro Asn Gly
 2660 2665 2670
 Ala Glu Cys Gln Cys Pro His Glu Gly Asn Trp Tyr Leu Ala Asn
 2675 2680 2685

Nonprovisional IP-017.ST25.txt

Asp Asn Lys Tyr Cys Val Val Asp Thr Gly Thr Arg Cys Asn Gln
 2690 2695 2700
 Leu Gln Phe Thr Cys Leu Asn Gly His Cys Ile Asn Gln Asp Trp
 2705 2710 2715
 Lys Cys Asp Asn Asp Asn Asp Cys Gly Asp Gly Ser Asp Glu Leu
 2720 2725 2730
 Pro Thr Val Cys Ala Phe His Thr Cys Arg Ser Thr Ala Phe Thr
 2735 2740 2745
 Cys Gly Asn Gly Arg Cys Val Pro Tyr His Tyr Arg Cys Asp Tyr
 2750 2755 2760
 Tyr Asn Asp Cys Gly Asp Asn Ser Asp Glu Ala Gly Cys Leu Phe
 2765 2770 2775
 Arg Asn Cys Asn Ser Thr Thr Glu Phe Thr Cys Ser Asn Gly Arg
 2780 2785 2790
 Cys Ile Pro Leu Ser Tyr Val Cys Asn Gly Ile Asn Asn Cys His
 2795 2800 2805
 Asp Asn Asp Thr Ser Asp Glu Lys Asn Cys Pro Pro His Thr Cys
 2810 2815 2820
 Pro Pro Asp Phe Thr Lys Cys Gln Thr Thr Asn Ile Cys Val Pro
 2825 2830 2835
 Arg Ala Phe Leu Cys Asp Gly Asp Asn Asp Cys Gly Asp Gly Ser
 2840 2845 2850
 Asp Glu Asn Pro Ile Tyr Cys Ala Ser His Thr Cys Arg Ser Asn
 2855 2860 2865
 Glu Phe Gln Cys Leu Ser Pro Gln Arg Cys Ile Pro Ser Tyr Trp
 2870 2875 2880
 Phe Cys Asp Gly Glu Ala Asp Cys Ala Asp Gly Ser Asp Glu Pro
 2885 2890 2895
 Asp Thr Cys Gly His Ser Val Asn Thr Cys Arg Ala Ser Gln Phe
 2900 2905 2910
 Gln Cys Asp Asn Gly Arg Cys Ile Ser Gly Asn Trp Val Cys Asp
 2915 2920 2925
 Gly Asp Asn Asp Cys Gly Asp Met Ser Asp Glu Asp Gln Arg His
 2930 2935 2940

Nonprovisional IP-017.ST25.txt

His Cys Glu Leu Gln Asn Cys Ser Ser Thr Gln Phe Thr Cys Val
 2945 2950 2955
 Asn Ser Arg Pro Pro Asn Arg Arg Cys Ile Pro Gln Tyr Trp Val
 2960 2965 2970
 Cys Asp Gly Asp Ala Asp Cys Ser Asp Ala Leu Asp Glu Leu Gln
 2975 2980 2985
 Asn Cys Thr Met Arg Thr Cys Ser Ala Gly Glu Phe Ser Cys Ala
 2990 2995 3000
 Asn Gly Arg Cys Val Arg Gln Ser Phe Arg Cys Asp Arg Arg Asn
 3005 3010 3015
 Asp Cys Gly Asp Tyr Ser Asp Glu Arg Gly Cys Ser Tyr Pro Pro
 3020 3025 3030
 Cys His Ala Asn Gln Phe Thr Cys Gln Asn Gly Arg Cys Ile Pro
 3035 3040 3045
 Arg Phe Phe Val Cys Asp Glu Asp Asn Asp Cys Gly Asp Gly Ser
 3050 3055 3060
 Asp Glu Gln Glu His Leu Cys His Thr Pro Glu Pro Thr Cys Pro
 3065 3070 3075
 Leu His Gln Phe Arg Cys Asp Asn Gly His Cys Ile Glu Met Gly
 3080 3085 3090
 Arg Val Cys Asn His Val Asp Asp Cys Ser Asp Asn Ser Asp Glu
 3095 3100 3105
 Lys Gly Cys Gly Ile Asn Glu Cys Leu Asp Ser Ser Ile Ser Arg
 3110 3115 3120
 Cys Asp His Asn Cys Thr Asp Thr Ile Thr Ser Phe Tyr Cys Ser
 3125 3130 3135
 Cys Leu Pro Gly Tyr Lys Leu Met Ser Asp Lys Arg Ser Cys Val
 3140 3145 3150
 Asp Ile Asp Glu Cys Lys Glu Ser Pro Gln Leu Cys Ser Gln Lys
 3155 3160 3165
 Cys Glu Asn Val Val Gly Ser Tyr Ile Cys Lys Cys Ala Pro Gly
 3170 3175 3180
 Tyr Ile Arg Glu Pro Asp Gly Lys Ser Cys Arg Gln Asn Ser Asn
 3185 3190 3195

Nonprovisional IP-017.ST25.txt

Ile Glu Pro Tyr Leu Ile Phe Ser Asn Arg Tyr Tyr Ile Arg Asn
 3200 3205 3210
 Leu Thr Thr Asp Gly Ser Ser Tyr Ser Leu Ile Leu Gln Gly Leu
 3215 3220 3225
 Gly Asn Val Val Ala Leu Asp Phe Asp Arg Val Glu Lys Arg Leu
 3230 3235 3240
 Tyr Trp Ile Asp Ala Glu Lys Gln Ile Ile Glu Arg Met Phe Leu
 3245 3250 3255
 Asn Lys Thr Asn Arg Glu Thr Ile Ile Asn His Arg Leu Arg Arg
 3260 3265 3270
 Ala Glu Ser Leu Ala Val Asp Trp Val Ser Arg Lys Leu Tyr Trp
 3275 3280 3285
 Leu Asp Ala Ile Leu Asp Cys Leu Phe Val Ser Asp Leu Glu Gly
 3290 3295 3300
 Arg His Arg Lys Met Ile Ala Gln His Cys Val Asp Ala Asn Asn
 3305 3310 3315
 Thr Phe Cys Phe Glu His Pro Arg Gly Ile Val Leu His Pro Gln
 3320 3325 3330
 Arg Gly His Val Tyr Trp Ala Asp Trp Gly Val His Ala Tyr Ile
 3335 3340 3345
 Gly Arg Ile Gly Met Asp Gly Thr Asn Lys Ser Val Ile Ile Ser
 3350 3355 3360
 Thr Lys Ile Glu Trp Pro Asn Ala Ile Thr Ile Asp Tyr Thr Asn
 3365 3370 3375
 Asp Leu Leu Tyr Trp Ala Asp Ala His Leu Gly Tyr Ile Glu Phe
 3380 3385 3390
 Ser Asp Leu Glu Gly His His Arg His Thr Val Tyr Asp Gly Ser
 3395 3400 3405
 Leu Pro His Pro Phe Ala Leu Thr Ile Phe Glu Asp Thr Val Phe
 3410 3415 3420
 Trp Thr Asp Trp Asn Thr Arg Thr Val Glu Lys Gly Asn Lys Tyr
 3425 3430 3435
 Asp Gly Ser Gly Arg Val Val Leu Val Asn Thr Thr His Lys Pro
 3440 3445 3450

Nonprovisional IP-017.ST25.txt

Phe Asp Ile His Val Tyr His Pro Tyr Arg Gln Pro Ile Met Ser
 3455 3460 3465
 Asn Pro Cys Gly Thr Asn Asn Gly Gly Cys Ser His Leu Cys Leu
 3470 3475 3480
 Ile Lys Ala Gly Gly Arg Gly Phe Thr Cys Ala Cys Pro Asp Asp
 3485 3490 3495
 Phe Gln Thr Val Gln Leu Arg Asp Arg Thr Leu Cys Met Pro Met
 3500 3505 3510
 Cys Ser Ser Thr Gln Phe Leu Cys Gly Asn Asn Glu Lys Cys Ile
 3515 3520 3525
 Pro Ile Trp Trp Lys Cys Asp Gly Gln Lys Asp Cys Ser Asp Gly
 3530 3535 3540
 Ser Asp Glu Pro Asp Leu Cys Pro His Arg Phe Cys Arg Leu Gly
 3545 3550 3555
 Gln Phe Gln Cys Arg Asp Gly Asn Cys Thr Ser Pro Gln Ala Leu
 3560 3565 3570
 Cys Asn Ala Arg Gln Asp Cys Ala Asp Gly Ser Asp Glu Asp Arg
 3575 3580 3585
 Val Leu Cys Glu His His Arg Cys Glu Ser Asn Glu Trp Gln Cys
 3590 3595 3600
 Ala Asn Lys Arg Cys Ile Pro Gln Ser Trp Gln Cys Asp Ser Val
 3605 3610 3615
 Asn Asp Cys Leu Asp Asn Ser Asp Glu Asp Thr Ser His Cys Ala
 3620 3625 3630
 Ser Arg Thr Cys Arg Pro Gly Gln Phe Lys Cys Asn Asn Gly Arg
 3635 3640 3645
 Cys Ile Pro Gln Ser Trp Lys Cys Asp Val Asp Asn Asp Cys Gly
 3650 3655 3660
 Asp Tyr Ser Asp Glu Pro Ile Asp Glu Cys Thr Thr Ala Ala Tyr
 3665 3670 3675
 Asn Cys Asp Asn His Thr Glu Phe Ser Cys Lys Thr Asn Tyr Arg
 3680 3685 3690
 Cys Ile Pro Gln Trp Ala Val Cys Asn Gly Phe Asp Asp Cys Arg
 3695 3700 3705

Nonprovisional IP-017.ST25.txt

Asp Asn Ser Asp Glu Gln Gly Cys Glu Ser Val Pro Cys His Pro
 3710 3715 3720
 Ser Gly Asp Phe Arg Cys Ala Asn His His Cys Ile Pro Leu Arg
 3725 3730 3735
 Trp Lys Cys Asp Gly Thr Asp Asp Cys Gly Asp Asn Ser Asp Glu
 3740 3745 3750
 Glu Asn Cys Val Pro Arg Glu Cys Ser Glu Ser Glu Phe Arg Cys
 3755 3760 3765
 Ala Asp Gln Gln Cys Ile Pro Ser Arg Trp Val Cys Asp Gln Glu
 3770 3775 3780
 Asn Asp Cys Gly Asp Asn Ser Asp Glu Arg Asp Cys Glu Met Lys
 3785 3790 3795
 Thr Cys His Pro Glu His Phe Gln Cys Thr Ser Gly His Cys Val
 3800 3805 3810
 Pro Lys Ala Leu Ala Cys Asp Gly Arg Ala Asp Cys Leu Asp Ala
 3815 3820 3825
 Ser Asp Glu Ser Ala Cys Pro Thr Arg Phe Pro Asn Gly Thr Tyr
 3830 3835 3840
 Cys Pro Ala Ala Met Phe Glu Cys Lys Asn His Val Cys Ile Gln
 3845 3850 3855
 Ser Phe Trp Ile Cys Asp Gly Glu Asn Asp Cys Val Asp Gly Ser
 3860 3865 3870
 Asp Glu Glu Ile His Leu Cys Phe Asn Ile Pro Cys Glu Ser Pro
 3875 3880 3885
 Gln Arg Phe Arg Cys Asp Asn Ser Arg Cys Val Tyr Gly His Gln
 3890 3895 3900
 Leu Cys Asn Gly Val Asp Asp Cys Gly Asp Gly Ser Asp Glu Lys
 3905 3910 3915
 Glu Glu His Cys Arg Lys Pro Thr His Lys Pro Cys Thr Asp Thr
 3920 3925 3930
 Glu Tyr Lys Cys Ser Asn Gly Asn Cys Ile Ser Gln His Tyr Val
 3935 3940 3945
 Cys Asp Asn Val Asn Asp Cys Gly Asp Leu Ser Asp Glu Thr Gly
 3950 3955 3960

Nonprovisional IP-017.ST25.txt

Cys Asn Leu Gly Asp Asn Arg Thr Cys Ala Glu Asn Ile Cys Glu
 3965 3970 3975
 Gln Asn Cys Thr Gln Leu Ser Ser Gly Gly Phe Ile Cys Ser Cys
 3980 3985 3990
 Arg Pro Gly Phe Lys Pro Ser Thr Ser Asp Lys Asn Ser Cys Gln
 3995 4000 4005
 Asp Ile Asn Glu Cys Glu Glu Phe Gly Ile Cys Pro Gln Ser Cys
 4010 4015 4020
 Arg Asn Ser Lys Gly Ser Tyr Glu Cys Phe Cys Val Asp Gly Phe
 4025 4030 4035
 Lys Ser Met Ser Thr His Tyr Gly Glu Arg Cys Ala Ala Asp Gly
 4040 4045 4050
 Ser Pro Pro Leu Leu Leu Leu Pro Glu Asn Val Arg Ile Arg Lys
 4055 4060 4065
 Tyr Asn Thr Ser Ser Glu Lys Phe Ser Glu Tyr Leu Glu Glu Glu
 4070 4075 4080
 Glu His Ile Gln Thr Ile Asp Tyr Asp Trp Asp Pro Glu His Ile
 4085 4090 4095
 Gly Leu Ser Val Val Tyr Tyr Thr Val Leu Ala Gln Gly Ser Gln
 4100 4105 4110
 Phe Gly Ala Ile Lys Arg Ala Tyr Ile Pro Asn Phe Glu Ser Gly
 4115 4120 4125
 Ser Asn Asn Pro Ile Arg Glu Val Asp Leu Gly Leu Lys Tyr Leu
 4130 4135 4140
 Met Gln Pro Asp Gly Leu Ala Val Asp Trp Val Gly Arg His Ile
 4145 4150 4155
 Tyr Trp Ser Asp Ala Lys Ser Gln Arg Ile Glu Val Ala Thr Leu
 4160 4165 4170
 Asp Gly Arg Tyr Arg Lys Trp Leu Ile Thr Thr Gln Leu Asp Gln
 4175 4180 4185
 Pro Ala Ala Ile Ala Val Asn Pro Lys Leu Gly Leu Met Phe Trp
 4190 4195 4200
 Thr Asp Gln Gly Lys Gln Pro Lys Ile Glu Ser Ala Trp Met Asn
 4205 4210 4215

Nonprovisional IP-017.ST25.txt

Gly Glu His Arg Ser Val Leu Val Ser Glu Asn Leu Gly Trp Pro
 4220 4225 4230
 Asn Gly Leu Ser Ile Asp Tyr Leu Asn Asp Asp Arg Val Tyr Trp
 4235 4240 4245
 Ser Asp Ser Lys Glu Asp Val Ile Glu Ala Ile Lys Tyr Asp Gly
 4250 4255 4260
 Thr Asp Arg Arg Leu Ile Ile Asn Glu Ala Met Lys Pro Phe Ser
 4265 4270 4275
 Leu Asp Ile Phe Glu Asp Lys Leu Tyr Trp Val Ala Lys Glu Lys
 4280 4285 4290
 Gly Glu Val Trp Arg Gln Asn Lys Phe Gly Lys Glu Asn Lys Glu
 4295 4300 4305
 Lys Val Leu Val Val Asn Pro Trp Leu Thr Gln Val Arg Ile Phe
 4310 4315 4320
 His Gln Leu Arg Tyr Asn Gln Ser Val Ser Asn Pro Cys Lys Gln
 4325 4330 4335
 Val Cys Ser His Leu Cys Leu Leu Arg Pro Gly Gly Tyr Ser Cys
 4340 4345 4350
 Ala Cys Pro Gln Gly Ser Asp Phe Val Thr Gly Ser Thr Val Gln
 4355 4360 4365
 Cys Asp Ala Ala Ser Glu Leu Pro Val Thr Met Pro Pro Pro Cys
 4370 4375 4380
 Arg Cys Met His Gly Gly Asn Cys Tyr Phe Asp Glu Asn Glu Leu
 4385 4390 4395
 Pro Lys Cys Lys Cys Ser Ser Gly Tyr Ser Gly Glu Tyr Cys Glu
 4400 4405 4410
 Val Gly Leu Ser Arg Gly Ile Pro Pro Gly Thr Thr Met Ala Val
 4415 4420 4425
 Leu Leu Thr Phe Val Ile Val Ile Ile Val Gly Ala Leu Val Leu
 4430 4435 4440
 Val Gly Leu Phe His Tyr Arg Lys Thr Gly Ser Leu Leu Pro Thr
 4445 4450 4455
 Leu Pro Lys Leu Pro Ser Leu Ser ser Leu Ala Lys Pro Ser Glu
 4460 4465 4470

Nonprovisional IP-017.ST25.txt

Asn Gly Asn Gly Val Thr Phe Arg Ser Gly Ala Asp Val Asn Met
 4475 4480 4485
 Asp Ile Gly Val Ser Pro Phe Gly Pro Glu Thr Ile Ile Asp Arg
 4490 4495 4500
 Ser Met Ala Met Asn Glu His Phe Val Met Glu Val Gly Lys Gln
 4505 4510 4515
 Pro Val Ile Phe Glu Asn Pro Met Tyr Ala Ala Lys Asp Asn Thr
 4520 4525 4530
 Ser Lys Val Ala Leu Ala Val Gln Gly Pro Ser Thr Gly Ala Gln
 4535 4540 4545
 Val Thr Val Pro Glu Asn Val Glu Asn Gln Asn Tyr Gly Arg Pro
 4550 4555 4560
 Ile Asp Pro Ser Glu Ile Val Pro Glu Pro Lys Pro Ala Ser Pro
 4565 4570 4575
 Gly Ala Asp Glu Ile Gln Gly Lys Lys Trp Asn Ile Phe Lys Arg
 4580 4585 4590
 Lys Pro Lys Gln Thr Thr Asn Phe Glu Asn Pro Ile Tyr Ala Glu
 4595 4600 4605
 Met Asp Ser Glu Val Lys Asp Ala Val Ala Val Ala Pro Pro Pro
 4610 4615 4620
 Ser Pro Ser Leu Pro Ala Lys Ala Ser Lys Arg Asn Leu Thr Pro
 4625 4630 4635
 Gly Tyr Thr Ala Thr Glu Asp Thr Phe Lys Asp Thr Ala Asn Leu
 4640 4645 4650
 Val Lys Glu Asp Ser Asp Val
 4655 4660

<210> 75
 <211> 1614
 <212> PRT
 <213> MOUSE

<400> 75

Met Glu Thr Ala Pro Thr Arg Ala Pro Pro Pro Pro Pro Pro Leu
 1 5 10 15

Leu Leu Leu Val Leu Tyr Cys Ser Leu Val Pro Ala Ala Ala Ser Pro
 20 25 30

Nonprovisional IP-017.ST25.txt

Leu Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala Gly
 35 40 45
 Gly Val Lys Leu Glu Ser Thr Ile Val Ala Ser Gly Leu Glu Asp Ala
 50 55 60
 Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr Asp
 65 70 75 80
 Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly Ala
 85 90 95
 Ala Ala Gln Asn Ile Val Ile Ser Gly Leu Val Ser Pro Asp Gly Leu
 100 105 110
 Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu Thr
 115 120 125
 Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val Leu
 130 135 140
 Phe Trp Gln Asp Leu Asp Gln Pro Arg Ala Ile Ala Leu Asp Pro Ala
 145 150 155 160
 His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Ala Pro Arg Ile Glu
 165 170 175
 Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser Asp
 180 185 190
 Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys Leu
 195 200 205
 Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His His Ala Asn Leu Asp
 210 215 220
 Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro Phe
 225 230 235 240
 Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln Thr
 245 250 255
 Arg Ser Ile His Ala Cys Asn Lys Trp Thr Gly Glu Gln Arg Lys Glu
 260 265 270
 Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser Gln
 275 280 285
 Glu Arg Gln Pro Pro Phe His Thr Pro Cys Glu Glu Asp Asn Gly Gly
 290 295 300

Nonprovisional IP-017.ST25.txt

Cys Ser His Leu Cys Leu Leu Ser Pro Arg Glu Pro Phe Tyr Ser Cys
 305 310 315 320
 Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Lys Thr Cys Lys
 325 330 335
 Thr Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu Arg
 340 345 350
 Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln Val
 355 360 365
 Gly Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu Gly
 370 375 380
 Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala Tyr
 385 390 395 400
 Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn Asp
 405 410 415
 Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp Thr
 420 425 430
 Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr Ser
 435 440 445
 Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile Val
 450 455 460
 Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu Asn
 465 470 475 480
 Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Arg Asp Arg His Val Leu
 485 490 495
 Val Asn Thr Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu Gln
 500 505 510
 Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu Val
 515 520 525
 Ile Asn Ile Asp Gly Thr Lys Arg Lys Thr Leu Leu Glu Asp Lys Leu
 530 535 540
 Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp Thr
 545 550 555 560
 Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala Ser
 565 570 575

Nonprovisional IP-017.ST25.txt

Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys Ala
580 585 590

Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Gly Asn
595 600 605

Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro Arg Ala Thr Lys Cys
610 615 620

Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys Ile
625 630 635 640

Ile Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Thr Ile His Arg
645 650 655

Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr Gly
660 665 670

Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His Ile
675 680 685

Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met Asn
690 695 700

Gly Ser Ser Val Glu His Val Ile Glu Phe Gly Leu Asp Tyr Pro Glu
705 710 715 720

Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp Thr
725 730 735

Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg Gln
740 745 750

Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu Asp
755 760 765

Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro Arg
770 775 780

Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val Asp
785 790 795 800

Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln Arg
805 810 815

Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn Met
820 825 830

Leu Gly Gln Glu Arg Met Val Ile Ala Asp Asp Leu Pro Tyr Pro Phe
835 840 845

Nonprovisional IP-017.ST25.txt

Gly Leu Thr Gln Tyr Ser Asp Tyr Ile Tyr Trp Thr Asp Trp Asn Leu
850 855 860

His Ser Ile Glu Arg Ala Asp Lys Thr Ser Gly Arg Asn Arg Thr Leu
865 870 875 880

Ile Gln Gly His Leu Asp Phe Val Met Asp Ile Leu Val Phe His Ser
885 890 895

Ser Arg Gln Asp Gly Leu Asn Asp Cys Val His Ser Asn Gly Gln Cys
900 905 910

Gly Gln Leu Cys Leu Ala Ile Pro Gly Gly His Arg Cys Gly Cys Ala
915 920 925

Ser His Tyr Thr Leu Asp Pro Ser Ser Arg Asn Cys Ser Pro Pro Ser
930 935 940

Thr Phe Leu Leu Phe Ser Gln Lys Phe Ala Ile Ser Arg Met Ile Pro
945 950 955 960

Asp Asp Gln Leu Ser Pro Asp Leu Val Leu Pro Leu His Gly Leu Arg
965 970 975

Asn Val Lys Ala Ile Asn Tyr Asp Pro Leu Asp Lys Phe Ile Tyr Trp
980 985 990

Val Asp Gly Arg Gln Asn Ile Lys Arg Ala Lys Asp Asp Gly Thr Gln
995 1000 1005

Pro Ser Met Leu Thr Ser Pro Ser Gln Ser Leu Ser Pro Asp Arg
1010 1015 1020

Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu Phe
1025 1030 1035

Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu Asp
1040 1045 1050

Gly Asp Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys Pro
1055 1060 1065

Arg Ala Ile Ala Val Asn Ala Glu Arg Gly Tyr Met Tyr Phe Thr
1070 1075 1080

Asn Met Gln Asp His Ala Ala Lys Ile Glu Arg Ala Ser Leu Asp
1085 1090 1095

Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg Pro
1100 1105 1110

Nonprovisional IP-017.ST25.txt

Val Ala Leu Val Val Asp Asn Ala Leu Gly Lys Leu Phe Trp Val
 1115 1120 1125

Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly Ala
 1130 1135 1140

Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Val Gly
 1145 1150 1155

Leu Thr Val Leu Gly Arg His Leu Tyr Trp Ile Asp Arg Gln Gln
 1160 1165 1170

Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg Thr
 1175 1180 1185

Arg Val Gln Gly Arg Val Thr His Leu Thr Gly Ile His Ala Val
 1190 1195 1200

Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala Arg
 1205 1210 1215

Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp Gly
 1220 1225 1230

Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln Asn
 1235 1240 1245

Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln Phe
 1250 1255 1260

Ala Cys Thr Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp Arg
 1265 1270 1275

Cys Asp Gly Phe Pro Glu Cys Ala Asp Gln Ser Asp Glu Glu Gly
 1280 1285 1290

Cys Pro Val Cys Ser Ala Ser Gln Phe Pro Cys Ala Arg Gly Gln
 1295 1300 1305

Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys Gln
 1310 1315 1320

Asp Arg Ser Asp Glu Ala Asn Cys Asp Ala Val Cys Leu Pro Asn
 1325 1330 1335

Gln Phe Arg Cys Thr Ser Gly Gln Cys Val Leu Ile Lys Gln Gln
 1340 1345 1350

Cys Asp Ser Phe Pro Asp Cys Ala Asp Gly Ser Asp Glu Leu Met
 1355 1360 1365

Nonprovisional IP-017.ST25.txt

Cys Glu Ile Asn Lys Pro Pro Ser Asp Asp Ile Pro Ala His Ser
 1370 1375 1380

Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe Val
 1385 1390 1395

Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Met Cys Gln Arg
 1400 1405 1410

Tyr Thr Gly Ala Ser Gly Pro Phe Pro His Glu Tyr Val Gly Gly
 1415 1420 1425

Ala Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser Gln
 1430 1435 1440

His Gly Pro Phe Pro Gly Ile Pro Cys Ser Lys Ser Val Met Ser
 1445 1450 1455

Ser Met Ser Leu Val Gly Gly Arg Gly Ser Val Pro Leu Tyr Asp
 1460 1465 1470

Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Ser Thr
 1475 1480 1485

Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser Pro
 1490 1495 1500

Ala Thr Asp Pro Ser Leu Tyr Asn Val Asp Val Phe Tyr Ser Ser
 1505 1510 1515

Gly Ile Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Val Ile Arg
 1520 1525 1530

Gly Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp
 1535 1540 1545

Ser Asp Tyr Ser Ile Ser Arg Trp Lys Ser Ser Lys Tyr Tyr Leu
 1550 1555 1560

Asp Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro
 1565 1570 1575

His Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro
 1580 1585 1590

Gly Thr Glu Arg Ser Tyr Cys His Leu Phe Pro Pro Pro Pro Ser
 1595 1600 1605

Pro Cys Thr Asp Ser Ser
 1610

Nonprovisional IP-017.ST25.txt

<210> 76
 <211> 770
 <212> PRT
 <213> HOMO SAPIENS

<400> 76

Met Glu Lys Arg Ala Ala Ala Gly Leu Glu Gly Ala Pro Gly Ala Arg
 1 5 10 15

Ala Gln Leu Ala Val Val Cys Leu Val Asn Ile Phe Leu Thr Gly Arg
 20 25 30

Leu Ser Ser Ala Val Pro Ala Leu Ala Ala Cys Ser Gly Lys Leu Glu
 35 40 45

Gln His Thr Glu Arg Arg Gly Val Ile Tyr Ser Pro Ala Trp Pro Leu
 50 55 60

Asn Tyr Pro Pro Gly Thr Asn Cys Ser Trp Tyr Ile Gln Gly Asp Arg
 65 70 75 80

Gly Asp Met Ile Thr Ile Ser Phe Arg Asn Phe Asp Val Glu Glu Ser
 85 90 95

His Gln Cys Ser Leu Asp Trp Leu Leu Leu Gly Pro Ala Ala Pro Pro
 100 105 110

Arg Gln Glu Ala Phe Arg Leu Cys Gly Ser Ala Ile Pro Pro Ala Phe
 115 120 125

Ile Ser Ala Arg Asp His Val Trp Ile Phe Phe His Ser Asp Ala Ser
 130 135 140

Ser Ser Gly Gln Ala Gln Gly Phe Arg Leu Ser Tyr Ile Arg Gly Lys
 145 150 155 160

Leu Gly Gln Ala Ser Cys Gln Ala Asp Glu Phe Arg Cys Asp Asn Gly
 165 170 175

Lys Cys Leu Pro Gly Pro Trp Gln Cys Asn Thr Val Asp Glu Cys Gly
 180 185 190

Asp Gly Ser Asp Glu Gly Asn Cys Ser Ala Pro Ala Ser Glu Pro Pro
 195 200 205

Gly Ser Leu Cys Pro Gly Gly Thr Phe Pro Cys Ser Gly Ala Arg Ser
 210 215 220

Thr Arg Cys Leu Pro Val Glu Arg Arg Cys Asp Gly Leu Gln Asp Cys
 225 230 235 240

Gly Asp Gly Ser Asp Glu Ala Gly Cys Pro Asp Leu Ala Cys Gly Arg
 Page 227

Nonprovisional IP-017.ST25.txt

245 250 255

Arg Leu Gly Ser Phe Tyr Gly Ser Phe Ala Ser Pro Asp Leu Phe Gly
 260 265 270

Ala Ala Arg Gly Pro Ser Asp Leu His Cys Thr Trp Leu Val Asp Thr
 275 280 285

Gln Asp Ser Arg Arg Val Leu Leu Gln Leu Glu Leu Arg Leu Gly Tyr
 290 295 300

Asp Asp Tyr Val Gln Val Tyr Glu Gly Leu Gly Glu Arg Gly Asp Arg
 305 310 315 320

Leu Leu Gln Thr Leu Ser Tyr Arg Ser Asn His Arg Pro Val Ser Leu
 325 330 335

Glu Ala Ala Gln Gly Arg Leu Thr Val Ala Tyr His Ala Arg Ala Arg
 340 345 350

Ser Ala Gly His Gly Phe Asn Ala Thr Tyr Gln Val Lys Gly Tyr Cys
 355 360 365

Leu Pro Trp Glu Gln Pro Cys Gly Ser Ser Ser Asp Ser Asp Gly Gly
 370 375 380

Ser Leu Gly Asp Gln Gly Cys Phe Ser Glu Pro Gln Arg Cys Asp Gly
 385 390 395 400

Trp Trp His Cys Ala Ser Gly Arg Asp Glu Gln Gly Cys Pro Ala Cys
 405 410 415

Pro Pro Asp Gln Tyr Pro Cys Glu Gly Gly Ser Gly Leu Cys Tyr Thr
 420 425 430

Pro Ala Asp Arg Cys Asn Asn Gln Lys Ser Cys Pro Asp Gly Ala Asp
 435 440 445

Glu Lys Asn Cys Phe Ser Cys Gln Pro Gly Thr Phe His Cys Gly Thr
 450 455 460

Asn Leu Cys Ile Phe Glu Thr Trp Arg Cys Asp Gly Gln Glu Asp Cys
 465 470 475 480

Gln Asp Gly Ser Asp Glu His Gly Cys Leu Ala Ala Val Pro Arg Lys
 485 490 495

Val Ile Thr Ala Ala Leu Ile Gly Ser Leu Val Cys Gly Leu Leu Leu
 500 505 510

Val Ile Ala Leu Gly Cys Ala Phe Lys Leu Tyr Ser Leu Arg Thr Gln
 Page 228

Nonprovisional IP-017.ST25.txt

515

520

525

Glu Tyr Arg Ala Phe Glu Thr Gln Met Thr Arg Leu Glu Ala Glu Phe
 530 535 540

Val Arg Arg Glu Ala Pro Pro Ser Tyr Gly Gln Leu Ile Ala Gln Gly
 545 550 555 560

Leu Ile Pro Pro Val Glu Asp Phe Pro Val Tyr Ser Ala Ser Gln Ala
 565 570 575

Ser Val Leu Gln Asn Leu Arg Thr Ala Met Arg Arg Gln Met Arg Arg
 580 585 590

His Ala Ser Arg Arg Gly Pro Ser Arg Arg Arg Leu Gly Arg Leu Trp
 595 600 605

Asn Arg Leu Phe His Arg Pro Arg Ala Pro Arg Gly Gln Ile Pro Leu
 610 615 620

Leu Thr Ala Ala Arg Pro Ser Gln Thr Val Leu Gly Asp Gly Phe Leu
 625 630 635 640

Gln Pro Ala Pro Gly Ala Ala Pro Asp Pro Pro Ala Pro Leu Met Asp
 645 650 655

Thr Gly Ser Thr Arg Ala Ala Gly Asp Arg Pro Pro Ser Ala Pro Gly
 660 665 670

Arg Ala Pro Glu Val Gly Pro Ser Gly Pro Pro Leu Pro Ser Gly Leu
 675 680 685

Arg Asp Pro Glu Cys Arg Pro Val Asp Lys Asp Arg Lys Val Cys Arg
 690 695 700

Glu Pro Leu Val Asp Gly Pro Ala Pro Ala Asp Ala Pro Arg Glu Pro
 705 710 715 720

Cys Ser Ala Gln Asp Pro His Pro Gln Val Ser Thr Ala Ser Ser Thr
 725 730 735

Leu Gly Pro His Ser Pro Glu Pro Leu Gly Val Cys Arg Asn Pro Pro
 740 745 750

Pro Pro Cys Ser Pro Met Leu Glu Ala Ser Asp Asp Glu Ala Leu Leu
 755 760 765

Val Cys
 770

<210> 77

Nonprovisional IP-017.ST25.txt

<211> 770

<212> PRT

<213> RAT

<400> 77

Met Glu Lys Arg Ala Ala Gly Pro Glu Gly Ala Pro Gly Ala Arg
 1 5 10 15

Ala Pro Leu Ala Val Val Cys Leu Val Asn Leu Phe Leu Thr Gly Arg
 20 25 30

Leu Ser Ser Ala Val Pro Ala Leu Ala Ala Cys Ser Gly Lys Leu Glu
 35 40 45

Gln His Thr Glu Arg Arg Gly Val Ile Tyr Ser Pro Ala Trp Pro Leu
 50 55 60

Asn Tyr Pro Pro Gly Thr Asn Cys Ser Trp Tyr Ile Gln Gly Asp Arg
 65 70 75 80

Gly Asp Met Ile Thr Ile Ser Phe Arg Asn Phe Asp Val Glu Glu Ser
 85 90 95

His Gln Cys Ser Leu Asp Trp Leu Leu Leu Gly Pro Ala Ala Pro Pro
 100 105 110

Arg Gln Glu Ala Phe Arg Leu Cys Gly Ser Ala Ile Pro Pro Ala Phe
 115 120 125

Ile Ser Ala Arg Asp His Val Trp Ile Phe Phe His Ser Asp Ala Ser
 130 135 140

Ser Ser Gly Gln Ala Gln Gly Phe Arg Leu Ser Tyr Ile Arg Gly Lys
 145 150 155 160

Leu Gly Gln Ala Ser Cys Gln Thr Asp Glu Phe Arg Cys Asp Asn Gly
 165 170 175

Lys Cys Leu Pro Gly Pro Trp Gln Cys Asn Met Val Asp Glu Cys Gly
 180 185 190

Asp Gly Ser Asp Glu Gly Asn Cys Ser Ala Pro Ala Ser Glu Pro Pro
 195 200 205

Gly Ser Leu Cys Pro Gly Gly Thr Phe Pro Cys Ser Gly Ala Arg Ser
 210 215 220

Thr Arg Cys Leu Pro Val Glu Arg Arg Cys Asp Gly Thr Gln Asp Cys
 225 230 235 240

Gly Asp Gly Ser Asp Glu Ala Gly Cys Pro Asp Leu Ala Cys Gly Arg
 245 250 255

Nonprovisional IP-017.ST25.txt

Arg Leu Gly Ser Phe Tyr Gly Ser Phe Ala Ser Pro Asp Leu Phe Gly
 260 265 270
 Ala Ala Arg Gly Pro Ser Asp Leu His Cys Thr Trp Leu Val Asp Thr
 275 280 285
 Gln Asp Pro Arg Arg Val Leu Leu Gln Leu Glu Leu Arg Leu Gly Tyr
 290 295 300
 Asp Asp Tyr Val Gln Val Tyr Glu Gly Leu Gly Glu Arg Gly Asp Arg
 305 310 315 320
 Leu Leu Gln Thr Leu Ser Tyr Arg Ser Asn His Arg Pro Val Ser Leu
 325 330 335
 Glu Ala Ala Gln Gly Arg Leu Thr Val Ala Tyr His Ala Arg Ala Arg
 340 345 350
 Ser Ala Gly His Gly Phe Asn Ala Thr Tyr Gln Val Lys Gly Tyr Cys
 355 360 365
 Leu Pro Trp Glu Gln Pro Cys Gly Ser Ser Ser Glu Gly Asp Asp Gly
 370 375 380
 Ser Thr Gly Glu Gln Gly Cys Phe Ser Glu Pro Gln Arg Cys Asp Gly
 385 390 395 400
 Trp Trp His Cys Ala Ser Gly Arg Asp Glu Gln Gly Cys Pro Ala Cys
 405 410 415
 Pro Pro Asp Gln Tyr Pro Cys Glu Gly Gly Ser Gly Leu Cys Tyr Ala
 420 425 430
 Pro Ala Asp Arg Cys Asn Asn Gln Lys Ser Cys Pro Asp Gly Ala Asp
 435 440 445
 Glu Lys Asn Cys Phe Ser Cys Gln Pro Gly Thr Phe His Cys Gly Thr
 450 455 460
 Asn Leu Cys Ile Phe Glu Thr Trp Arg Cys Asp Gly Gln Glu Asp Cys
 465 470 475 480
 Gln Asp Gly Ser Asp Glu His Gly Cys Leu Ala Ala Val Pro Arg Lys
 485 490 495
 Val Ile Thr Ala Ala Leu Ile Gly Ser Leu Val Cys Gly Leu Leu Leu
 500 505 510
 Val Ile Ala Leu Gly Cys Ala Phe Lys Leu Tyr Ser Leu Arg Thr Gln
 515 520 525

Nonprovisional IP-017.ST25.txt

Glu Tyr Arg Ala Phe Glu Thr Gln Met Thr Arg Leu Glu Ala Glu Phe
 530 535 540
 Val Arg Arg Glu Ala Pro Pro Ser Tyr Gly Gln Leu Ile Ala Gln Gly
 545 550 555 560
 Leu Ile Pro Pro Val Glu Asp Phe Pro Val Tyr Ser Ala Ser Gln Ala
 565 570 575
 Ser Val Leu Gln Asn Leu Arg Thr Ala Met Arg Arg Gln Met Arg Arg
 580 585 590
 His Ala Ser Arg Arg Gly Pro Ser Arg Arg Arg Leu Gly Arg Leu Trp
 595 600 605
 Asn Arg Leu Phe His Arg Pro Arg Ala Pro Arg Gly Gln Ile Pro Leu
 610 615 620
 Leu Thr Ala Ala Arg Thr Ser Gln Thr Val Leu Gly Asp Gly Leu Leu
 625 630 635 640
 Gln Ala Ala Pro Gly Pro Val Pro Asp Pro Pro Val Pro Asn Thr Asp
 645 650 655
 Thr Gly Ser Pro Arg Glu Ala Gly Asp Gly Pro Pro Ser Gly Ser Gly
 660 665 670
 His Ala Pro Glu Val Gly Pro Ser Val Pro Pro Pro Pro Leu Asn Leu
 675 680 685
 Arg Asp Pro Glu Tyr Arg Pro Glu Asp Lys Glu Arg Lys Ala Cys Val
 690 695 700
 Asp Pro Leu Glu Asp Ser Pro Ala Pro Val Asp Thr Pro Pro Glu Pro
 705 710 715 720
 Cys Leu Ala Gln Asp Pro His Pro Gln Thr Pro Thr Ala Ser Gly Ile
 725 730 735
 Gln Asp Pro His Ser Ala Glu Pro Leu Gly Val Cys Arg Ser Pro Pro
 740 745 750
 Pro Thr Cys Ser Pro Ile Leu Glu Ala Ser Asp Asp Glu Ala Leu Leu
 755 760 765
 Val Cys
 770

<210> 78
 <211> 1113

Nonprovisional IP-017.ST25.txt

<212> PRT
 <213> MOUSE

<400> 78

Met Gly Arg Val Ser Phe Ser Val Arg Val Ser Ser Val Arg Arg Ala
 1 5 10 15
 Arg Cys Ser Cys Pro Gly Arg Cys Tyr Leu Ser Cys Arg Val Pro Pro
 20 25 30
 Thr Thr Ala Leu Arg Ala Leu Asn Gly Leu Gly Cys Ala Gly Val Pro
 35 40 45
 Gly Glu Thr Ala Gly Gly Ala Val Gly Pro Gly Pro Leu Gly Thr Arg
 50 55 60
 Gly Phe Leu Ser Gly Ser Lys Phe Gln Ala Pro Gly Ser Trp Lys Asp
 65 70 75 80
 Cys Phe Gly Ala Pro Pro Ala Pro Asp Val Leu Arg Ala Asp Arg Ser
 85 90 95
 Val Gly Glu Gly Cys Pro Gln Lys Leu Val Thr Ala Asn Leu Leu Arg
 100 105 110
 Phe Leu Leu Leu Val Leu Ile Pro Cys Ile Cys Ala Leu Ile Val Leu
 115 120 125
 Leu Ala Ile Leu Leu Ser Phe Val Gly Thr Leu Lys Arg Val Tyr Phe
 130 135 140
 Lys Ser Asn Asp Ser Glu Pro Leu Val Thr Asp Gly Glu Ala Arg Val
 145 150 155 160
 Pro Gly Val Ile Pro Val Asn Thr Val Tyr Tyr Glu Asn Thr Gly Ala
 165 170 175
 Pro Ser Leu Pro Pro Ser Gln Ser Thr Pro Ala Trp Thr Pro Arg Ala
 180 185 190
 Pro Ser Pro Glu Asp Gln Ser His Arg Asn Thr Ser Thr Cys Met Asn
 195 200 205
 Ile Thr His Ser Gln Cys Gln Ile Leu Pro Tyr His Ser Thr Leu Ala
 210 215 220
 Pro Leu Leu Pro Ile Val Lys Asn Met Asp Met Glu Lys Phe Leu Lys
 225 230 235 240
 Phe Phe Thr Tyr Leu His Arg Leu Ser Cys Tyr Gln His Ile Leu Leu
 245 250 255

Nonprovisional IP-017.ST25.txt

Phe Gly Cys Ser Leu Ala Phe Pro Glu Cys Val Val Asp Gly Asp Asp
 260 265 270
 Arg His Gly Leu Leu Pro Cys Arg Ser Phe Cys Glu Ala Ala Lys Glu
 275 280 285
 Gly Cys Glu Ser Val Leu Gly Met Val Asn Ser Ser Trp Pro Asp Ser
 290 295 300
 Leu Arg Cys Ser Gln Phe Arg Asp His Thr Glu Thr Asn Ser Ser Val
 305 310 315 320
 Arg Lys Ser Cys Phe Ser Leu Gln Gln Glu His Gly Lys Gln Ser Leu
 325 330 335
 Cys Gly Gly Gly Glu Ser Phe Leu Cys Thr Ser Gly Leu Cys Val Pro
 340 345 350
 Lys Lys Leu Gln Cys Asn Gly Tyr Asn Asp Cys Asp Asp Trp Ser Asp
 355 360 365
 Glu Ala His Cys Asn Cys Ser Lys Asp Leu Phe His Cys Gly Thr Gly
 370 375 380
 Lys Cys Leu His Tyr Ser Leu Leu Cys Asp Gly Tyr Asp Asp Cys Gly
 385 390 395 400
 Asp Pro Ser Asp Glu Gln Asn Cys Asp Cys Asn Leu Thr Lys Glu His
 405 410 415
 Arg Cys Gly Asp Gly Arg Cys Ile Ala Ala Glu Trp Val Cys Asp Gly
 420 425 430
 Asp His Asp Cys Val Asp Lys Ser Asp Glu Val Asn Cys Ser Cys His
 435 440 445
 Ser Gln Gly Leu Val Glu Cys Thr Ser Gly Gln Cys Ile Pro Ser Thr
 450 455 460
 Phe Gln Cys Asp Gly Asp Glu Asp Cys Lys Asp Gly Ser Asp Glu Glu
 465 470 475 480
 Asn Cys Ser Asp Ser Gln Thr Pro Cys Pro Glu Gly Glu Gln Gly Cys
 485 490 495
 Phe Gly Ser Ser Cys Val Glu Ser Cys Ala Gly Ser Ser Leu Cys Asp
 500 505 510
 Ser Asp Ser Ser Leu Ser Asn Cys Ser Gln Cys Glu Pro Ile Thr Leu
 515 520 525

Nonprovisional IP-017.ST25.txt

Glu Leu Cys Met Asn Leu Leu Tyr Asn His Thr His Tyr Pro Asn Tyr
 530 535 540
 Leu Gly His Arg Thr Gln Lys Glu Ala Ser Ile Ser Trp Glu Ser Ser
 545 550 555 560
 Leu Phe Pro Ala Leu Val Gln Thr Asn Cys Tyr Lys Tyr Leu Met Phe
 565 570 575
 Phe Ala Cys Thr Ile Leu Val Pro Lys Cys Asp Val Asn Thr Gly Gln
 580 585 590
 Arg Ile Pro Pro Cys Arg Leu Leu Cys Glu His Ser Lys Glu Arg Cys
 595 600 605
 Glu Ser Val Leu Gly Ile Val Gly Leu Gln Trp Pro Glu Asp Thr Asp
 610 615 620
 Cys Asn Gln Phe Pro Glu Glu Ser Ser Asp Asn Gln Thr Cys Leu Leu
 625 630 635 640
 Pro Asn Glu Asp Val Glu Glu Cys Ser Pro Ser His Phe Lys Cys Arg
 645 650 655
 Ser Gly Arg Cys Val Leu Gly Ser Arg Arg Cys Asp Gly Gln Ala Asp
 660 665 670
 Cys Asp Asp Asp Ser Asp Glu Glu Asn Cys Gly Cys Lys Glu Arg Ala
 675 680 685
 Leu Trp Glu Cys Pro Phe Asn Lys Gln Cys Leu Lys His Thr Leu Ile
 690 695 700
 Cys Asp Gly Phe Pro Asp Cys Pro Asp Ser Met Asp Glu Lys Asn Cys
 705 710 715 720
 Ser Phe Cys Gln Asp Asn Glu Leu Glu Cys Ala Asn His Glu Cys Val
 725 730 735
 Pro Arg Asp Leu Trp Cys Asp Gly Trp Val Asp Cys Ser Asp Ser Ser
 740 745 750
 Asp Glu Trp Gly Cys Val Thr Leu Ser Lys Asn Gly Asn Ser Ser Ser
 755 760 765
 Leu Leu Thr Val His Lys Ser Ala Lys Glu His His Val Cys Ala Asp
 770 775 780
 Gly Trp Arg Glu Thr Leu Ser Gln Leu Ala Cys Lys Gln Met Gly Leu
 785 790 795 800

Nonprovisional IP-017.ST25.txt

Gly Glu Pro Ser Val Thr Lys Leu Ile Pro Gly Gln Glu Gly Gln Gln
 805 810 815
 Trp Leu Arg Leu Tyr Pro Asn Trp Glu Asn Leu Asn Gly Ser Thr Leu
 820 825 830
 Gln Glu Leu Leu Val Tyr Arg His Ser Cys Pro Ser Arg Ser Glu Ile
 835 840 845
 Ser Leu Leu Cys Ser Lys Gln Asp Cys Gly Arg Arg Pro Ala Ala Arg
 850 855 860
 Met Asn Lys Arg Ile Leu Gly Gly Arg Thr Ser Arg Pro Gly Arg Trp
 865 870 875 880
 Pro Trp Gln Cys Ser Leu Gln Ser Glu Pro Ser Gly His Ile Cys Gly
 885 890 895
 Cys Val Leu Ile Ala Lys Lys Trp Val Leu Thr Val Ala His Cys Phe
 900 905 910
 Glu Gly Arg Glu Asp Ala Asp Val Trp Lys Val Val Phe Gly Ile Asn
 915 920 925
 Asn Leu Asp His Pro Ser Gly Phe Met Gln Thr Arg Phe Val Lys Thr
 930 935 940
 Ile Leu Leu His Pro Arg Tyr Ser Arg Ala Val Val Asp Tyr Asp Ile
 945 950 955 960
 Ser Val Val Glu Leu Ser Asp Asp Ile Asn Glu Thr Ser Tyr Val Arg
 965 970 975
 Pro Val Cys Leu Pro Ser Pro Glu Glu Tyr Leu Glu Pro Asp Thr Tyr
 980 985 990
 Cys Tyr Ile Thr Gly Trp Gly His Met Gly Asn Lys Met Pro Phe Lys
 995 1000 1005
 Leu Gln Glu Gly Glu Val Arg Ile Ile Pro Leu Glu Gln Cys Gln
 1010 1015 1020
 Ser Tyr Phe Asp Met Lys Thr Ile Thr Asn Arg Met Ile Cys Ala
 1025 1030 1035
 Gly Tyr Glu Ser Gly Thr Val Asp Ser Cys Met Gly Asp Ser Gly
 1040 1045 1050
 Gly Pro Leu Val Cys Glu Arg Pro Gly Gly Gln Trp Thr Leu Phe
 1055 1060 1065

Nonprovisional IP-017.ST25.txt

Gly Leu Thr Ser Trp Gly Ser Val Cys Phe Ser Lys Val Leu Gly
 1070 1075 1080
 Pro Gly Val Tyr Ser Asn Val Ser Tyr Phe Val Gly Trp Ile Glu
 1085 1090 1095
 Arg Gln Ile Tyr Ile Gln Thr Phe Leu Gln Lys Lys Ser Gln Gly
 1100 1105 1110
 <210> 79
 <211> 859
 <212> PRT
 <213> HOMO SAPIENS
 <400> 79
 Met Asn Ser Phe Leu Ile Phe Ala Arg Arg Ile Asp Ile Arg Met Val
 1 5 10 15
 Ser Leu Asp Ile Pro Tyr Phe Ala Asp Val Val Val Pro Ile Asn Ile
 20 25 30
 Thr Met Lys Asn Thr Ile Ala Ile Gly Val Asp Pro Gln Glu Gly Lys
 35 40 45
 Val Tyr Trp Ser Asp Ser Thr Leu His Arg Ile Ser Arg Ala Asn Leu
 50 55 60
 Asp Gly Ser Gln His Glu Asp Ile Ile Thr Thr Gly Leu Gln Thr Thr
 65 70 75 80
 Asp Gly Leu Ala Val Asp Ala Ile Gly Arg Lys Val Tyr Trp Thr Asp
 85 90 95
 Thr Gly Thr Asn Arg Ile Glu Val Gly Asn Leu Asp Gly Ser Met Arg
 100 105 110
 Lys Val Leu Val Trp Gln Asn Leu Asp Ser Pro Arg Ala Ile Val Leu
 115 120 125
 Tyr His Glu Met Gly Phe Met Tyr Trp Thr Asp Trp Gly Glu Asn Ala
 130 135 140
 Lys Leu Glu Arg Ser Gly Met Asp Gly Ser Asp Arg Ala Val Leu Ile
 145 150 155 160
 Asn Asn Asn Leu Gly Trp Pro Asn Gly Leu Thr Val Asp Lys Ala Ser
 165 170 175
 Ser Gln Leu Leu Trp Ala Asp Ala His Thr Glu Arg Ile Glu Ala Ala
 180 185 190

Nonprovisional IP-017.ST25.txt

Asp Leu Asn Gly Ala Asn Arg His Thr Leu Val Ser Pro Val Gln His
 195 200 205
 Pro Tyr Gly Leu Thr Leu Leu Asp Ser Tyr Ile Tyr Trp Thr Asp Trp
 210 215 220
 Gln Thr Arg Ser Ile His Arg Ala Asp Lys Gly Thr Gly Ser Asn Val
 225 230 235 240
 Ile Leu Val Arg Ser Asn Leu Pro Gly Leu Met Asp Met Gln Ala Val
 245 250 255
 Asp Arg Ala Gln Pro Leu Gly Phe Asn Lys Cys Gly Ser Arg Asn Gly
 260 265 270
 Gly Cys Ser His Leu Cys Leu Pro Arg Pro Ser Gly Phe Ser Cys Ala
 275 280 285
 Cys Pro Thr Gly Ile Gln Leu Lys Gly Asp Gly Lys Thr Cys Asp Pro
 290 295 300
 Ser Pro Glu Thr Tyr Leu Leu Phe Ser Ser Arg Gly Ser Ile Arg Arg
 305 310 315 320
 Ile Ser Leu Asp Thr Ser Asp His Thr Asp Val His Val Pro Val Pro
 325 330 335
 Glu Leu Asn Asn Val Ile Ser Leu Asp Tyr Asp Ser Val Asp Gly Lys
 340 345 350
 Val Tyr Tyr Thr Asp Val Phe Leu Asp Val Ile Arg Arg Ala Asp Leu
 355 360 365
 Asn Gly Ser Asn Met Glu Thr Val Ile Gly Arg Gly Leu Lys Thr Thr
 370 375 380
 Asp Gly Leu Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp Thr Asp
 385 390 395 400
 Thr Gly Arg Asn Thr Ile Glu Ala Ser Arg Leu Asp Gly Ser Cys Arg
 405 410 415
 Lys Val Leu Ile Asn Asn Ser Leu Asp Glu Pro Arg Ala Ile Ala Val
 420 425 430
 Phe Pro Arg Lys Gly Tyr Leu Phe Trp Thr Asp Trp Gly His Ile Ala
 435 440 445
 Lys Ile Glu Arg Ala Asn Leu Asp Gly Ser Glu Arg Lys Val Leu Ile
 450 455 460

Nonprovisional IP-017.ST25.txt

Asn Thr Asp Leu Gly Trp Pro Asn Gly Leu Thr Leu Asp Tyr Asp Thr
 465 470 475 480

Arg Arg Ile Tyr Trp Val Asp Ala His Leu Asp Arg Ile Glu Ser Ala
 485 490 495

Asp Leu Asn Gly Lys Leu Arg Gln Val Leu Val Ser His Val Ser His
 500 505 510

Pro Phe Ala Leu Thr Gln Gln Asp Arg Trp Ile Tyr Trp Thr Asp Trp
 515 520 525

Gln Thr Lys Ser Ile Gln Arg Val Asp Lys Tyr Ser Gly Arg Asn Lys
 530 535 540

Glu Thr Val Leu Ala Asn Val Glu Gly Leu Met Asp Ile Ile Val Val
 545 550 555 560

Ser Pro Gln Arg Gln Thr Gly Thr Asn Ala Cys Gly Val Asn Asn Gly
 565 570 575

Gly Cys Thr His Leu Cys Phe Ala Arg Ala Ser Asp Phe Val Cys Ala
 580 585 590

Cys Pro Asp Glu Pro Asp Ser Arg Pro Cys Ser Leu Val Pro Gly Leu
 595 600 605

Val Pro Pro Ala Pro Arg Ala Thr Gly Met Ser Glu Lys Ser Pro Val
 610 615 620

Leu Pro Asn Thr Pro Pro Thr Thr Leu Tyr Ser Ser Thr Thr Arg Thr
 625 630 635 640

Arg Thr Ser Leu Glu Glu Val Glu Gly Arg Cys Ser Glu Arg Asp Ala
 645 650 655

Arg Leu Gly Leu Cys Ala Arg Ser Asn Asp Ala Val Pro Ala Ala Pro
 660 665 670

Gly Glu Gly Leu His Ile Ser Tyr Ala Ile Gly Gly Leu Leu Ser Ile
 675 680 685

Leu Leu Ile Leu Val Val Ile Ala Ala Leu Met Leu Tyr Arg His Lys
 690 695 700

Lys Ser Lys Phe Thr Asp Pro Gly Met Gly Asn Leu Thr Tyr Ser Asn
 705 710 715 720

Pro Ser Tyr Arg Thr Ser Thr Gln Glu Val Lys Ile Glu Ala Ile Pro
 725 730 735

Nonprovisional IP-017.ST25.txt

Lys Pro Ala Met Tyr Asn Gln Leu Cys Tyr Lys Lys Glu Gly Gly Pro
 740 745 750

Asp His Asn Tyr Thr Lys Glu Lys Ile Lys Ile Val Glu Gly Ile Cys
 755 760 765

Leu Leu Ser Gly Asp Asp Ala Glu Trp Asp Asp Leu Lys Gln Leu Arg
 770 775 780

Ser Ser Arg Gly Gly Leu Leu Arg Asp His Val Cys Met Lys Thr Asp
 785 790 795 800

Thr Val Ser Ile Gln Ala Ser Ser Gly Ser Leu Asp Asp Thr Glu Thr
 805 810 815

Glu Gln Leu Leu Gln Glu Glu Gln Ser Glu Cys Ser Ser Val His Thr
 820 825 830

Ala Ala Thr Pro Glu Arg Arg Gly Ser Leu Pro Asp Thr Gly Trp Lys
 835 840 845

His Glu Arg Lys Leu Ser Ser Glu Ser Gln Val
 850 855

<210> 80
 <211> 1614
 <212> PRT
 <213> MOUSE

<400> 80

Met Glu Thr Ala Pro Thr Arg Ala Pro Pro Pro Pro Pro Pro Leu
 1 5 10 15

Leu Leu Leu Val Leu Tyr Cys Ser Leu Val Pro Ala Ala Ala Ser Pro
 20 25 30

Leu Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala Gly
 35 40 45

Gly Val Lys Leu Glu Ser Thr Ile Val Ala Ser Gly Leu Glu Asp Ala
 50 55 60

Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr Asp
 65 70 75 80

Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly Ala
 85 90 95

Ala Ala Gln Asn Ile Val Ile Ser Gly Leu Val Ser Pro Asp Gly Leu
 100 105 110

Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu Thr
 Page 240

Nonprovisional IP-017.ST25.txt

115

120

125

Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val Leu
 130 135 140

Phe Trp Gln Asp Leu Asp Gln Pro Arg Ala Ile Ala Leu Asp Pro Ala
 145 150 155 160

His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Ala Pro Arg Ile Glu
 165 170 175

Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser Asp
 180 185 190

Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys Leu
 195 200 205

Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu Asp
 210 215 220

Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro Phe
 225 230 235 240

Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln Thr
 245 250 255

Arg Ser Ile His Ala Cys Asn Lys Trp Thr Gly Glu Gln Arg Lys Glu
 260 265 270

Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser Gln
 275 280 285

Glu Arg Gln Pro Pro Phe His Thr Pro Cys Glu Glu Asp Asn Gly Gly
 290 295 300

Cys Ser His Leu Cys Leu Leu Ser Pro Arg Glu Pro Phe Tyr Ser Cys
 305 310 315 320

Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Lys Thr Cys Lys
 325 330 335

Thr Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu Arg
 340 345 350

Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln Val
 355 360 365

Gly Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu Gly
 370 375 380

Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala Tyr
 Page 241

385 Nonprovisional IP-017.ST25.txt 400
 390 395
 Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn Asp
 405 410 415
 Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp Thr
 420 425 430
 Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr Ser
 435 440 445
 Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile Val
 450 455 460
 Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu Asn
 465 470 475 480
 Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Arg Asp Arg His Val Leu
 485 490 495
 Val Asn Thr Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu Gln
 500 505 510
 Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu Val
 515 520 525
 Ile Asn Ile Asp Gly Thr Lys Arg Lys Thr Leu Leu Glu Asp Lys Leu
 530 535 540
 Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp Thr
 545 550 555 560
 Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala Ser
 565 570 575
 Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys Ala
 580 585 590
 Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Gly Asn
 595 600 605
 Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro Arg Ala Thr Lys Cys
 610 615 620
 Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys Ile
 625 630 635 640
 Ile Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Thr Ile His Arg
 645 650 655
 Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr Gly
 Page 242

Nonprovisional IP-017.ST25.txt

660

665

670

Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His Ile
 675 680 685

Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met Asn
 690 695 700

Gly Ser Ser Val Glu His Val Ile Glu Phe Gly Leu Asp Tyr Pro Glu
 705 710 715 720

Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp Thr
 725 730 735

Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg Gln
 740 745 750

Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu Asp
 755 760 765

Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro Arg
 770 775 780

Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val Asp
 785 790 795 800

Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln Arg
 805 810 815

Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn Met
 820 825 830

Leu Gly Gln Glu Arg Met Val Ile Ala Asp Asp Leu Pro Tyr Pro Phe
 835 840 845

Gly Leu Thr Gln Tyr Ser Asp Tyr Ile Tyr Trp Thr Asp Trp Asn Leu
 850 855 860

His Ser Ile Glu Arg Ala Asp Lys Thr Ser Gly Arg Asn Arg Thr Leu
 865 870 875 880

Ile Gln Gly His Leu Asp Phe Val Met Asp Ile Leu Val Phe His Ser
 885 890 895

Ser Arg Gln Asp Gly Leu Asn Asp Cys Val His Ser Asn Gly Gln Cys
 900 905 910

Gly Gln Leu Cys Leu Ala Ile Pro Gly Gly His Arg Cys Gly Cys Ala
 915 920 925

Ser His Tyr Thr Leu Asp Pro Ser Ser Arg Asn Cys Ser Pro Pro Ser
 Page 243

930
935
940

Thr Phe Leu Leu Phe Ser Gln Lys Phe Ala Ile Ser Arg Met Ile Pro
945 950 955 960

Asp Asp Gln Leu Ser Pro Asp Leu Val Leu Pro Leu His Gly Leu Arg
965 970 975

Asn Val Lys Ala Ile Asn Tyr Asp Pro Leu Asp Lys Phe Ile Tyr Trp
980 985 990

Val Asp Gly Arg Gln Asn Ile Lys Arg Ala Lys Asp Asp Gly Thr Gln
995 1000 1005

Pro Ser Met Leu Thr Ser Pro Ser Gln Ser Leu Ser Pro Asp Arg
1010 1015 1020

Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu Phe
1025 1030 1035

Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu Asp
1040 1045 1050

Gly Asp Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys Pro
1055 1060 1065

Arg Ala Ile Ala Val Asn Ala Glu Arg Gly Tyr Met Tyr Phe Thr
1070 1075 1080

Asn Met Gln Asp His Ala Ala Lys Ile Glu Arg Ala Ser Leu Asp
1085 1090 1095

Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg Pro
1100 1105 1110

Val Ala Leu Val Val Asp Asn Ala Leu Gly Lys Leu Phe Trp Val
1115 1120 1125

Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly Ala
1130 1135 1140

Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Val Gly
1145 1150 1155

Leu Thr Val Leu Gly Arg His Leu Tyr Trp Ile Asp Arg Gln Gln
1160 1165 1170

Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg Thr
1175 1180 1185

Arg Val Gln Gly Arg Val Thr His Leu Thr Gly Ile His Ala Val

Nonprovisional IP-017.ST25.txt

1190 1195 1200

Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala Arg
1205 1210 1215

Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp Gly
1220 1225 1230

Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln Asn
1235 1240 1245

Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln Phe
1250 1255 1260

Ala Cys Thr Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp Arg
1265 1270 1275

Cys Asp Gly Phe Pro Glu Cys Ala Asp Gln Ser Asp Glu Glu Gly
1280 1285 1290

Cys Pro Val Cys Ser Ala Ser Gln Phe Pro Cys Ala Arg Gly Gln
1295 1300 1305

Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys Gln
1310 1315 1320

Asp Arg Ser Asp Glu Ala Asn Cys Asp Ala Val Cys Leu Pro Asn
1325 1330 1335

Gln Phe Arg Cys Thr Ser Gly Gln Cys Val Leu Ile Lys Gln Gln
1340 1345 1350

Cys Asp Ser Phe Pro Asp Cys Ala Asp Gly Ser Asp Glu Leu Met
1355 1360 1365

Cys Glu Ile Asn Lys Pro Pro Ser Asp Asp Ile Pro Ala His Ser
1370 1375 1380

Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe Val
1385 1390 1395

Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Met Cys Gln Arg
1400 1405 1410

Tyr Thr Gly Ala Ser Gly Pro Phe Pro His Glu Tyr Val Gly Gly
1415 1420 1425

Ala Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser Gln
1430 1435 1440

His Gly Pro Phe Pro Gly Ile Pro Cys Ser Lys Ser Val Met Ser
Page 245

Nonprovisional IP-017.ST25.txt
1450 1455

1445

Ser Met Ser Leu Val Gly Gly Arg Gly Ser Val Pro Leu Tyr Asp
1460 1465 1470

Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Thr
1475 1480 1485

Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser Pro
1490 1495 1500

Ala Thr Asp Pro Ser Leu Tyr Asn Val Asp Val Phe Tyr Ser Ser
1505 1510 1515

Gly Ile Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Val Ile Arg
1520 1525 1530

Gly Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp
1535 1540 1545

Ser Asp Tyr Ser Ile Ser Arg Trp Lys Ser Ser Lys Tyr Tyr Leu
1550 1555 1560

Asp Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro
1565 1570 1575

His Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro
1580 1585 1590

Gly Thr Glu Arg Ser Tyr Cys His Leu Phe Pro Pro Pro Pro Ser
1595 1600 1605

Pro Cys Thr Asp Ser Ser
1610

<210> 81
<211> 1611
<212> PRT
<213> HOMO SAPIENS

<400> 81

Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu Leu Leu Leu
1 5 10 15

Leu Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala Ala Ala Ser
20 25 30

Pro Leu Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala
35 40 45

Gly Gly Val Lys Leu Glu Ser Thr Ile Val Val Ser Gly Leu Glu Asp
50 55 60

Nonprovisional IP-017.ST25.txt

Ala Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr
 65 70 75 80
 Asp Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly
 85 90 95
 Ala Ala Val Gln Asn Val Val Ile Ser Gly Leu Val Ser Pro Asp Gly
 100 105 110
 Leu Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu
 115 120 125
 Thr Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val
 130 135 140
 Leu Phe Trp Gln Asp Leu Asp Gln Pro Arg Ala Ile Ala Leu Asp Pro
 145 150 155 160
 Ala His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Thr Pro Arg Ile
 165 170 175
 Glu Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser
 180 185 190
 Asp Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys
 195 200 205
 Leu Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu
 210 215 220
 Asp Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro
 225 230 235 240
 Phe Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln
 245 250 255
 Thr Arg Ser Ile His Ala Cys Asn Lys Arg Thr Gly Gly Lys Arg Lys
 260 265 270
 Glu Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser
 275 280 285
 Gln Glu Arg Gln Pro Phe Phe His Thr Arg Cys Glu Glu Asp Asn Gly
 290 295 300
 Gly Cys Ser His Leu Cys Leu Leu Ser Pro Ser Glu Pro Phe Tyr Thr
 305 310 315 320
 Cys Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Arg Thr Cys
 325 330 335

Nonprovisional IP-017.ST25.txt

Lys Ala Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu
 340 345 350
 Arg Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln
 355 360 365
 Val Asp Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu
 370 375 380
 Gly Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala
 385 390 395 400
 Tyr Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn
 405 410 415
 Asp Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp
 420 425 430
 Thr Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr
 435 440 445
 Ser Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile
 450 455 460
 Ala Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu
 465 470 475 480
 Asn Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Gln Glu Arg Arg Val
 485 490 495
 Leu Val Asn Ala Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu
 500 505 510
 Gln Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu
 515 520 525
 Val Ile Asn Val Asp Gly Thr Lys Arg Arg Thr Leu Leu Glu Asp Lys
 530 535 540
 Leu Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp
 545 550 555 560
 Thr Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala
 565 570 575
 Ser Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys
 580 585 590
 Ala Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Arg
 595 600 605

Nonprovisional IP-017.ST25.txt

Asn Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro His Ala Thr Arg
 610 615 620
 Cys Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys
 625 630 635 640
 Ile Val Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Ala Ile His
 645 650 655
 Arg Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr
 660 665 670
 Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His
 675 680 685
 Ile Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met
 690 695 700
 Asn Gly Ser Ser Val Glu His Val Val Glu Phe Gly Leu Asp Tyr Pro
 705 710 715 720
 Glu Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp
 725 730 735
 Thr Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg
 740 745 750
 Gln Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu
 755 760 765
 Asp Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro
 770 775 780
 Arg Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val
 785 790 795 800
 Asp Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln
 805 810 815
 Arg Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn
 820 825 830
 Met Leu Gly Gln Glu Arg Val Val Ile Ala Asp Asp Leu Pro His Pro
 835 840 845
 Phe Gly Leu Thr Gln Tyr Ser Asp Tyr Ile Tyr Trp Thr Asp Trp Asn
 850 855 860
 Leu His Ser Ile Glu Arg Ala Asp Lys Thr Ser Gly Arg Asn Arg Thr
 865 870 875 880

Nonprovisional IP-017.ST25.txt

Leu Ile Gln Gly His Leu Asp Phe Val Met Asp Ile Leu Val Phe His
 885 890 895

Ser Ser Arg Gln Asp Gly Leu Asn Asp Cys Met His Asn Asn Gly Gln
 900 905 910

Cys Gly Gln Leu Cys Leu Ala Ile Pro Gly Gly His Arg Cys Gly Cys
 915 920 925

Ala Ser His Tyr Thr Leu Asp Pro Ser Ser Arg Asn Cys Ser Pro Pro
 930 935 940

Thr Thr Phe Leu Leu Phe Ser Gln Lys Ser Ala Ile Ser Arg Met Ile
 945 950 955 960

Pro Asp Asp Gln His Ser Pro Asp Leu Ile Leu Pro Leu His Gly Leu
 965 970 975

Arg Asn Val Lys Ala Ile Asp Tyr Asp Pro Leu Asp Lys Phe Ile Tyr
 980 985 990

Trp Val Asp Gly Arg Gln Asn Ile Lys Arg Ala Lys Asp Asp Gly Thr
 995 1000 1005

Gln Pro Phe Val Leu Thr Ser Leu Ser Gln Gly Gln Asn Pro Asp
 1010 1015 1020

Arg Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu
 1025 1030 1035

Phe Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu
 1040 1045 1050

Ser Gly Glu Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys
 1055 1060 1065

Pro Arg Ala Ile Val Val Asn Ala Glu Arg Gly Tyr Leu Tyr Phe
 1070 1075 1080

Thr Asn Met Gln Asp Arg Ala Ala Lys Ile Glu Arg Ala Ala Leu
 1085 1090 1095

Asp Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg
 1100 1105 1110

Pro Val Ala Leu Val Val Asp Asn Thr Leu Gly Lys Leu Phe Trp
 1115 1120 1125

Val Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly
 1130 1135 1140

Nonprovisional IP-017.ST25.txt

Ala Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Leu
 1145 1150 1155
 Gly Leu Thr Ile Leu Gly Lys His Leu Tyr Trp Ile Asp Arg Gln
 1160 1165 1170
 Gln Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg
 1175 1180 1185
 Thr Arg Ile Gln Gly Arg Val Ala His Leu Thr Gly Ile His Ala
 1190 1195 1200
 Val Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala
 1205 1210 1215
 Arg Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp
 1220 1225 1230
 Gly Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln
 1235 1240 1245
 Asn Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln
 1250 1255 1260
 Phe Ala Cys Ala Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp
 1265 1270 1275
 Arg Cys Asp Gly Phe Pro Glu Cys Asp Asp Gln Ser Asp Glu Glu
 1280 1285 1290
 Gly Cys Pro Val Cys Ser Ala Ala Gln Phe Pro Cys Ala Arg Gly
 1295 1300 1305
 Gln Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys
 1310 1315 1320
 Gln Asp Arg Ser Asp Glu Ala Asp Cys Asp Ala Ile Cys Leu Pro
 1325 1330 1335
 Asn Gln Phe Arg Cys Ala Ser Gly Gln Cys Val Leu Ile Lys Gln
 1340 1345 1350
 Gln Cys Asp Ser Phe Pro Asp Cys Ile Asp Gly Ser Asp Glu Leu
 1355 1360 1365
 Met Cys Glu Ile Thr Lys Pro Pro Ser Asp Asp Ser Pro Ala His
 1370 1375 1380
 Ser Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe
 1385 1390 1395

Nonprovisional IP-017.ST25.txt

Val Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Val Cys Gln
 1400 1405 1410
 Arg Tyr Ala Gly Ala Asn Gly Pro Phe Pro His Glu Tyr Val Ser
 1415 1420 1425
 Gly Thr Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser
 1430 1435 1440
 Gln His Gly Pro Phe Thr Gly Ile Ala Cys Gly Lys Ser Met Met
 1445 1450 1455
 Ser Ser Val Ser Leu Met Gly Gly Arg Gly Gly Val Pro Leu Tyr
 1460 1465 1470
 Asp Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Ser
 1475 1480 1485
 Thr Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser
 1490 1495 1500
 Pro Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser
 1505 1510 1515
 Ser Asn Ile Pro Ala Thr Arg Pro Tyr Ile Ile Arg Gly Met Ala
 1520 1525 1530
 Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp Ser Asp Tyr
 1535 1540 1545
 Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr Leu Asp Leu Asn
 1550 1555 1560
 Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro His Ser Gln
 1565 1570 1575
 Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro Ala Thr Glu
 1580 1585 1590
 Arg Ser Tyr Phe His Leu Phe Pro Pro Pro Pro Ser Pro Cys Thr
 1595 1600 1605
 Asp Ser Ser
 1610

<210> 82
 <211> 1615
 <212> PRT
 <213> HOMO SAPIENS
 <400> 82

Nonprovisional IP-017.ST25.txt

Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu Leu Leu Leu
 1 5 10 15
 Leu Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala Ala Ala Ser
 20 25 30
 Pro Leu Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala
 35 40 45
 Gly Gly Val Lys Leu Glu Ser Thr Ile Val Val Ser Gly Leu Glu Asp
 50 55 60
 Ala Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr
 65 70 75 80
 Asp Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly
 85 90 95
 Ala Ala Val Gln Asn Val Val Ile Ser Gly Leu Val Ser Pro Asp Gly
 100 105 110
 Leu Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu
 115 120 125
 Thr Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val
 130 135 140
 Leu Phe Trp Gln Asp Leu Asp Gln Pro Arg Ala Ile Ala Leu Asp Pro
 145 150 155 160
 Ala His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Thr Pro Arg Ile
 165 170 175
 Glu Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser
 180 185 190
 Asp Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys
 195 200 205
 Leu Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu
 210 215 220
 Asp Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro
 225 230 235 240
 Phe Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln
 245 250 255
 Thr Arg Ser Ile His Ala Cys Asn Lys Arg Thr Gly Gly Lys Arg Lys
 260 265 270

Nonprovisional IP-017.ST25.txt

Glu Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser
 275 280 285
 Gln Glu Arg Gln Pro Phe Phe His Thr Arg Cys Glu Glu Asp Asn Gly
 290 300
 Gly Cys Ser His Leu Cys Leu Leu Ser Pro Ser Glu Pro Phe Tyr Thr
 305 310 315 320
 Cys Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Arg Thr Cys
 325 330 335
 Lys Ala Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu
 340 345 350
 Arg Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln
 355 360 365
 Val Asp Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu
 370 375 380
 Gly Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala
 385 390 395 400
 Tyr Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn
 405 410 415
 Asp Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp
 420 425 430
 Thr Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr
 435 440 445
 Ser Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile
 450 455 460
 Ala Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu
 465 470 475 480
 Asn Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Gln Glu Arg Arg Val
 485 490 495
 Leu Val Asn Ala Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu
 500 505 510
 Gln Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu
 515 520 525
 Val Ile Asn Val Asp Gly Thr Lys Arg Arg Thr Leu Leu Glu Asp Lys
 530 535 540

Nonprovisional IP-017.ST25.txt

Leu Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp
 545 550 555 560
 Thr Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala
 565 570 575
 Ser Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys
 580 585 590
 Ala Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Arg
 595 600 605
 Asn Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro His Ala Thr Arg
 610 615 620
 Cys Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys
 625 630 635 640
 Ile Val Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Ala Ile His
 645 650 655
 Arg Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr
 660 665 670
 Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His
 675 680 685
 Ile Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met
 690 695 700
 Asn Gly Ser Ser Val Glu His Val Val Glu Phe Gly Leu Asp Tyr Pro
 705 710 715 720
 Glu Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp
 725 730 735
 Thr Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg
 740 745 750
 Gln Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu
 755 760 765
 Asp Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro
 770 775 780
 Arg Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val
 785 790 795 800
 Asp Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln
 805 810 815

[illegible]

Pro Arg Ala Ile Val Val Asn Ala Glu Arg Gly Tyr Leu Tyr Phe
1070 1075 1080

Nonprovisional IP-017.ST25.txt

Thr Asn Met Gln Asp Arg Ala Ala Lys Ile Glu Arg Ala Ala Leu
 1085 1090 1095
 Asp Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg
 1100 1105 1110
 Pro Val Ala Leu Val Val Asp Asn Thr Leu Gly Lys Leu Phe Trp
 1115 1120 1125
 Val Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly
 1130 1135 1140
 Ala Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Leu
 1145 1150 1155
 Gly Leu Thr Ile Leu Gly Lys His Leu Tyr Trp Ile Asp Arg Gln
 1160 1165 1170
 Gln Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg
 1175 1180 1185
 Thr Arg Ile Gln Gly Arg Val Ala His Leu Thr Gly Ile His Ala
 1190 1195 1200
 Val Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala
 1205 1210 1215
 Arg Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp
 1220 1225 1230
 Gly Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln
 1235 1240 1245
 Asn Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln
 1250 1255 1260
 Phe Ala Cys Ala Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp
 1265 1270 1275
 Arg Cys Asp Gly Phe Pro Glu Cys Asp Asp Gln Ser Asp Glu Glu
 1280 1285 1290
 Gly Cys Pro Val Cys Ser Ala Ala Gln Phe Pro Cys Ala Arg Gly
 1295 1300 1305
 Gln Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys
 1310 1315 1320
 Gln Asp Arg Ser Asp Glu Ala Asp Cys Asp Ala Ile Cys Leu Pro
 1325 1330 1335

Nonprovisional IP-017.ST25.txt

Asn Gln Phe Arg Cys Ala Ser Gly Gln Cys Val Leu Ile Lys Gln
 1340 1345 1350
 Gln Cys Asp Ser Phe Pro Asp Cys Ile Asp Gly Ser Asp Glu Leu
 1355 1360 1365
 Met Cys Glu Ile Thr Lys Pro Pro Ser Asp Asp Ser Pro Ala His
 1370 1375 1380
 Ser Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe
 1385 1390 1395
 Val Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Val Cys Gln
 1400 1405 1410
 Arg Tyr Ala Gly Ala Asn Gly Pro Phe Pro His Glu Tyr Val Ser
 1415 1420 1425
 Gly Thr Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser
 1430 1435 1440
 Gln His Gly Pro Phe Thr Gly Ile Ala Cys Gly Lys Ser Met Met
 1445 1450 1455
 Ser Ser Val Ser Leu Met Gly Gly Arg Gly Gly Val Pro Leu Tyr
 1460 1465 1470
 Asp Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Ser
 1475 1480 1485
 Thr Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser
 1490 1495 1500
 Pro Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser
 1505 1510 1515
 Ser Asn Ile Pro Ala Thr Val Arg Pro Tyr Arg Pro Tyr Ile Ile
 1520 1525 1530
 Arg Gly Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys
 1535 1540 1545
 Asp Ser Asp Tyr Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr
 1550 1555 1560
 Leu Asp Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr
 1565 1570 1575
 Pro His Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser
 1580 1585 1590

Nonprovisional IP-017.ST25.txt

Pro Ala Thr Glu Arg Ser Tyr Phe His Leu Phe Pro Pro Pro Pro
 1595 1600 1605

Ser Pro Cys Thr Asp Ser Ser
 1610 1615

<210> 83
 <211> 1613
 <212> PRT
 <213> MOUSE

<400> 83

Met Gly Ala Val Leu Arg Ser Leu Leu Ala Cys Ser Phe Cys Val Leu
 1 5 10 15

Leu Arg Ala Ala Pro Leu Leu Leu Tyr Ala Asn Arg Arg Asp Leu Arg
 20 25 30

Leu Val Asp Ala Thr Asn Gly Lys Glu Asn Ala Thr Ile Val Val Gly
 35 40 45

Gly Leu Glu Asp Ala Ala Ala Val Asp Phe Val Phe Gly His Gly Leu
 50 55 60

Ile Tyr Trp Ser Asp Val Ser Glu Glu Ala Ile Lys Arg Thr Glu Phe
 65 70 75 80

Asn Lys Ser Glu Ser Val Gln Asn Val Val Val Ser Gly Leu Leu Ser
 85 90 95

Pro Asp Gly Leu Ala Cys Asp Trp Leu Gly Glu Lys Leu Tyr Trp Thr
 100 105 110

Asp Ser Glu Thr Asn Arg Ile Glu Val Ser Asn Leu Asp Gly Ser Leu
 115 120 125

Arg Lys Val Leu Phe Trp Gln Glu Leu Asp Gln Pro Arg Ala Ile Ala
 130 135 140

Leu Asp Pro Ser Ser Gly Phe Met Tyr Trp Thr Asp Trp Gly Glu Val
 145 150 155 160

Pro Lys Ile Glu Arg Ala Gly Met Asp Gly Ser Ser Arg Phe Val Ile
 165 170 175

Ile Asn Thr Glu Ile Tyr Trp Pro Asn Gly Leu Thr Leu Asp Tyr Gln
 180 185 190

Glu Arg Lys Leu Tyr Trp Ala Asp Ala Lys Leu Asn Phe Ile His Lys
 195 200 205

Nonprovisional IP-017.ST25.txt

Ser Asn Leu Asp Gly Thr Asn Arg Gln Ala Val Val Lys Gly Ser Leu
 210 215 220

Pro His Pro Phe Ala Leu Thr Leu Phe Glu Asp Thr Leu Tyr Trp Thr
 225 230 235 240

Asp Trp Asn Thr His Ser Ile Leu Ala Cys Asn Lys Tyr Thr Gly Glu
 245 250 255

Gly Leu Arg Glu Ile His Ser Asn Ile Phe Ser Pro Met Asp Ile His
 260 265 270

Ala Phe Ser Gln Gln Arg Gln Pro Asn Ala Thr Asn Pro Cys Gly Ile
 275 280 285

Asp Asn Gly Gly Cys Ser His Leu Cys Leu Met Ser Pro Val Lys Pro
 290 295 300

Phe Tyr Gln Cys Ala Cys Pro Thr Gly Val Lys Leu Met Glu Asn Gly
 305 310 315 320

Lys Thr Cys Lys Asp Gly Ala Thr Glu Leu Leu Leu Leu Ala Arg Arg
 325 330 335

Thr Asp Leu Arg Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile
 340 345 350

Val Leu Gln Leu Glu Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp
 355 360 365

Pro Val Glu Gly Tyr Ile Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile
 370 375 380

Arg Arg Ser Phe Ile Asp Gly Ser Gly Ser Gln Phe Val Val Thr Ala
 385 390 395 400

Gln Ile Ala His Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn
 405 410 415

Leu Tyr Trp Thr Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu
 420 425 430

Asn Gly Thr Met Arg Lys Ile Leu Ile Ser Glu Asp Leu Glu Glu Pro
 435 440 445

Arg Ala Ile Val Leu Asp Pro Met Val Gly Tyr Met Tyr Trp Thr Asp
 450 455 460

Trp Gly Glu Ile Pro Lys Ile Glu Arg Ala Ala Leu Asp Gly Ser Asp
 465 470 475 480

Page 261

Nonprovisional IP-017.ST25.txt

Leu Ala Leu Asp Pro Ala Glu Gly Phe Met Tyr Trp Thr Glu Trp Gly
755 760 765

Gly Lys Pro Lys Ile Asp Arg Ala Ala Met Asp Gly Ser Glu Arg Thr
770 775 780

Thr Leu Val Pro Asn Val Gly Arg Ala Asn Gly Leu Thr Ile Asp Tyr
785 790 795 800

Ala Lys Arg Arg Leu Tyr Trp Thr Asp Leu Asp Thr Asn Leu Ile Glu
805 810 815

Ser Ser Asp Met Leu Gly Leu Asn Arg Glu Val Ile Ala Asp Asp Leu
820 825 830

Pro His Pro Phe Gly Leu Thr Gln Tyr Gln Asp Tyr Ile Tyr Trp Thr
835 840 845

Asp Trp Ser Arg Arg Ser Ile Glu Arg Ala Asn Lys Thr Ser Gly Gln
850 855 860

Asn Arg Thr Ile Ile Gln Gly His Leu Asp Tyr Val Met Asp Ile Leu
865 870 875 880

Val Phe His Ser Ser Arg Gln Ala Gly Trp Asn Glu Cys Ala Ser Ser
885 890 895

Asn Gly His Cys Ser His Leu Cys Leu Ala Val Pro Val Gly Gly Phe
900 905 910

Val Cys Gly Cys Pro Ala His Tyr Ser Leu Asn Ala Asp Asn Arg Thr
915 920 925

Cys Ser Ala Pro Ser Thr Phe Leu Leu Phe Ser Gln Lys Ser Ala Ile
930 935 940

Asn Arg Met Val Ile Asp Glu Gln Gln Ser Pro Asp Ile Ile Leu Pro
945 950 955 960

Ile His Ser Leu Arg Asn Val Arg Ala Ile Asp Tyr Asp Pro Leu Asp
965 970 975

Lys Gln Leu Tyr Trp Ile Asp Ser Arg Gln Asn Ser Ile Arg Lys Ala
980 985 990

His Glu Asp Gly Gly Gln Gly Phe Asn Val Val Ala Asn Ser Val Ala
995 1000 1005

Asn Gln Asn Leu Glu Ile Gln Pro Tyr Asp Leu Ser Ile Asp Ile
1010 1015 1020

Nonprovisional IP-017.ST25.txt

Tyr	Ser	Arg	Tyr	Ile	Tyr	Trp	Thr	Cys	Glu	Ala	Thr	Asn	Val	Ile
1025						1030						1035		
Asp	Val	Thr	Arg	Leu	Asp	Gly	Arg	Ser	Val	Gly	Val	Val	Leu	Lys
1040						1045					1050			
Gly	Glu	Gln	Asp	Arg	Pro	Arg	Ala	Ile	Val	Val	Asn	Pro	Glu	Lys
1055						1060					1065			
Gly	Tyr	Met	Tyr	Phe	Thr	Asn	Leu	Gln	Glu	Arg	Ser	Pro	Lys	Ile
1070						1075					1080			
Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	Glu	Arg	Glu	Val	Leu	Phe	Phe
1085						1090					1095			
Ser	Gly	Leu	Ser	Lys	Pro	Ile	Ala	Leu	Ala	Leu	Asp	Ser	Lys	Leu
1100						1105					1110			
Gly	Lys	Leu	Phe	Trp	Ala	Asp	Ser	Asp	Leu	Arg	Arg	Ile	Glu	Ser
1115						1120					1125			
Ser	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Ile	Val	Leu	Glu	Asp	Ser	Asn
1130						1135					1140			
Ile	Leu	Gln	Pro	Val	Gly	Leu	Thr	Val	Phe	Glu	Asn	Trp	Leu	Tyr
1145						1150					1155			
Trp	Ile	Asp	Lys	Gln	Gln	Gln	Met	Ile	Glu	Lys	Ile	Asp	Met	Thr
1160						1165					1170			
Gly	Arg	Glu	Gly	Arg	Thr	Lys	Val	Gln	Ala	Arg	Ile	Ala	Gln	Leu
1175						1180					1185			
Ser	Asp	Ile	His	Ala	Val	Lys	Glu	Leu	Asn	Leu	Gln	Glu	Tyr	Arg
1190						1195					1200			
Gln	His	Pro	Cys	Ala	Gln	Asp	Asn	Gly	Gly	Cys	Ser	His	Ile	Cys
1205						1210					1215			
Leu	Val	Lys	Gly	Asp	Gly	Thr	Thr	Arg	Cys	Ser	Cys	Pro	Met	His
1220						1225					1230			
Leu	Val	Leu	Leu	Gln	Asp	Glu	Leu	Ser	Cys	Gly	Glu	Pro	Pro	Thr
1235						1240					1245			
Cys	Ser	Pro	Gln	Gln	Phe	Thr	Cys	Phe	Thr	Gly	Asp	Ile	Asp	Cys
1250						1255					1260			
Ile	Pro	Val	Ala	Trp	Arg	Cys	Asp	Gly	Phe	Thr	Glu	Cys	Glu	Asp
1265						1270					1275			

Nonprovisional IP-017.ST25.txt

His Ser Asp Glu Leu Asn Cys Pro Val Cys Ser Glu Ser Gln Phe
1280 1285 1290

Gln Cys Ala Ser Gly Gln Cys Ile Asp Gly Ala Leu Arg Cys Asn
1295 1300 1305

Gly Asp Ala Asn Cys Gln Asp Lys Ser Asp Glu Lys Asn Cys Glu
1310 1315 1320

Val Leu Cys Leu Ile Asp Gln Phe Arg Cys Ala Asn Gly Gln Cys
1325 1330 1335

Val Gly Lys His Lys Lys Cys Asp His Ser Val Asp Cys Ser Asp
1340 1345 1350

Arg Ser Asp Glu Leu Asp Cys Tyr Pro Thr Glu Glu Pro Ala Pro
1355 1360 1365

Gln Ala Thr Asn Thr Val Gly Ser Val Ile Gly Val Ile Val Thr
1370 1375 1380

Ile Phe Val Ser Gly Thr Ile Tyr Phe Ile Cys Gln Arg Met Leu
1385 1390 1395

Cys Pro Arg Met Lys Gly Asp Gly Glu Thr Met Thr Asn Asp Tyr
1400 1405 1410

Val Val His Ser Pro Ala Ser Val Pro Leu Gly Tyr Val Pro His
1415 1420 1425

Pro Ser Ser Leu Ser Gly Ser Leu Pro Gly Met Ser Arg Gly Lys
1430 1435 1440

Ser Met Ile Ser Ser Leu Ser Ile Met Gly Gly Ser Ser Gly Pro
1445 1450 1455

Pro Tyr Asp Arg Ala His Val Thr Gly Ala Ser Ser Ser Ser Ser
1460 1465 1470

Ser Ser Thr Lys Gly Thr Tyr Phe Pro Ala Ile Leu Asn Pro Pro
1475 1480 1485

Pro Ser Pro Ala Thr Glu Arg Ser His Tyr Thr Met Glu Phe Gly
1490 1495 1500

Tyr Ser Ser Asn Ser Pro Ser Thr His Arg Ser Tyr Ser Tyr Arg
1505 1510 1515

Pro Tyr Ser Tyr Arg His Phe Ala Pro Pro Thr Thr Pro Cys Ser
1520 1525 1530

Nonprovisional IP-017.ST25.txt
 Thr Asp Val Cys Asp Ser Asp Tyr Ala Pro Ser Arg Arg Met Thr
 1535 1540 1545

Ser Val Ala Thr Ala Lys Gly Tyr Thr Ser Asp Val Asn Tyr Asp
 1550 1555 1560

Ser Glu Pro Val Pro Pro Pro Thr Pro Arg Ser Gln Tyr Leu
 1565 1570 1575

Ser Ala Glu Glu Asn Tyr Glu Ser Cys Pro Pro Ser Pro Tyr Thr
 1580 1585 1590

Glu Arg Ser Tyr Ser His His Leu Tyr Pro Pro Pro Pro Ser Pro
 1595 1600 1605

Cys Thr Asp Ser Ser
 1610

<210> 84
 <211> 1613
 <212> PRT
 <213> HOMO SAPIENS

<400> 84

Met Gly Ala Val Leu Arg Ser Leu Leu Ala Cys Ser Phe Cys Val Leu
 1 5 10 15

Leu Arg Ala Ala Pro Leu Leu Leu Tyr Ala Asn Arg Arg Asp Leu Arg
 20 25 30

Leu Val Asp Ala Thr Asn Gly Lys Glu Asn Ala Thr Ile Val Val Gly
 35 40 45

Gly Leu Glu Asp Ala Ala Ala Val Asp Phe Val Phe Ser His Gly Leu
 50 55 60

Ile Tyr Trp Ser Asp Val Ser Glu Glu Ala Ile Lys Arg Thr Glu Phe
 65 70 75 80

Asn Lys Thr Glu Ser Val Gln Asn Val Val Val Ser Gly Leu Leu Ser
 85 90 95

Pro Asp Gly Leu Ala Cys Asp Trp Leu Gly Glu Lys Leu Tyr Trp Thr
 100 105 110

Asp Ser Glu Thr Asn Arg Ile Glu Val Ser Asn Leu Asp Gly Ser Leu
 115 120 125

Arg Lys Val Leu Phe Trp Gln Glu Leu Asp Gln Pro Arg Ala Ile Ala
 130 135 140

Leu Asp Pro Ser Ser Gly Phe Met Tyr Trp Thr Asp Trp Gly Glu Val
 Page 265

Page 266

Nonprovisional IP-017.ST25.txt

420

425

430

Asn Gly Thr Met Arg Lys Ile Leu Ile Ser Glu Asp Leu Glu Glu Pro
 435 440 445

Arg Ala Ile Val Leu Asp Pro Met Val Gly Tyr Met Tyr Trp Thr Asp
 450 455 460

Trp Gly Glu Ile Pro Lys Ile Glu Arg Ala Ala Leu Asp Gly Ser Asp
 465 470 475 480

Arg Val Val Leu Val Asn Thr Ser Leu Gly Trp Pro Asn Gly Leu Ala
 485 490 495

Leu Asp Tyr Asp Glu Gly Lys Ile Tyr Trp Gly Asp Ala Lys Thr Asp
 500 505 510

Lys Ile Glu Val Met Asn Thr Asp Gly Thr Gly Arg Arg Val Leu Val
 515 520 525

Glu Asp Lys Ile Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Tyr
 530 535 540

Val Tyr Trp Thr Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys
 545 550 555 560

Arg Ser Ala Glu Arg Glu Val Ile Ile Asp Gln Leu Pro Asp Leu Met
 565 570 575

Gly Leu Lys Ala Thr Asn Val His Arg Val Ile Gly Ser Asn Pro Cys
 580 585 590

Ala Glu Glu Asn Gly Gly Cys Ser His Leu Cys Leu Tyr Arg Pro Gln
 595 600 605

Gly Leu Arg Cys Ala Cys Pro Ile Gly Phe Glu Leu Ile Ser Asp Met
 610 615 620

Lys Thr Cys Ile Val Pro Glu Ala Phe Leu Leu Phe Ser Arg Arg Ala
 625 630 635 640

Asp Ile Arg Arg Ile Ser Leu Glu Thr Asn Asn Asn Asn Val Ala Ile
 645 650 655

Pro Leu Thr Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Thr
 660 665 670

Asp Asn Arg Ile Tyr Trp Thr Asp Ile Ser Leu Lys Thr Ile Ser Arg
 675 680 685

Ala Phe Met Asn Gly Ser Ala Leu Glu His Val Val Glu Phe Gly Leu
 Page 267

Nonprovisional IP-017.ST25.txt

690

695

700

Asp Tyr Pro Glu Gly Met Ala Val Asp Trp Leu Gly Lys Asn Leu Tyr
 705 710 715 720

Trp Ala Asp Thr Gly Thr Asn Arg Ile Glu Val Ser Lys Leu Asp Gly
 725 730 735

Gln His Arg Gln Val Leu Val Trp Lys Asp Leu Asp Ser Pro Arg Ala
 740 745 750

Leu Ala Leu Asp Pro Ala Glu Gly Phe Met Tyr Trp Thr Glu Trp Gly
 755 760 765

Gly Lys Pro Lys Ile Asp Arg Ala Ala Met Asp Gly Ser Glu Arg Thr
 770 775 780

Thr Leu Val Pro Asn Val Gly Arg Ala Asn Gly Leu Thr Ile Asp Tyr
 785 790 795 800

Ala Lys Arg Arg Leu Tyr Trp Thr Asp Leu Asp Thr Asn Leu Ile Glu
 805 810 815

Ser Ser Asn Met Leu Gly Leu Asn Arg Glu Val Ile Ala Asp Asp Leu
 820 825 830

Pro His Pro Phe Gly Leu Thr Gln Tyr Gln Asp Tyr Ile Tyr Trp Thr
 835 840 845

Asp Trp Ser Arg Arg Ser Ile Glu Arg Ala Asn Lys Thr Ser Gly Gln
 850 855 860

Asn Arg Thr Ile Ile Gln Gly His Leu Asp Tyr Val Met Asp Ile Leu
 865 870 875 880

Val Phe His Ser Ser Arg Gln Ser Gly Trp Asn Glu Cys Ala Ser Ser
 885 890 895

Asn Gly His Cys Ser His Leu Cys Leu Ala Val Pro Val Gly Gly Phe
 900 905 910

Val Cys Gly Cys Pro Ala His Tyr Ser Leu Asn Ala Asp Asn Arg Thr
 915 920 925

Cys Ser Ala Pro Thr Thr Phe Leu Leu Phe Ser Gln Lys Ser Ala Ile
 930 935 940

Asn Arg Met Val Ile Asp Glu Gln Gln Ser Pro Asp Ile Ile Leu Pro
 945 950 955 960

Ile His Ser Leu Arg Asn Val Arg Ala Ile Asp Tyr Asp Pro Leu Asp
 Page 268

Nonprovisional IP-017.ST25.txt

965

970

975

Lys Gln Leu Tyr Trp Ile Asp Ser Arg Gln Asn Met Ile Arg Lys Ala
 980 985 990

Gln Glu Asp Gly Ser Gln Gly Phe Thr Val Val Val Ser Ser Val Pro
 995 1000 1005

Ser Gln Asn Leu Glu Ile Gln Pro Tyr Asp Leu Ser Ile Asp Ile
 1010 1015 1020

Tyr Ser Arg Tyr Ile Tyr Trp Thr Cys Glu Ala Thr Asn Val Ile
 1025 1030 1035

Asn Val Thr Arg Leu Asp Gly Arg Ser Val Gly Val Val Leu Lys
 1040 1045 1050

Gly Glu Gln Asp Arg Pro Arg Ala Ile Val Val Asn Pro Glu Lys
 1055 1060 1065

Gly Tyr Met Tyr Phe Thr Asn Leu Gln Glu Arg Ser Pro Lys Ile
 1070 1075 1080

Glu Arg Ala Ala Leu Asp Gly Thr Glu Arg Glu Val Leu Phe Phe
 1085 1090 1095

Ser Gly Leu Ser Lys Pro Ile Ala Leu Ala Leu Asp Ser Arg Leu
 1100 1105 1110

Gly Lys Leu Phe Trp Ala Asp Ser Asp Leu Arg Arg Ile Glu Ser
 1115 1120 1125

Ser Asp Leu Ser Gly Ala Asn Arg Ile Val Leu Glu Asp Ser Asn
 1130 1135 1140

Ile Leu Gln Pro Val Gly Leu Thr Val Phe Glu Asn Trp Leu Tyr
 1145 1150 1155

Trp Ile Asp Lys Gln Gln Gln Met Ile Glu Lys Ile Asp Met Thr
 1160 1165 1170

Gly Arg Glu Gly Arg Thr Lys Val Gln Ala Arg Ile Ala Gln Leu
 1175 1180 1185

Ser Asp Ile His Ala Val Lys Glu Leu Asn Leu Gln Glu Tyr Arg
 1190 1195 1200

Gln His Pro Cys Ala Gln Asp Asn Gly Gly Cys Ser His Ile Cys
 1205 1210 1215

Leu Val Lys Gly Asp Gly Thr Thr Arg Cys Ser Cys Pro Met His
 Page 269

Nonprovisional IP-017.ST25.txt
1225 1230

1220

Leu Val Leu Leu Gln Asp Glu Leu Ser Cys Gly Glu Pro Pro Thr
 1235 1240 1245
 Cys Ser Pro Gln Gln Phe Thr Cys Phe Thr Gly Glu Ile Asp Cys
 1250 1255 1260
 Ile Pro Val Ala Trp Arg Cys Asp Gly Phe Thr Glu Cys Glu Asp
 1265 1270 1275
 His Ser Asp Glu Leu Asn Cys Pro Val Cys Ser Glu Ser Gln Phe
 1280 1285 1290
 Gln Cys Ala Ser Gly Gln Cys Ile Asp Gly Ala Leu Arg Cys Asn
 1295 1300 1305
 Gly Asp Ala Asn Cys Gln Asp Lys Ser Asp Glu Lys Asn Cys Glu
 1310 1315 1320
 Val Leu Cys Leu Ile Asp Gln Phe Arg Cys Ala Asn Gly Gln Cys
 1325 1330 1335
 Ile Gly Lys His Lys Lys Cys Asp His Asn Val Asp Cys Ser Asp
 1340 1345 1350
 Lys Ser Asp Glu Leu Asp Cys Tyr Pro Thr Glu Glu Pro Ala Pro
 1355 1360 1365
 Gln Ala Thr Asn Thr Val Gly Ser Val Ile Gly Val Ile Val Thr
 1370 1375 1380
 Ile Phe Val Ser Gly Thr Val Tyr Phe Ile Cys Gln Arg Met Leu
 1385 1390 1395
 Cys Pro Arg Met Lys Gly Asp Gly Glu Thr Met Thr Asn Asp Tyr
 1400 1405 1410
 Val Val His Gly Pro Ala Ser Val Pro Leu Gly Tyr Val Pro His
 1415 1420 1425
 Pro Ser Ser Leu Ser Gly Ser Leu Pro Gly Met Ser Arg Gly Lys
 1430 1435 1440
 Ser Met Ile Ser Ser Leu Ser Ile Met Gly Gly Ser Ser Gly Pro
 1445 1450 1455
 Pro Tyr Asp Arg Ala His Val Thr Gly Ala Ser Ser Ser Ser
 1460 1465 1470
 Ser Ser Thr Lys Gly Thr Tyr Phe Pro Ala Ile Leu Asn Pro Pro
 Page 270

Nonprovisional IP-017.ST25.txt
1480 1485

1475

Pro Ser Pro Ala Thr Glu Arg Ser His Tyr Thr Met Glu Phe Gly
1490 1495 1500

Tyr Ser Ser Asn Ser Pro Ser Thr His Arg Ser Tyr Ser Tyr Arg
1505 1510 1515

Pro Tyr Ser Tyr Arg His Phe Ala Pro Pro Thr Thr Pro Cys Ser
1520 1525 1530

Thr Asp Val Cys Asp Ser Asp Tyr Ala Pro Ser Arg Arg Met Thr
1535 1540 1545

Ser Val Ala Thr Ala Lys Gly Tyr Thr Ser Asp Leu Asn Tyr Asp
1550 1555 1560

Ser Glu Pro Val Pro Pro Pro Pro Thr Pro Arg Ser Gln Tyr Leu
1565 1570 1575

Ser Ala Glu Glu Asn Tyr Glu Ser Cys Pro Pro Ser Pro Tyr Thr
1580 1585 1590

Glu Arg Ser Tyr Ser His His Leu Tyr Pro Pro Pro Pro Ser Pro
1595 1600 1605

Cys Thr Asp Ser Ser
1610

<210> 85
<211> 996
<212> PRT
<213> MOUSE

<400> 85

Met Gly Arg Pro Glu Leu Gly Ala Leu Arg Pro Leu Ala Leu Leu Leu
1 5 10 15

Leu Leu Leu Leu Gln Leu Gln His Leu Ser Ala Ala Asp Pro Leu Leu
20 25 30

Gly Gly Gln Gly Pro Val Lys Glu Cys Glu Glu Asp Gln Phe Arg Cys
35 40 45

Arg Asn Glu Arg Cys Ile Pro Leu Val Trp Arg Cys Asp Glu Asp Asn
50 55 60

Asp Cys Ser Asp Asn Ser Asp Glu Asp Asp Cys Pro Lys Arg Thr Cys
65 70 75 80

Ala Asp Ser Asp Phe Thr Cys Asp Asn Gly His Cys Ile Pro Glu Arg
85 90 95

Nonprovisional IP-017.ST25.txt

Trp Lys Cys Asp Gly Glu Glu Glu Cys Pro Asp Gly Ser Asp Glu Ser
 100 105 110
 Lys Ala Thr Cys Ser Ser Glu Glu Cys Pro Ala Glu Lys Leu Ser Cys
 115 120 125
 Gly Pro Thr Ser His Lys Cys Val Pro Ala Ser Trp Arg Cys Asp Gly
 130 135 140
 Glu Lys Asp Cys Glu Gly Gly Ala Asp Glu Ala Gly Cys Pro Thr Leu
 145 150 155 160
 Cys Ala Pro His Glu Phe Gln Cys Ser Asn Arg Ser Cys Leu Ala Ser
 165 170 175
 Val Phe Val Cys Asp Gly Asp Asp Asp Cys Gly Asp Gly Ser Asp Glu
 180 185 190
 Arg Gly Cys Ser Asp Pro Ala Cys Pro Pro Arg Glu Phe Arg Cys Gly
 195 200 205
 Gly Gly Gly Thr Cys Ile Pro Glu Arg Trp Val Cys Asp Arg Gln Phe
 210 215 220
 Asp Cys Glu Asp Arg Ser Asp Glu Ala Ala Glu Leu Cys Gly Arg Ala
 225 230 235 240
 Gly Gln Gly Thr Thr Ala Thr Pro Ala Ala Cys Ala Pro Thr Ala Gln
 245 250 255
 Phe Thr Cys Arg Ser Gly Glu Cys Ile His Leu Gly Trp Arg Cys Asp
 260 265 270
 Gly Asp Arg Asp Cys Lys Asp Lys Ser Asp Glu Ala Asp Cys Ser Pro
 275 280 285
 Gly Pro Cys Arg Glu Asn Glu Phe Gln Cys Gly Asp Gly Thr Cys Val
 290 295 300
 Leu Ala Ile Lys Arg Cys Asn Gln Glu Arg Asp Cys Pro Asp Gly Ser
 305 310 315 320
 Asp Glu Ala Gly Cys Leu Gln Glu Ser Thr Cys Glu Gly Pro Arg Arg
 325 330 335
 Phe Gln Cys Lys Ser Gly Glu Cys Val Asp Gly Gly Lys Val Cys Asp
 340 345 350
 Asp Gln Arg Asp Cys Arg Asp Trp Ser Asp Glu Pro Gln Lys Val Cys
 355 360 365

Nonprovisional IP-017.ST25.txt

Gly Leu Asn Glu Cys Leu His Asn Asn Gly Gly Cys Ser His Ile Cys
 370 375 380
 Thr Asp Leu Lys Ile Gly Phe Glu Cys Thr Cys Pro Ala Gly Phe Gln
 385 390 395 400
 Leu Leu Asp Gln Lys Thr Cys Gly Asp Ile Asp Glu Cys Gln Asp Pro
 405 410 415
 Asp Ala Cys Ser Gln Ile Cys Val Asn Tyr Lys Gly Tyr Phe Lys Cys
 420 425 430
 Glu Cys His Pro Gly Tyr Glu Met Asp Thr Leu Thr Lys Asn Cys Lys
 435 440 445
 Ala Val Ala Gly Lys Ser Pro Ser Leu Ile Phe Thr Asn Arg His Glu
 450 455 460
 Val Arg Arg Ile Asp Leu Val Lys Arg Asp Tyr Ser Arg Leu Ile Pro
 465 470 475 480
 Met Leu Lys Asn Val Val Ala Leu Asp Val Glu Val Ala Thr Asn Arg
 485 490 495
 Ile Tyr Trp Cys Asp Leu Ser Tyr Arg Lys Ile Tyr Ser Ala His Met
 500 505 510
 Asp Lys Ala Ser Ile Pro Asp Glu Gln Val Val Leu Ile Asp Glu Gln
 515 520 525
 Leu His Ser Pro Glu Gly Leu Ala Val Asp Trp Val His Lys His Ile
 530 535 540
 Tyr Trp Thr Asp Ser Gly Asn Lys Thr Ile Ser Val Ala Thr Thr Asp
 545 550 555 560
 Gly Arg Arg Arg Cys Thr Leu Phe Ser Arg Glu Leu Ser Glu Pro Arg
 565 570 575
 Ala Ile Ala Val Asp Pro Leu Arg Gly Phe Met Tyr Trp Ser Asp Trp
 580 585 590
 Gly Phe Gln Ala Lys Ile Glu Lys Ala Gly Leu Asn Gly Ala Asp Arg
 595 600 605
 Gln Thr Leu Val Ser Asp Asn Ile Glu Trp Pro Asn Gly Ile Thr Leu
 610 615 620
 Asp Leu Leu Ser Gln Arg Leu Tyr Trp Val Asp Ser Lys Leu His Gln
 625 630 635 640

Nonprovisional IP-017.ST25.txt

Leu Ser Ser Ile Asp Phe Asn Gly Gly Asn Arg Lys Met Leu Ile Phe
 645 650 655
 Ser Thr Asp Phe Leu Ser His Pro Phe Gly Val Ala Val Phe Glu Asp
 660 665 670
 Lys Val Phe Trp Thr Asp Leu Glu Asn Glu Ala Ile Phe Ser Ala Asn
 675 680 685
 Arg Leu Asn Gly Leu Glu Ile Ala Ile Leu Ala Glu Asn Leu Asn Asn
 690 695 700
 Pro His Asp Ile Val Ile Phe His Glu Leu Lys Gln Pro Lys Ala Ala
 705 710 715 720
 Asp Ala Cys Asp Leu Ser Ala Gln Pro Asn Gly Gly Cys Glu Tyr Leu
 725 730 735
 Cys Leu Pro Ala Pro Gln Ile Ser Ser His Ser Pro Lys Tyr Thr Cys
 740 745 750
 Ala Cys Pro Asp Thr Met Trp Leu Gly Pro Asp Met Lys Arg Cys Tyr
 755 760 765
 Arg Ala Pro Gln Ser Thr Ser Thr Thr Thr Leu Ala Ser Ala Met Thr
 770 775 780
 Arg Thr Val Pro Ala Thr Thr Arg Ala Pro Gly Thr Thr Ile His Asp
 785 790 795 800
 Pro Thr Tyr Gln Asn His Ser Thr Glu Thr Pro Ser Gln Thr Ala Ala
 805 810 815
 Ala Pro His Ser Val Asn Val Pro Arg Ala Pro Ser Thr Ser Pro Ser
 820 825 830
 Thr Pro Ser Pro Ala Thr Ser Asn His Ser Gln His Tyr Gly Asn Glu
 835 840 845
 Gly Ser Gln Met Gly Ser Thr Val Thr Ala Ala Val Ile Gly Val Ile
 850 855 860
 Val Pro Ile Val Val Ile Ala Leu Leu Cys Met Ser Gly Tyr Leu Ile
 865 870 875 880
 Trp Arg Asn Trp Lys Arg Lys Asn Thr Lys Ser Met Asn Phe Asp Asn
 885 890 895
 Pro Val Tyr Arg Lys Thr Thr Glu Glu Glu Glu Asp Glu Leu His
 900 905 910

Nonprovisional IP-017.ST25.txt

Ile Gly Arg Thr Ala Gln Ile Gly His Val Tyr Pro Ala Ala Ile Ser
 915 920 925

Asn Tyr Asp Arg Pro Leu Trp Ala Glu Pro Cys Leu Gly Glu Thr Arg
 930 935 940

Asp Leu Glu Asp Pro Ala Pro Ala Leu Lys Glu Leu Phe Val Leu Pro
 945 950 955 960

Gly Glu Pro Arg Ser Gln Leu His Gln Leu Pro Lys Asn Pro Leu Ser
 965 970 975

Glu Leu Pro Val Val Lys Cys Lys Arg Val Ala Leu Ser Leu Glu Asp
 980 985 990

Asp Gly Leu Pro
 995

<210> 86
 <211> 963
 <212> PRT
 <213> HOMO SAPIENS

<400> 86

Met Gly Leu Pro Glu Pro Gly Pro Leu Arg Leu Leu Ala Leu Leu Leu
 1 5 10 15

Leu Leu Leu Leu Leu Leu Leu Arg Leu Gln His Leu Ala Ala Ala
 20 25 30

Ala Ala Asp Pro Leu Leu Gly Gly Gln Gly Pro Ala Lys Glu Cys Glu
 35 40 45

Lys Asp Gln Phe Gln Cys Arg Asn Glu Arg Cys Ile Pro Ser Val Trp
 50 55 60

Arg Cys Asp Glu Asp Asp Asp Cys Leu Asp His Ser Asp Glu Asp Asp
 65 70 75 80

Cys Pro Lys Lys Thr Cys Ala Asp Ser Asp Phe Thr Cys Asp Asn Gly
 85 90 95

His Cys Ile His Glu Arg Trp Lys Cys Asp Gly Glu Glu Glu Cys Pro
 100 105 110

Asp Gly Ser Asp Glu Ser Glu Ala Thr Cys Thr Lys Gln Val Cys Pro
 115 120 125

Ala Glu Lys Leu Ser Cys Gly Pro Thr Ser His Lys Cys Val Pro Ala
 130 135 140

Nonprovisional IP-017.ST25.txt

Ser Trp Arg Cys Asp Gly Glu Lys Asp Cys Glu Gly Gly Ala Asp Glu
 145 150 155 160
 Ala Gly Cys Ala Thr Leu Cys Ala Pro His Glu Phe Gln Cys Gly Asn
 165 170 175
 Arg Ser Cys Leu Ala Ala Val Phe Val Cys Asp Gly Asp Asp Asp Cys
 180 185 190
 Gly Asp Gly Ser Asp Glu Arg Gly Cys Ala Asp Pro Ala Cys Gly Pro
 195 200 205
 Arg Glu Phe Arg Cys Gly Gly Asp Gly Gly Gly Ala Cys Ile Pro Glu
 210 215 220
 Arg Trp Val Cys Asp Arg Gln Phe Asp Cys Glu Asp Arg Ser Asp Glu
 225 230 235 240
 Ala Ala Glu Leu Cys Gly Arg Pro Gly Pro Gly Ala Thr Ser Ala Pro
 245 250 255
 Ala Ala Cys Ala Thr Val Ser Gln Phe Ala Cys Arg Ser Gly Glu Cys
 260 265 270
 Val His Leu Gly Trp Arg Cys Asp Gly Asp Arg Asp Cys Lys Asp Lys
 275 280 285
 Ser Asp Glu Ala Asp Cys Pro Leu Gly Thr Cys Arg Gly Asp Glu Phe
 290 295 300
 Gln Cys Gly Asp Gly Thr Cys Val Leu Ala Ile Lys His Cys Asn Gln
 305 310 315 320
 Glu Gln Asp Cys Pro Asp Gly Ser Asp Glu Ala Gly Cys Leu Gln Gly
 325 330 335
 Leu Asn Glu Cys Leu His Asn Asn Gly Gly Cys Ser His Ile Cys Thr
 340 345 350
 Asp Leu Lys Ile Gly Phe Glu Cys Thr Cys Pro Ala Gly Phe Gln Leu
 355 360 365
 Leu Asp Gln Lys Thr Cys Gly Asp Ile Asp Glu Cys Lys Asp Pro Asp
 370 375 380
 Ala Cys Ser Gln Ile Cys Val Asn Tyr Lys Gly Tyr Phe Lys Cys Glu
 385 390 395 400
 Cys Tyr Pro Gly Tyr Glu Met Asp Leu Leu Thr Lys Asn Cys Lys Ala
 405 410 415

Nonprovisional IP-017.ST25.txt

Ala Gly Gly Lys Ser Pro Ser Leu Ile Phe Thr Asn Arg Tyr Glu Val
 420 425 430
 Arg Arg Ile Asp Leu Val Lys Arg Asn Tyr Ser Arg Leu Ile Pro Met
 435 440 445
 Leu Lys Asn Val Val Ala Leu Asp Val Glu Val Ala Thr Asn Arg Ile
 450 455 460
 Tyr Trp Cys Asp Leu Ser Tyr Arg Lys Ile Tyr Ser Ala Tyr Met Asp
 465 470 475 480
 Lys Ala Ser Asp Pro Lys Glu Gln Glu Val Leu Ile Asp Glu Gln Leu
 485 490 495
 His Ser Pro Glu Gly Leu Ala Val Asp Trp Val His Lys His Ile Tyr
 500 505 510
 Trp Thr Asp Ser Gly Asn Lys Thr Ile Ser Val Ala Thr Val Asp Gly
 515 520 525
 Gly Arg Arg Arg Thr Leu Phe Ser Arg Asn Leu Ser Glu Pro Arg Ala
 530 535 540
 Ile Ala Val Asp Pro Leu Arg Gly Phe Met Tyr Trp Ser Asp Trp Gly
 545 550 555 560
 Asp Gln Ala Lys Ile Glu Lys Ser Gly Leu Asn Gly Val Asp Arg Gln
 565 570 575
 Thr Leu Val Ser Asp Asn Ile Glu Trp Pro Asn Gly Ile Thr Leu Asp
 580 585 590
 Leu Leu Ser Gln Arg Leu Tyr Trp Val Asp Ser Lys Leu His Gln Leu
 595 600 605
 Ser Ser Ile Asp Phe Ser Gly Gly Asn Arg Lys Thr Leu Ile Ser Ser
 610 615 620
 Thr Asp Phe Leu Ser His Pro Phe Gly Ile Ala Val Phe Glu Asp Lys
 625 630 635 640
 Val Phe Trp Thr Asp Leu Glu Asn Glu Ala Ile Phe Ser Ala Asn Arg
 645 650 655
 Leu Asn Gly Leu Glu Ile Ser Ile Leu Ala Glu Asn Leu Asn Asn Pro
 660 665 670
 His Asp Ile Val Ile Phe His Glu Leu Lys Gln Pro Arg Ala Pro Asp
 675 680 685

Nonprovisional IP-017.ST25.txt

Ala Cys Glu Leu Ser Val Gln Pro Asn Gly Gly Cys Glu Tyr Leu Cys
 690 695 700
 Leu Pro Ala Pro Gln Ile Ser Ser His Ser Pro Lys Tyr Thr Cys Ala
 705 710 715 720
 Cys Pro Asp Thr Met Trp Leu Gly Pro Asp Met Lys Arg Cys Tyr Arg
 725 730 735
 Ala Pro Gln Ser Thr Ser Thr Thr Thr Leu Ala Ser Thr Met Thr Arg
 740 745 750
 Thr Val Pro Ala Thr Thr Arg Ala Pro Gly Thr Thr Val His Arg Ser
 755 760 765
 Thr Tyr Gln Asn His Ser Thr Glu Thr Pro Ser Leu Thr Ala Ala Val
 770 775 780
 Pro Ser Ser Val Ser Val Pro Arg Ala Pro Ser Ile Ser Pro Ser Thr
 785 790 795 800
 Leu Ser Pro Ala Thr Ser Asn His Ser Gln His Tyr Ala Asn Glu Asp
 805 810 815
 Ser Lys Met Gly Ser Thr Val Thr Ala Ala Val Ile Gly Ile Ile Val
 820 825 830
 Pro Ile Val Val Ile Ala Leu Leu Cys Met Ser Gly Tyr Leu Ile Trp
 835 840 845
 Arg Asn Trp Lys Arg Lys Asn Thr Lys Ser Met Asn Phe Asp Asn Pro
 850 855 860
 Val Tyr Arg Lys Thr Thr Glu Glu Glu Asp Glu Asp Glu Leu His Ile
 865 870 875 880
 Gly Arg Thr Ala Gln Ile Gly His Val Tyr Pro Ala Ala Ile Ser Ser
 885 890 895
 Phe Asp Arg Pro Leu Trp Ala Glu Pro Cys Leu Gly Glu Thr Arg Glu
 900 905 910
 Pro Glu Asp Pro Ala Pro Ala Leu Lys Glu Leu Phe Val Leu Pro Gly
 915 920 925
 Glu Pro Arg Ser Gln Leu His Gln Leu Pro Lys Asn Pro Leu Ser Glu
 930 935 940
 Leu Pro Val Val Lys Ser Lys Arg Val Ala Leu Ser Leu Glu Asp Asp
 945 950 955 960

Nonprovisional IP-017.ST25.txt

Gly Leu Pro

<210> 87
 <211> 713
 <212> PRT
 <213> MOUSE

<400> 87

Met Leu Ser Ala Leu Pro Leu Leu Phe Leu Leu Leu Gly Gly Ala Leu
 1 5 10 15

Ala Arg Pro Asp Arg Ile Thr Phe Pro Arg Ser Ala Cys Glu Ala Pro
 20 25 30

Pro Ala Val Leu Ser Glu Val Gln Gly Thr Leu Gln Arg Pro Leu Gly
 35 40 45

Arg Asp Ser Arg Ser Ser Pro Ala Asn Cys Thr Trp Val Ile Leu Gly
 50 55 60

Ser Lys Asp Gln Thr Val Thr Val Arg Phe Gln Lys Leu His Leu Ala
 65 70 75 80

Cys Gly Ser Glu His Leu Ile Leu His Ser Pro Leu Gln Pro Pro Ile
 85 90 95

Ser Leu Cys Glu Ala Pro Ser Gly Pro Leu Gln Leu Pro Gly Gly Asn
 100 105 110

Val Thr Ile Thr Tyr Ser Tyr Ala Gly Ala Arg Ala Pro Met Gly Gln
 115 120 125

Gly Phe Leu Leu Thr Tyr Ser Gln Asp Trp Leu Leu Cys Leu Gln Glu
 130 135 140

Glu Phe Gln Cys Leu Asn His Arg Cys Ile Pro Ala Ala Gln Arg Cys
 145 150 155 160

Asp Gly Ile Asp Ala Cys Gly Asp Gly Ser Asp Glu Ala Gly Cys Ser
 165 170 175

Ser Asp Pro Phe Pro Asn Leu Asn Pro Ala Pro Ala Pro Thr Leu Ala
 180 185 190

Cys Asn Leu Thr Leu Glu Asp Phe Tyr Gly Val Phe Ser Ser Pro Gly
 195 200 205

Tyr Ser His Leu Ala Ser Val Ser His Pro Gln Ser Cys Leu Trp Leu
 210 215 220

Nonprovisional IP-017.ST25.txt

Leu Asp Pro His Asp Gly Arg Arg Leu Ala Val Arg Phe Thr Ala Leu
 225 230 235 240

Asp Leu Ser Tyr Gly Asp Ala Val His Val Tyr Asp Gly Ala Gly Pro
 245 250 255

Pro Glu Thr Pro Arg Leu Leu Arg Ser Leu Thr His Phe Ser Asn Gly
 260 265 270

Lys Ala Val Thr Val Glu Thr Leu Ser Gly Gln Ala Val Val Ser Tyr
 275 280 285

His Thr Val Ala Trp Ser Ser Gly Arg Gly Phe Asn Ala Thr Tyr His
 290 295 300

Val Arg Gly Tyr Cys Leu Pro Trp Asp Arg Pro Cys Gly Leu Gly Ser
 305 310 315 320

Gly Leu Gly Ala Ser Glu Asn Leu Gly Glu Arg Cys Tyr Ser Glu Ala
 325 330 335

Gln Arg Cys Asp Gly Ser Trp Asp Cys Ala Asp Gly Thr Asp Glu Glu
 340 345 350

Gly Cys Pro Gly Cys Pro Pro Gly His Phe Pro Cys Gly Ala Ala Gly
 355 360 365

Thr Pro Gly Ala Thr Ala Cys Tyr Leu Pro Ala Asp Arg Cys Asn Tyr
 370 375 380

Gln Thr Phe Cys Ala Asp Gly Ala Asp Glu Arg Arg Cys Arg His Cys
 385 390 395 400

Gln Pro Gly Asn Phe Arg Cys Arg Asp Glu Lys Cys Val Tyr Glu Thr
 405 410 415

Trp Val Cys Asp Gly Gln Pro Asp Cys Thr Asp Gly Ser Asp Glu Trp
 420 425 430

Asp Cys Ser Tyr Ala Leu Pro Arg Lys Val Ile Thr Ala Ala Val Ile
 435 440 445

Gly Ser Leu Val Cys Gly Leu Leu Leu Val Ile Ala Leu Gly Cys Thr
 450 455 460

Cys Lys Leu Tyr Ala Ile Arg Thr Gln Glu Tyr Ser Ile Phe Ala Pro
 465 470 475 480

Leu Ser Arg Met Glu Ala Glu Ile Val Gln Gln Gln Ala Pro Pro Ser
 485 490 495

Nonprovisional IP-017.ST25.txt

Tyr Gly Gln Leu Ile Ala Gln Gly Ala Ile Pro Pro Val Glu Asp Phe
 500 505 510

Pro Thr Glu Asn Pro Asn Asp Asn Ser Val Leu Gly Asn Leu Arg Ser
 515 520 525

Leu Leu Gln Ile Leu Arg Gln Asp Met Thr Pro Gly Gly Thr Ser Gly
 530 535 540

Gly Arg Arg Arg Gln Arg Gly Arg Ser Val Arg Arg Leu Val Arg Arg
 545 550 555 560

Leu Arg Arg Trp Gly Leu Leu Pro Arg Thr Asn Thr Pro Ala Arg Ala
 565 570 575

Pro Glu Thr Arg Ser Gln Val Thr Pro Ser Val Pro Ser Glu Ala Leu
 580 585 590

Asp Asp Ser Thr Gly His Ala Cys Glu Gly Gly Ala Val Gly Gly Gln
 595 600 605

Asp Gly Glu Gln Ala Pro Pro Leu Pro Ile Lys Thr Pro Ile Pro Thr
 610 615 620

Pro Ser Thr Leu Pro Ala Leu Ala Thr Val Ser Glu Thr Pro Gly Pro
 625 630 635 640

Leu Pro Ser Val Pro Val Glu Ser Ser Leu Leu Ser Gly Val Val Gln
 645 650 655

Val Leu Arg Gly Arg Leu Leu Pro Ser Leu Trp Ser Pro Gly Pro Thr
 660 665 670

Trp Thr Gln Thr Gly Thr His Thr Thr Val Leu Ser Pro Glu Asp Glu
 675 680 685

Asp Asp Val Leu Leu Leu Pro Leu Ala Glu Pro Glu Val Trp Val Val
 690 695 700

Glu Ala Glu Asp Glu Pro Leu Leu Ala
 705 710

<210> 88
 <211> 713
 <212> PRT
 <213> MOUSE

<400> 88

Met Leu Ser Ala Leu Pro Leu Leu Phe Leu Leu Leu Gly Gly Ala Leu
 1 5 10 15

Ala Arg Pro Asp Arg Ile Thr Phe Pro Arg Ser Ala Cys Glu Ala Pro
 Page 281

Nonprovisional IP-017.ST25.txt

20

25

30

Pro Ala Val₃₅ Leu Ser Glu Val₄₀ Gln Gly Thr Leu Gln Arg₄₅ Pro Leu Gly

Arg Asp₅₀ Ser Arg Ser Ser Pro₅₅ Ala Asn Cys Thr Trp₆₀ Val Ile Leu Gly

Ser Lys Asp Gln Thr Val₇₀ Thr Val Arg Phe Gln₇₅ Lys Leu His Leu Ala₈₀

Cys Gly Ser Glu His₈₅ Leu Ile Leu His Ser₉₀ Pro Leu Gln Pro Pro₉₅ Ile

Ser Leu Cys Glu₁₀₀ Ala Pro Ser Gly Pro₁₀₅ Leu Gln Leu Pro Gly Gly Asn

Val Thr Ile₁₁₅ Thr Tyr Ser Tyr Ala₁₂₀ Gly Ala Arg Ala Pro Met Gly Gln

Gly Phe₁₃₀ Leu Leu Thr Tyr Ser₁₃₅ Gln Asp Trp Leu Leu Cys Leu Gln Glu

Glu Phe Gln Cys Leu Asn₁₅₀ His Arg Cys Ile Pro₁₅₅ Ala Ala Gln Arg Cys₁₆₀

Asp Gly Ile Asp Ala₁₆₅ Cys Gly Asp Gly Ser₁₇₀ Asp Glu Ala Gly Cys Ser₁₇₅

Ser Asp Pro Phe₁₈₀ Pro Asn Leu Asn Pro₁₈₅ Ala Pro Ala Pro Thr₁₉₀ Leu Ala

Cys Asn Leu₁₉₅ Thr Leu Glu Asp Phe₂₀₀ Tyr Gly Val Phe Ser₂₀₅ Ser Pro Gly

Tyr Ser His Leu Ala Ser Val₂₁₅ Ser His Pro Gln Ser₂₂₀ Cys Leu Trp Leu

Leu Asp Pro His Asp Gly₂₃₀ Arg Arg Leu Ala Val₂₃₅ Arg Phe Thr Ala Leu₂₄₀

Asp Leu Ser Tyr Gly₂₄₅ Asp Ala Val His Val₂₅₀ Tyr Asp Gly Ala Gly₂₅₅ Pro

Pro Glu Thr Pro Arg Leu Leu Arg Ser₂₆₅ Leu Thr His Phe Ser₂₇₀ Asn Gly

Lys Ala Val₂₇₅ Thr Val Glu Thr Leu Ser Gly Gln Ala Val₂₈₅ Val Ser Tyr

His Thr Val Ala Trp Ser Ser Gly Arg Gly Phe Asn Ala Thr Tyr His

Nonprovisional IP-017.ST25.txt

290
 295 300
 Val Arg Gly Tyr Cys Leu Pro Trp Asp Arg Pro Cys Gly Leu Gly Ser
 305 310 315 320
 Gly Leu Gly Ala Ser Glu Asn Leu Gly Glu Arg Cys Tyr Ser Glu Ala
 325 330 335
 Gln Arg Cys Asp Gly Ser Trp Asp Cys Ala Asp Gly Thr Asp Glu Glu
 340 345 350
 Gly Cys Pro Gly Cys Pro Pro Gly His Phe Pro Cys Gly Ala Ala Gly
 355 360 365
 Thr Pro Gly Ala Thr Ala Cys Tyr Leu Pro Ala Asp Arg Cys Asn Tyr
 370 375 380
 Gln Thr Phe Cys Ala Asp Gly Ala Asp Glu Arg Arg Cys Arg His Cys
 385 390 395 400
 Gln Pro Gly Asn Phe Arg Cys Arg Asp Glu Lys Cys Val Tyr Glu Thr
 405 410 415
 Trp Val Cys Asp Gly Gln Pro Asp Cys Thr Asp Gly Ser Asp Glu Trp
 420 425 430
 Asp Cys Ser Tyr Ala Leu Pro Arg Lys Val Ile Thr Ala Ala Val Ile
 435 440 445
 Gly Ser Leu Val Cys Gly Leu Leu Leu Val Ile Ala Leu Gly Cys Thr
 450 455 460
 Cys Lys Leu Tyr Ala Ile Arg Thr Gln Glu Tyr Ser Ile Phe Ala Pro
 465 470 475 480
 Leu Ser Arg Met Glu Ala Glu Ile Val Gln Gln Gln Ala Pro Pro Ser
 485 490 495
 Tyr Gly Gln Leu Ile Ala Gln Gly Ala Ile Pro Pro Val Glu Asp Phe
 500 505 510
 Pro Thr Glu Asn Pro Asn Asp Asn Ser Val Leu Gly Asn Leu Arg Ser
 515 520 525
 Leu Leu Gln Ile Leu Arg Gln Asp Met Thr Pro Gly Gly Thr Ser Gly
 530 535 540
 Gly Arg Arg Arg Gln Arg Gly Arg Ser Ile Arg Arg Leu Val Arg Arg
 545 550 555 560
 Leu Arg Arg Trp Gly Leu Leu Pro Arg Thr Asn Thr Pro Ala Arg Ala
 Page 283

Nonprovisional IP-017.ST25.txt

565

570

575

Pro Glu Thr Arg Ser Gln Val Thr Pro Ser Val Pro Ser Glu Ala Leu
 580 585 590

Asp Asp Ser Thr Gly Gln Ala Cys Glu Gly Gly Ala Val Gly Gly Gln
 595 600 605

Asp Gly Glu Gln Ala Pro Pro Leu Pro Ile Lys Thr Pro Ile Pro Thr
 610 615 620

Pro Ser Thr Leu Pro Ala Leu Ala Thr Val Ser Glu Pro Pro Gly Pro
 625 630 635 640

Leu Pro Ser Val Pro Val Glu Ser Ser Leu Leu Ser Gly Val Val Gln
 645 650 655

Val Leu Arg Gly Arg Leu Leu Pro Ser Leu Trp Ser Pro Gly Pro Thr
 660 665 670

Trp Thr Gln Thr Gly Thr His Thr Thr Val Leu Ser Pro Glu Asp Glu
 675 680 685

Asp Asp Val Leu Leu Leu Pro Leu Ala Glu Pro Glu Val Trp Val Val
 690 695 700

Glu Ala Glu Asp Glu Pro Leu Leu Ala
 705 710

<210> 89
 <211> 2214
 <212> PRT
 <213> HOMO SAPIENS

<400> 89

Met Ala Thr Arg Ser Ser Arg Arg Glu Ser Arg Leu Pro Phe Leu Phe
 1 5 10 15

Thr Leu Val Ala Leu Leu Pro Pro Gly Ala Leu Cys Glu Val Trp Thr
 20 25 30

Gln Arg Leu His Gly Gly Ser Ala Pro Leu Pro Gln Asp Arg Gly Phe
 35 40 45

Leu Val Val Gln Gly Asp Pro Arg Glu Leu Arg Leu Trp Ala Arg Gly
 50 55 60

Asp Ala Arg Gly Ala Ser Arg Ala Asp Glu Lys Pro Leu Arg Arg Lys
 65 70 75 80

Arg Ser Ala Ala Leu Gln Pro Glu Pro Ile Lys Val Tyr Gly Gln Val
 85 90 95

Nonprovisional IP-017.ST25.txt

Ser Leu Asn Asp Ser His Asn Gln Met Val Val His Trp Ala Gly Glu
 100 105 110
 Lys Ser Asn Val Ile Val Ala Leu Ala Arg Asp Ser Leu Ala Leu Ala
 115 120 125
 Arg Pro Lys Ser Ser Asp Val Tyr Val Ser Tyr Asp Tyr Gly Lys Ser
 130 135 140
 Phe Lys Lys Ile Ser Asp Lys Leu Asn Phe Gly Leu Gly Asn Arg Ser
 145 150 155 160
 Glu Ala Val Ile Ala Gln Phe Tyr His Ser Pro Ala Asp Asn Lys Arg
 165 170 175
 Tyr Ile Phe Ala Asp Ala Tyr Ala Gln Tyr Leu Trp Ile Thr Phe Asp
 180 185 190
 Phe Cys Asn Thr Leu Gln Gly Phe Ser Ile Pro Phe Arg Ala Ala Asp
 195 200 205
 Leu Leu Leu His Ser Lys Ala Ser Asn Leu Leu Leu Gly Phe Asp Arg
 210 215 220
 Ser His Pro Asn Lys Gln Leu Trp Lys Ser Asp Asp Phe Gly Gln Thr
 225 230 235 240
 Trp Ile Met Ile Gln Glu His Val Lys Ser Phe Ser Trp Gly Ile Asp
 245 250 255
 Pro Tyr Asp Lys Pro Asn Thr Ile Tyr Ile Glu Arg His Glu Pro Ser
 260 265 270
 Gly Tyr Ser Thr Val Phe Arg Ser Thr Asp Phe Phe Gln Ser Arg Glu
 275 280 285
 Asn Gln Glu Val Ile Leu Glu Glu Val Arg Asp Phe Gln Leu Arg Asp
 290 295 300
 Lys Tyr Met Phe Ala Thr Lys Val Val His Leu Leu Gly Ser Glu Gln
 305 310 315 320
 Gln Ser Ser Val Gln Leu Trp Val Ser Phe Gly Arg Lys Pro Met Arg
 325 330 335
 Ala Ala Gln Phe Val Thr Arg His Pro Ile Asn Glu Tyr Tyr Ile Ala
 340 345 350
 Asp Ala Ser Glu Asp Gln Val Phe Val Cys Val Ser His Ser Asn Asn
 355 360 365

Nonprovisional IP-017.ST25.txt

Arg Thr Asn Leu Tyr Ile Ser Glu Ala Glu Gly Leu Lys Phe Ser Leu
 370 375 380
 Ser Leu Glu Asn Val Leu Tyr Tyr Ser Pro Gly Gly Ala Gly Ser Asp
 385 390 395 400
 Thr Leu Val Arg Tyr Phe Ala Asn Glu Pro Phe Ala Asp Phe His Arg
 405 410 415
 Val Glu Gly Leu Gln Gly Val Tyr Ile Ala Thr Leu Ile Asn Gly Ser
 420 425 430
 Met Asn Glu Glu Asn Met Arg Ser Val Ile Thr Phe Asp Lys Gly Gly
 435 440 445
 Thr Trp Glu Phe Leu Gln Ala Pro Ala Phe Thr Gly Tyr Gly Glu Lys
 450 455 460
 Ile Asn Cys Glu Leu Ser Gln Gly Cys Ser Leu His Leu Ala Gln Arg
 465 470 475 480
 Leu Ser Gln Leu Leu Asn Leu Gln Leu Arg Arg Met Pro Ile Leu Ser
 485 490 495
 Lys Glu Ser Ala Pro Gly Leu Ile Ile Ala Thr Gly Ser Val Gly Lys
 500 505 510
 Asn Leu Ala Ser Lys Thr Asn Val Tyr Ile Ser Ser Ser Ala Gly Ala
 515 520 525
 Arg Trp Arg Glu Ala Leu Pro Gly Pro His Tyr Tyr Thr Trp Gly Asp
 530 535 540
 His Gly Gly Ile Ile Thr Ala Ile Ala Gln Gly Met Glu Thr Asn Glu
 545 550 555 560
 Leu Lys Tyr Ser Thr Asn Glu Gly Glu Thr Trp Lys Thr Phe Ile Phe
 565 570 575
 Ser Glu Lys Pro Val Phe Val Tyr Gly Leu Leu Thr Glu Pro Gly Glu
 580 585 590
 Lys Ser Thr Val Phe Thr Ile Phe Gly Ser Asn Lys Glu Asn Val His
 595 600 605
 Ser Trp Leu Ile Leu Gln Val Asn Ala Thr Asp Ala Leu Gly Val Pro
 610 615 620
 Cys Thr Glu Asn Asp Tyr Lys Leu Trp Ser Pro Ser Asp Glu Arg Gly
 625 630 635 640

Nonprovisional IP-017.ST25.txt

Asn Glu Cys Leu Leu Gly His Lys Thr Val Phe Lys Arg Arg Thr Pro
 645 650 655

His Ala Thr Cys Phe Asn Gly Glu Asp Phe Asp Arg Pro Val Val Val
 660 665 670

Ser Asn Cys Ser Cys Thr Arg Glu Asp Tyr Glu Cys Asp Phe Gly Phe
 675 680 685

Lys Met Ser Glu Asp Leu Ser Leu Glu Val Cys Val Pro Asp Pro Glu
 690 695 700

Phe Ser Gly Lys Ser Tyr Ser Pro Pro Val Pro Cys Pro Val Gly Ser
 705 710 715 720

Thr Tyr Arg Arg Thr Arg Gly Tyr Arg Lys Ile Ser Gly Asp Thr Cys
 725 730 735

Ser Gly Gly Asp Val Glu Ala Arg Leu Glu Gly Glu Leu Val Pro Cys
 740 745 750

Pro Leu Ala Glu Glu Asn Glu Phe Ile Leu Tyr Ala Val Arg Lys Ser
 755 760 765

Ile Tyr Arg Tyr Asp Leu Ala Ser Gly Ala Thr Glu Gln Leu Pro Leu
 770 775 780

Thr Gly Leu Arg Ala Ala Val Ala Leu Asp Phe Asp Tyr Glu His Asn
 785 790 795 800

Cys Leu Tyr Trp Ser Asp Leu Ala Leu Asp Val Ile Gln Arg Leu Cys
 805 810 815

Leu Asn Gly Ser Thr Gly Gln Glu Val Ile Ile Asn Ser Gly Leu Glu
 820 825 830

Thr Val Glu Ala Leu Ala Phe Glu Pro Leu Ser Gln Leu Leu Tyr Trp
 835 840 845

Val Asp Ala Gly Phe Lys Lys Ile Glu Val Ala Asn Pro Asp Gly Asp
 850 855 860

Phe Arg Leu Thr Ile Val Asn Ser Ser Val Leu Asp Arg Pro Arg Ala
 865 870 875 880

Leu Val Leu Val Pro Gln Glu Gly Val Met Phe Trp Thr Asp Trp Gly
 885 890 895

Asp Leu Lys Pro Gly Ile Tyr Arg Ser Asn Met Asp Gly Ser Ala Ala
 900 905 910

Nonprovisional IP-017.ST25.txt

Tyr His Leu Val Ser Glu Asp Val Lys Trp Pro Asn Gly Ile Ser Val
 915 920 925
 Asp Asp Gln Trp Ile Tyr Trp Thr Asp Ala Tyr Leu Glu Cys Ile Glu
 930 935 940
 Arg Ile Thr Phe Ser Gly Gln Gln Arg Ser Val Ile Leu Asp Asn Leu
 945 950 955 960
 Pro His Pro Tyr Ala Ile Ala Val Phe Lys Asn Glu Ile Tyr Trp Asp
 965 970 975
 Asp Trp Ser Gln Leu Ser Ile Phe Arg Ala Ser Lys Tyr Ser Gly Ser
 980 985 990
 Gln Met Glu Ile Leu Ala Asn Gln Leu Thr Gly Leu Met Asp Met Lys
 995 1000 1005
 Ile Phe Tyr Lys Gly Lys Asn Thr Gly Ser Asn Ala Cys Val Pro
 1010 1015 1020
 Arg Pro Cys Ser Leu Leu Cys Leu Pro Lys Ala Asn Asn Ser Arg
 1025 1030 1035
 Ser Cys Arg Cys Pro Glu Asp Val Ser Ser Ser Val Leu Pro Ser
 1040 1045 1050
 Gly Asp Leu Met Cys Asp Cys Pro Gln Gly Tyr Gln Leu Lys Asn
 1055 1060 1065
 Asn Thr Cys Val Lys Glu Glu Asn Thr Cys Leu Arg Asn Gln Tyr
 1070 1075 1080
 Arg Cys Ser Asn Gly Asn Cys Ile Asn Ser Ile Trp Trp Cys Asp
 1085 1090 1095
 Phe Asp Asn Asp Cys Gly Asp Met Ser Asp Glu Arg Asn Cys Pro
 1100 1105 1110
 Thr Thr Ile Cys Asp Leu Asp Thr Gln Phe Arg Cys Gln Glu Ser
 1115 1120 1125
 Gly Thr Cys Ile Pro Leu Ser Tyr Lys Cys Asp Leu Glu Asp Asp
 1130 1135 1140
 Cys Gly Asp Asn Ser Asp Glu Ser His Cys Glu Met His Gln Cys
 1145 1150 1155
 Arg Ser Asp Glu Tyr Asn Cys Ser Ser Gly Met Cys Ile Arg Ser
 1160 1165 1170

Nonprovisional IP-017.ST25.txt

Ser Trp Val Cys Asp Gly Asp Asn Asp Cys Arg Asp Trp Ser Asp
 1175 1180 1185
 Glu Ala Asn Cys Thr Ala Ile Tyr His Thr Cys Glu Ala Ser Asn
 1190 1195 1200
 Phe Gln Cys Arg Asn Gly His Cys Ile Pro Gln Arg Trp Ala Cys
 1205 1210 1215
 Asp Gly Asp Thr Asp Cys Gln Asp Gly Ser Asp Glu Asp Pro Val
 1220 1225 1230
 Asn Cys Glu Lys Lys Cys Asn Gly Phe Arg Cys Pro Asn Gly Thr
 1235 1240 1245
 Cys Ile Pro Ser Ser Lys His Cys Asp Gly Leu Arg Asp Cys Ser
 1250 1255 1260
 Asp Gly Ser Asp Glu Gln His Cys Glu Pro Leu Cys Thr His Phe
 1265 1270 1275
 Met Asp Phe Val Cys Lys Asn Arg Gln Gln Cys Leu Phe His Ser
 1280 1285 1290
 Met Val Cys Asp Gly Ile Ile Gln Cys Arg Asp Gly Ser Asp Glu
 1295 1300 1305
 Asp Ala Ala Phe Ala Gly Cys Ser Gln Asp Pro Glu Phe His Lys
 1310 1315 1320
 Val Cys Asp Glu Phe Gly Phe Gln Cys Gln Asn Gly Val Cys Ile
 1325 1330 1335
 Ser Leu Ile Trp Lys Cys Asp Gly Met Asp Asp Cys Gly Asp Tyr
 1340 1345 1350
 Ser Asp Glu Ala Asn Cys Glu Asn Pro Thr Glu Ala Pro Asn Cys
 1355 1360 1365
 Ser Arg Tyr Phe Gln Phe Arg Cys Glu Asn Gly His Cys Ile Pro
 1370 1375 1380
 Asn Arg Trp Lys Cys Asp Arg Glu Asn Asp Cys Gly Asp Trp Ser
 1385 1390 1395
 Asp Glu Lys Asp Cys Gly Asp Ser His Ile Leu Pro Phe Ser Thr
 1400 1405 1410
 Pro Gly Pro Ser Thr Cys Leu Pro Asn Tyr Tyr Arg Cys Ser Ser
 1415 1420 1425

Nonprovisional IP-017.ST25.txt

Gly Thr Cys Val Met Asp Thr Trp Val Cys Asp Gly Tyr Arg Asp
 1430 1435 1440
 Cys Ala Asp Gly Ser Asp Glu Glu Ala Cys Pro Leu Leu Ala Asn
 1445 1450 1455
 Val Thr Ala Ala Ser Thr Pro Thr Gln Leu Gly Arg Cys Asp Arg
 1460 1465 1470
 Phe Glu Phe Glu Cys His Gln Pro Lys Thr Cys Ile Pro Asn Trp
 1475 1480 1485
 Lys Arg Cys Asp Gly His Gln Asp Cys Gln Asp Gly Arg Asp Glu
 1490 1495 1500
 Ala Asn Cys Pro Thr His Ser Thr Leu Thr Cys Met Ser Arg Glu
 1505 1510 1515
 Phe Gln Cys Glu Asp Gly Glu Ala Cys Ile Val Leu Ser Glu Arg
 1520 1525 1530
 Cys Asp Gly Phe Leu Asp Cys Ser Asp Glu Ser Asp Glu Lys Ala
 1535 1540 1545
 Cys Ser Asp Glu Leu Thr Val Tyr Lys Val Gln Asn Leu Gln Trp
 1550 1555 1560
 Thr Ala Asp Phe Ser Gly Asp Val Thr Leu Thr Trp Met Arg Pro
 1565 1570 1575
 Lys Lys Met Pro Ser Ala Ser Cys Val Tyr Asn Val Tyr Tyr Arg
 1580 1585 1590
 Val Val Gly Glu Ser Ile Trp Lys Thr Leu Glu Thr His Ser Asn
 1595 1600 1605
 Lys Thr Asn Thr Val Leu Lys Val Leu Lys Pro Asp Thr Thr Tyr
 1610 1615 1620
 Gln Val Lys Val Gln Val Gln Cys Leu Ser Lys Ala His Asn Thr
 1625 1630 1635
 Asn Asp Phe Val Thr Leu Arg Thr Pro Glu Gly Leu Pro Asp Ala
 1640 1645 1650
 Pro Arg Asn Leu Gln Leu Ser Leu Pro Arg Glu Ala Glu Gly Val
 1655 1660 1665
 Ile Val Gly His Trp Ala Pro Pro Ile His Thr His Gly Leu Ile
 1670 1675 1680

Nonprovisional IP-017.ST25.txt

Arg Glu Tyr Ile Val Glu Tyr Ser Arg Ser Gly Ser Lys Met Trp
 1685 1690 1695
 Ala Ser Gln Arg Ala Ala Ser Asn Phe Thr Glu Ile Lys Asn Leu
 1700 1705 1710
 Leu Val Asn Thr Leu Tyr Thr Val Arg Val Ala Ala Val Thr Ser
 1715 1720 1725
 Arg Gly Ile Gly Asn Trp Ser Asp Ser Lys Ser Ile Thr Thr Ile
 1730 1735 1740
 Lys Gly Lys Val Ile Pro Pro Pro Asp Ile His Ile Asp Ser Tyr
 1745 1750 1755
 Gly Glu Asn Tyr Leu Ser Phe Thr Leu Thr Met Glu Ser Asp Ile
 1760 1765 1770
 Lys Val Asn Gly Tyr Val Val Asn Leu Phe Trp Ala Phe Asp Thr
 1775 1780 1785
 His Lys Gln Glu Arg Arg Thr Leu Asn Phe Arg Gly Ser Ile Leu
 1790 1795 1800
 Ser His Lys Val Gly Asn Leu Thr Ala His Thr Ser Tyr Glu Ile
 1805 1810 1815
 Ser Ala Trp Ala Lys Thr Asp Leu Gly Asp Ser Pro Leu Ala Phe
 1820 1825 1830
 Glu His Val Met Thr Arg Gly Val Arg Pro Pro Ala Pro Ser Leu
 1835 1840 1845
 Lys Ala Lys Ala Ile Asn Gln Thr Ala Val Glu Cys Thr Trp Thr
 1850 1855 1860
 Gly Pro Arg Asn Val Val Tyr Gly Ile Phe Tyr Ala Thr Ser Phe
 1865 1870 1875
 Leu Asp Leu Tyr Arg Asn Pro Lys Ser Leu Thr Thr Ser Leu His
 1880 1885 1890
 Asn Lys Thr Val Ile Val Ser Lys Asp Glu Gln Tyr Leu Phe Leu
 1895 1900 1905
 Val Arg Val Val Val Pro Tyr Gln Gly Pro Ser Ser Asp Tyr Val
 1910 1915 1920
 Val Val Lys Met Ile Pro Asp Ser Arg Leu Pro Pro Arg His Leu
 1925 1930 1935

Nonprovisional IP-017.ST25.txt

His Val Val His Thr Gly Lys Thr Ser Val Val Ile Lys Trp Glu
 1940 1945 1950
 Ser Pro Tyr Asp Ser Pro Asp Gln Asp Leu Leu Tyr Ala Ile Ala
 1955 1960 1965
 Val Lys Asp Leu Ile Arg Lys Thr Asp Arg Ser Tyr Lys Val Lys
 1970 1975 1980
 Ser Arg Asn Ser Thr Val Glu Tyr Thr Leu Asn Lys Leu Glu Pro
 1985 1990 1995
 Gly Gly Lys Tyr His Ile Ile Val Gln Leu Gly Asn Met Ser Lys
 2000 2005 2010
 Asp Ser Ser Ile Lys Ile Thr Thr Val Ser Leu Ser Ala Pro Asp
 2015 2020 2025
 Ala Leu Lys Ile Ile Thr Glu Asn Asp His Val Leu Leu Phe Trp
 2030 2035 2040
 Lys Ser Leu Ala Leu Lys Glu Lys His Phe Asn Glu Ser Arg Gly
 2045 2050 2055
 Tyr Glu Ile His Met Phe Asp Ser Ala Met Asn Ile Thr Ala Tyr
 2060 2065 2070
 Leu Gly Asn Thr Thr Asp Asn Phe Phe Lys Ile Ser Asn Leu Lys
 2075 2080 2085
 Met Gly His Asn Tyr Thr Phe Thr Val Gln Ala Arg Cys Leu Phe
 2090 2095 2100
 Gly Asn Gln Ile Cys Gly Glu Pro Ala Ile Leu Leu Tyr Asp Glu
 2105 2110 2115
 Leu Gly Ser Gly Ala Asp Ala Ser Ala Thr Gln Ala Ala Arg Ser
 2120 2125 2130
 Thr Asp Val Ala Ala Val Val Val Pro Ile Leu Phe Leu Ile Leu
 2135 2140 2145
 Leu Ser Leu Gly Val Gly Phe Ala Ile Leu Tyr Thr Lys His Arg
 2150 2155 2160
 Arg Leu Gln Ser Ser Phe Thr Ala Phe Ala Asn Ser His Tyr Ser
 2165 2170 2175
 Ser Arg Leu Gly Ser Ala Ile Phe Ser Ser Gly Asp Asp Leu Gly
 2180 2185 2190

Nonprovisional IP-017.ST25.txt

Glu Asp Asp Glu Asp Ala Pro Met Ile Thr Gly Phe Ser Asp Asp
 2195 2200 2205

Val Pro Met Val Ile Ala
 2210

<210> 90
 <211> 862
 <212> PRT
 <213> MOUSE

<400> 90

Met Ser Thr Ala Asp Leu Met Arg Arg Trp Val Ile Ala Leu Leu Leu
 1 5 10 15

Ala Ala Ala Gly Val Ala Ala Glu Asp Ser Cys Ser Arg Asn Glu Phe
 20 25 30

Gln Cys Arg Asp Gly Lys Cys Ile Ala Ser Lys Trp Val Cys Asp Gly
 35 40 45

Ser Pro Glu Cys Pro Asp Gly Ser Asp Glu Ser Pro Glu Thr Cys Met
 50 55 60

Ser Val Thr Cys Gln Ser Asn Gln Phe Ser Cys Gly Gly Arg Val Ser
 65 70 75 80

Arg Cys Ile Pro Asp Ser Trp Arg Cys Asp Gly Gln Val Asp Cys Glu
 85 90 95

Asn Asp Ser Asp Glu Gln Gly Cys Pro Pro Lys Thr Cys Ser Gln Asp
 100 105 110

Asp Phe Arg Cys Gln Asp Gly Lys Cys Ile Ser Pro Gln Phe Val Cys
 115 120 125

Asp Gly Asp Arg Asp Cys Leu Asp Gly Ser Asp Glu Ala His Cys Gln
 130 135 140

Ala Thr Thr Cys Gly Pro Ala His Phe Arg Cys Asn Ser Ser Ile Cys
 145 150 155 160

Ile Pro Ser Leu Trp Ala Cys Asp Gly Asp Val Asp Cys Val Asp Gly
 165 170 175

Ser Asp Glu Trp Pro Gln Asn Cys Gln Gly Arg Asp Thr Ala Ser Lys
 180 185 190

Gly Val Ser Ser Pro Cys Ser Ser Leu Glu Phe His Cys Gly Ser Ser
 195 200 205

Nonprovisional IP-017.ST25.txt

Glu Cys Ile His Arg Ser Trp Val Cys Asp Gly Glu Ala Asp Cys Lys
 210 215 220
 Asp Lys Ser Asp Glu Glu His Cys Ala Val Ala Thr Cys Arg Pro Asp
 225 230 235 240
 Glu Phe Gln Cys Ala Asp Gly Ser Cys Ile His Gly Ser Arg Gln Cys
 245 250 255
 Asp Arg Glu His Asp Cys Lys Asp Met Ser Asp Glu Leu Gly Cys Val
 260 265 270
 Asn Val Thr Gln Cys Asp Gly Pro Asn Lys Phe Lys Cys His Ser Gly
 275 280 285
 Glu Cys Ile Ser Leu Asp Lys Val Cys Asp Ser Ala Arg Asp Cys Gln
 290 295 300
 Asp Trp Ser Asp Glu Pro Ile Lys Glu Cys Lys Thr Asn Glu Cys Leu
 305 310 315 320
 Asp Asn Asn Gly Gly Cys Ser His Ile Cys Lys Asp Leu Lys Ile Gly
 325 330 335
 Ser Glu Cys Leu Cys Pro Ser Gly Phe Arg Leu Val Asp Leu His Arg
 340 345 350
 Cys Glu Asp Ile Asp Glu Cys Gln Glu Pro Asp Thr Cys Ser Gln Leu
 355 360 365
 Cys Val Asn Leu Glu Gly Ser Tyr Lys Cys Glu Cys Gln Ala Gly Phe
 370 375 380
 His Met Asp Pro His Thr Arg Val Cys Lys Ala Val Gly Ser Ile Gly
 385 390 395 400
 Tyr Leu Leu Phe Thr Asn Arg His Glu Val Arg Lys Met Thr Leu Asp
 405 410 415
 Arg Ser Glu Tyr Thr Ser Leu Leu Pro Asn Leu Lys Asn Val Val Ala
 420 425 430
 Leu Asp Thr Glu Val Thr Asn Asn Arg Ile Tyr Trp Ser Asp Leu Ser
 435 440 445
 Gln Lys Lys Ile Tyr Ser Ala Leu Met Asp Gln Ala Pro Asn Leu Ser
 450 455 460
 Tyr Asp Thr Ile Ile Ser Glu Asp Leu His Ala Pro Asp Gly Leu Ala
 465 470 475 480

Nonprovisional IP-017.ST25.txt

Val Asp Trp Ile His Arg Asn Ile Tyr Trp Thr Asp Ser Val Pro Gly
 485 490 495
 Ser Val Ser Val Ala Asp Thr Lys Gly Val Lys Arg Arg Thr Leu Phe
 500 505 510
 Gln Glu Ala Gly Ser Arg Pro Arg Ala Ile Val Val Asp Pro Val His
 515 520 525
 Gly Phe Met Tyr Trp Thr Asp Trp Gly Thr Pro Ala Lys Ile Lys Lys
 530 535 540
 Gly Gly Leu Asn Gly Val Asp Ile His Ser Leu Val Thr Glu Asn Ile
 545 550 555 560
 Gln Trp Pro Asn Gly Ile Thr Leu Asp Leu Ser Ser Gly Arg Leu Tyr
 565 570 575
 Trp Val Asp Ser Lys Leu His Ser Ile Ser Ser Ile Asp Val Asn Gly
 580 585 590
 Gly Asn Arg Lys Thr Ile Leu Glu Asp Glu Asn Arg Leu Ala His Pro
 595 600 605
 Phe Ser Leu Ala Ile Tyr Glu Asp Lys Val Tyr Trp Thr Asp Val Ile
 610 615 620
 Asn Glu Ala Ile Phe Ser Ala Asn Arg Leu Thr Gly Ser Asp Val Asn
 625 630 635 640
 Leu Val Ala Glu Asn Leu Leu Ser Pro Glu Asp Ile Val Leu Phe His
 645 650 655
 Lys Val Thr Gln Pro Arg Gly Val Asn Trp Cys Glu Thr Thr Ala Leu
 660 665 670
 Leu Pro Asn Ser Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln Ile
 675 680 685
 Gly Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met Leu
 690 695 700
 Leu Ala Glu Asp Met Arg Ser Cys Leu Thr Glu Val Asp Thr Val Leu
 705 710 715 720
 Thr Thr Gln Gly Thr Ser Ala Val Arg Pro Val Val Thr Ala Ser Ala
 725 730 735
 Thr Arg Pro Pro Lys His Ser Glu Asp Leu Ser Ala Pro Ser Thr Pro
 740 745 750

Nonprovisional IP-017.ST25.txt

Arg Gln Pro Val Asp Thr Pro Gly Leu Ser Thr Val Ala Ser Val Thr
 755 760 765

 Val Ser His Gln Val Gln Gly Asp Met Ala Gly Arg Gly Asn Glu Glu
 770 775 780

 Gln Pro His Gly Val Arg Phe Leu Ser Ile Phe Phe Pro Ile Ala Leu
 785 790 795 800

 Val Ala Leu Leu Val Leu Gly Ala Val Leu Leu Trp Arg Asn Trp Arg
 805 810 815

 Leu Lys Asn Ile Asn Ser Ile Asn Phe Asp Asn Pro Val Tyr Gln Lys
 820 825 830

 Thr Thr Glu Asp Glu Leu His Ile Cys Arg Ser Gln Asp Gly Tyr Thr
 835 840 845

 Tyr Pro Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala
 850 855 860

 <210> 91
 <211> 862
 <212> PRT
 <213> MOUSE

 <400> 91

 Met Ser Thr Ala Asp Leu Met Arg Arg Trp Val Ile Ala Leu Leu Leu
 1 5 10 15

 Ala Ala Ala Gly Val Ala Ala Glu Asp Ser Cys Ser Arg Asn Glu Phe
 20 25 30

 Gln Cys Arg Asp Gly Lys Cys Ile Ala Ser Lys Trp Val Cys Asp Gly
 35 40 45

 Ser Pro Glu Cys Pro Asp Gly Ser Asp Glu Ser Pro Glu Thr Cys Met
 50 55 60

 Ser Val Thr Cys Gln Ser Asn Gln Phe Ser Cys Gly Gly Arg Val Ser
 65 70 75 80

 Arg Cys Ile Pro Asp Ser Trp Arg Cys Asp Gly Gln Val Asp Cys Glu
 85 90 95

 Asn Asp Ser Asp Glu Gln Gly Cys Pro Pro Lys Thr Cys Ser Gln Asp
 100 105 110

 Asp Phe Arg Cys Gln Asp Gly Lys Cys Ile Ser Pro Gln Phe Val Cys
 115 120 125

Nonprovisional IP-017.ST25.txt

Asp Gly Asp Arg Asp Cys Leu Asp Gly Ser Asp Glu Ala His Cys Gln
 130 135 140

Ala Thr Thr Cys Gly Pro Ala His Phe Arg Cys Asn Ser Ser Ile Cys
 145 150 155 160

Ile Pro Ser Leu Trp Ala Cys Asp Gly Asp Val Asp Cys Val Asp Gly
 165 170 175

Ser Asp Glu Trp Pro Gln Asn Cys Gln Gly Arg Asp Thr Ala Ser Lys
 180 185 190

Gly Val Ser Ser Pro Cys Ser Ser Leu Glu Phe His Cys Gly Ser Ser
 195 200 205

Glu Cys Ile His Arg Ser Trp Val Cys Asp Gly Glu Ala Asp Cys Lys
 210 215 220

Asp Lys Ser Asp Glu Glu His Cys Ala Val Ala Thr Cys Arg Pro Asp
 225 230 235 240

Glu Phe Gln Cys Ala Asp Gly Ser Cys Ile His Gly Ser Arg Gln Cys
 245 250 255

Asp Arg Glu His Asp Cys Lys Asp Met Ser Asp Glu Leu Gly Cys Val
 260 265 270

Asn Val Thr Gln Cys Asp Gly Pro Asn Lys Phe Lys Cys His Ser Gly
 275 280 285

Glu Cys Ile Ser Leu Asp Lys Val Cys Asp Ser Ala Arg Asp Cys Gln
 290 295 300

Asp Trp Ser Asp Glu Pro Ile Lys Glu Cys Lys Thr Asn Glu Cys Leu
 305 310 315 320

Asp Asn Asn Gly Gly Cys Ser His Ile Cys Lys Asp Leu Lys Ile Gly
 325 330 335

Ser Glu Cys Leu Cys Pro Ser Gly Phe Arg Leu Val Asp Leu His Arg
 340 345 350

Cys Glu Asp Ile Asp Glu Cys Gln Glu Pro Asp Thr Cys Ser Gln Leu
 355 360 365

Cys Val Asn Leu Glu Gly Ser Tyr Lys Cys Glu Cys Gln Ala Gly Phe
 370 375 380

His Met Asp Pro His Thr Arg Val Cys Lys Ala Val Gly Ser Ile Gly
 385 390 395 400

Nonprovisional IP-017.ST25.txt

Tyr Leu Leu Phe Thr Asn Arg His Glu Val Arg Lys Met Thr Leu Asp
405 410 415

Arg Ser Glu Tyr Thr Ser Leu Leu Pro Asn Leu Lys Asn Val Val Ala
420 425 430

Leu Asp Thr Glu Val Thr Asn Asn Arg Ile Tyr Trp Ser Asp Leu Ser
435 440 445

Gln Lys Lys Ile Tyr Ser Ala Leu Met Asp Gln Ala Pro Asn Leu Ser
450 455 460

Tyr Asp Thr Ile Ile Ser Glu Asp Leu His Ala Pro Asp Gly Leu Ala
465 470 475 480

Val Asp Trp Ile His Arg Asn Ile Tyr Trp Thr Asp Ser Val Pro Gly
485 490 495

Ser Val Ser Val Ala Asp Thr Lys Gly Val Lys Arg Arg Thr Leu Phe
500 505 510

Gln Glu Ala Gly Ser Arg Pro Arg Ala Ile Val Val Asp Pro Val His
515 520 525

Gly Phe Met Tyr Trp Thr Asp Trp Gly Thr Pro Ala Lys Ile Lys Lys
530 535 540

Gly Gly Leu Asn Gly Val Asp Ile His Ser Leu Val Thr Glu Asn Ile
545 550 555 560

Gln Trp Pro Asn Gly Ile Thr Leu Asp Leu Ser Ser Gly Arg Leu Tyr
565 570 575

Trp Val Asp Ser Lys Leu His Ser Ile Ser Ser Ile Asp Val Asn Gly
580 585 590

Gly Asn Arg Lys Thr Ile Leu Glu Asp Glu Asn Arg Leu Ala His Pro
595 600 605

Phe Ser Leu Ala Ile Tyr Glu Asp Lys Val Tyr Trp Thr Asp Val Ile
610 615 620

Asn Glu Ala Ile Phe Ser Ala Asn Arg Leu Thr Gly Ser Asp Val Asn
625 630 635 640

Leu Val Ala Glu Asn Leu Leu Ser Pro Glu Asp Ile Val Leu Phe His
645 650 655

Lys Val Thr Gln Pro Arg Gly Val Asn Trp Cys Glu Thr Thr Ala Leu
660 665 670

Nonprovisional IP-017.ST25.txt

Leu Pro Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln Ile
 675 680 685

Gly Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met Leu
 690 695 700

Leu Ala Lys Asp Met Arg Ser Cys Leu Thr Glu Val Asp Thr Val Leu
 705 710 715 720

Thr Thr Gln Gly Thr Ser Ala Val Arg Pro Val Val Thr Ala Ser Ala
 725 730 735

Thr Arg Pro Pro Lys His Ser Glu Asp Leu Ser Ala Pro Ser Thr Pro
 740 745 750

Arg Gln Pro Val Asp Thr Pro Gly Leu Ser Thr Val Ala Ser Val Thr
 755 760 765

Val Ser His Gln Val Gln Gly Asp Met Ala Gly Arg Gly Asn Glu Glu
 770 775 780

Gln Pro His Gly Met Arg Phe Leu Ser Ile Phe Phe Pro Ile Ala Leu
 785 790 795 800

Val Ala Leu Leu Val Leu Gly Ala Val Leu Leu Trp Arg Asn Trp Arg
 805 810 815

Leu Lys Asn Ile Asn Ser Ile Asn Phe Asp Asn Pro Val Tyr Gln Lys
 820 825 830

Thr Thr Glu Asp Glu Leu His Ile Cys Arg Ser Gln Asp Gly Tyr Thr
 835 840 845

Tyr Pro Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala
 850 855 860

<210> 92
 <211> 864
 <212> PRT
 <213> MOUSE

<400> 92

Met Ser Thr Ala Asp Leu Met Arg Arg Trp Val Ile Ala Leu Leu Leu
 1 5 10 15

Ala Ala Ala Gly Val Ala Val Glu Asp Ser Gly Ser Arg Asn Glu Phe
 20 25 30

Gln Cys Arg Asp Gly Lys Cys Ile Ala Ser Lys Trp Val Cys Asp Gly
 35 40 45

Ser Pro Glu Cys Pro Asp Gly Ser Asp Glu Ser Pro Lys Thr Cys Met
 Page 299

Nonprovisional IP-017.ST25.txt

50

55

60

Ser Val Thr Cys Gln Ser Asn Gln Phe Ser Cys Gly Gly Arg Val Ser
65 70 75 80

Arg Cys Ile Pro Asp Ser Trp Arg Cys Asp Gly Gln Val Asp Cys Glu
85 90 95

Asn Asp Ser Asp Glu Gln Gly Cys Pro Pro Lys Thr Cys Ser Gln Asp
100 105 110

Asp Phe Arg Cys Gln Asp Gly Lys Cys Ile Ser Pro Gln Phe Val Cys
115 120 125

Asp Gly Asp Arg Asp Cys Leu Asp Gly Ser Asp Glu Ala His Cys Pro
130 135 140

Ala Thr Thr Cys Gly Pro Ala His Phe Arg Cys Lys Ser Ser Ile Cys
145 150 155 160

Ile Pro Ser Leu Trp Ala Cys Asp Gly Asp Val Asp Cys Val Asp Gly
165 170 175

Ser His Glu Trp Pro Gln Asn Cys Gln Ala Glu Asp Thr Ala Ser Lys
180 185 190

Gly Val Ser Ser Pro Cys Ser Ser Leu Glu Phe His Cys Gly Ser Ser
195 200 205

Glu Cys Ile His Arg Ser Trp Val Cys Asp Gly Glu Ala Asp Cys Lys
210 215 220

Asp Lys Ser Asp Glu Glu His Cys Ala Val Ala Thr Cys Arg Pro Asp
225 230 235 240

Glu Phe Gln Cys Ala Asp Gly Ser Cys Ile His Gly Ser Arg Gln Cys
245 250 255

Asp Arg Glu His Asp Cys Lys Asp Met Ser Asp Glu Leu Gly Cys Val
260 265 270

Asn Val Thr Gln Cys Asp Gly Pro Asn Lys Phe Lys Cys His Ser Gly
275 280 285

Glu Cys Ile Ser Leu Asp Lys Val Cys Asp Ser Ala Arg Asp Cys Gln
290 295 300

Asp Trp Ser Asp Glu Pro Ile Lys Glu Cys Lys Thr Asn Glu Cys Leu
305 310 315 320

Asp Asn Asn Gly Gly Cys Ser His Ile Cys Lys Asp Leu Lys Ile Gly
Page 300

Nonprovisional IP-017.ST25.txt

325

330

335

Ser Glu Cys Leu Cys Pro Ser Gly Phe Arg Leu Val Asp Leu His Arg
 340 345 350

Cys Glu Asp Ile Asp Glu Cys Gln Glu Pro Asp Thr Cys Ser Gln Leu
 355 360 365

Cys Val Asn Leu Glu Gly Ser Tyr Lys Cys Glu Cys Gln Ala Gly Phe
 370 375 380

His Met Asp Pro His Thr Arg Val Cys Lys Ala Val Gly Ser Ile Gly
 385 390 395 400

Tyr Leu Leu Phe Thr Asn Arg His Glu Val Arg Lys Met Thr Leu Asp
 405 410 415

Arg Ser Glu Tyr Thr Ser Leu Leu Pro Asn Leu Lys Asn Val Val Ala
 420 425 430

Leu Asp Thr Glu Val Thr Asn Asn Arg Ile Tyr Trp Ser Asp Leu Ser
 435 440 445

Gln Lys Lys Ile Tyr Ser Ala Leu Met Asp Gln Ala Pro Asn Leu Ser
 450 455 460

Tyr Asp Thr Ile Ile Ser Glu Asp Leu His Ala Pro Asp Gly Leu Ala
 465 470 475 480

Val Asp Trp Ile His Arg Asn Ile Tyr Trp Thr Asp Ser Val Pro Gly
 485 490 495

Ser Val Ser Val Ala Asp Thr Lys Gly Val Lys Arg Arg Thr Leu Phe
 500 505 510

Gln Glu Ala Gly Ser Arg Pro Arg Ala Ile Val Val Asp Pro Val His
 515 520 525

Gly Phe Met Tyr Trp Thr Asp Trp Gly Thr Pro Ala Lys Ile Lys Lys
 530 535 540

Gly Gly Leu Asn Gly Val Asp Ile His Ser Leu Val Thr Glu Asn Ile
 545 550 555 560

Gln Trp Pro Asn Gly Ile Thr Leu Asp Leu Ser Ser Gly Arg Leu Tyr
 565 570 575

Trp Val Asp Ser Lys Leu His Ser Ile Ser Ser Ile Asp Val Asn Gly
 580 585 590

Gly Asn Arg Lys Thr Ile Leu Glu Asp Glu Asn Arg Leu Ala His Pro
 Page 301

Nonprovisional IP-017.ST25.txt
600 605

595

Phe Ser Leu Ala Ile Tyr Glu Asp Lys Val Tyr Trp Thr Asp Val Ile
 610 615 620
 Asn Glu Ala Ile Phe Ser Ala Asn Arg Leu Thr Gly Ser Asp Val Asn
 625 630 635 640
 Leu Val Ala Glu Asn Leu Leu Ser Pro Glu Asp Ile Val Leu Phe His
 645 650 655
 Lys Val Thr Gln Pro Arg Gly Val Asn Trp Cys Glu Thr Thr Ala Leu
 660 665 670
 Leu Pro Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln Ile
 675 680 685
 Gly Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met Leu
 690 695 700
 Leu Ala Lys Asp Met Arg Ser Cys Leu Thr Glu Val Asp Thr Val Leu
 705 710 715 720
 Thr Thr Gln Gly Thr Ser Ala Val Arg Pro Val Val Thr Ala Ser Ala
 725 730 735
 Thr Arg Pro Pro Lys His Ser Glu Asp Leu Ser Ala Pro Ser Thr Pro
 740 745 750
 Arg Gln Pro Val Asp Thr Pro Gly Leu Ser Thr Val Ala Ser Val Thr
 755 760 765
 Val Ser His Gln Val Gln Gly Asp Met Ala Gly Arg Gly Asn Glu Glu
 770 775 780
 Gln Pro His Gly Met Arg Phe Leu Ser Ile Phe Phe Pro Ile Ala Leu
 785 790 795 800
 Val Ala Leu Leu Val Leu Gly Ala Val Leu Leu Trp Arg Asn Trp Arg
 805 810 815
 Leu Lys Asn Ile Thr Ile Asn Ser Ile Asn Phe Asp Asn Pro Val Tyr
 820 825 830
 Gln Lys Thr Thr Glu Asp Glu Leu His Ile Cys Arg Ser Gln Asp Gly
 835 840 845
 Tyr Thr Tyr Pro Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala
 850 855 860

<210> 93

Nonprovisional IP-017.ST25.txt

<211> 873
 <212> PRT
 <213> MOUSE

<400> 93

Met Gly Thr Ser Ala Arg Trp Ala Leu Trp Leu Leu Leu Ala Leu Cys
 1 5 10 15

Trp Ala Pro Arg Asp Ser Gly Ala Thr Ala Ser Gly Lys Lys Ala Lys
 20 25 30

Cys Asp Ser Ser Gln Phe Gln Cys Thr Asn Gly Arg Cys Ile Thr Leu
 35 40 45

Leu Trp Lys Cys Asp Gly Asp Glu Asp Cys Ala Asp Gly Ser Asp Glu
 50 55 60

Lys Asn Cys Val Lys Lys Thr Cys Ala Glu Ser Asp Phe Val Cys Lys
 65 70 75 80

Asn Gly Gln Cys Val Pro Asn Arg Trp Gln Cys Asp Gly Asp Pro Asp
 85 90 95

Cys Glu Asp Gly Ser Asp Glu Ser Pro Glu Gln Cys His Met Arg Thr
 100 105 110

Cys Arg Ile Asn Glu Ile Ser Cys Gly Ala Arg Ser Thr Gln Cys Ile
 115 120 125

Pro Val Ser Trp Arg Cys Asp Gly Glu Asn Asp Cys Asp Asn Gly Glu
 130 135 140

Asp Glu Glu Asn Cys Gly Asn Ile Thr Cys Ser Ala Asp Glu Phe Thr
 145 150 155 160

Cys Ser Ser Gly Arg Cys Val Ser Arg Asn Phe Val Cys Asn Gly Gln
 165 170 175

Asp Asp Cys Asp Asp Gly Ser Asp Glu Leu Asp Cys Ala Pro Pro Thr
 180 185 190

Cys Gly Ala His Glu Phe Gln Cys Ser Thr Ser Ser Cys Ile Pro Leu
 195 200 205

Ser Trp Val Cys Asp Asp Asp Ala Asp Cys Ser Asp Gln Ser Asp Glu
 210 215 220

Ser Leu Glu Gln Cys Gly Arg Gln Pro Val Ile His Thr Lys Cys Pro
 225 230 235 240

Thr Ser Glu Ile Gln Cys Gly Ser Gly Glu Cys Ile His Lys Lys Trp
 245 250 255

Nonprovisional IP-017.ST25.txt

Arg Cys Asp Gly Asp Pro Asp Cys Lys Asp Gly Ser Asp Glu Val Asn
 260 265 270
 Cys Pro Ser Arg Thr Cys Arg Pro Asp Gln Phe Glu Cys Glu Asp Gly
 275 280 285
 Ser Cys Ile His Gly Ser Arg Gln Ser Asn Gly Ile Arg Asp Cys Val
 290 295 300
 Asp Gly Ser Asp Glu Val Asn Cys Lys Asn Val Asn Gln Cys Leu Gly
 305 310 315 320
 Pro Gly Lys Phe Lys Cys Arg Ser Gly Glu Cys Ile Asp Met Ser Lys
 325 330 335
 Val Cys Asp Gln Glu Gln Asp Cys Arg Asp Trp Ser Asp Glu Pro Leu
 340 345 350
 Lys Glu Cys His Ile Asn Glu Cys Leu Val Asn Asn Gly Gly Cys Ser
 355 360 365
 His Ile Cys Lys Asp Leu Val Ile Gly Tyr Glu Cys Asp Cys Ala Ala
 370 375 380
 Gly Phe Glu Leu Ile Asp Arg Lys Thr Cys Gly Asp Ile Asp Glu Cys
 385 390 395 400
 Gln Asn Pro Gly Ile Cys Ser Gln Ile Cys Ile Asn Leu Lys Gly Gly
 405 410 415
 Tyr Lys Cys Glu Cys Ser Arg Gly Tyr Gln Met Asp Leu Ala Thr Gly
 420 425 430
 Val Cys Lys Ala Val Gly Lys Glu Pro Ser Leu Ile Phe Thr Asn Arg
 435 440 445
 Arg Asp Ile Arg Lys Ile Gly Leu Glu Arg Lys Glu Tyr Ile Gln Leu
 450 455 460
 Val Glu Gln Leu Arg Asn Thr Val Ala Leu Asp Ala Asp Ile Ala Ala
 465 470 475 480
 Gln Lys Leu Phe Trp Ala Asp Leu Ser Gln Lys Ala Ile Phe Ser Ala
 485 490 495
 Ser Ile Asp Asp Lys Val Gly Arg His Phe Lys Met Ile Asp Asn Val
 500 505 510
 Tyr Asn Pro Ala Ala Ile Ala Val Asp Trp Val Tyr Lys Thr Ile Tyr
 515 520 525

Nonprovisional IP-017.ST25.txt

Trp Thr Asp Ala Ala Ser Lys Thr Ile Ser Val Ala Thr Leu Asp Gly
 530 535 540
 Ala Lys Arg Lys Phe Leu Phe Asn Ser Asp Leu Arg Glu Pro Ala Ser
 545 550 555 560
 Ile Ala Val Asp Pro Leu Ser Gly Phe Val Tyr Trp Ser Asp Trp Gly
 565 570 575
 Glu Pro Ala Lys Ile Glu Lys Ala Gly Met Asn Gly Phe Asp Arg Arg
 580 585 590
 Pro Leu Val Thr Glu Asp Ile Gln Trp Pro Asn Gly Ile Thr Leu Asp
 595 600 605
 Leu Val Lys Ser Arg Leu Tyr Trp Leu Asp Ser Lys Leu His Met Leu
 610 615 620
 Ser Ser Val Asp Leu Asn Gly Gln Asp Arg Arg Ile Val Leu Lys Ser
 625 630 635 640
 Leu Glu Phe Leu Ala His Pro Leu Ala Leu Thr Ile Phe Glu Asp Arg
 645 650 655
 Val Tyr Trp Ile Asp Gly Glu Asn Glu Ala Val Tyr Gly Ala Asn Lys
 660 665 670
 Phe Thr Gly Ser Glu Leu Ala Thr Leu Val Asn Asn Leu Asn Asp Ala
 675 680 685
 Gln Asp Ile Ile Val Tyr His Glu Leu Val Gln Pro Ser Gly Lys Asn
 690 695 700
 Trp Cys Glu Asp Asp Met Glu Asn Gly Gly Cys Glu Tyr Leu Cys Leu
 705 710 715 720
 Pro Ala Pro Gln Ile Asn Asp His Ser Pro Lys Tyr Thr Cys Ser Cys
 725 730 735
 Pro Asn Gly Tyr Asn Leu Glu Glu Asn Gly Arg Glu Cys Gln Ser Thr
 740 745 750
 Ser Thr Pro Val Thr Tyr Ser Glu Thr Lys Asp Ile Asn Thr Thr Asp
 755 760 765
 Ile Leu Arg Thr Ser Gly Leu Val Pro Gly Gly Ile Asn Val Thr Thr
 770 775 780
 Ala Val Ser Glu Val Ser Val Pro Pro Lys Gly Thr Ser Ala Ala Trp
 785 790 795 800

Nonprovisional IP-017.ST25.txt

Ala Ile Leu Pro Leu₈₀₅ Leu Leu Leu Val Met₈₁₀ Ala Ala Val Gly₈₁₅ Gly Tyr

Leu Met Trp Arg₈₂₀ Asn Trp Gln His Lys₈₂₅ Asn Met Lys Ser Met₈₃₀ Asn Phe

Asp Asn Pro Val₈₃₅ Tyr Leu Lys Thr₈₄₀ Thr Glu Glu Asp₈₄₅ Leu Ser Ile Asp

Ile Gly Arg His ser Ala ser₈₅₅ Val Gly His Thr Tyr₈₆₀ Pro Ala Ile Ser

Val Val Ser Thr Asp₈₆₅ Asp₈₇₀ Leu Ala

<210> 94
<211> 1614
<212> PRT
<213> MOUSE

<400> 94

Met Glu Thr Ala Pro Thr Arg Ala Pro₁₀ Pro₁₅ Pro₁₅ Pro₁₅ Pro₁₅ Leu

Leu Leu Leu Val₂₀ Leu Tyr Cys Ser₂₅ Leu Val Pro Ala Ala₃₀ Ala Ser Pro

Leu Leu Leu₃₅ Phe Ala Asn Arg Arg₄₀ Asp Val Arg Leu Val₄₅ Asp Ala Gly

Gly Val Lys Leu Glu Ser Thr₅₅ Ile Val Ala Ser Gly₆₀ Leu Glu Asp Ala

Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr Asp₈₀

Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr₉₀ Leu Asn Gln Thr Gly₉₅ Ala

Ala Ala Gln Asn Ile Val Ile Ser Gly₁₀₅ Leu Val Ser Pro Asp₁₁₀ Gly Leu

Ala Cys Asp₁₁₅ Trp Val Gly Lys Lys₁₂₀ Leu Tyr Trp Thr Asp₁₂₅ Ser Glu Thr

Asn Arg Ile Glu Val Ala Asn₁₃₅ Leu Asn Gly Thr Ser Arg Lys Val Leu

Phe Trp Gln Asp Leu Asp₁₅₀ Gln Pro Arg Ala Ile₁₅₅ Ala Leu Asp Pro Ala₁₆₀

Nonprovisional IP-017.ST25.txt

His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Ala Pro Arg Ile Glu
 165 170 175
 Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser Asp
 180 185 190
 Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys Leu
 195 200 205
 Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu Asp
 210 215 220
 Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro Phe
 225 230 235 240
 Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln Thr
 245 250 255
 Arg Ser Ile His Ala Cys Asn Lys Trp Thr Gly Glu Gln Arg Lys Glu
 260 265 270
 Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser Gln
 275 280 285
 Glu Arg Gln Pro Pro Phe His Thr Pro Cys Glu Glu Asp Asn Gly Gly
 290 295 300
 Cys Ser His Leu Cys Leu Leu Ser Pro Arg Glu Pro Phe Tyr Ser Cys
 305 310 315 320
 Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Lys Thr Cys Lys
 325 330 335
 Thr Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu Arg
 340 345 350
 Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln Val
 355 360 365
 Gly Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu Gly
 370 375 380
 Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala Tyr
 385 390 395 400
 Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn Asp
 405 410 415
 Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp Thr
 420 425 430

Nonprovisional IP-017.ST25.txt

Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr Ser
 435 440 445

Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile Val
 450 455 460

Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu Asn
 465 470 475 480

Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Arg Asp Arg His Val Leu
 485 490 495

Val Asn Thr Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu Gln
 500 505 510

Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu Val
 515 520 525

Ile Asn Ile Asp Gly Thr Lys Arg Lys Thr Leu Leu Glu Asp Lys Leu
 530 535 540

Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp Thr
 545 550 555 560

Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala Ser
 565 570 575

Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys Ala
 580 585 590

Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Gly Asn
 595 600 605

Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro Arg Ala Thr Lys Cys
 610 615 620

Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys Ile
 625 630 635 640

Ile Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Thr Ile His Arg
 645 650 655

Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr Gly
 660 665 670

Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His Ile
 675 680 685

Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met Asn
 690 695 700

Nonprovisional IP-017.ST25.txt

Gly Ser Ser Val Glu His Val Ile Glu Phe Gly Leu Asp Tyr Pro Glu
 705 710 715 720
 Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp Thr
 725 730 735
 Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg Gln
 740 745 750
 Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu Asp
 755 760 765
 Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro Arg
 770 775 780
 Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val Asp
 785 790 795 800
 Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln Arg
 805 810 815
 Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn Met
 820 825 830
 Leu Gly Gln Glu Arg Met Val Ile Ala Asp Asp Leu Pro Tyr Pro Phe
 835 840 845
 Gly Leu Thr Gln Tyr Ser Asp Tyr Ile Tyr Trp Thr Asp Trp Asn Leu
 850 855 860
 His Ser Ile Glu Arg Ala Asp Lys Thr Ser Gly Arg Asn Arg Thr Leu
 865 870 875 880
 Ile Gln Gly His Leu Asp Phe Val Met Asp Ile Leu Val Phe His Ser
 885 890 895
 Ser Arg Gln Asp Gly Leu Asn Asp Cys Val His Ser Asn Gly Gln Cys
 900 905 910
 Gly Gln Leu Cys Leu Ala Ile Pro Gly Gly His Arg Cys Gly Cys Ala
 915 920 925
 Ser His Tyr Thr Leu Asp Pro Ser Ser Arg Asn Cys Ser Pro Pro Ser
 930 935 940
 Thr Phe Leu Leu Phe Ser Gln Lys Phe Ala Ile Ser Arg Met Ile Pro
 945 950 955 960
 Asp Asp Gln Leu Ser Pro Asp Leu Val Leu Pro Leu His Gly Leu Arg
 965 970 975

Nonprovisional IP-017.ST25.txt

Asn Val Lys Ala Ile Asn Tyr Asp Pro Leu Asp Lys Phe Ile Tyr Trp
 980 985 990

Val Asp Gly Arg Gln Asn Ile Lys Arg Ala Lys Asp Asp Gly Thr Gln
 995 1000 1005

Pro Ser Met Leu Thr Ser Pro Ser Gln Ser Leu Ser Pro Asp Arg
 1010 1015 1020

Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu Phe
 1025 1030 1035

Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu Asp
 1040 1045 1050

Gly Asp Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys Pro
 1055 1060 1065

Arg Ala Ile Ala Val Asn Ala Glu Arg Gly Tyr Met Tyr Phe Thr
 1070 1075 1080

Asn Met Gln Asp His Ala Ala Lys Ile Glu Arg Ala Ser Leu Asp
 1085 1090 1095

Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg Pro
 1100 1105 1110

Val Ala Leu Val Val Asp Asn Ala Leu Gly Lys Leu Phe Trp Val
 1115 1120 1125

Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly Ala
 1130 1135 1140

Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Val Gly
 1145 1150 1155

Leu Thr Val Leu Gly Arg His Leu Tyr Trp Ile Asp Arg Gln Gln
 1160 1165 1170

Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg Thr
 1175 1180 1185

Arg Val Gln Gly Arg Val Thr His Leu Thr Gly Ile His Ala Val
 1190 1195 1200

Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala Arg
 1205 1210 1215

Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp Gly
 1220 1225 1230

Nonprovisional IP-017.ST25.txt

Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln Asn
 1235 1240 1245
 Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln Phe
 1250 1255 1260
 Ala Cys Thr Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp Arg
 1265 1270 1275
 Cys Asp Gly Phe Pro Glu Cys Ala Asp Gln Ser Asp Glu Glu Gly
 1280 1285 1290
 Cys Pro Val Cys Ser Ala Ser Gln Phe Pro Cys Ala Arg Gly Gln
 1295 1300 1305
 Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys Gln
 1310 1315 1320
 Asp Arg Ser Asp Glu Ala Asn Cys Asp Ala Val Cys Leu Pro Asn
 1325 1330 1335
 Gln Phe Arg Cys Thr Ser Gly Gln Cys Val Leu Ile Lys Gln Gln
 1340 1345 1350
 Cys Asp Ser Phe Pro Asp Cys Ala Asp Gly Ser Asp Glu Leu Met
 1355 1360 1365
 Cys Glu Ile Asn Lys Pro Pro Ser Asp Asp Ile Pro Ala His Ser
 1370 1375 1380
 Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe Val
 1385 1390 1395
 Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Met Cys Gln Arg
 1400 1405 1410
 Tyr Thr Gly Ala Ser Gly Pro Phe Pro His Glu Tyr Val Gly Gly
 1415 1420 1425
 Ala Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser Gln
 1430 1435 1440
 His Gly Pro Phe Pro Gly Ile Pro Cys Ser Lys Ser Val Met Ser
 1445 1450 1455
 Ser Met Ser Leu Val Gly Gly Arg Gly Ser Val Pro Leu Tyr Asp
 1460 1465 1470
 Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Ser Thr
 1475 1480 1485

Nonprovisional IP-017.ST25.txt

Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser Pro
1490 1495 1500

Ala Thr Asp Pro Ser Leu Tyr Asn Val Asp Val Phe Tyr Ser Ser
1505 1510 1515

Gly Ser Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Val Ile Arg
1520 1525 1530

Gly Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp
1535 1540 1545

Ser Asp Tyr Ser Thr Ser Arg Trp Lys Ser Ser Lys Tyr Tyr Leu
1550 1555 1560

Asp Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro
1565 1570 1575

His Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro
1580 1585 1590

Gly Thr Glu Arg Ser Tyr Cys His Leu Phe Pro Pro Pro Pro Ser
1595 1600 1605

Pro Cys Thr Asp Ser Ser
1610

<210> 95
<211> 837
<212> PRT
<213> HOMO SAPIENS

<400> 95

Gly Asp Arg Cys Glu Arg Asn Glu Phe Gln Cys Gln Asp Gly Lys Cys
1 5 10 15

Ile Ser Tyr Lys Trp Val Cys Asp Gly Ser Ala Glu Cys Gln Asp Gly
20 25 30

Ser Asp Glu Ser Gln Glu Thr Cys Leu Ser Val Thr Cys Lys Ser Gly
35 40 45

Asp Phe Ser Cys Gly Gly Arg Val Asn Arg Cys Ile Pro Gln Phe Trp
50 55 60

Arg Cys Asp Gly Gln Val Asp Cys Asp Asn Gly Ser Asp Glu Gln Gly
65 70 75 80

Cys Pro Pro Lys Thr Cys Ser Gln Asp Glu Phe Arg Cys His Asp Gly
85 90 95

Nonprovisional IP-017.ST25.txt

Lys Cys Ile Ser Arg Gln Phe Val Cys Asp Ser Asp Arg Asp Cys Leu
 100 105 110
 Asp Gly Ser Asp Glu Ala Ser Cys Pro Val Leu Thr Cys Gly Pro Ala
 115 120 125
 Ser Phe Gln Cys Asn Ser Ser Thr Cys Ile Pro Gln Leu Trp Ala Cys
 130 135 140
 Asp Asn Asp Pro Asp Cys Glu Asp Gly Ser Asp Glu Trp Pro Gln Arg
 145 150 155 160
 Cys Arg Gly Leu Tyr Val Phe Gln Gly Asp Ser Ser Pro Cys Ser Ala
 165 170 175
 Phe Glu Phe His Cys Leu Ser Gly Glu Cys Ile His Ser Ser Trp Arg
 180 185 190
 Cys Asp Gly Gly Pro Asp Cys Lys Asp Lys Ser Asp Glu Glu Asn Cys
 195 200 205
 Ala Val Ala Thr Cys Arg Pro Asp Glu Phe Gln Cys Ser Asp Gly Asn
 210 215 220
 Cys Ile His Gly Ser Arg Gln Cys Asp Arg Glu Tyr Asp Cys Lys Asp
 225 230 235 240
 Met Ser Asp Glu Val Gly Cys Val Asn Val Thr Leu Cys Glu Gly Pro
 245 250 255
 Asn Lys Phe Lys Cys His Ser Gly Glu Cys Ile Thr Leu Asp Lys Val
 260 265 270
 Cys Asn Met Ala Arg Asp Cys Arg Asp Trp Ser Asp Glu Pro Ile Lys
 275 280 285
 Glu Cys Gly Thr Asn Glu Cys Leu Asp Asn Asn Gly Gly Cys Ser His
 290 295 300
 Val Cys Asn Asp Leu Lys Ile Gly Tyr Glu Cys Leu Cys Pro Asp Gly
 305 310 315 320
 Phe Gln Leu Val Ala Gln Arg Arg Cys Glu Asp Ile Asp Glu Cys Gln
 325 330 335
 Asp Pro Asp Thr Cys Ser Gln Leu Cys Val Asn Leu Glu Gly Gly Tyr
 340 345 350
 Lys Cys Gln Cys Glu Glu Gly Phe Gln Leu Asp Pro His Thr Lys Ala
 355 360 365

Nonprovisional IP-017.ST25.txt

Cys Lys Ala Val Gly Ser Ile Ala Tyr Leu Phe Phe Thr Asn Arg His
 370 375 380

Glu Val Arg Lys Met Thr Leu Asp Arg Ser Glu Tyr Thr Ser Leu Ile
 385 390 395 400

Pro Asn Leu Arg Asn Val Val Ala Leu Asp Thr Glu Val Ala Ser Asn
 405 410 415

Arg Ile Tyr Trp Ser Asp Leu Ser Gln Arg Met Ile Cys Ser Thr Gln
 420 425 430

Leu Asp Arg Ala His Gly Val Ser Ser Tyr Asp Thr Val Ile Ser Arg
 435 440 445

Asp Ile Gln Ala Pro Asp Gly Leu Ala Val Asp Trp Ile His Ser Asn
 450 455 460

Ile Tyr Trp Thr Asp Ser Val Leu Gly Thr Val Ser Val Ala Asp Thr
 465 470 475 480

Lys Gly Val Lys Arg Lys Thr Leu Phe Arg Glu Asn Gly Ser Lys Pro
 485 490 495

Arg Ala Ile Val Val Asp Pro Val His Gly Phe Met Tyr Trp Thr Asp
 500 505 510

Trp Gly Thr Pro Ala Lys Ile Lys Lys Gly Gly Leu Asn Gly Val Asp
 515 520 525

Ile Tyr Ser Leu Val Thr Glu Asn Ile Gln Trp Pro Asn Gly Ile Thr
 530 535 540

Leu Asp Leu Leu Ser Gly Arg Leu Tyr Trp Val Asp Ser Lys Leu His
 545 550 555 560

Ser Ile Ser Ser Ile Asp Val Asn Gly Gly Asn Arg Lys Thr Ile Leu
 565 570 575

Glu Asp Glu Lys Arg Leu Ala His Pro Phe Ser Leu Ala Val Phe Glu
 580 585 590

Asp Lys Val Phe Trp Thr Asp Ile Ile Asn Glu Ala Ile Phe Ser Ala
 595 600 605

Asn Arg Leu Thr Gly Ser Asp Val Asn Leu Leu Ala Glu Asn Leu Leu
 610 615 620

Ser Pro Glu Asp Met Val Leu Phe His Asn Leu Thr Gln Pro Arg Gly
 625 630 635 640

Nonprovisional IP-017.ST25.txt

Val Asn Trp Cys Glu Arg Thr Thr Leu Ser Asn Gly Gly Cys Gln Tyr
 645 650 655

Leu Cys Leu Pro Ala Ser Gln Ile Asn Pro His Ser Pro Lys Phe Thr
 660 665 670

Cys Ala Cys Pro Asp Gly Met Leu Leu Ala Arg Asp Met Arg Ser Cys
 675 680 685

Leu Thr Glu Ala Glu Ala Ala Val Ala Thr Gln Glu Thr Ser Thr Val
 690 695 700

Arg Leu Lys Val Ser Ser Thr Ala Val Arg Thr Gln His Thr Thr Thr
 705 710 715 720

Arg Pro Val Pro Asp Thr Ser Arg Leu Pro Gly Ala Thr Pro Gly Leu
 725 730 735

Thr Thr Val Glu Ile Val Thr Met Ser His Gln Ala Leu Gly Asp Val
 740 745 750

Ala Gly Arg Gly Asn Glu Lys Lys Pro Ser Ser Val Arg Ala Leu Ser
 755 760 765

Ile Val Leu Pro Ile Val Leu Leu Val Phe Leu Cys Leu Gly Val Phe
 770 775 780

Leu Leu Trp Lys Asn Trp Arg Leu Lys Asn Ile Asn Ser Ile Asn Phe
 785 790 795 800

Asp Asn Pro Val Tyr Gln Lys Thr Thr Glu Asp Glu Val His Ile Cys
 805 810 815

His Asn Gln Asp Gly Tyr Ser Tyr Pro Ser Arg Gln Met Val Ser Leu
 820 825 830

Glu Asp Asp Val Ala
 835

<210> 96
 <211> 1696
 <212> DNA
 <213> MOUSE

<400> 96
 acagtccaca gtgcagaagc aagggggaaa gaattagcgg ctctcagcc cagcaaatcc 60
 tccactcatc atgcttcctc ctgccattca tctctctctc attcccctgc tctgcatcct 120
 gatgagaaac tgtttggctt ttaaaaatga tgccacagaa atcctttatt cacatgtggt 180
 taaacctgtc ccggcacacc ccagcagcaa cagcaccctg aatcaagcca ggaatggagg 240
 caggcatttc agtagcactg gactggatcg aaacagtcga gttcaagtgg gctgcaggga 300

Nonprovisional IP-017.ST25.txt

actgcggtcc accaaatata tttcggacgg ccagtgcacc agcatcagcc ctctgaagga 360
 gctgggtgtgc gcgggagagt gcttgccctt gccggtgctt cccaactgga tcggaggagg 420
 ctatggaaca aagtactgga gccggaggag ctctcaggag tggcgggtgtg tcaacgacaa 480
 gacgcgcacc cagaggatcc agctgcagtg tcaggacggc agcacgcgca cctacaaaat 540
 caccgtgggtc acggcgtgca agtgcaagag gtacacccgt cagcacaacg agtcagacca 600
 caactttgaa agcgtgtcgc ccgccaagcc cgcccagcac cacagagagc ggaagagagc 660
 cagcaaatcc agcaagcaca gtctgagcta gacctggact gactagaaag catctgctac 720
 ccagatttga ttgcttgga gactctctct cgagcctgcc attgctcttt cctcacttga 780
 aagtatatgc tttctgcttt gatcaagccc agcaggctgt cttctcttgg gactagcttt 840
 tcctttgcaa gtgtctcaag atgtaatgag tagtttgag tgaaagccag gcatcctgta 900
 gtttccatcc cctcccccatt ccagtcatt tctttaaaag cacctgatgc tgcattctgt 960
 tacagtttaa aaaaaaaaaa aaacaaaaaa cgctcctttc cctaaacccc ttcccaaact 1020
 aaatccctcc gaaccagaga agttcgtgga aaaaaatgta tcttcccaga acatttcaga 1080
 aaggggcttt tccagtcgtt tttatgggaa tagtttgaca gccaggggtt agttttgaaa 1140
 gagaggcaaa cttgtgaca tttcacttca aaaaacagcc cggtggcatt tttccagtct 1200
 cagtgtgaaa ttatccccct gaatgttgac ctctctggga gtggaatgcc agcaattcat 1260
 ggcagcagct aataggtaaa gccggttatt tatttgtaaa tgttggttatt taatgagctc 1320
 ttgcatgtga ttttttttca aaatgttaat tttttttatg ttttgaagct ttttcatgta 1380
 cctaaatatt tcccaatagc atttgtggtt ggtctagaaa tatgaaaata tctgttgtag 1440
 atatgtaaaa taaatgtttt actctccgta tatattgcac ggttcacat catcattagc 1500
 gtggttttct gtaaagctga agtatgtaat actttattat ttagtccatg aaatcagatg 1560
 gcagcttgat cttcaatgcc attggtttcc ttttaataaac ataaacactg ctcaacgctg 1620
 ttgtccttgc ctctaactg tataaaaagg tacatgcttg cagacattgt aaaataaagt 1680
 tatacgtgt aatcgc 1696

<210> 97
 <211> 1568
 <212> DNA
 <213> RAT

<400> 97
 atgcttcctc ctgccattca tctctctctc attcccctgc tctgcatcct gatgaaaaac 60
 tgtttggctt ttaaaaatga tgccacagaa atcctttatt cacatgtggt taaacctgtt 120
 tcagcacacc ccagcagcaa cagcaccttg aatcaagcca ggaatggagg caggcacttc 180
 agtagcacgg gactggatcg aaatagtcga gttcaagtgg gctgcaggga actgcggtcc 240
 accaaatata tctcggatgg ccagtgcacc agcatcagcc ctctgaagga gctgggtgtgc 300
 gcgggtgagt gcttgccctt gccagtgtt cccaactgga tcggaggagg ctacggaaca 360
 aagtactgga gccggaggag ctcccaggag tggcgggtgtg tcaacgacaa gacgcgcacc 420

Nonprovisional IP-017.ST25.txt

```

cagagaatcc agctgcagtg tcaggacggc agcacacgca cctacaaaat caccgtggtc 480
acagcgtgca agtgcaagag gtacacccgg cagcacaacg agtccagcca caactttgaa 540
agcgtgtctc ccgccaagcc cgcccagcac cacagagagc ggaagagagc cagcaaatcc 600
agcaagcaca gtctgagcta gagctggact gactagaaag catctgctcc ccagatttga 660
ttgctgggaa gactcgctcg agcctgccat tgctcttttc tcaactgaaa gtatatgctt 720
tctgctttga tcaggcccgag caggctgtcc ttctctggga ctagcttttc ctttgcaagt 780
ttctcaagat gtaatgagta gtttgacgtg aaagccaggc atcccatagt ttacccccct 840
ccccagtc tttctttcaa aagcacctga tgctgcatcc tgttacagtt taaaccgcgc 900
tccattccct aacccttccc aaactaaatc cctccgaacc ggagaagttc aatcaaaaaa 960
aaaatgtatc ttcacagaac atttcacaaa ggggcttttc cagtagtttt tatgggaata 1020
gtttgacagc cagggggttag cttcctttga aagagaggca aaccttgtga catttcaact 1080
caaaaataag cccggtggca ttttcagtc tcagtgtgaa attatcccc tcgtgttgac 1140
ctctcttga gtggaatgcc agcaatgcaa ggcagcagct agtaggtaaa gccggttatt 1200
tatttgcga tgttgttatt taatgagctc gcgcatgtga tttttttcc aaatgttaat 1260
ttttttata ttttgaagct ttttcatgta cctaaatatt tccaatacg atttgtggtt 1320
ggctagaaa tatgaaaata catgttgtag atatgtaaaa ataaatatt tagactcctt 1380
atatattaca cggttcgtca ttagcgtggt tccctgtaaa gctgaagtta tgtaataactt 1440
tattatttag tccatgaaat cagaaggcag cttgacctc ggtaccatcg gtttctttta 1500
ataaacataa atgctgttgt ctttgcctct gacatgcatg cttgcagata ctgtaaaata 1560
aagttata 1568

```

```

<210> 98
<211> 378
<212> DNA
<213> DANIO RERIO

```

```

<400> 98
ggctgcaggg agctgaggtc cactaagtat atatctgatg gccaatgcac cagcctgaac 60
ccagtcaagg agttggtgtg tgctggtgaa tgtctgccca cccacctgct gcccaactgg 120
atcgggtggag gtcactactg gagcagacgg gatgccagg agtggcgctg tgtcaccgac 180
cgcacacgta cccagcgcac taaactccag tgccaggacg gcaccacacg cacatacaaa 240
atcacagctg tcacctcctg cacatgcaag agatacactc gccaaaacaa cgagtcctct 300
catgcacctc agagtcactc aaaggatcat cactgcaga gccccaagaa gaaaaaaagc 360
aaaaataaaa actccaag 378

```

```

<210> 99
<211> 4845
<212> DNA
<213> MOUSE

```

Nonprovisional IP-017.ST25.txt

<400> 99
 atggaaacgg cgccgacccg ggccccctccg ccgcccgcgc cgccgctgct gctgctggtg 60
 ctgtactgca gcttggtccc cgccgcggcc tcaccgctcc tgttgtttgc caaccgccgg 120
 gatgtgcggc tagtggtatg cgccggagtg aagctggagt ccaccattgt ggccagtggc 180
 ctggaggatg cagctgctgt agacttccag ttctccaagg gtgctgtgta ctggacagat 240
 gtgagcgagg aggccatcaa acagacctac ctgaaccaga ctggagctgc tgcacagaac 300
 attgtcatct cgggcctcgt gtcacctgat ggccctggcct gtgactgggt tggcaagaag 360
 ctgtactgga cggactccga gaccaaccgc attgaggttg ccaacctcaa tgggacgtcc 420
 cgtaagggtt tcttctggca ggacctggac cagccaaggg ccattgccct ggatcctgca 480
 catgggtaca tgtactggac tgactggggg gaagcaccgc ggatcgagcg ggcagggatg 540
 gatggcagta cccggaagat cattgtagac tccgacattt actggcccaa tgggctgacc 600
 atcgacctgg aggaacagaa gctgtactgg gccgatgcca agctcagctt catccaccgt 660
 gccaacctgg acggctcctt ccggcagaag gtggtggagg gcagcctcac tcaccctttt 720
 gccctgacac tctctgggga cacactctac tggacagact ggagacccg ctccatccac 780
 gcctgcaaca agtgagcagg ggagcagagg aaggagatcc ttagtgctct gtactcacc 840
 atggacatcc aagtgtgag ccaggagcgg cagcctccct tccacacacc atgcgaggag 900
 gacaacggtg gctgttccca cctgtgcctg ctgtccccga gggagccttt ctactcctgt 960
 gcctgcccc a ctggtgtgca gttgcaggac aatggcaaga cgtgcaagac aggggctgag 1020
 gaagtgtgctg tgctggctcg gaggacagac ctgaggagga tctctctgga caccctgac 1080
 ttcacagaca tagtgctgca ggtgggcgac atccggcatg ccattgccat tgactacgat 1140
 cccctggagg gctacgtgta ctggaccgat gatgaggtgc gggctatccg cagggcgtag 1200
 ctagatggct caggtgcgca gacacttgtg aacctgaga tcaatgaccc cgatggcatt 1260
 gctgtggact gggctgcccc gaacctctac tggacagata caggcactga cagaattgag 1320
 gtgactcgcc tcaacggcac ctcccgaag atcctggtat ctgaggacct ggacgaaccg 1380
 cgagccattg tgttgacccc tgtgatggc ctcagtact ggacagactg gggggagaac 1440
 cccaaaatcg aatgcgcaa cctagatggg agagatcggc atgtcctggt gaacacctcc 1500
 cttgggtggc ccaatggact ggccctggac ctgcaggagg gcaagctgta ctggggggat 1560
 gccaaaactg ataaaatcga ggtgatcaac atagacggga caaagcggaa gaccctgctt 1620
 gaggacaagc tcccacacat ttttgggttc acactgctgg gggacttcat ctactggacc 1680
 gactggcaga gacgcagtat tgaaagggc cacaagggtc aggccagccg ggatgtcatc 1740
 attgatcaac tccccgacct gatgggactc aaagccgtga atgtggccaa ggtgtcggga 1800
 accaaccat gtgcggatgg aatggaggg tgagccatc tgtgcttctt caccacacgt 1860
 gccaccaagt gtggctgccc cattggcctg gagctgttga gtgacatgaa gacctgcata 1920
 atccccagg ccttctggt attcaccagc agagccacca tccacaggat ctccctggag 1980
 actaacaaca acgatgtggc tatcccactc acgggtgtca aagaggcctc tgcactggac 2040

Nonprovisional IP-017.ST25.txt

```

tttgatgtgt ccaacaatca catctactgg actgatgtta gcctcaagac gatcagccga 2100
gccttcatga atgggagctc agtggagcac gtgattgagt ttggcctcga ctaccctgaa 2160
ggaatggctg tggactggat gggcaagaac ctctattggg cggacacagg gaccaacagg 2220
attgaggtgg cccggctgga tgggcagttc cggcaggtgc ttgtgtggag agaccttgac 2280
aacccaggt ctctggctct ggatcctact aaaggctaca tctactggac tgagtgggggt 2340
ggcaagccaa ggattgtgcg ggccttcatg gatgggacca attgtatgac actggtagac 2400
aaggtgggcc gggccaacga cctcaccatt gattatgccg accagcgact gtactggact 2460
gacctggaca ccaacatgat tgagtcttcc aacatgctgg gtcaggagcg catggtgata 2520
gctgacgac tgccctaccc gtttggcctg actcaatata gcgattacat ctactggact 2580
gactggaacc tgcatagcat tgaacgggcg gacaagacca gtgggcggaa ccgcaccctc 2640
atccagggtc acctggactt cgtcatggac atcctgggtg tccactcctc ccgtcaggat 2700
ggcctcaacg actgcgtgca cagcaatggc cagtgtgggc agctgtgcct cgccatcccc 2760
ggaggccacc gctgtggctg tgcttcacac tacacgctgg accccagcag ccgcaactgc 2820
agcccgccct ccaccttctt gctgttcagc cagaaatttg ccatcagccg gatgatcccc 2880
gatgaccagc tcagcccggg ccttgtccta ccccttcatg ggctgaggaa cgtcaaagcc 2940
atcaactatg acccgctgga caagttcatc tactgggtgg acgggcgcca gaacatcaag 3000
agggccaagg acgacgggtac ccagccctcc atgctgacct ctcccagcca aagcctgagc 3060
ccagacagac agccacacga cctcagcatt gacatctaca gccggacact gttctggacc 3120
tgtgaggcca ccaacactat caatgtccac cggtggtatg gggatgccat gggagtgggtg 3180
cttcgagggg accgtgacaa gccaagggcc attgctgtca atgctgagcg agggtagatg 3240
tactttacca acatgcagga ccatgctgcc aagatcgagc gagcctccct ggatggcaca 3300
gagcgggagg tcctcttcac cacaggcctc atccgtcccg tggcccttgt ggtggacaat 3360
gctctgggca agctcttctg ggtggatgcc gacctaaagc gaatcgaaag ctgtgacctc 3420
tctggggcca accgcctgac cctggaagat gccaacatcg tacagccagt aggtctgaca 3480
gtgctgggca ggcacctcta ctggatcgac cgccagcagc agatgatcga gcgcgtggag 3540
aagaccactg gggacaagcg gactaggggt cagggccgtg tcacccacct gacaggcatc 3600
catgccgtgg aggaagtcag cctggaggag ttctcagccc atccttgtgc ccgagacaat 3660
ggcggtgct cccacatctg tatcgccaag ggtgatggaa caccgcgtg ctcgtgccct 3720
gtccacctgg tgctcctgca gaacctgctg acttgtgggtg agcctcctac ctgctccct 3780
gatcagtttg catgtaccac tggtagatc gactgcatcc ccggagcctg gcgctgtgac 3840
ggcttccctg agtgtgctga ccagagtgat gaagaaggct gccagtggtg ctccgcctct 3900
cagttccctc gcgctcgagg ccagtgtgtg gacctgcgtg tacgtgcga cggtagggcc 3960
gactgccagg atcgctctga tgaagctaac tgcgatgctg tctgtctgcc caatcagttc 4020
cgggtgcacca gcggccagtg tgtcctcatc aagcaacagt gtgactcctt ccccgactgt 4080

```

Nonprovisional IP-017.ST25.txt

gctgatgggt ctgatgagct catgtgtgaa atcaacaagc caccctctga tgacatccca	4140
gcccacagca gtgccattgg gcccgtcatt ggtatcatcc tctccctctt cgtcatgggc	4200
gggggtctact ttgtctgccca gcgtgtgatg tgccagcgct acacaggggc cagtggggccc	4260
tttccccacg agtatgttgg tggagcccct catgtgcctc tcaacttcat agccccaggt	4320
ggctcacagc acgggtccctt cccaggcatc ccgtgcagca agtccgtgat gagctccatg	4380
agcctggtgg gggggcgcgg cagcgtgccc ctctatgacc ggaatcacgt cactggggcc	4440
tcattccagca gctcgtccag cacaaggcc acactatatc cgccgatcct gaaccacccc	4500
ccgtccccgg ccacagaccc ctctctctac aacgtggacg tgttttattc ttcaggcatc	4560
ccggccaccg ctagaccata caggccctac gtcattcgag gtatggcacc cccaacaaca	4620
ccgtgcagca cagatgtgtg tgacagtga ctagcatca gtcgctggaa gagcagcaaa	4680
tactacctgg acttgaattc ggactcagac ccctaccccc ccccgccac ccccccacagc	4740
cagtacctat ctgcagagga cagctgccc ccctcaccag gcactgagag gagttactgc	4800
cacctcttcc cgccccacc gtccccctgc acggactcgt cctga	4845

<210> 100
 <211> 4848
 <212> DNA
 <213> HOMO SAPIENS

<400> 100	
atggaggcag cgccgcccgg gccgccgtgg ccgctgctgc tgctgctgct gctgctgctg	60
gcgctgtgcy gctgcccggc ccccgccggc gcctcgccgc tcctgctatt tgccaaccgc	120
cgggacgtac ggctggtgga cgccggcgga gtcaagctgg agtccaccat cgtggtcagc	180
ggcctggagg atgcggccgc agtggacttc cagttttcca agggagccgt gtactggaca	240
gacgtgagcy aggaggccat caagcagacc tacctgaacc agacgggggc cgccgtgcag	300
aacgtggtca tctccggcct ggtctctccc gacggcctcg cctgcgactg ggtgggcaag	360
aagctgtact ggacggactc agagaccaac cgcatcgagg tggccaacct caatggcaca	420
tcccggaaag tgctcttctg gcaggacctt gaccagccga gggccatcgc cttggacccc	480
gtcacgggt acatgtactg gacagactgg ggtgagacgc cccggattga gcgggcaggg	540
atggatggca gcacccggaa gatcattgtg gactcggaca tttactggcc caatggactg	600
accatcgacc tggaggagca gaagctctac tgggctgacg ccaagctcag cttcatccac	660
cgtgccaacc tggacggctc gttccggcag aagggtggtg agggcagcct gacgcacccc	720
ttcgccctga cgctctccgg ggacactctg tactggacag actggcagac ccgctccatc	780
catgcctgca acaagcgcac tggggggaag aggaaggaga tcctgagtgc ccttactca	840
cccatggaca tccaggtgct gagccaggag cggcagcctt tcttcacac tcgctgtgag	900
gaggacaatg gcgctgctc ccacctgtgc ctgctgtccc caagcgagcc tttctacaca	960
tgcgctgcc ccacgggtgt gcagctgcag gacaacggca ggacgtgtaa ggcaggagcc	1020

Nonprovisional IP-017.ST25.txt

gaggaggtgc tgctgctggc ccggcggacg gacctacgga ggatctcgct ggacacgccg	1080
gactttaccg acatcgtgct gcaggtggac gacatccggc acgccattgc catcgactac	1140
gacccgctag agggctatgt ctactggaca gatgacgagg tgcggggccat ccgcagggcg	1200
tacctggacg ggtctggggc gcagacgctg gtcaacaccg agatcaacga ccccgatggc	1260
atcgcggtcg actgggtggc ccgaaacctc tactggaccg acacggggcac ggaccgcatc	1320
gaggtgacgc gcctcaacgg cactccccgc aagatcctgg tgtcggagga cctggacgag	1380
ccccgagcca tcgactgca ccccgatgag ggctcatgt actggacaga ctggggagag	1440
aaccctaaaa tcgagtgtgc caacttggat gggcaggagc ggctgtgtct ggtcaatgcc	1500
tccctcgggt ggcccaacgg cctggccctg gacctgcagg aggggaagct ctactgggga	1560
gacgccaaga cagacaagat cgaggtgatc aatgttgatg ggacgaagag gcggaccctc	1620
ctggaggaca agctcccga cattttcggg ttacagctgc tgggggactt catctactgg	1680
actgactggc agcggcgag catcgagcgg gtgcacaagg tcaaggccag ccgggacgtc	1740
atcattgacc agctggcga cctgatggg ctcaaagctg tgaatgtggc caaggctgtc	1800
ggaaccaacc cgtgtgcgga caggaacggg ggggtgcagc acctgtgctt cttcacacc	1860
cacgcaaccc ggtgtggctg ccccatcggc ctggagctgc tgagtgcacat gaagacctgc	1920
atcgtgcctg aggccttctt ggtcttcacc agcagagccg ccatccacag gatctccctc	1980
gagaccaata acaacgacgt ggccatcccg ctacggggcg tcaaggaggc ctacggcctg	2040
gactttgatg tgtccaacaa ccacatctac tggacagacg tcagcctgaa gaccatcagc	2100
cgcgccttca tgaacgggag ctcggtggag cacgtggtgg agtttggcct tgactacccc	2160
gagggcatgg ccgttgactg gatgggcaag aacctctact gggccgacac tgggaccaac	2220
agaatcgaag tggcgcggtt ggacgggcag ttccggcaag tcctcgtgtg gagggacttg	2280
gacaacccga ggtcgttggc cctggatccc accaagggtt acatctactg gaccgagtgg	2340
ggcggcaagc cgaggatcgt gcgggccttc atggacggga ccaactgcac gacgtggtg	2400
gacaagggtg gccgggcca cgcctcacc attgactacg ctgaccagcg cctctactgg	2460
accgacctg acaccaacat gatcgagtcg tccaacatgc tgggtcagga gcgggtcgtg	2520
attgccgacg atctcccgca cccgttcggt ctgacgcagt acagcgatta tatctactgg	2580
acagactgga atctgcacag cattgagcgg gccgacaaga ctacgggccg gaaccgcacc	2640
ctcatccagg gccacctgga cttcgtgatg gacatcctgg tgttccactc ctcccgccag	2700
gatggcctca atgactgtat gcacaacaac gggcagtggt ggacagctgt ccttgccatc	2760
cccggcggcc accgctgcgg ctgcgcctca cactacacc tggaccccag cagccgcaac	2820
tgcagcccgc ccaccacctt cttgctgttc agccagaaat ctgccatcag tcggatgatc	2880
ccggacgacc agcacagccc ggatctcatc ctgcccctgc atggactgag gaacgtcaaa	2940
gccatcgact atgacctact ggacaagttc atctactggg tggatgggag ccagaacatc	3000
aagcgagcca aggacgacgg gaccagccc ttgttttga cctctctgag ccaaggccaa	3060

Nonprovisional IP-017.ST25.txt

aaccagaca ggcagcccca cgacctcagc atcgacatct acagccggac actgttctgg 3120
acgtgcgagg ccaccaatac catcaacgtc cacaggctga gcggggaagc catgggggtg 3180
gtgctgctg gggaccgcga caagcccagg gccatcgctg tcaacgcgga gcgagggtag 3240
ctgtacttca ccaacatgca ggaccgggca gccaagatcg aacgcgcagc cctggacggc 3300
accgagcgcg aggtcctctt caccaccggc ctcatccgcc ctgtggccct ggtggtagac 3360
aacacactgg gcaagctgtt ctgggtggac gcggacctga agcgattga gagctgtgac 3420
ctgtcagggg ccaaccgcct gacctggag gacgccaaca tcgtgcagcc tctgggcctg 3480
accatccttg gcaagcatct ctactggatc gaccgccagc agcagatgat cgagcgtgtg 3540
gagaagacca ccggggacaa gcggactcgc atccaggggc gtgtcgccca cctcactggc 3600
atccatgcag tggaggaagt cagcctggag gagttctcag cccacccatg tgcccgtgac 3660
aatggtggct gctccacat ctgtattgcc aagggtgatg ggacaccag gtgctcatgc 3720
ccagtccacc tcgtgctcct gcagaacctg ctgacctgtg gagagccgcc cacctgctcc 3780
ccggaccagt ttgcatgtgc cacaggggag atcgactgta tcccggggc ctggcgctgt 3840
gacggcttcc ccgagtgcga tgaccagagc gacgaggagg gctgccccgt gtgctccgcc 3900
gccagttcc cctgcgcgcg gggtcagtgt gtggacctgc gcctgcgctg cgacggcgag 3960
gcagactgtc aggaccgctc agacgaggcg gactgtgacg ccatctgcct gccaaccag 4020
ttccggtgtg cgagcgcca gtgtgtctc atcaaacagc agtgcgactc cttccccgac 4080
tgtatcgacg gctccgacga gctcatgtgt gaaatcacca agccgccctc agacgacagc 4140
ccggcccaca gcagtgccat cggggccgctc attggcatca tcctctctct cttcgtcatg 4200
ggtggtgtct attttgtgtg ccagcgctg gtgtgccagc gctatgcggg ggccaacggg 4260
cccttccgc acgagtatgt cagcgggacc ccgcacgtgc cctcaattt catagccccg 4320
ggcggttccc agcatggccc cttcacaggc atcgcatgcg gaaagtccat gatgagctcc 4380
gtgagcctga tggggggccg gggcggggtg cccctctacg accggaacca cgtcacaggg 4440
gcctcgtcca gcagctcgtc cagcacgaag gccacgctgt acccgccgat cctgaaccg 4500
ccgccctccc cgccacgga cccctccctg tacaacatgg acatgttcta ctctcaaac 4560
attccggcca ctgtgagacc gtacaggccc tacatcattc gaggaatggc gccccgacg 4620
acgccctgca gcaccgacgt gtgtgacagc gactacagcg ccagccgctg gaaggccagc 4680
aagtactacc tggatttgaa ctggactca gacctatc caccaccac cagccccac 4740
agccagtacc tgtcggcgga ggacagctgc ccgccctgc ccgccacca gaggagctac 4800
ttccatctct tccgcccc tccgtcccc tgcacggact catectga 4848

<210> 101
<211> 642
<212> DNA
<213> MONKEY

<400> 101
atgcagctcc cactggccct gtgtcttgtc tgccgtgctg tacacgcagc cttccgtgta 60

Nonprovisional IP-017.ST25.txt

gtggagggcc aggggtggca ggccttcaag aatgatgcca cggaaatcat ccccgagctc 120
 ggagagtacc ccgagcctcc accggagctg gagaacaaca agaccatgaa ccgggaggag 180
 aatggagggc ggcctcccca ccaccccttt gagaccaaag acgtgtccga gtacagctgc 240
 cgagagctgc acttcacccg ctacgtgacc gatggggcgt gccgcagcgc caagccagtc 300
 accgagttgg tgtgtctccg ccagtgcggc ccggcacgcc tgctgccaa cgccatcggc 360
 cgcggcaagt ggtggcgccc gagtggggcc gacttccgct gcatccccga ccgctaccgc 420
 gcgcagcgtg tgcagctgct gtgtcccggt ggtgccgcgc gcgcgcgcgc caaggtgcgc 480
 ctggtggcct cgtgcaagtg caagcgctc acccgcttcc acaaccagtc ggagctcaag 540
 gacttcggtc ccgaggccgc tcggccgcag aagggccgga agccgcggcc ccgcgcccgg 600
 ggggccaag ccaatcaggc cgagctggag aacgcctact ag 642

<210> 102
 <211> 264
 <212> DNA
 <213> DANIO RERIO

<400> 102
 gtggtcagtc ccgttcagga tgcgcagagc aacgcgtctc tgaaccgcgc gcgctccgga 60
 ggaagaggct tcagcacgca cgacagagaa cgaatcccag taggctgcag agagctccga 120
 tccaccaagt acatctcaga tggccagtgc accagcataa accctgtgaa agagctggtg 180
 tgcacaggac agtgcctccc cgctcagatg ctgcccatt ggattggagg atacggcaag 240
 aagtcctgga accgtcttgc tttt 264

<210> 103
 <211> 5037
 <212> DNA
 <213> DROSOPHILA

<400> 103
 atggctctcg agccatacac aaagtctgct gaaatcgaac ctcaattgtg ccaagttata 60
 gataataatg aagatgtgac aacgaaagcg acgaaatgca cgaaatctaa cagcggagtg 120
 ggctggcgac aaatgctgat cggttttcta ctgatttgct ttggcatctc aaacagttgg 180
 cagtacaaaa atgttcacat gccagctcc tcatccctga tcgccagccc gccagccagt 240
 gcgtttgtca atacgccggc caccctgctc tttaccacgc gccacgacat ccaggtggcg 300
 aacatcacga ggccaacggg cggacctcag atcgatgtga tcgttaggga tctggccgag 360
 gcgatggcca tcgatttcta ctacgctaag aatctggtct gctggacgga ttccggacgg 420
 gagatcattg agtgtgcgca aacgaactca tccgactgc agccgctatt gcgggcgccc 480
 aagcaactg tgatatccac gggctctggac aagcccagg gcctggccat ggactggtat 540
 acggacaaga tctactggac ggatggcgaa aagaatcgca ttgaggtggc cacgctggat 600
 ggtcgctacc agaaggtgct gttctggaca gatctggatc agccgcgagc ggtggccgtg 660
 gttcctgctc gaaaattgct catctggacg gattgggggg agtatccgaa gattgagcga 720

Nonprovisional IP-017.ST25.txt

gccagcatgg	acggagatcc	attgtcacgc	atgacattgg	tcaaggagca	tgtgttctgg	780
cccaacggat	tggcagtaga	cctaaagaac	gagctcatct	actggacaga	tggcaagcac	840
catttcatcg	atgtgatgag	actagatgga	agcagtcggc	gaacgatagt	caacaacctg	900
aagtatccat	ttagtttgac	cttctacgat	gatcgtttgt	actggacgga	ttggcagagg	960
ggctccctga	acgctttgga	tctgcaaacc	cgtaactaa	aggagctaata	agacacgccc	1020
aaggcaccga	actctgtcag	agcatgggat	ccctcactcc	agccttatga	ggataatccc	1080
tgtgttcaca	acaatggaaa	ttgtctacat	ctctgcctgc	tggcgacaaa	ctcgcaagga	1140
tttagttgcg	cctgtcccac	tggagtgaag	ctaatactctg	caaatacgtg	tgccaatggt	1200
tcgcaggaga	tgatgttcat	tgtgcagcga	acgcagatta	gtaagatatc	cctggactca	1260
ccggattaca	ctatatccc	gctgcctttg	gggaagggtta	agtacgcaat	agccatagat	1320
tacgatccag	tggaggagca	tatctattgg	tccgatgtgg	agacgtacac	gatcaagaga	1380
gctcatgccg	atggcaccgg	tgtgactgac	tttgtgacct	cggaggtcag	gcatcccgat	1440
ggtttgcat	tggattggct	ggctcgcaat	ctctactgga	cggatacggg	gasggatcga	1500
atagaggctc	gccgcctgga	tggtagcgca	agaaaagtgc	tgatctatga	gcatttggag	1560
gagccgagag	ccattgcagt	ggctccttcg	ctgggctgga	tgttctggag	tgactggaac	1620
gagcgtaagc	ccaagggtgga	gcgcgcttcg	ctggatggat	ccgagcgtgt	ggttctgggc	1680
tccgagaatc	tgggctggcc	caatggcatt	gccttggata	ttgaggccaa	ggccatctac	1740
tgggtcgatg	gcaagacgga	caagatcgag	gtggccaaca	tggatgggtc	tggccgacga	1800
gtggtgatca	gcgacaatct	gaagcatctg	tttggcctga	gcatcctgga	tgattaccta	1860
tactggacag	actggcaacg	tcgatcgata	gatcgcgccc	acaagataac	aggcaacaat	1920
cggatagtg	ttgtggatca	gtatccggat	ttgatgggccc	taaagggtgac	acgtttgcgg	1980
gaagtgaggg	gacagaatgc	ttgtgccgtg	cgtaatggtg	gatgctcgca	tctctgcctg	2040
aatcgtccca	gggattatgt	ttgccgttgt	gccattgatt	acgagctggc	caacgacaag	2100
cgaacatgtg	tggtgccagc	tgctttccta	ctattctcac	gccaggagca	cattggctcg	2160
atttctatag	agtacaacga	gggtaaccac	aacgacgagc	ggataccggt	caaggatgtg	2220
cgggatgcac	atgctctgga	tgtttctgtg	gctgagcgaa	ggatttactg	gacagatcag	2280
aagagcaagt	gtattttccg	agccttttta	aatggttcgt	acgttcagcg	aattgtggac	2340
tcagggtctaa	ttggtcctga	tggcatcgct	gtcgattggt	tggccaataa	tatttactgg	2400
tcagatgcag	aagcgctcg	cattgaagtt	gctcgcttag	atggcagcag	tcggcgggtg	2460
cttctgtgga	aaggagtgga	ggagccacgt	tccttgggtcc	tagaaccgcg	acgaggctat	2520
atgtactgga	cggaatcgcc	gacagattcg	attcgagag	cggcaatgga	cggatctgac	2580
ttgcagacca	tcgtagcggg	tgccaatcat	gccgccggac	taaccttcga	ccaggagaca	2640
agacgtctgt	actgggccac	ccaatcgcg	ccagctaaaa	tcgaaagtgc	tgattgggat	2700
ggtaagaagc	ggcagatact	ggttggcagc	gatattggatg	agccgtatgc	ggtgtccttg	2760

Nonprovisional IP-017.ST25.txt

taccaagact atgtgtactg gagcgactgg aacactggag acattgagcg tgtgcacaag	2820
actacggggtc agaatcgag cctggtgcac tcgggcatga cgtacatcac ctgctgctg	2880
gtgttcaacg ataaacgcca gacaggtgtt aatccgtgca aggtgaacaa tggaggatgt	2940
tcacatctct gcttggtca acccggaaga cggggcatga cctgcgcctg tcccactcac	3000
taccagttgg ccaaggacgg cgtctcatgt attccgcca gaaactacat tatcttcagt	3060
cagaggaact gttttggcg attgctaccg aacactacgg attgccccaa tattccactg	3120
cccgtttctg gcaagaatat tcgtgctgtg gactatgatc ccatcactca ccatatttat	3180
tggattgaag gcagaagtca cagcatcaaa cgatcacttg ccaatgggac caaagtcagc	3240
ttattggcca attccggcca gccttttgac ctggccatcg acattattgg gcgtctgctc	3300
ttctggactt gctcccagtc taacagcatc aacgttacta gtttcttggg cgaatccgtt	3360
ggcgtcatcg atacgggaga ttacagagaag cctcgcaaca ttgcagtga tgccatgaag	3420
cgctgtctct ttggacaga tgttggtagc catcaggcta taatacgtgc ccgagttgat	3480
ggcaatgagc gcgtggagct ggcttcaaaa ctggagggcg taactgcctt agctttggat	3540
cagcagtcgg atatgattta ctatgcacat ggcaagcgga tcgatgccat tgacatcaac	3600
ggaaaaaaca aaaaaaact tgtttctatg cacatttcgc aagtgatcaa catcgctgcc	3660
ttgggtggct ttgtctactg gctggatgat aaaaccggcg tggaacgtat cacggtgaat	3720
ggcgaaagac gatctgctga actgcagcgc ctacctcaga tcaccgatat ccggggccgtt	3780
tggacgccag atccgaaagt cctgcgaaat cacacgtgca tgcacagccg aaccaagtgc	3840
tcgcacatct gtattgccag cgggaagga atcgctagaa cccgcgacgt ctgctcctgc	3900
caaagcatc taatgttgct ggaggacaag gagaactgtg gcgcttttcc cgctgtggc	3960
ccggatcatt ttacgtgcgc agctcccgtg tcgggaatca gtgacgtgaa caaagactgc	4020
atcccagcct cgtggcgttg tgacggacag aaggactgtc cggacaagtc agacgaggtg	4080
ggttgtccca cttgccgggc agatcagttc agctgtcagt cgggcgagtg catcgacaag	4140
tcgctggtgt gcgatggcac caccaattgt gccaacggtc atgatgaagc cgattgttg	4200
aagcgaccag gggagttcca gtgtccatt aacaagctct gcatctcggc cgcactgctc	4260
tgcatggat gggagaactg cgccgatgga gctgatgaat cctcggatat ctgcctgcaa	4320
cgccgatgg cacctgctac cgacaaacgt gcctttatga ttttgattgg cgctaccatg	4380
atcaccatat ttctgattgt ctatttgctg cagttctgtc gcacgcgtat tggaaagagt	4440
cgaacagagc ctaaggatga ccaggccact gatccattgt caccctcgac gctgagcaaa	4500
tcgcaaaggg tttccaaaat cgcttcggtt gcggatgcag tacgcatgtc tacgtgaac	4560
tcgcgcaaca gcatgaattc ctacgatcgc aatcatatca caggcgctc aagctcaacg	4620
acgaatggta gcagtatggt ggcgtatcca atcaatccac caccgtcgcc agcaaccaga	4680
tcgcgtcgcc cgtacaggca ctacaagatc atcaatcagc ctccaccgcc aacaccctgc	4740
tcaacggaca tttgtgatga gtctgactcg aattatacga gcaaatcgaa cagcaataac	4800

Nonprovisional IP-017.ST25.txt

agtaatgggg gagccacaaa gcattcttcc agttcggcgg ccgcctgctt gcaatatggc 4860
 tacgatagtg agccgtatcc gccgccgccg acaccacgct cccattacca cagcgatgtg 4920
 cgcattgtgc cggaatcctc ctgcccgccg tcgccgtcat cgcggagctc cacgtacttc 4980
 tcgccgctcc cgcctccgcc atcaccagta cagtcgccga gtcggggatt tacgtaa 5037

<210> 104
 <211> 206
 <212> PRT
 <213> HOMO SAPIENS

<400> 104

Met Leu Pro Pro Ala Ile His Phe Tyr Leu Leu Pro Leu Ala Cys Ile
 1 5 10 15

Leu Met Lys Ser Cys Leu Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
 20 25 30

Tyr Ser His Val Val Lys Pro Val Pro Ala His Pro Ser Ser Asn Ser
 35 40 45

Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Phe Ser Asn Thr Gly
 50 55 60

Leu Asp Arg Asn Thr Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
 65 70 75 80

Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Ser Pro Leu Lys
 85 90 95

Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Val Leu Pro Asn
 100 105 110

Trp Ile Gly Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Ser
 115 120 125

Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
 130 135 140

Leu Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val
 145 150 155 160

Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
 165 170 175

His Asn Phe Glu Ser Met Ser Pro Ala Lys Pro Val Gln His His Arg
 180 185 190

Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Met Ser
 195 200 205

Nonprovisional IP-017.ST25.txt

<210> 105
 <211> 206
 <212> PRT
 <213> RAT

<400> 105

Met Leu Pro Pro Ala Ile His Leu Ser Leu Ile Pro Leu Leu Cys Ile
 1 5 10 15

Leu Met Lys Asn Cys Leu Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
 20 25 30

Tyr Ser His Val Val Lys Pro Val Ser Ala His Pro Ser Ser Asn Ser
 35 40 45

Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Phe Ser Ser Thr Gly
 50 55 60

Leu Asp Arg Asn Ser Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
 65 70 75 80

Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Ser Pro Leu Lys
 85 90 95

Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Val Leu Pro Asn
 100 105 110

Trp Ile Gly Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Ser
 115 120 125

Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
 130 135 140

Leu Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val
 145 150 155 160

Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
 165 170 175

His Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His Arg
 180 185 190

Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
 195 200 205

<210> 106
 <211> 126
 <212> PRT
 <213> DANIO RERIO

<400> 106

Gly Cys Arg Glu Leu Arg Ser Thr Lys Tyr Ile Ser Asp Gly Gln Cys
 Page 327

Nonprovisional IP-017.ST25.txt

1 5 10 15

Thr Ser Leu Asn Pro Val Lys Glu Leu Val Cys Ala Gly Glu Cys Leu
20 25 30

Pro Thr His Leu Leu Pro Asn Trp Ile Gly Gly Gly His Tyr Trp Ser
35 40 45

Arg Arg Asp Ala Gln Glu Trp Arg Cys Val Thr Asp Arg Thr Arg Thr
50 55 60

Gln Arg Ile Lys Leu Gln Cys Gln Asp Gly Thr Thr Arg Thr Tyr Lys
65 70 75 80

Ile Thr Ala Val Thr Ser Cys Thr Cys Lys Arg Tyr Thr Arg Gln Asn
85 90 95

Asn Glu Ser Ser His Ala Pro Gln Ser His Ser Lys Asp His Pro Leu
100 105 110

Gln Ser Pro Lys Lys Lys Lys Ser Lys Asn Lys Asn Ser Lys
115 120 125

<210> 107
<211> 213
<212> PRT
<213> MONKEY

<400> 107

Met Gln Leu Pro Leu Ala Leu Cys Leu Val Cys Leu Leu Val His Ala
1 5 10 15

Ala Phe Arg Val Val Glu Gly Gln Gly Trp Gln Ala Phe Lys Asn Asp
20 25 30

Ala Thr Glu Ile Ile Pro Glu Leu Gly Glu Tyr Pro Glu Pro Pro Pro
35 40 45

Glu Leu Glu Asn Asn Lys Thr Met Asn Arg Ala Glu Asn Gly Gly Arg
50 55 60

Pro Pro His His Pro Phe Glu Thr Lys Asp Val Ser Glu Tyr Ser Cys
65 70 75 80

Arg Glu Leu His Phe Thr Arg Tyr Val Thr Asp Gly Pro Cys Arg Ser
85 90 95

Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro Ala
100 105 110

Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro Ser
115 120 125

Nonprovisional IP-017.ST25.txt

Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val
 130 135 140

Gln Leu Leu Cys Pro Gly Gly Ala Ala Pro Arg Ala Arg Lys Val Arg
 145 150 155 160

Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln
 165 170 175

Ser Glu Leu Lys Asp Phe Gly Pro Glu Ala Ala Arg Pro Gln Lys Gly
 180 185 190

Arg Lys Pro Arg Pro Arg Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu
 195 200 205

Leu Glu Asn Ala Tyr
 210

<210> 108
 <211> 618
 <212> DNA
 <213> DROSOPHILA

<400> 108
 atgcttctct ccgccattca cttctacggc ttactcctag cttgcacctt caccgagaagc 60
 tactcggctt tcaagaacga tgccactgag atactttatt cccacgtcgt taaacctgcc 120
 cctgcgagcc cgagcagcaa cagcacgttg aaccaagcca ggaacggagg gaggcactac 180
 gccggcacgg gctccgaccg taacaatcgc gttcaagttg gctgccggga actgcgatct 240
 accaagtaca tctcagacgg ccagtgaccc agcatcaatc ccctgaagga gctggtgtgt 300
 gctggcgaat gcctccccctt gccgctcctg cccaactgga ttggaggagg ttatggaacc 360
 aagtactgga gcagacggag ctgcgaagag tggagatgtg tcaatgacaa aactcgcacc 420
 cagaggatcc agctgcagtg ccaggatgga agtataagaa cctacaaaat aactgtggtc 480
 acggcctgca agtgcaagcg atacaccagg cagcacaacg agtccagcca caactttgag 540
 ggaacctctc aagcaaagcc tgtccagcat cacaaagaga gaaaaagagc cagtaaattc 600
 agcaaacata gtacaagt 618

<210> 109
 <211> 176
 <212> PRT
 <213> TAURUS

<400> 109

Asn Asp Ala Thr Glu Ile Ile Pro Glu Leu Gly Glu Tyr Pro Glu Pro
 1 5 10 15

Leu Pro Glu Leu Asn Asn Lys Thr Met Asn Arg Ala Glu Asn Gly Gly
 20 25 30

Nonprovisional IP-017.ST25.txt

Arg Pro Pro His His Pro Phe Glu Thr Lys Asp Ala Ser Glu Tyr Ser
 35 40 45
 Cys Arg Glu Leu His Phe Thr Arg Tyr Val Thr Asp Gly Pro Cys Arg
 50 55 60
 Ser Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly Pro
 65 70 75 80
 Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Gly Lys Trp Trp Arg Pro
 85 90 95
 Ser Gly Pro Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg
 100 105 110
 Val Gln Leu Leu Cys Pro Gly Gly Ala Ala Pro Arg Ala Arg Lys Val
 115 120 125
 Arg Leu Val Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn
 130 135 140
 Gln Ser Glu Leu Lys Asp Phe Gly Pro Glu Ala Ala Arg Pro Gln Thr
 145 150 155 160
 Gly Arg Lys Leu Arg Pro Arg Ala Arg Gly Thr Lys Ala Ser Arg Ala
 165 170 175

<210> 110
 <211> 532
 <212> DNA
 <213> TAURUS

<400> 110
 agaatgatgc cacagaaatc atccccgagc tgggcgagta ccccgagcct ctgccagagc 60
 tgaacaacaa gaccatgaac cgggcggaga acggaggag acctccccac caccctttg 120
 agaccaaaga cgctccgag tacagctgcc gggagctgca cttcaccgc tacgtgaccg 180
 atgggccgtg ccgcagcgcc aagccggtca ccgagctggt gtgctcgggc cagtgcggcc 240
 cggcgcgctt gctgccaac gccatcggcc gcggcaagtg gtggcgccca agcgggcccg 300
 acttcgctg catccccgac cgctaccgag cgacgcgggt gcagctgttg tgtcctggcg 360
 gcgcggcgcc gcgcgcgcgc aaggtgcgcc tgggtggctc gtgcaagtgc aagcgctca 420
 ctcgcttcca caaccagtcc gagtcaagg acttcgggcc cgaggccgcg cggccgcaaa 480
 cgggccggaa gctgcggccc cgcgccggg gcaccaaagc cagccgggcc ga 532

<210> 111
 <211> 558
 <212> DNA
 <213> FUGU

Nonprovisional IP-017.ST25.txt

<400> 111

cgcggatgga aggtgctgaa gaacgacgcc acagagattt taccggacta ccgggagcgg 60
 agtccgcacg agccgatgac gcaggcggcg aacagcagca gtaacggcgg gaaccgcgcg 120
 aagagcggcg ggagaagcac gagctcgggtg acctacagtg cctcggagct gagctgcagg 180
 gagctgcggtt ccacccgcta cgtcaccgat ggatcttgcc gcagcgccaa acccatcaag 240
 gagctgggtgt gctcgggcca gtgcctgcca gcgcacctca tgcccaaacac catcggccgc 300
 ggcaagtgggt ggcggagcaa cacctcggag taccgctgca tcccggctca ctccaggacc 360
 aggaggatcc agctgcagtg cccaacggc aacctcggga ctacaaaaat ccgcatagt 420
 acctctgca agtgtaagcg gttcagggct caccacaacc agtcggaggc caaggaggtc 480
 ctgaggaggc agcggagcaa gaagcgacg tctcaaggac ggagcaaaaa caacacgcct 540
 ttgattgaca attcatac 558

<210> 112

<211> 6076

<212> DNA

<213> XENOPUS

<400> 112

gaggagaggg agaaggcggg acgaaagagg agaggggtac gaggccatgg gagcagcctg 60
 aaagagtccct ggttgcgagc gaaggggtcg gttagggaaa gcgcagcctg gagtaagatg 120
 gggattctcc cgaaagtgc gctgttgttt tgctactgtt tgggtgtctgc ttgggggtct 180
 cttttattgc tttttgcaa ccgaagggat gtccgattgg ttgatgctgg tgcagcaaaa 240
 ctagagtctg ttgttggtgt gagcagcttg gaagatgcag ctgctgttga ctttctctat 300
 tcacaagggtg ttatttattg gacggatgta agcgaagagt ccattaaaca aacattgttt 360
 aaccagagtt ctaactcaca aactgtagta atcccgggct tggctctccc tgatggcctc 420
 gctgttgact gggttggcaa gaaactttat tggacagact ccgaaacca ccggatagaa 480
 gttgcaaacc tcaatggaac atacagaaaa gtccctctct ggcaagatct ggatcagccg 540
 agggcgatcg ctctcgatcc tgctcatgga tacatgtact ggacagattg gggtgaaacc 600
 ccccgatag aaagagctgg aatggatggc agcacacgca aagtcatagt tgacaccgat 660
 atttattggc ccaatggact gacaattgat ttagacgaac aaaagcttta ctgggcagat 720
 gcaagcttag actttattca caaagcta at tgggatggct catttaggca aaaggtagtt 780
 gaaggaagcc ttacacatcc atttgctctg acgctgacag gaaaaacctt gtattggacg 840
 gactggcaga caagatcaat tcatgcctgc aacaaacgca caggggagaa aaggcgagaa 900
 attcttacga ttctcctcta ctctcctatg gacattcaag ggtatagtaa agagaggcag 960
 ccacgcacc ctacaccatg tcgattgaat gctaattggg gttgctctca ctttgtctt 1020
 ttgtcccaa gagagccctt ttatagctgt acatgtgcta caggagatca actgacagac 1080
 gatggcaaaa cttgcaaac aggtgctgat gatgacttgc tgcttgacg gagaactgac 1140
 cttcgaagga tctcactaga catgccagat ttacagaca ttgtcctgca aattgatgac 1200

Nonprovisional IP-017.ST25.txt

atcaggcacg cgattgccat tgattatgac ccaactgaag gatatatcta ttggactgat 1260
 gatgaagtta aggctatccg ccgtgcatat ctggatggat caggagtcga aaccctggtt 1320
 acaactgaaa tacagcaccg tgacggcata gcggttgact ggggtggctcg taacctttat 1380
 tggactgaca ccgggacaga tcgtatagag gttactctgc tgaatggcac ttcaaggaaa 1440
 attttaatat ctgaaaacct ggatgaaccg agagctattg ttttaaaccg attaactggg 1500
 tatatgtatt ggacagattg gggagaaaat ccaaaaattg agtctgctta tctggatggg 1560
 tcagaacggc tggttcttgt taattcatca ttgggatggc ccaatggatt agcactggat 1620
 cttcaagatg gcaaacctta ctggggagat gctaaaacag acaaaataga gggtatcagt 1680
 gttgatggaa gcaatcggaa aactctcttg gaagacaaac ttccacatat atttggcttt 1740
 acgttgctgg gagattacat ctactggaca gactggcaaa ggcgaagcat tgaaagagtt 1800
 cacaaagtca gagcaagtcg agaaattatt atagaccagc tcccagatct aatgggtctg 1860
 aaagctgcaa gtgtctctaa tacatttggg accaatccat gcgctgacaa taatggaggc 1920
 tgcagccact tatgtctctt ttctccccgg ggagtccgat gttctgccc cataggactg 1980
 gagttactta gtgacatgag gacttgcatt attcctgaag ccttcttagt tttaccagt 2040
 agagcaacta tccataggat ttcttagaa acaacaaca atgatgtggc aattcctctc 2100
 actggagtca aagaggcatc tgctctcgat ttgacgtat ctgataacag actttactgg 2160
 actgatatca ccacgcgggc aattagtagg gcatttatga atggaagctc cgtagaacat 2220
 gttattgagt ttggcctgga ttaccagaa ggtatggcag ttgattggat gggcaagaac 2280
 ctttattggg cagatactgg aacaaatcgt attgaagttt cagcactgga tggactgtat 2340
 cgtcaagttt tggtttggaa agatttggat aaccctagat ccctggcttt ggatccagca 2400
 aagggataca tgtactggac agaatgggga ggaacacaa gaatagtaag agcctacatg 2460
 gatgggacca acaacatcat ttgtgtgat aaagtgggtc gagccaatga cttaaccatt 2520
 gactatgctg atcaaaggct gtattggact gacctggata caaatatgat tgaatcttca 2580
 aacatgctag gagcggaaag agagatcatt gcagatgacc tgcctcatcc ctttggacta 2640
 actcagtaca gtgactatat ctactggaca gactggaacc tccacagcat agaaagagca 2700
 gacaaattaa atggcaataa ccgcacttta atacaagacc acctagattt tgtgatggat 2760
 atcttgggtc ttactcttc caggcaggat ggtttaaatg actgcatgca gaatagcgga 2820
 cactgcagtc agctctgctt ggctgtgcca aagggatcca aatgtagtgt ctcctctcat 2880
 tatacactag cctcaaaca ccgggattgc agcccacctt ccaactttct gctgttcagt 2940
 cagaaaactg ccattaatcg aatgctatta gatgagcagc agagtccaga tataactctt 3000
 ccaatccatg ggctgagaaa tgtcaaggca attagctatg accctgcgga tgggcttatc 3060
 tactgggtgg atggaaggca gaacaacatc aagagatcaa aggatgatgg gacacagtcg 3120
 tttgtgggtg tctctactcc aaatcaaagc caaactcaag aaaagcagcc tcatgacttg 3180
 agtattgata tctacagccg cacattgtac tggacttgtg aaggcacaaa caccatcaac 3240

Nonprovisional IP-017.ST25.txt

gcaaataaac ttaatggaga gtccttagga gttgttcttc gaggagaaaa tgacaagcct	3300
agagccatag ctgtgaatgc agaacgaggg tacatgtatt ttacaaacat gcaagagcga	3360
tcccaaaga ttgagagggc agcattcgat gggacagagc gtgaagtact gttttctaca	3420
ggtctgatac gaccggttgc tttggttggt gacaacaaac taggcaaact tttctgggtt	3480
gatgccgact taaaaagaat tgaaagcagc gatctgtctg gagccaatcg tgtaacgcta	3540
gaagactcta acatccttca gccgatgggg cttacaattc ttggggatta cctgtattgg	3600
atcgataagc agcagcaaat gattgagagg gtggagaaaa caaatggaat tagaagaacg	3660
aaaattcaag gtcgcattgc tcacccact ggtattcatg cagtggagag tgtcgacatg	3720
aacgagttct ttgctcacc atgtcttaat aacaatggag gttgctctca catctgcatt	3780
accaaaggag atggtacccc tagatgttct tgtccagttc atctggtctt actacaagac	3840
ctgttaacat gtggagagcc acccacttgc tcccagagc agttcacttg tgcaacaggg	3900
gacattgact gcattcccat gaactggcgt tgtgatggct tctcagagtg tgatgaccat	3960
agtgatgaag aaaactgtcc tgtgtgttca agcaaccagt tccagtgtgg gaagggtcag	4020
tgcatatgat cccgtcagaa atgcaatgga gagtttgatt gccaggataa gtcggatgaa	4080
ttggactgtg actctatctg ccttcctgat cagttccggt gtgccagcgg tcagtgtata	4140
atgacgagtc agcagtgcga caccttcccc gactgcagcg atagctctga tgagctgatt	4200
tgtgacaagc ctctccaga gaaaacgcca tctcacagca gtgccatagg gccagttatt	4260
ggcatcattc tgtctgtctt tgtcatgggt ggcctgtatt ttgtatgcca gcgagtggta	4320
tgtcacaggt atacagggcc aaatggacct tttcctcacg agtacataag tggaactcca	4380
catgtccctc tcaactttat aactacaaga agctcacagc ctaacactta cactggtatt	4440
tcctatggca agccaatgat tggctcaatg agcatcatgg gaggcagcag cggagcccca	4500
ctttatgata ggaaccacgt gacaggagcc tcacttagca gctcttcag cactaaggcc	4560
acactatacc ctcaaataat gaatccacct ccatcaccag caacagatcg ttctttatac	4620
aacacagaag tattttactc ctcaaacagt ccatctacca ctagatcgta cagaccctac	4680
cttataagag ggattgtctc tccaacaaca ccctgcagta cggatgtctg tgacagtgc	4740
tacaccacaa gcagatggaa agccaataaa tactatatgg atctaaactc tgactccgac	4800
ccttacccctc ctccacctac ccacggagt caatatatgt cagccgagga aagctgcccg	4860
ccttccccta ccacagagcg gagttacttc catctctacc cccaccacc ctctccatgc	4920
acagactctt catgaccccc acgaaaatgg aacttgtgtc cctccagtgt aaataatctt	4980
aaataagaac aaatatataa atatatatat attttaatga ttttaaagat aaatagaatt	5040
tttttttata aaagagaaaa taatcggaaa aaaaaatgtg aatacaatgg gtttggaag	5100
gggctgtgaa attgtacagt aaaaaatatt tataattttg cttttctttt aatttaagta	5160
cagcatgcc a tgtttcta at ggaactaa atgttaagtt tgtattttacg gcagacaaaa	5220
gactctggac ctttttctg aataatgata agctgtgagg ttgatgtttt agcattttta	5280

Nonprovisional IP-017.ST25.txt

ttgtattcgt tctagtgcc atgagttctg ttgtgtggtt atatgtcaag gggccccaat	5340
ccacttttat tcacaggaat aaatgcccta cctagaataa ccatgacaca aatacggag	5400
taaaatggat ataaattcta atgacagctg cattaagggg ctgacaagtt tgcccaggag	5460
cagtaacccc tagcaacctg gtgatgcatt gctctgagtt actgctcctg gacaaactta	5520
gtgtctttta taacataacc cctttgactt ttattgtgca ctaatgtatt atttatttaa	5580
caaagcaacc aaacatcaag ttagaaaacc cgattgttaa agaacatgac gcctctcttt	5640
agtagggggag aagagataaa atggccaggg ccaaatgtaa tgcaggtaag tgaggcccca	5700
gtattggaga aaggacttta tgggtcggga acattcggtt tacttgccctc atttagaaga	5760
caatattttt aatgtaattt tgtatgtaaa cagtgagggt cgtcagaaca tccaataata	5820
ttaccaggta cacatacctg ttttagcggt agtctgcctt ctcttaaagg tttttttttt	5880
gctctgcctt tttcctccca gcaggcctgt gtgaacgata caacaaatgt gcacgttttt	5940
ttaatgcatg ttaatatcat gaatgggttt tacaaaaata taaccctgct ttctcccctt	6000
atcagaatat gaagtaattc aatgtctgca aaaatgcacc ataaagttat attctcgta	6060
aaaaaaaaa aaaaaa	6076

<210> 113
 <211> 1581
 <212> DNA
 <213> RABBIT

<400> 113	
aacgtgcagc ggctgagcgg ggaggccgtg ggggtggtgc tgcgtggggg ccgcgacagg	60
cccagagcca tcgtcgtcaa cgccgagcga gggcacctgt acttcaccaa catgcaggac	120
cgcgcgcca agatcgagcg cgcgccctg gacggcacgg agcgcgagggt cctcttcacc	180
acgggcctca tccgccccgt ggcctcgtg gtggacaacg cgctgggcaa gctcttctgg	240
gtggatgcgg acctgaagcg catcgagagc tgcgacctct caggggcca ccgcctgacc	300
ctggaggacg ccagcatcgt gcagcccgtg ggcctggccg tgctcggccg gcacctctac	360
tgggccgacc ggcagcagca gatgatcgag cgctggtgaga aggccaccgg ggacaagcgc	420
acgcgcgtgc agggcccggt gggccacctc accggcatcc acgcggtgga ggaagtcagt	480
ctggaagagt tctccgcca tccttggtgc cgagacaacg gcggtgctc ccacatctgc	540
attgccaagg gcgatgggac gccgcggtgc tcctgccccg tccacctcgt gctgctgcag	600
aacctgctca cctgtgcaga gcctcccacc tgctctcctg accagttcgc ctgtgccacg	660
ggggagatcg actgcatccc gggggcctgg cgctgcgacg gcttccccga gtgcgacgac	720
cagagcgacg aggagggctg ccccggtgac tcggccgccc agttcccctg cgcgcgggc	780
cagtgcgtgg acctgcggct gcgctgcgac ggcgaggccg actgccacga ccaactcgac	840
gaggccgact gcgacgcat ctgcctgccc aaccagttcc ggtgcgccag cggccagtgc	900
ctgctcatcc ggcagcagtg cgactccttc cccgactgcy tggacggctc ggacgagctc	960
atgtgtgaga tcacccggcc gcccggtggac gacatcccgg ctcatagcag tgccatcggg	1020

Nonprovisional IP-017.ST25.txt

```

cccgatcatcg gcattatcct gtccctgttc gtcattggcg gcgtttactt cgtgtgccag 1080
cgcggtggtgt gccagcgcta cgcgggcgca ggtggggcct tcccgcata gaacgtccgc 1140
gggaccccc acgtgcccc caacttcata gccccaggca gctcccagca cggccgcttc 1200
acaggcatct cctgcggcaa gtccatgatg agctccgtga gcttgatggg tggccggggc 1260
gccgtgcccc ttacgagcg gaaccacgtc accggggcct cgtccagcga ctcgtccagc 1320
acgaaggcct cgtgtaccc gcagatcctg aaccgcgcgc catccccgc cacggacccc 1380
tccctctaca acatggacgt gttctaccct gaaacattc cgcctgcggc cacgccctac 1440
aggtcctacg tcacccgagg catggcgccc ccgaccacgc cctgcagcac cgacgtgtgt 1500
gacagtgact acagtgccag ccaactggaag gccagcaggt actacctgga tctgaactcc 1560
gactcggacc cctaccctc g 1581

```

<210> 114
 <211> 56
 <212> PRT
 <213> MOUSE

<220>
 <221> misc_feature
 <222> (22)..(22)
 <223> Xaa can be any naturally occurring amino acid

<220>
 <221> misc_feature
 <222> (55)..(55)
 <223> Xaa can be any naturally occurring amino acid

<400> 114

Gly Cys Arg Glu Leu Arg Ser Thr Lys Tyr Ile Ser Asp Gly Gln Cys
 1 5 10 15

Thr Ser Ile Ser Pro Xaa Lys Glu Leu Val Cys Ala Gly Glu Cys Leu
 20 25 30

Pro Leu Pro Val Leu Pro Asn Trp Ile Gly Gly Gly Tyr Gly Thr Lys
 35 40 45

Tyr Trp Ser Arg Arg Ser Xaa Gln
 50 55

<210> 115
 <211> 77
 <212> PRT
 <213> MOUSE

<400> 115

Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln Leu
 1 5 10 15

Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val Thr
 Page 335

Nonprovisional IP-017.ST25.txt

20

25 ,

30

Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser His
 35 40 45

Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His Arg Glu
 50 55 60

Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
 65 70 75

<210> 116
 <211> 31
 <212> PRT
 <213> MOUSE

<220>
 <221> misc_feature
 <222> (22)..(22)
 <223> Xaa can be any naturally occurring amino acid

<400> 116

Gly Cys Arg Glu Leu Arg Ser Thr Lys Tyr Ile Ser Asp Gly Gln Cys
 1 5 10 15

Thr Ser Ile Ser Pro Xaa Lys Glu Leu Val Cys Ala Gly Glu Cys
 20 25 30

<210> 117
 <211> 28
 <212> PRT
 <213> MOUSE

<220>
 <221> misc_feature
 <222> (24)..(24)
 <223> Xaa can be any naturally occurring amino acid

<400> 117

Leu Pro Leu Pro Val Leu Pro Asn Trp Ile Gly Gly Gly Tyr Gly Thr
 1 5 10 15

Lys Tyr Trp Ser Arg Arg Ser Xaa Gln Glu Trp Arg
 20 25

<210> 118
 <211> 43
 <212> PRT
 <213> MOUSE

<400> 118

Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln Leu Gln Cys Gln
 1 5 10 15

Nonprovisional IP-017.ST25.txt

Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val Thr Ala Cys Lys
 20 25 30

Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser
 35 40

<210> 119
 <211> 31
 <212> PRT
 <213> MOUSE

<400> 119

Ser His Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His
 1 5 10 15

Arg Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
 20 25 30

<210> 120
 <211> 52
 <212> PRT
 <213> MOUSE

<400> 120

Ser Cys Arg Glu Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys
 1 5 10 15

Arg Ser Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys Gly
 20 25 30

Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp Arg
 35 40 45

Pro Asn Gly Pro
 50

<210> 121
 <211> 83
 <212> PRT
 <213> MOUSE

<400> 121

Asp Phe Arg Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu
 1 5 10 15

Leu Cys Pro Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val
 20 25 30

Ala Ser Cys Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln Ser Glu
 35 40 45

Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg Lys
 50 55 60

Nonprovisional IP-017.ST25.txt

Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu Leu Glu
 65 70 75 80

Asn Ala Tyr

<210> 122
 <211> 31
 <212> PRT
 <213> MOUSE

<400> 122

Ser Cys Arg Glu Leu His Tyr Thr Arg Phe Leu Thr Asp Gly Pro Cys
 1 5 10 15

Arg Ser Ala Lys Pro Val Thr Glu Leu Val Cys Ser Gly Gln Cys
 20 25 30

<210> 123
 <211> 24
 <212> PRT
 <213> MOUSE

<400> 123

Gly Pro Ala Arg Leu Leu Pro Asn Ala Ile Gly Arg Val Lys Trp Trp
 1 5 10 15

Arg Pro Asn Gly Pro Asp Phe Arg
 20

<210> 124
 <211> 44
 <212> PRT
 <213> MOUSE

<400> 124

Cys Ile Pro Asp Arg Tyr Arg Ala Gln Arg Val Gln Leu Leu Cys Pro
 1 5 10 15

Gly Gly Ala Ala Pro Arg Ser Arg Lys Val Arg Leu Val Ala Ser Cys
 20 25 30

Lys Cys Lys Arg Leu Thr Arg Phe His Asn Gln Ser
 35 40

<210> 125
 <211> 36
 <212> PRT
 <213> MOUSE

<400> 125

Glu Leu Lys Asp Phe Gly Pro Glu Thr Ala Arg Pro Gln Lys Gly Arg
 1 5 10 15

Nonprovisional IP-017.ST25.txt

Lys Pro Arg Pro Gly Ala Arg Gly Ala Lys Ala Asn Gln Ala Glu Leu
 20 25 30

Glu Asn Ala Tyr
 35

<210> 126
 <211> 618
 <212> DNA
 <213> MOUSE

<220>
 <221> misc_feature
 <222> (283)..(283)
 <223> n is a, c, g, or t

<220>
 <221> misc_feature
 <222> (383)..(383)
 <223> n is a, c, g, or t

<400> 126
 atgcttcctc ctgccattca tctctctctc attcccctgc tctgcatcct gatgagaaac 60
 tgtttggtt ttaaaaatga tgccacagaa atcctttatt cacatgtggt taaacctgtc 120
 ccggcacacc ccagcagcaa cagcaccctg aatcaagcca ggaatggagg caggcatttc 180
 agtagcactg gactggatcg aaacagtcga gttcaagtgg gctgcaggga actgcggtcc 240
 accaaataca ttctggacgg ccagtgaccc agcatcagcc ctntgaagga gctggtgtgc 300
 gcgggagagt gcttgccctc gccggtgctt cccaactgga tcggaggagg ctatggaaca 360
 aagtactgga gccggaggag ctntcaggag tggcggtgtg tcaacgacaa gacgcgcacc 420
 cagaggatcc agctgcagtg tcaggacggc agcacgcgca cctacaaaat caccgtggtc 480
 acggcgtgca agtgcaagag gtacaccctg cagcacaacg agtccagcca caactttgaa 540
 agcgtgtcgc ccgccaagcc cgcccagcac cacagagagc ggaagagagc cagcaaattc 600
 agcaagcaca gtctgagc 618

<210> 127
 <211> 213
 <212> DNA
 <213> MOUSE

<400> 127
 atgcttcctc ctgccattca tctctctctc attcccctgc tctgcatcct gatgagaaac 60
 tgtttggtt ttaaaaatga tgccacagaa atcctttatt cacatgtggt taaacctgtc 120
 ccggcacacc ccagcagcaa cagcaccctg aatcaagcca ggaatggagg caggcatttc 180
 agtagcactg gactggatcg aaacagtcga gtt 213

<210> 128
 <211> 405
 <212> DNA
 <213> MOUSE

Nonprovisional IP-017.ST25.txt

<220>
<221> misc_feature
<222> (70)..(70)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (170)..(170)
<223> n is a, c, g, or t

<400> 128
caagtgggct gcaggggaact gcggtccacc aaatacatTT cggacggcca gtgcaccagc 60
atcagccctn tgaaggagct ggtgtgcgcg ggcgagtgtc tgccctgcc ggtgcttccc 120
aactggatcg gaggaggcta tggaacaaag tactggagcc ggaggagctn tcaggagtgg 180
cggtgtgtca acgacaagac gcgcaccagc aggatccagc tgcagtgtca ggacggcagc 240
acgcgcacct acaaaatcac cgtgggtcacg gcgtgcaagt gcaagaggta caccgcgtcag 300
cacaacgagt ccagccacaa ctttgaaagc gtgtcgcccg ccaagcccgcc ccagcaccac 360
agagagcgga agagagccag caaatccagc aagcacagtc tgagc 405

<210> 129
<211> 20
<212> DNA
<213> XENOPUS

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (12)..(12)
<223> n is a, c, g, or t

<400> 129
gcttttaana angatgccac 20

<210> 130
<211> 20
<212> DNA
<213> XENOPUS

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (12)..(12)
<223> n is a, c, g, or t

Nonprovisional IP-017.ST25.txt

<400> 130
gtgacnacng tnattttgta 20

<210> 131
<211> 25
<212> DNA
<213> XENOPUS

<400> 131
agcactggag ccttgagaca accat 25

<210> 132
<211> 25
<212> DNA
<213> XENOPUS

<400> 132
agcagtgaag ccttgagaca accat. 25

<210> 133
<211> 1718
<212> DNA
<213> RAT

<400> 133
acgcggggac agtcaatagc gcagaagcag ggggaaagaa ttcaccgcct cagccgagta 60
aatcctccac tcacatgctt tcctctgccc attcatctct ctctcattcc cctgctctgc 120
atcctgatga aaaactgttt ggctttttaa aatgatgcca cagaaatcct ttattcacat 180
gtgggttaaac ctgtttcagc acaccccagc agcaacagca ccttgaatca agccaggaat 240
ggaggcaggc acttcagtag cacgggactg gatcgaaata gtcgagttca agtgggctgc 300
agggaactgc ggtccaccaa atacatctcg gatggccagt gcaccagcat cagccctctg 360
aaggagctgg tgtgcgcggg tgagtgttg cccttgccag tgcttcccaa ctggatcgga 420
ggaggctacg gaacaaagta ctggagccgg aggagctccc aggagtggcg gtgtgtcaac 480
gacaagacgc gcaccagag aatccagctg cagtgtcagg acggcagcac acgcacctac 540
aaaatcaccg tggtcacagc gtgcaagtgc aagaggtaaca cccggcagca caacgagtcc 600
agccacaact ttgaaagcgt gtctcccgcc aagctcgccc agcaccacag agagcggaag 660
agagccagca aatccagcaa gcacagtctg agctagagct ggactgacta gaaagcatct 720
gctccccaga ttgattgcy tggaagactc gctcgagcct gccattgctc ttttctcact 780
tgaaagtata tgctttctgc ttgatcagg ccagcaggc tgcctttctc tgggaccttc 840
tctgggacta gcttttcctt tgcaagtttc tcaagatgta atgagtagtt tgcagtgaac 900
gccaggcatc ccatagtctt acccctccc ccagtcattt ctttcaaaag cacctgatgc 960
tgcactctgt tacagtttaa accgcgctcc attccctagc ccacccttta cccttcccaa 1020
actaaatccc tccgaaccgg agaagttcaa tcaaaaaaaa aaatgtatct tcacagaaca 1080
tttcacaaag gggcttttcc agtagttttt atgggaatag tttgacagcc aggggttagc 1140
ttcctttgaa agagaggcaa acctgtgac atttcacttc aaaaataagc ccggtggcat 1200

Nonprovisional IP-017.ST25.txt

```

tttccagtct cagtgtgaaa ttatccccct cgtgttgacc tctcttgag tggaatgcca 1260
gcaatgcaag gcagcagcta ataggtaaag ccggttattt attgtcgat gttgttattt 1320
aatgagctcg cgcattgtgat tttttttcca aatgttaatt tttttttata ttttgaagct 1380
ttttcatgta cctaaatatt tcccaatagc atttgtggtt ggtctagaaa tatgaaaata 1440
catgttttag atatgtaaaa ataaatatit tagactcctt atatattaca cggttcctca 1500
tacactttgt cattagcgtg gttccctgta aagctgaagt tatgtaatac tttattattt 1560
agtccatgaa atcagaaggc agcttgacct tcggtgccat cggtttcttt taataaacat 1620
aaatatccgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaaaaat taaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1718

```

```

<210> 134
<211> 25
<212> DNA
<213> MOUSE

```

```

<400> 134
cgtgcctcat ctgcctactt gtgca 25

```

```

<210> 135
<211> 27
<212> DNA
<213> MOUSE

```

```

<400> 135
gaagtccttg agctccgact ggttgtg 27

```

```

<210> 136
<211> 26
<212> DNA
<213> MOUSE

```

```

<400> 136
ttctggcgag tcgacaattc tattgg 26

```

```

<210> 137
<211> 26
<212> DNA
<213> MOUSE

```

```

<400> 137
aacctttatc gtcgacgagc aattgg 26

```

```

<210> 138
<211> 44
<212> DNA
<213> MOUSE

```

```

<400> 138
gcttcagcag cacatatggc tgttgtttat aacaacgaag ggac 44

```

```

<210> 139
<211> 45
<212> DNA

```

Nonprovisional IP-017.ST25.txt

<213> MOUSE

<400> 139

gcagcttcag cagcggatcc agctgttggt tataacaacg aaggg

45

<210> 140

<211> 35

<212> DNA

<213> MOUSE

<400> 140

gcaaaaaaag cgaatctctc gagtcgcctt gcttt

35